



SUPPLEMENT  
TO THE  
**NEW ZEALAND GAZETTE**  
OF  
THURSDAY, DECEMBER 4, 1884.  
Published by Authority.

WELLINGTON, TUESDAY, DECEMBER 9, 1884.

*Tenders for Supply of Coal.*

THE following is a list of tenders received for the supply of coal for the New Zealand Railways, 1885.  
By order.

J. P. MAXWELL,  
General Manager, New Zealand Railways,

For Supply.	Tenderer.	Place of Delivery.	Kind of Coal.	Rate per Ton.	
FOR RAILWAYS.					
Kaipara-Waikato	Taupiri Coal Company	Huntly	Brown coal	10/	Accepted.
		Mercer	"	11/	
	R. Nancarrow	Auckland	Coal-Pit Heath	26/6	Declined.
		Onehunga	"	24/	
Whangarei	Westport Colliery Company	"	Westport	23/6	"
		"	Brunner	23/6	
	M. Kennedy	Kamo	Brown coal	10/	Accepted.
		Waitara	Brunner	29/9	
New Plymouth	R. Nancarrow	"	Coal-Pit Heath	30/	Declined.
		"	Westport or Grey	30/6	
Wanganui	W. R. Williams	Eastown	"	21/11	Accepted.
		Foxton	"	29/3	
	R. Nancarrow	Eastown	Coal-Pit Heath	25/	Declined.
		"	Westport or Grey	25/9	
	Anchor Steamship Company	Foxton	"	30/6	"
		Eastown	Grey	25/	
James Leys	Eastown	Brunner	22/9	"	
M. Kennedy	Foxton	"	29/9	"	

For Supply.	Tenderer.	Place of Delivery.	Kind of Coal.	Rate per Ton.	—	
FOR RAILWAYS—continued.						
Napier	Westport Colliery Company	Spit	Westport	25/	Accepted.	
	R. Nancarrow	"	Coal-Pit Heath	26/	Declined.	
	M. Kennedy	"	Brunner	26/9	"	
	J. H. Vautier	"	Grey	27/4	"	
Wellington	M. Kennedy	Wellington	Newcastle	26/8	Accepted.	
	W. R. Williams	"	Brunner	19/9		Declined.
	J. R. Scott	"	Westport or Grey	21/5	"	
	R. Nancarrow	"	Coal-Pit Heath	21/8	"	
Picton	M. Kennedy	Picton	Brunner	20/	Accepted.	
	Collingwood Coal Company	"	Collingwood	23/	Declined.	
Nelson	Anchor Steamship Company	"	Westport or Grey	24/3	Accepted.	
	Collingwood Coal Company	Nelson	Collingwood	21/		Declined.
	R. Nancarrow	"	Coal-Pit Heath	23/8	"	
	Anchor Steamship Company	"	Westport or Grey	21/8	"	
Hurunui-Bluff— 1st Section	W. R. Williams	"	Brunner	21/5	"	
	M. Kennedy	"	Brunner	21/8	"	
	William Wilson	Whitecliffs	Brown coal	12/	Accepted.	
	Springfield Coal Company	Springfield	"	12/	"	
	J. A. McLraith	Ghentunnel	"	12/	"	
	M. Kennedy	Lyttelton	Brunner	20/9	"	
	W. R. Williams	"	Westport or Grey	22/3	Declined.	
	J. R. Scott	"	"	22/8	}	
	R. Nancarrow	"	Newcastle	19/10		"
	Westport Colliery Company	"	Coal-Pit Heath	21/	"	
	2nd Section	Westport Colliery Company	Timaru	Westport	22/3	Accepted.
		M. Kennedy	"	Brunner	22/9	
J. R. Scott		"	Westport or Grey	23/10	"	
R. Nancarrow		"	Coal-Pit Heath	23/	"	
3rd Section	Westport Colliery Company	"	Westport	23/5	Accepted.	
	W. R. Williams	Oamaru	Westport or Grey	22/3		Declined.
	J. R. Scott	"	"	23/10	"	
	R. Nancarrow	"	Newcastle	21/	"	
4th Section	Westport Colliery Company	"	Coal-Pit Heath	24/	}	
	M. Kennedy	"	Westport	23/5		Declined.
	Walton Park Company	"	Brunner	23/9	"	
	Kaitangata Company	"	Brown coal	8/6	"	
	Fernhill Coal Company	Abbotsford	"	9/	"	
	Smith and Fotheringham	"	"	7/4	Accepted.	
	Kaitangata Coal Company	"	"	8/	"	
	W. R. Williams	Stirling	"	12/6	"	
	J. R. Scott	Port Chalmers	Westport or Grey	24/3	Declined.	
	R. Nancarrow	"	"	23/10	}	
M. Kennedy	"	Newcastle	20/	Declined.		
Westport Colliery Company	"	Coal-Pit Heath	23/		"	
Walton Park Company	"	Brunner	22/9	"		
5th Section	Westport Colliery Company	"	Westport	23/6	"	
	Walton Park Company	Walton Park Siding	Brown coal	8/6	"	
	Nightcaps Coal Company	Nightcaps	"	12/	Accepted.	
	Orepuki Coal Company	Hirstfield	"	9/10	"	
	Westport Coal Company	Bluff	Westport	23/8	"	
	R. Nancarrow	"	Coal-Pit Heath	25/	Declined.	
	Kaitangata Company	Stirling	Brown coal	9/	"	
	M. Kennedy	Bluff	Brunner	23/9	"	
	W. R. Williams	"	Newcastle	23/9	"	
	J. R. Scott	"	"	21/	}	
W. S. Waterston	"	Grey or Westport	23/10	Declined.		
			27/6		"	
FOR WORKSHOPS.						
Addington	M. Kennedy	Lyttelton	Brunner	20/9	Accepted.	
	R. Nancarrow	"	Coal-Pit Heath	21/	Declined.	
	Westport Colliery Company	"	Westport	23/6	"	
	J. R. Scott	"	"	22/10	"	
Hillside	W. R. Williams	"	Newcastle	20/	}	
	M. Kennedy	Port Chalmers	Westport or Grey	22/3		Accepted.
	Westport Colliery Company	"	Brunner	22/9	Declined.	
	John Mill and Co.	"	Westport	26/6		}
	J. R. Scott	"	Westport or Grey	25/6	Declined.	
	R. Nancarrow	"	Newcastle	21/		"
Newmarket	J. R. Scott	"	"	20/	}	
	R. Nancarrow	"	Westport or Grey	23/10		Declined.
	Walton Park Company	Walton Park Siding	Coal-Pit Heath	25/	"	
	R. Nancarrow	Onehunga	Brown coal	8/6	"	
Westport Coal Company	"	Coal-Pit Heath	24/	Accepted.		
			26/	Declined.		

Tenders for Railway Stores.

Railway Department, Wellington, 29th November, 1884.

LIST of successful tenders for the supply of stores for the New Zealand Railways, 1885-86.

By order.

J. P. MAXWELL,  
General Manager, New Zealand Railways.

For Supply of	Auckland.	Wellington.	Christchurch.	Dunedin.
Ironmongery ..	E. Porter and Co. ..	E. W. Mills and Co. ..	S. Nashelski ..	New Zealand Hardware Company.
Oils, colours ..	T. and S. Morrin and Co. ..	" ..	" ..	A. Briscoe and Co.
Ship-chandlery ..	" ..	" ..	" ..	Esther and Low.
Leather ..	" ..	" ..	" ..	Dunedin Iron and Wood-ware Company.
Drain-pipes ..	E. Porter and Co. ..	P. Hutson and Co. ..	Ford and Ogdon..	Ditto.

TENDER RATES AS FOLLOWS:—

Description of Article.	Rate.				Per
	Auckland.	Wellington.	Ch'ch.	Dunedin.	
<b>SCHEDULE FOR IRONMONGERY.</b>					
1 Adzes, Sorby's No. 2, square or round polled .. ..	3/3	3/6	3/4	3/	each.
2 " " No. 3 .. ..	3/6	3/9	3/6	3/9	"
3 Anvils, best, tied in .. ..	27/	31/	32/	23/6	cwt.
4 " Wright's patent .. ..	31/	38/	38/	28/	"
5 Augers, screw, 1/2 in. to 3/4 in., Gilpin's .. ..	21/	20/	18/	18/	doz.
6 " " 1/2 in. to 3/4 in. " .. ..	23/	33/	22/	21/	"
7 " " 1 in. to 1 1/2 in. " .. ..	39/	42/	30/	31/	"
8 " " 1 1/2 in. to 2 in. " .. ..	68/	58/	36/	35/6	"
9 " " 2 1/2 in. to 2 1/2 in. " .. ..	130/	65/	42/	50/	"
10 " " 1 in. to 3/4 in., Mathieson's .. ..	18/	20/	20/	17/6	"
11 " " 3/4 in. to 1/2 in. " .. ..	23/	24/	24/	25/	"
12 " " 1 in. to 1 1/2 in. " .. ..	42/	42/	33/	32/	"
13 " " 1 1/2 in. to 2 in. " .. ..	65/	60/	40/	37/	"
14 " " 2 1/2 in. to 2 1/2 in. " .. ..	70/	65/	48/	56/	"
15 Auger-bits, Gilpin's .. ..	2/	3/	2/	1 1/2/	1/2 in.
16 Axes, American, handled, 4 1/2 lb. to 5 1/2 lb. .. ..	5/	4/9	5/3	4/8	each.
17 Babbit's patent metal .. ..	90/	95/	80/	69/6	cwt.
18 Baize, green, double width .. ..	2/3	2/6	3/	1/	yard.
19 Basins, for washstand, 15 in. stamped iron, enamelled .. ..	4/	4/3	3/	3/7	each.
20 Belt fasteners, per cent. discount from Nettlefold's list, 1882, Arts. 50 and 51 .. ..	40%	25%	15%	38%	"
21 " Greene's patent, No. 0 .. ..	10/	4/	8/	2/9	box of 100.
22 " " No. 1 .. ..	8/	3/6	7/	3/9	"
23 " " No. 2 .. ..	6/	2/9	6/	3/3	"
24 " " No. 3 .. ..	4/	2/4	5/	2/	"
25 Belt-cutters, for above .. ..	5/	3/6	2/	3/6	each.
26 Bells, handled, station, 6 in. .. ..	7/	7/6	10/	5/6	"
27 " " " 8 in. .. ..	10/6	14/6	18/	13/9	"
28 Berlin wool .. ..	6/6	7/	3/6	3/	lb.
29 Blacklead .. ..	10/	10/	9/	5/	"
30 Blankets, single, blue, to pattern .. ..	10/	13/6	10/	11/	pair.
31 " " white, " .. ..	10/	12/6	11/	12/3	"
32 Blind-cord .. ..	4/6	5/	8/	4/	gross.





	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
SCHEDULE FOR IRONMONGERY—continued.						
177	Cocks, gun-metal, steam, plug, bib, or otherwise, flanged at one or both ends, 1½in.	21/6	22/	14/	20/6	each.
178	" " steam, plug, bib, or otherwise, flanged at one or both ends, 1½in.	32/	27/6	16/	25/	"
179	" " steam, plug, bib, or otherwise, flanged at one or both ends, 2in.	34/6	30/	24/	30/	"
180	" " steam, plug, bib, or otherwise, screwed, male or female, as required, ½in.	1/9	2/6	2/	2/4	"
181	" " steam, plug, bib, or otherwise, screwed, male or female, as required, ½in.	3/	4/	4/	2/9	"
182	" " steam, plug, bib, or otherwise, screwed, male or female, as required, ½in.	4/6	6/	6/	4/6	"
183	" " steam, plug, bib, or otherwise, screwed, male or female, as required, 1in.	6/6	10/	8/	7/11	"
184	" " steam, plug, bib, or otherwise, screwed, male or female, as required, 1½in.	11/6	15/	12/	14/6	"
185	" " steam, plug, bib, or otherwise, screwed, male or female, as required, 1½in.	13/6	19/6	18/	17/11	"
186	" " steam, plug, bib, or otherwise, screwed, male or female, as required, 1½in.	20/	24/6	22/	23/	"
187	" " steam, plug, bib, or otherwise, screwed, male or female, as required, 2in.	25/	30/	30/	32/6	"
188	Cotter pins, per cent. discount from Nettlefold's list	35%	37½%	35%	42%	
189	Copper, bar .. .. .	100/	105/	98/	95/	cwt.
190	" ingot .. .. .	80/	86/	76/	79/6	"
191	" pipe, brazed .. .. .	130/	120/	140/	145/	"
192	" " solid drawn .. .. .	140/	140/	168/	188/	"
193	" " sheet, up to ½in. thick .. .. .	98/	105/	108/	118/	"
194	Crucibles, plumbago, Morgan's .. .. .	4/	4½	4½	4	No.
195	Currycombs .. .. .	5/	4/	5/	5/	doz.
196	Chisels, socket, ½in. to 1in. .. .. .	18/	12/	12/	15/	"
197	" " 1½in. to 1½in. .. .. .	24/	18/	14/	22/	"
198	" " 1½in. to 2in. .. .. .	30/	24/	18/	26/6	"
199	Dusters, Turkish, to sample .. .. .	6/	7/	7/	7/	"
200	" " feather, .. .. .	8/	3/3	2/6	8/6	each.
201	Dust-pans, strong, japanned .. .. .	1/4	1/9	1/6	1/3	"
202	Emery cloth, Oakey's, all numbers .. .. .	31/	31/	32/	29/9	ream.
203	" " powder, .. .. .	4/	3/	3½	3/	lb.
204	Fire-clay, English .. .. .	10/	15/	7/	13/9	cwt.
205	Felt, roofing .. .. .	8/	6/	6/	5½	yard.
206	" " boiler, dry hair, 16oz. sheets, 32in. x 20in. .. .. .	10/	8/	9/	9/	sheet.
207	" " " 24oz. " " " " .. .. .	1/1	1/11	1/	1/10	"
208	" " " 32oz. " " " " .. .. .	1/3	1/2	1/	1/11	"
209	" " " 40oz. " " " " .. .. .	1/4	1/4	1/3	1/	"
210	" " " 48oz. " " " " .. .. .	1/6	1/6	1/8	1/2	"
211	Fenders, medium quality, to sample .. .. .	1/6	3/	2/6	2/8	foot.
212	Fire-irons, steel, bright, plain heads, to sample .. .. .	5/	8/	6/	6/8	set.
213	Files and rasps, all descriptions, per cent. discount from Sheffield list	45%	40%	40%	45½%	
214	Files and rasps, all descriptions, per cent. advance on Stubs' Lancashire list	10%	10%	15%	10%	
215	File card-wire .. .. .	1/6	1/9	2/	1/11	sq. foot.
216	Filters, Slack and Brownlow's No. 1 .. .. .	16/	19/6	15/	12/	each.
217	" " " No. 2 .. .. .	20/	26/	17/6	20/	"
218	" " " No. 3 .. .. .	25/	32/	20/	24/	"
219	Fuse, Bickford's, double tape .. .. .	9/	8½	10/	8½	coil.
220	Figures, steel, ½in. .. .. .	3/	2/3	1/	9/	set.
221	" " " ½in. .. .. .	4/6	4/	2/	3/	"
222	" " " ¾in. .. .. .	6/	6/	2/6	3/3	"
223	" " " ¾in. .. .. .	7/6	7/	2/6	3/3	"
224	Flannel, scouring .. .. .	7/	9/	9/	8½	yard.
225	Forks, digging, American, 5-pronged .. .. .	5/	4/3	5/	3/6	each.
226	" " hay, " 2- or 3-pronged, as required .. .. .	2/	2/	2/6	1/4	"
227	Gas, pipe compo., ½in. and ¾in. .. .. .	3/	3½	3½	3/	lb.
228	" " burners, patent Steatite, to pattern .. .. .	9/	3/	2/	1/8	doz.
229	" " Bray's .. .. .	9/	2/6	2/6	9/	"
230	" " globes, plain, to pattern .. .. .	1/6	1/6	3/	1/3	each.
231	" " ground, " .. .. .	2/	1/6	1/8	1/3	"
232	" " opal, .. .. .	2/6	1/9	2/6	1/10	"
233	Gas tongs .. .. .	2/6	2/6	2/6	1/8	pair.
234	Glasses, gauge, Tomey and Sons' .. .. .	6/	6/6	7/	5/6	doz.
235	Glass paper, Oakey's, all numbers .. .. .	17/6	17/6	17/	16/	ream.
236	Glaziers' putty knives .. .. .	1/	1/10	1/6	4/	each.
237	" " hacking knives. .. .. .	1/6	1/10	1/6	5½	"
238	" " palette .. .. .	2/6	2/	1/6	5/	"
239	" " diamonds, for sheet glass .. .. .	16/	15/	12/	10/6	"
240	" " " plate glass .. .. .	25/	20/	30/	24/	"
241	Glue, pale, No. 1 .. .. .	8/	9/	8/	7/	lb.
242	" " Russian .. .. .	9/	1/	1/	11½	"
243	Grindstones to 24in. diameter .. .. .	4/	3½	4/	3½	lin. diam.
244	" " above 24in. diameter and not exceeding 48in. .. .. .	1/	1/2	1/	8½	"
245	" " " 48in. " " " " .. .. .	2/	2/9	2/	8½	"
246	" " " 60in. " " " " .. .. .	2/6	4/	3/	8½	"

	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
SCHEDULE FOR IRONMONGERY—continued.						
247	Grindstone mountings, American .. .. .	3/	3/	3/	2/5	set.
248	Grates, register, fine-cast .. .. .	5/2	5/2	6/	6/	inch.
249	" " 2nd finish .. .. .	8/	1/3	9/	1/	"
250	" " " with steel bead .. .. .	1/9	1/9	1/	1/4	"
251	Gas pipe and fittings, black, per cent. discount from list	65%	57 1/2%	60%	68%	"
252	" " galvanized, per cent. discount from list	55%	45%	40%	53%	"
253	Gimp pins, all colours .. .. .	1/10	8/2	6/	9/	lb.
254	Hammers, claw, American, adze-eye, Cheney's No. 5 .. .. .	2/6	2/6	2/10	2/4	each.
255	" " engineers', all steel .. .. .	1/2	1/2	1/3	1/	lb.
256	" " smiths', hand and sledge, steel-faced, all descriptions	4/2	5/	5/2	4/	"
257	Handles, hickory, adze .. .. .	10/6	9/6	8/	9/	doz.
258	" " axe .. .. .	9/	9/6	8/	8/5	"
259	" " hand hammer .. .. .	2/9	3/6	3/	4/8	"
260	" " sledge .. .. .	8/	8/	8/6	7/11	"
261	" " pick .. .. .	10/6	9/6	10/	8/11	"
262	" " tomahawk .. .. .	3/3	6/	3/	3/	"
263	" " file, ferruled .. .. .	1/3	1/	2/	1/	"
264	" " broom .. .. .	2/4	3/6	2/6	2/3	"
265	" " mop, ferruled .. .. .	3/3	4/6	2/6	3/3	"
266	" " scythe, American .. .. .	32/	27/	40/	33/	"
267	" " shovel, long, American .. .. .	9/	10/6	6/	6/	"
268	" " hay-fork, American .. .. .	7/6	9/6	6/	5/6	"
269	" " hay-rake, .. .. .	7/	6/6	6/	5/9	"
270	" " spade and shovel, Ds. .. .. .	12/	11/	7/	5/	"
271	Hasps and staples, to drive .. .. .	4/2	4/	3/	1/1 1/2	lb.
272	" " on plate .. .. .	7/	3/6	6/	2/9	doz.
273	Hinges, brass butt, 1 1/2 in. .. .. .	2/2 1/2	3/	4/	3/	pair.
274	" " " 2 in. .. .. .	4/	5/	4 1/2	4 1/2	"
275	" " " 2 1/2 in. .. .. .	6/	7/	5 1/2	6/	"
276	" " " 3 in. .. .. .	8/	9/	9/	9/	"
277	" " " 3 1/2 in. .. .. .	1/4	1/4	1/0	1/3	"
278	" " " 4 in. .. .. .	1/9	2/3	1/	1/5	"
279	" " iron butt, 2 in. to 4 in. .. .. .	3/	3/9	4/6	4/	doz. pair.
280	" " Martineau's T 10 in. .. .. .	4/	3/6	4/	3/10	"
281	" " " 12 in. .. .. .	4/9	4/3	6/	4/10	"
282	" " " 14 in. .. .. .	6/	6/	8/	7/	"
283	" " " 16 in. .. .. .	8/	7/6	11/	8/9	"
284	" " " 18 in. .. .. .	9/6	9/	13/	10/	"
285	" " " 20 in. .. .. .	12/	12/6	15/	11/6	"
286	" " chest, 6 in. .. .. .	2/3	2/6	6/	1/6	"
287	" " " 8 in. .. .. .	3/6	3/9	6/	2/	"
288	" " " 10 in. .. .. .	4/8	5/	6/	3/	"
289	" " " 12 in. .. .. .	5/6	5/9	6/	3/9	"
290	" " " 14 in. .. .. .	7/	7/6	6/	4/	"
291	" " " 16 in. .. .. .	8/6	9/	6/	3/6	"
292	Holland, for window blinds, yellow or green, 36 in. wide .. .. .	1/0	1/	1/4	1/	yard.
293	" " " 42 in. .. .. .	1/11	1/2 1/2	1/6	1/2	"
294	" " " 48 in. .. .. .	1/	1/4	2/2	1/6	"
295	Horse-hair, curled, equal to sample .. .. .	1/9	1/6	1/	9/2	lb.
296	Hooks, case and bag .. .. .	1/0	1/3	1/4	1/1	each.
297	" " wool .. .. .	1/	2/	1/	1/	"
298	" " reaping, B.Y. .. .. .	1/3	1/3	1/3	1/	"
299	" " fern, Gilpin's or Sorby's .. .. .	3/6	3/	2/3	2/4	"
300	" " bill, for gorse, Gilpin's or Sorby's, handled .. .. .	3/3	3/6	4/	3/9	"
301	" " slashers, Gilpin's or Sorby's, 10 in. cut, extra strong .. .. .	4/	3/6	4/	4/5	"
302	" " " " double edge .. .. .	5/	4/	5/6	5/4	"
303	" " hat and coat, japanned iron .. .. .	1/4	2/	1/3	1/1	doz.
304	" " " brass, porcelain knobs .. .. .	7/6	10/6	7/	6/6	"
305	" " and eyes, cabin brass, 4 in. to 6 in. .. .. .	10/	5/	5/	2/	"
306	" " cup, brass .. .. .	1/0	1/6	1/	1/	"
307	India-rubber hosepipe, 1/2 in. x 3-ply .. .. .	1/0	10 1/2	9/	7 1/2	foot.
308	" " " 1 in. x " .. .. .	1/1	1/1	1/2	1/2	"
309	" " " 1 1/2 in. x " .. .. .	1/4	1/3	1/4	1/2	"
310	" " " 1 3/4 in. x " .. .. .	1/7	1/7	1/6	1/6	"
311	" " " 1 7/8 in. x " .. .. .	1/10	1/8	1/9	1/6	"
312	" " " 2 in. x " .. .. .	2/	1/11	2/3	1/9	"
313	" " " 2 1/2 in. x " .. .. .	2/3	2/2	2/3	1/11	"
314	" " " 2 3/4 in. x 4-ply .. .. .	2/9	2/6	2/10	2/5 1/2	"
315	" " suction hose, spiral bore, 1 in. x 2-ply .. .. .	1/1	1/11	1/2	1/	"
316	" " " 1 1/2 in. x " .. .. .	1/4	1/3	1/4	1/2	"
317	" " " 1 3/4 in. x " .. .. .	1/8	1/7	1/8	1/7	"
318	" " " 1 7/8 in. x " .. .. .	2/	1/9	2/3	1/9	"
319	" " " 2 in. x " .. .. .	2/3	2/	2/4	2/	"
320	" " " 2 1/2 in. x " .. .. .	2/5	2/3	2/8	2/4	"
321	" " " 2 3/4 in. x " .. .. .	3/	2/8	3/3	2/6	"
322	" " belting, 2 1/2 in. x 3-ply .. .. .	7 1/2	8/	9/	7 1/2	"
323	" " " 3 in. x " .. .. .	9/	10	11	9 1/2	"
324	" " " 3 1/2 in. x " .. .. .	11	11	11	11	"
325	" " " 4 in. x " .. .. .	1/	1/2	1/3	1/	"
326	" " " 5 in. x 4-ply .. .. .	1/9	1/11	2/	1/8 1/2	"
327	" " " 6 in. x " .. .. .	2/	2/3	2/4	1/11 1/2	"

	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
SCHEDULE FOR IRONMONGERY— <i>continued.</i>						
328	India-rubber belting, 8in. x 6-ply .. .. .	3/7	4/	4/	3/6	foot.
329	" " 9in. x " .. .. .	4/	4/6	5/	4/	"
330	" " 10in. x " .. .. .	4/6	4/10	6/	4/4	"
331	" " 12in. x " .. .. .	5/6	5/9	7/	5/3	"
332	" " insertion sheet .. .. .	3/9	3/6	2/10	2/9	lb.
333	" " sheet, best D quality .. .. .	3/6	3/	3/9	3/9	"
334	" " " " mineralized .. .. .	3/	5/	3/9	4/3	"
335	" " gauge glass rings .. .. .	/8	/9	1/6	/7	doz.
336	Iron, bar, flat, square, and round, B.B.H. .. .. .	220/	225/	230/	197/9	ton.
337	" " " " " Netherton crown, best .. .. .	210/	215/	230/	197/9	"
338	" " " " " R.H. crown, or equal .. .. .	210/	207/6	220/	197/9	"
	quality					
339	" " black sheet, 11 to 20 G. .. .. .	240/	250/	280/	220/	"
340	" " " " 22 to 26 G. .. .. .	280/	280/	300/	287/6	"
341	" " plate, ½in. and upwards .. .. .	240/	250/	280/	220/	"
342	" " angle .. .. .	230/	250/	260/	209/	"
343	" " T .. .. .	250/	250/	260/	220/	"
344	" " boiler-plate, B.B.H. crown, ½in. and upwards, plates .. .. .	260/	280/	280/	230/	"
	up to 3cwt.					
345	" " boiler-plate, B.B.H. crown, ½in. and upwards, plates .. .. .	280/	300/	290/	230/	"
	over 3cwt.					
346	" " boiler-plate, Lowmoor or Bowling, ½in. and upwards, .. .. .	700/	640/	900/	620/	"
	plates up to 3cwt.					
347	" " boiler-plate, Lowmoor or Bowling, ½in. and upwards, .. .. .	900/	720/	1100/	620/	"
	plates over 3cwt.					
348	" " galvanized, corrugated sheets, 5ft. to 8ft. lengths, .. .. .	410/	430/	480/	457/6	"
	24 G.					
349	" " galvanized, corrugated sheets, 5ft. to 8ft. lengths, .. .. .	430/	440/	500/	457/6	"
	26 G.					
350	" " galvanized, corrugated sheets, 9ft. and 10ft. lengths, .. .. .	440/	450/	500/	497/6	"
	24 G.					
351	" " galvanized, corrugated sheets, 9ft. and 10ft. lengths, .. .. .	460/	460/	520/	497/6	"
	26 G.					
352	" " galvanized, plain sheet, 26 G. .. .. .	23/	23/	26/	22/11	cwt.
353	" " " " 28 G. .. .. .	24/	25/	26/6	24/	"
354	" " hoop .. .. .	10/	12/	11/	11/2	"
355	" " steel-faced .. .. .	/9	/7	1/6	/4	lb.
356	Keys, railway-car, for guards .. .. .	3/	12/6	9/	8/6	doz.
357	" " rim-lock .. .. .	3/	6/	4/6	4/4	"
358	" " mortice-lock .. .. .	3/	4/	3/6	4/6	"
359	" " drawer and cupboard locks, blank .. .. .	2/	2/	2/6	1/5	"
360	" " night latch, blank .. .. .	2/9	3/6	4/	3/	"
361	Knobs and spindles, for rim and mortice locks, brass .. .. .	6/7	6/6	7/	4/10	"
362	" " " " " porcelain .. .. .	12/	12/6	9/	7/6	"
363	Knobs, drawer, cedar, lin. to 1½in., screwed .. .. .	1/6	1/6	1/6	/11	"
364	" " mahogany, 2in., screwed .. .. .	1/9	2/3	2/	1/4	"
365	Lamps, office table, complete, to pattern .. .. .	7/6	10/	11/6	9/	each.
366	" " globes, to pattern .. .. .	1/9	2/	1/9	1/7	"
367	" " hurricane, for kerosene, Dietz's .. .. .	3/	4/	3/	3/4	"
368	" " bracket, ring and font, with chimney, complete, .. .. .	4/6	12/	9/	7/9	"
	to pattern					
369	Lamp chimney glasses, class D, engine, to pattern .. .. .	8/	8/6	12/	8/6	doz.
370	" " " " K, " " " .. .. .	8/	8/6	12/	7/9	"
371	" " " " American car " " " .. .. .	8/	8/	8/	7/9	"
372	Lamp chimneys, lipped or slip, ½in. burner .. .. .	2/9	3/	3/	2/4	"
373	" " " " 1in. " " " .. .. .	3/3	4/	4/	2/7½	"
374	" " " " 1½in. " " " .. .. .	4/	6/	7/	3/3	"
375	Lamp glasses, for bottom of car-roof lamp, to pattern .. .. .	42/	45/	44/	42/	"
376	Lamp burners, kerosene, ½in. .. .. .	6/	7/6	5/	5/3	"
377	" " " " 1in. .. .. .	8/	9/	7/	8/6	"
378	" " " " 1½in. .. .. .	13/	20/	15/	40/	"
379	" " colza, ½in. to lin. .. .. .	2/	2/9	1/6	/9	"
380	" " " " 1½in. to 1¾in. .. .. .	4/6	5/6	2/6	1/3	"
381	Lamp wick, ball .. .. .	1/3	1/1	1/2	1/	lb.
382	" " kerosene ½in. .. .. .	3/	2/	2/6	1/7	gross.
383	" " " " 1in. .. .. .	5/	3/6	4/	2/9	"
384	" " " " 1½in. .. .. .	7/6	5/6	6/	5/	"
385	" " colza, ½in. to lin. .. .. .	/10	1/3	/8	/8	doz. yds.
386	" " " " 1½in. to 2in. .. .. .	1/6	3/	1/	1/2	"
387	" " circular, all sizes .. .. .	4/	12/	6/	8/	gross.
388	Lead, sheet .. .. .	320/	360/	380/	345/	ton.
389	" " pig .. .. .	310/	350/	300/	340/	"
390	" " pipe .. .. .	500/	520/	480/	460/	"
391	Levels, spirit and plumb, American, 0 to 2in .. .. .	4/6	3/	1/6	2/3	each.
392	" " brass-faced, Rabone's, 6in. .. .. .	2/	1/6	2/6	1/3	"
393	" " " " 10in. .. .. .	2/6	2/	3/	1/8	"
394	" " " " 12in. .. .. .	3/	3/	3/6	2/	"
395	Latches, Suffolk .. .. .	6/	3/	3/6	3/	doz.
396	" " plate .. .. .	6/	9/	8/	4/6	"
397	" " Hobbs's, two-keyed, night .. .. .	10/	10/	7/	10/	each.
398	Letters, steel, ½in. (alphabet) .. .. .	8/	5/6	4/	2/6	set.
399	" " " " ¾in. .. .. .	10/	9/	4/	3/	"
400	" " " " 1in. .. .. .	14/6	14/	4/	3/6	"









	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
<b>SCHEDULE FOR IRONMONGERY—continued.</b>						
636	Taps, in sets of three (taper, second, and plug), Whitworth's thread, } $\frac{7}{16}$ in. ..	5/3	5/	2/	2/3	set.
637	" " " " " " } $\frac{1}{2}$ in. ..	6/	6/	2/6	2/3	"
638	" " " " " " } $\frac{3}{8}$ in. ..	7/6	7/	3/	2/6	"
639	" " " " " " } $\frac{1}{2}$ in. ..	10/	8/6	3/	2/6	"
640	" " " " " " } $\frac{3}{4}$ in. ..	11/	9/6	3/	2/9	"
641	" " " " " " } 1 in. ..	12/6	11/6	3/6	3/	"
642	" " " " " " } $1\frac{1}{8}$ in. ..	16/6	13/6	4/6	3/	"
643	" " " " " " } $1\frac{1}{4}$ in. ..	20/	16/6	4/6	3/	"
644	" " " " " " } $1\frac{3}{8}$ in. ..	24/	18/	4/6	3/10	"
645	" " " " " " } $1\frac{1}{2}$ in. ..	25/	23/	4/6	4/3	"
646	" " " " " " } $1\frac{3}{4}$ in. ..	30/	27/6	5/	4/3	"
647	" " " " " " } $1\frac{7}{8}$ in. ..	35/	31/	5/	4/6	"
648	" " " " " " } $1\frac{7}{8}$ in. ..	37/6	34/	6/	5/6	"
649	" " " " " " } 2 in. ..	45/	38/	7/	6/9	"
650	Tin plate, IC, coke .. .. .	20/	22/	20/	20/6	box.
651	" IX, charcoal .. .. .	32/	32/	30/	29/6	"
652	" XXX, " .. .. .	36/	36/	38/	41/	"
653	" XXX, 14in. x 20in. charcoal .. .. .	45/	42/	46/	45/	"
654	" IC, " .. .. .	22/	24/	24/	24/	"
655	" X, " .. .. .	30/	28/	30/	29/6	"
656	Tin ingot, "Lamb and Flag" .. .. .	112/	106/	112/	120/	cwt.
657	Tinsmiths' snips, 10in. .. .. .	3/	2/6	3/6	2/4	pair.
658	" " 12in. .. .. .	4/	3/6	3/6	3/2	"
659	" " 14in. .. .. .	5/	4/3	3/6	3/9	"
660	" " 10in., bent .. .. .	4/	3/	3/6	2/4	"
661	" " 12in., " .. .. .	5/	3/6	3/6	3/3	"
662	" " 14in., " .. .. .	6/	3/3	3/6	3/9	"
663	Tinsmiths' shears .. .. .	1/6	1/	1/	1/5	inch.
664	" mallets .. .. .	1/	1/	1/6	1/	each.
665	" fire-pots .. .. .	6/	5/	3/	2/6	"
666	" soldering bits .. .. .	3/	3/6	5/	2/9	"
667	Tomahawks, American, Sharps' .. .. .	36/	34/	26/	34/	doz.
668	Towels, office, to pattern .. .. .	8/	10/	8/	7/9	"
669	Trucks, American, store, O .. .. .	18/6	12/	18/	18/	each.
670	" " 1 .. .. .	22/6	15/	20/	22/	"
671	" " 2 .. .. .	27/6	24/	23/	30/	"
672	" " 3 .. .. .	30/	34/	25/	45/	"
673	" " 4 .. .. .	35/	45/	30/	56/	"
674	Tapes, measuring, Chesterman's metallic, 66ft. .. .. .	7/6	8/6	8/6	7/10	"
675	" " " " 100ft. .. .. .	10/6	12/6	12/	11/	"
676	Tue irons, cast .. .. .	2/	2 $\frac{1}{2}$	2/	2 $\frac{1}{2}$	lb.
677	" water, 16in., 1 $\frac{1}{2}$ in. hole, malleable iron .. .. .	21/	19/6	15/	17/6	each.
678	" " 18in, " .. .. .	26/	21/	16/	19/	"
679	Tanks, iron, 400 gallons .. .. .	85/	85/	80/	86/	"
680	Valves, Peet's patent, gun metal, $\frac{1}{2}$ in. .. .. .	9/	7/9	5/	4/9	each.
681	" " " " $\frac{3}{4}$ in. .. .. .	14/	11/	7/	7/9	"
682	" " " " 1 in. .. .. .	17/6	13/6	10/	11/6	"
683	" " " " 1 $\frac{1}{4}$ in. .. .. .	22/	21/	14/	15/9	"
684	" " " " 1 $\frac{1}{2}$ in. .. .. .	30/	26/	18/	22/6	"
685	" " " " 1 $\frac{3}{4}$ in. .. .. .	40/	33/	18/	24/6	"
686	" " " " 2 in. .. .. .	50/	36/	27/	29/9	"
687	" " " " 2 $\frac{1}{2}$ in. .. .. .	85/	52/	40/	43/6	"
688	" " " " 3 in. .. .. .	105/	60/	50/	82/	"
689	" " " " $\frac{1}{2}$ in. .. .. .	7/6	6/6	5/	5/	"
690	" " " " $\frac{3}{4}$ in. .. .. .	10/6	9/6	7/	6/9	"
691	" " " " 1 in. .. .. .	12/6	12/	10/	9/	"
692	" " " " 1 $\frac{1}{4}$ in. .. .. .	15/6	17/6	14/	13/9	"
693	" " " " 1 $\frac{1}{2}$ in. .. .. .	20/	22/	18/	19/	"
694	" " " " 1 $\frac{3}{4}$ in. .. .. .	25/	26/	18/	22/	"
695	" " " " 2 in. .. .. .	30/	31/	27/	25/6	"
696	" " " " 2 $\frac{1}{2}$ in. .. .. .	50/	44/	40/	37/6	"
697	" " " " 3 in. .. .. .	80/	52/6	50/	67/	"
698	Vices, bench .. .. .	4/	1/1	2/	1/4	lb.
699	" parallel, 6in. jaw .. .. .	60/	55/	60/	60/	each.
700	" " 7in. " .. .. .	70/	92/6	70/	68/	"
701	" " 8in. " .. .. .	85/	105/	80/	75/	"
702	" staple, solid box .. .. .	4/	4 $\frac{1}{2}$	5 $\frac{1}{2}$	4 $\frac{1}{2}$	lb.
703	Washers, copper .. .. .	1/3	1/6	1/	1/1 $\frac{1}{2}$	"
704	" iron, light .. .. .	3/	3 $\frac{1}{2}$	2 $\frac{1}{2}$	3/	"
705	" " heavy .. .. .	20/	20/	23/4	21/	cwt.
706	" galvanized iron .. .. .	30/	33/	30/	32/8	"
707	" lead .. .. .	30/	37/	33/	29/6	"
708	Water wells, china, to pattern, for damping brushes .. .. .	18/	28/	20/	20/	doz.
709	" bottles, to pattern .. .. .	12/	54/	40/	35/	"
710	" monkeys, " .. .. .	24/	30/	33/	30/	"
711	" Tumblers, " .. .. .	6/	9/6	9/	5/	"
712	Weighing machines, Fairbank's, on wheels, } 600lb. .. .. .	130/	95/	100/	107/6	each.
	with back rail, } .. .. .					
713	" " " " 900lb. .. .. .	175/	118/	160/	145/	"
714	" " " " 1,200lb. .. .. .	210/	160/	190/	155/	"

Bib or otherwise, flanged one or both ends, as required.

Bib or otherwise, screwed male or female, as required.

	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
<b>SCHEDULE FOR IRONMONGERY—continued.</b>						
715	Weighing machines, Fairbank's, on wheels, } 1,400lb. ..	250/	175/	200/	176/	each.
716	" " " " } 2,000lb. ..	320/	230/	250/	240/	"
717	" " " counter, to 240lb. ..	50/	26/	50/	53/6	"
718	" " Avery's (No. 104), 8cwt. ..	80/	82/6	60/	82/6	"
719	" " " " 4cwt. ..	95/	90/	70/	88/	"
720	" " " " 5cwt. ..	100/	118/6	75/	112/6	"
721	" " " " 7cwt. ..	160/	155/	120/	140/	"
722	" " " " 10cwt. ..	180/	185/	190/	180/	"
723	" " " " 15cwt. ..	250/	250/	230/	240/	"
724	" " " " 20cwt. ..	290/	300/	270/	310/	"
Window fittings, viz. :—						
725	Roller ends, brass, with projecting brackets ..	9/6	9/	7/	7/6	doz.
726	Sash-weights .. .. ..	10 <sup>3</sup> / <sub>4</sub>	1/	1/	10 <sup>3</sup> / <sub>4</sub>	lb.
727	Axle pulleys, brass .. .. ..	4/	6/	4/6	4/	doz.
728	" " iron .. .. ..	1/9	3/	2/6	1/9	"
729	Sash-fasteners, brass, complete, with china knob ..	7/6	8/6	9/	7/6	"
730	Rack-pulleys .. .. ..	6/6	7/6	6/6	6/6	"
731	Sash-line, hemp .. .. ..	9/	8/6	12/	8/9	gross.
732	" " copper .. .. ..	5/	3/4	1/	1/11	lb.
733	Wire, drawn, annealed, black fencing, No. 5 ..	240/	250/	250/	200/	ton.
734	" " " " No. 6 ..	240/	250/	270/	245/	"
735	" " " " No. 7 ..	245/	255/	280/	245/	"
736	" " " " No. 8 ..	250/	260/	290/	240/	"
737	" " fencing, galvanized, No. 6 ..	330/	340/	360/	320/	"
738	" " " " No. 7 ..	340/	345/	380/	320/	"
739	" " " " No. 8 ..	350/	360/	400/	330/	"
740	" " galvanized-strand, signal, 7 wires of 16 B.W.G. ..	30/	32/	30/	33/	cwt.
741	" " gauze, iron .. .. ..	4/	4/	4/	4 <sup>1</sup> / <sub>2</sub>	sq. ft.
742	" " " brass .. .. ..	8/	9 <sup>1</sup> / <sub>2</sub>	8/	10/	"
743	" " " steel .. .. ..	1/3	1/0	1/	7 <sup>7</sup> / <sub>8</sub>	lb.
744	" " " brass, up to 1/2 in. ..	1/	1/	1/	1/	"
745	" " " copper, " .. .. ..	1/3	1/3	1/4	1/3	"
746	" " " iron, bright .. .. ..	3/	2 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub>	3/	"
747	" " " 1/2 round, for cotter pins ..	4/	3 <sup>1</sup> / <sub>4</sub>	4/	5/	"
748	Worsted, blue or white, Shetland .. .. ..	3/	3/	3/6	4/4	"
749	Wheels, barrow, wrought, 16in. .. .. ..	4/6	4/9	4/6	4/3	each.
750	Zinc, sheet .. .. ..	23/	26/6	26/	26/	cwt.
751	" " ingot .. .. ..	20/	18/	22/	32/	"
752	" " perforated, sheet .. .. ..	4/	4/3	4/6	3/11	sheet.
<b>OILS, COLOURS, ETC.</b>						
1	Ammonia, liquid .. .. ..	1/6	1/6	1/10	1/2	lb.
2	" " salts of .. .. ..	1/	1/	1/10	1/10	"
3	" " lump .. .. ..	1/3	1/10	1/10	1/1	"
4	Alum .. .. ..	3/	3/	2/	2 <sup>1</sup> / <sub>2</sub>	"
5	Borax .. .. ..	1/11	1/	1/	10 <sup>1</sup> / <sub>2</sub>	"
6	Candles, sperm, 6's .. .. ..	1/10	1/10	9 <sup>1</sup> / <sub>2</sub>	8 <sup>1</sup> / <sub>2</sub>	"
7	" " carriage, 6's .. .. ..	1/11	11 <sup>1</sup> / <sub>2</sub>	11/	10/	"
8	" " " 8's .. .. ..	1/11	11 <sup>1</sup> / <sub>2</sub>	11/	10/	"
9	Carbolic disinfecting powder, Calvert's ..	4/	5/	3 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub>	"
10	Dryers, patent .. .. ..	28/	30/	28/	23/	cwt.
11	" " terebine liquid, in tins .. ..	11/	9/6	11/	11/6	gal.
12	Gelatine .. .. ..	5/	6/	6/	2 <sup>1</sup> / <sub>2</sub>	oz.
13	Glass sheet, 16oz., 2nd quality .. .. ..	4/	3/	4/	4/	sq. foot.
14	" " " 21oz., " .. .. ..	6/	6/	5/	5/	"
15	" " " 26oz., best quality .. .. ..	7 <sup>1</sup> / <sub>2</sub>	8/	8/	1/	"
16	" " " 28oz., " .. .. ..	8/	10/	10/	1/	"
17	" " " 32oz., " .. .. ..	1/	1/	1/2	1/	"
18	" " plate, British, 3/8 in. and 1/2 in., cut to any size and template required .. .. ..	4/	3/9	3/	3/3	"
19	" " " rough, 1/2 in. to 3/4 in. .. ..	1/2	1/	1/	3/	"
20	" " " mill-rolled " .. .. ..	1/2	1/	1/	3/	"
21	" " " sheet, blue (to show green light) ..	1/6	1/6	8/	1/	"
22	" " " ruby .. .. ..	2/	1/6	1/	1/	"
23	Glasses, white, bevel edge, 3in. diameter ..	6/	4/6	8/	6/	doz.
24	" " " " 4in. " .. .. ..	7/	6/	9/	8/	"
25	" " " " 5in. " .. .. ..	8/	7/	10/	9/	"
26	" " " " 5 1/2 in. " .. .. ..	8/6	10/	12/	10/	"
27	" " " " 6in. " .. .. ..	9/	11/	14/	11/	"
28	" " " " bull's eye, white, 2in. .. ..	4/	7/	10/	14/	"
29	" " " " " 3in. .. .. ..	5/	9/	12/	20/	"
30	" " " " " 5in. .. .. ..	10/	20/	16/	12/	"
31	" " " " " 6in. .. .. ..	15/	38/	30/	16/	"
32	" " " " " 7in. .. .. ..	22/	40/	36/	25/	"
33	" " " " " 8in. .. .. ..	30/	42/	42/	28/	"
34	" " " " " red, 3in. .. .. ..	10/	14/	12/	16/	"
35	" " " " " 5in. .. .. ..	20/	27/	16/	20/	"
36	" " " " " 6in. .. .. ..	30/	45/	30/	24/	"
37	" " " " " 7in. .. .. ..	40/	50/	36/	26/	"
38	" " " " " 8in. .. .. ..	60/	54/	42/	30/	"
39	" " " " " red shell, 4 1/2 in. ..	30/	24/	24/	3/	"

	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
<b>OILS, COLOURS, ETC.—continued.</b>						
40	Glasses, red shell, 6in. . . . .	33/	30/	30/	4/	doz.
41	" " Sin. . . . .	36/	35/	33/	5/	"
42	" white shell, 4½in. . . . .	27/	21/	12/	2/6	"
43	" " 6in. . . . .	30/	25/	14/	3/6	"
44	" " Sin. . . . .	33/	30/	18/	4/6	"
45	Glycerine . . . . .	2/3	1/9	1/9	1/4	lb.
46	Gold leaf, in books of 25 leaves, pale and dark . . . . .	1/9	1/9	1/6	1/5	book:
47	Gum arabic, dry . . . . .	2/	1/6	1/2	1/4	lb.
48	Lamp black . . . . .	/6	/4½	/4	/3	"
49	Lead, sugar of . . . . .	1/	/6	/8	/10	"
50	" white, dry . . . . .	48/	28/	30/	33/6	cwt.
51	" red, " . . . . .	27/6	31/	28/	22/	"
52	Muriatic acid . . . . .	1/	/10	/8	/6	lb.
53	Nitric acid . . . . .	1/6	1/6	2/	1/2½	"
54	Oil, kerosene, Devoe's best . . . . .	1/8	1/10	1/9	1/7	gal.
55	" " "Palace oil" . . . . .	2/2	2/2	2/2	1/10	"
56	" olive, Gallipoli . . . . .	5/	4/8	5/	5/2	"
57	" neatsfoot . . . . .	5/6	6/3	6/	4/	"
58	" castor (9lb. to the gallon) . . . . .	4/	3/11	4/	3/9	"
Paints, David Storer and Sons, or other approved maker, as under:—						
59	Black, No. 1, in oil . . . . .	/3½	/2½	/3	/2	lb.
60	Vegetable Black, in paper . . . . .	2/	/11½	/10	/8½	"
61	Ultramarine, dry, best . . . . .	1/3	/9½	1/	1/5	"
62	Blue, Prussian, genuine, dry . . . . .	3/6	2/6	1/	2/11	"
63	Brown, Vandyke, in oil . . . . .	1/2	/6	/9	/5	"
64	" " in water . . . . .	1/1	/6	/9	/4	"
65	Vermillion, Chinese, genuine, in ounce packets . . . . .	/6	/4½	/9	/4	pkt.
66	" English, any shade required . . . . .	8/	3/6	4/3	2/11	lb.
67	Chrome, orange, dry . . . . .	1/6	/11	1/	/9½	"
68	" lemon, " . . . . .	1/6	/11	1/	/9½	"
69	Green, Brunswick, No. 1, all shades, in oil or dry . . . . .	/5	/4	/5	/4	"
70	" Quaker, dry . . . . .	/9	/6	/6	/4½	"
71	Ochre, yellow, dry . . . . .	/2	/2	/1½	/1	"
72	" No. 1, in oil . . . . .	/3½	/5	/3	/2	"
73	Pink, Dutch, dry . . . . .	/9	/4	/4½	/4½	"
74	" Rose, " . . . . .	/10	/5½	/4½	/4½	"
75	Red, Indian, super dry . . . . .	1/	/5	/4½	/4½	"
76	" Venetian, No. 1, in oil . . . . .	/4	/3	/3	/2	"
77	" Chinese, dry . . . . .	1/3	/9½	/10	/8	"
78	Sienna, burnt, in oil . . . . .	1/	/8	/10	/7	"
79	" " in water . . . . .	1/	/7	/9	/7	"
80	" raw, in oil . . . . .	/9	/8	/7	/7	"
81	" " in water . . . . .	/9	/7	/6	/7	"
82	Umber, burnt, in oil . . . . .	/5	/5	/4½	/3	"
83	" raw, " . . . . .	/4	/4	/4	/3	"
84	" burnt, dry . . . . .	/6	/4	/2	/1½	"
85	Purple-brown, dry . . . . .	/5	/4½	/2	/2½	"
86	Nelson hematite . . . . .	20/	23/6	26/	24/	cwt.
87	Whangarei " . . . . .	16/	20/	24/	24/	"
88	Thames " any colour and manufacture required . . . . .	16/	20/	22/	24/	"
89	Peacock's patent composition, for iron . . . . .	80/	80/	80/	79/	"
90	Patent filling up . . . . .	70/	28/	65/	46/3	"
91	Putty, in bladders . . . . .	17/6	15/6	16/	14/	"
92	Potash, American . . . . .	/11	/10	/7	/4	lb.
93	" bichromate of . . . . .	1/2	1/4	/9	/5	"
94	" yellow, prussiate of . . . . .	2/3	2/8	1/6	1/2	"
95	" red, " . . . . .	4/9	5/6	2/6	1/2	"
96	Pumice stone, lump . . . . .	/4	/4½	/4	/5	"
97	" " ground fine . . . . .	/6	/3½	/4	/6	"
98	Rottenstone . . . . .	/4	/2	/3	/3	"
99	Sal ammoniac . . . . .	/10	/1	1/3	/10	"
100	Shellac . . . . .	1/9	2/2	1/	1/5	"
101	Soda, washing . . . . .	/1½	/1½	/1	/1	"
102	Spirits of wine . . . . .	33/	35/	12/	32/	gal.
103	" methylated . . . . .	6/9	5/9	7/	5/6	"
104	Saltpetre . . . . .	/5	/5	/1	/6½	lb.
105	Sulphur, flowers of . . . . .	/3	/3	/6	/2½	"
106	Sulphuric acid . . . . .	/6	/7	/6	/4½	"
107	Turpentine, spirits of . . . . .	5/	3/10	3/9	3/8	gal.
Varnish (Nobles and Hoare's) for coach-builders, viz.:—						
108	Best wearing body . . . . .	20/	30/	28/	26/	"
109	" medium drying body . . . . .	14/6	30/	28/	26/	"
110	" hard body . . . . .	13/	32/	30/	26/	"
111	" flattening body . . . . .	15/	30/	28/	26/	"
112	" elastic carriage . . . . .	20/	22/6	21/	18/6	"
113	" hard carriage . . . . .	20/	23/	22/	18/6	"
114	" black japan . . . . .	18/6	22/	18/6	18/6	"
115	" japan gold size . . . . .	10/6	18/6	16/6	16/	"
Harland's or Manders', as ordered, viz.:—						
116	Copal . . . . .	15/	14/	13/	17/6	"
117	Engine copal . . . . .	15/	18/6	17/6	17/6	"

	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
OIL, COLOURS, ETC.— <i>continued.</i>						
Varnish, Harland's or Manders' as ordered, viz.— <i>contd.</i>						
118	Quick-drying jobbing .. .. .	18/	15/6	14/	13/6	gal.
119	Patent knotting .. .. .	15/	12/6	12/	12/6	"
120	Hard oak .. .. .	12/	11/	11/	11/6	"
121	French polish .. .. .	12/6	13/6	10/	14/	"
122	Black Brunswick .. .. .	10/6	12/6	10/	10/6	"
123	Whiting .. .. .	5/6	6/6	6/	5/6	cwt.
SHIP CHANDLERY, ETC.						
1	Boots, gum, full length .. .. .	23/	25/6	24/	24/	pair.
2	Blocks, wood, single, 4in., pat. sheave .. .. .	3/4	2/6	1/3	2/6	each.
3	" " " 6in., " .. .. .	4/10	4/	1/10	3/6	"
4	" " " 8in., " .. .. .	6/6	4/6	2/2	4/	"
5	" " " 10in., " .. .. .	8/6	6/	2/6	5/	"
6	" " " 12in., " .. .. .	12/	8/	3/6	6/	"
7	" " double, 4in., " .. .. .	6/6	4/6	2/6	4/	"
8	" " " 6in., " .. .. .	9/3	6/9	3/8	6/	"
9	" " " 8in., " .. .. .	12/6	7/6	4/4	7/	"
10	" " " 10in., " .. .. .	15/	11/6	5/	8/	"
11	" " " 12in., " .. .. .	20/	16/	7/	9/	"
12	Bunting, coloured, red, white, and green .. .. .	9½	11	9	9	yard.
13	Beeswax .. .. .	9	1	1/3	8	lb.
14	Cloth, American, maroon, green, or black .. .. .	2/6	2/	1/6	1/	yard.
15	Calico, ½ grey .. .. .	7	1/2	1/10	1/10	"
16	" " white .. .. .	8½	1/5	1/10	1/10	"
17	Canvas or drill for cushion lining .. .. .	1/9	7½	1/8	9	"
18	Duck, American, black, pebble-grained, to sample .. .. .	2/3	3/3	2/9	2/6	"
19	Grease, antifricition .. .. .	20/	21/6	24/	24/	cwt.
20	Line, Hambro' .. .. .	9	8	1/	4	lb.
21	" chalk .. .. .	6	8	4	6	doz. yds.
22	Marline .. .. .	9	9	11	3	lb.
23	Oatmeal .. .. .	1½	1½	2	1	"
24	Oakum .. .. .	42/	40/	42/	46/	cwt.
25	Plaiding, to sample .. .. .	1/6	2/3	2/	2/3	yard.
26	Pitch, Stockholm, in barrels .. .. .	13/3	16/	15/	18/	cwt.
27	Palms, sailmakers', Squires' best .. .. .	28/	30/	18/	8/	doz.
28	" roping .. .. .	28/	10/	18/	8/	"
29	Rosin, fine amber .. .. .	10/	14/	9/	15/	cwt.
30	Rope, Manila, ½in. to 1½in. .. .. .	70/	70/	66/	65/	"
31	" " 1½in. to 3in. .. .. .	70/	68/	66/	60/	"
32	" " 3½in. to 6in. .. .. .	70/	68/	66/	60/	"
33	" Europe, 1in. to 1½in. .. .. .	56/	50/	45/	50/	"
34	" bolt, any size .. .. .	65/6	54/	45/	40/	"
35	" N.Z. flax, 1½in. to 6in. .. .. .	41/	38/	32/	32/	"
36	" Manila, 2½in., with coloured thread as required, to be supplied only to the Railway Department .. .. .	71/	70/	66/	67/6	"
37	" N.Z. flax, 2½in., with coloured thread as required, to be supplied only to the Railway Department .. .. .	42/	40/	33/	37/6	"
38	Ratlin .. .. .	65/	60/	54/	40/	"
39	Sacks, corn (4-bushel) .. .. .	7/6	8/9	8/	7/6	doz.
40	Salt, coarse .. .. .	4/6	5/	4/	3/6	cwt.
41	" rock .. .. .	7/	5/9	6/	3/6	"
42	Soap, common .. .. .	14/	18/	19/	16/	"
43	" soft .. .. .	28/	32/	30/	32/6	"
44	" scented .. .. .	9	11½	10	11	lb.
45	Sapolio, in cakes .. .. .	4/6	8/6	2/	4/6	doz.
46	Spun yarn .. .. .	6	6½	8	3	lb.
47	Scrim, double width .. .. .	5½	5	5½	5	yard.
48	Sheaves, patent, for 4in. to 8in. wood blocks .. .. .	50/	40/	16/	2/	doz.
49	Tallow .. .. .	36/	35/	33/	30/	cwt.
50	Tar, coal .. .. .	5	6	5½	5	gal.
51	" Stockholm .. .. .	2/	2/6	1/9	9	"
52	Tow, flax .. .. .	1½	1½	2	3	lb.
53	Twine, office, fine, medium, and coarse .. .. .	1/4	1/1	1/	1/	"
54	" sailmakers' best seaming and roping .. .. .	1/4	1/2	1/1	1/2	"
55	" machine, sewing, to sample .. .. .	1/6	4/6	1/2	1/2	"
LEATHER, ETC.						
1	Belting, leather, single, 1in. .. .. .	5	3	5	2	foot.
2	" " " 1½in. .. .. .	6	5	6	3	"
3	" " " 2in. .. .. .	7½	7	8	6½	"
4	" " " 2½in. .. .. .	10½	9	10½	9	"
5	" " " 3in. .. .. .	10½	1/1	1/2	1/	"
6	" " " 3½in. .. .. .	1/3	1/3½	1/4	1/3	"
7	" " " 4in. .. .. .	1/7	1/7	1/7	1/6	"
8	" " " 4½in. .. .. .	1/11	1/9	1/9	1/8	"
9	" " " 5in. .. .. .	2/	2/1	2/	1/11	"
10	" " " 6in. .. .. .	2/6	2/6	2/4	2/4	"
11	" " " 8in. .. .. .	3/	3/3	3/3	3/4	"
12	" " double, 4in. .. .. .	3/3	2/6	2/6	4/	"
13	" " " 5in. .. .. .	4	3/6	3/6	4/6	"
14	" " " 6in. .. .. .	5/	4/3	4/	5/6	"
15	" " " 8in. .. .. .	7/	6/	5/3	7/6	"
16	" " " 9in. .. .. .	8/	7/	6/6	8/	"
16A	" " " 10in. .. .. .	10/	8	7/6	10/	"

Of the very best leather, hemp-sewn, and copper-riveted at joints

	Description of Article.	Rate.				Per
		Auckland.	Wellington.	Ch'ch.	Dunedin.	
LEATHER, ETC.— <i>continued.</i>						
	Hose pipe, best leather, copper-riveted, as follows:—					
17	2½ diameter .. .. .	3/	2/6	2/6	2/6	foot.
18	3 " .. .. .	3/6	3/3	3/	3/	"
19	3½ " .. .. .	4/	3/10	3/6	3/6	"
20	4 " .. .. .	5/	4/2	4/	4/	"
21	5 " .. .. .	6/	4/8	4/6	4/6	"
22	6 " .. .. .	7/	6/6	5/	5/	"
23	7 " .. .. .	8/	7/6	5/6	5/6	"
24	8 " .. .. .	9/	8/6	6/	6/	"
25	9 " .. .. .	10/	9/6	6/6	6/6	"
26	Leather, cow, white hide, shaved	15/	16/	21/	11/	side.
27	" " bag hide .. .. .	36/	45/	36/	43/	full hide.
28	" " " .. .. .	18/	23/	18/	21/	side.
29	" black harness .. .. .	1/4	1/6	1/4½	1/3	lb.
30	" for pumps .. .. .	1/5	1/10	1/2	1/3	"
31	" morocco skins, genuine, large size, green, brown, and maroon	60/	95/	112/	90/	doz.
32	" roan skins, genuine, large size, green, brown, and maroon	40/	36/	64/	80/	"
33	" basil skins, best saddlers' .. .. .	30/	18/6	21/	18/	"
34	" " unstrained .. .. .	20/	14/	21/	18/	"
35	" buttons, ½, black and coloured .. .. .	1/6	2/	1/11	1/3	gross,
36	" for belts .. .. .	2/6	1/10	2/6	2/6	lb.
37	" sole, English .. .. .	2/6	2/	1/6	1/6	"
38	" " Colonial .. .. .	1/5	1/3	1/4	1/	"
39	" laces for belts, green hide .. .. .	3/	3/	5/6	2/9	"
40	" " white hide .. .. .	3/	2/9	5/6	2/6	"
DRAIN PIPES, ETC.						
1	Drain pipes, stoneware, double glazed, socketed, 3in. ..	/3	/4	/3½	/2	foot.
2	" " " " 4in. ..	/4	/5	/4	/5	"
3	" " " " 6in. ..	/5	/7½	/5½	/7½	"
4	" " " " 9in. ..	/9	1/	/9	1/1	"
5	" " " " 12in. ..	1/1½	1/6	1/4	1/9	"
6	" " " " 15in. ..	1/9	2/9	2/	2/11	"
7	" " " " 18in. ..	2/3	4/3	3/9	3/9	"
NOTE.—Double junctions to be charged as 3 pipes; single junctions, elbows, and bends as 2 pipes.						
8	Fire bricks, colonial .. .. .	10/	21/	11/	16/	100.
9	Fireclay, " .. .. .	3/6	6/	1/3	6/	cwt.
10	Lime .. .. .	1/	2/6	1/2	1/6	bushel.

By Authority: GEORGE DISEBURY, Government Printer, Wellington.