



SUPPLEMENT

TO THE

NEW ZEALAND GAZETTE

OF

THURSDAY, MARCH 12, 1914.

Published by Authority.

---

WELLINGTON, FRIDAY, MARCH 13, 1914.

---

NEW ZEALAND RAILWAYS.

---

ACCEPTED TENDER - RATES for the SUPPLY AND  
DELIVERY of STORES at CHRISTCHURCH or  
ADDINGTON—1914-17.

**ACCEPTED TENDER-RATES FOR STORES REQUIRED FOR THE NEW ZEALAND GOVERNMENT  
RAILWAYS FROM 1st APRIL, 1914, TO 31st MARCH, 1917.**

TO BE SUPPLIED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF CONTRACT (No. 22) SIGNED BY THE  
GENERAL MANAGER OF THE NEW ZEALAND RAILWAYS AND DATED 1ST APRIL, 1913,

AT CHRISTCHURCH OR ADDINGTON.

No.	Description of Article and Rate.	Per	Tenderer.
	<b>Acid—</b>		
1	Fluoric .. .. .	6/	lb.
			143 Kempthorne, Prosser, and Co. (Ltd.).
2	Muriatic, in ½ gal. glass bottles .. .. .	/4	„
			Ditto.
3	Muriatic, in 3 gal. jars .. .. .	/3½	„
			„
4	Nitric, in ½ gal. glass bottles .. .. .	/10	„
			„
5	Nitric, in 3 gal. jars .. .. .	/9	„
			„
6	Sulphuric, in gal. glass bottles .. .. .	/4	„
			„
7	Sulphuric, in 3 gal. jars .. .. .	/3	„
			„
11	Adzes, railway spiking or trackman's, Ward and Payne's No. 720, 6 lb.	44/	doz.
			207 Ashby, Bergh, and Co. (Ltd.).
	<b>Adzes, carpenters'—</b>		
16	C. T. Skelton and Co.'s No. 35601—No. 1 .. .. .	31/	„
	No. 2 .. .. .	34/	„
	No. 3 .. .. .	35/	„
			Ditto.
	<b>Adzes, ship carpenters'—</b>		
20	Brades' No. 385—No. 1 .. .. .	44/	„
	No. 2 .. .. .	45/	„
	No. 3 .. .. .	50/	„
			„
22	C. T. Skelton and Co.'s No. 36386—No. 1 .. .. .	45/	„
	No. 2 .. .. .	46/	„
	No. 3 .. .. .	50/	„
			„
24	Spear and Jackson's No. D718—No. 1 .. .. .	45/	„
	No. 2 .. .. .	46/	„
	No. 3 .. .. .	50/	„
			„
28	Adzes, taper pin, Spear and Jackson's No. D159, No. 2	50/	„
			„
	<b>Alum—</b>		
30	Lump .. .. .	/1½	lb.
			143 Kempthorne, Prosser, and Co. (Ltd.).
31	Powdered .. .. .	/1½	„
			Ditto.
32	Aluminium, ingot .. .. .	1/3	„
			207 Ashby, Bergh, and Co. (Ltd.).
33	Ammonia, liquid, .880, in ½ gal. glass bottles .. .. .	/8	„
			143 Kempthorne, Prosser, and Co. (Ltd.).
34	Ammonia, liquid, .880, in 3 gal. jars .. .. .	/7	„
			Ditto.
35	Antimony, "Star" brand .. .. .	/6	„
			207 Ashby, Bergh, and Co. (Ltd.).
	<b>Anvils, smiths', London pattern, over 1 cwt.—</b>		
36	Hardy Patent Pick Company's No. 1 .. .. .	45/	cwt.
			Ditto.
39	Spear and Jackson's No. D875 .. .. .	45/	„
			„
41	Peter Wright and Sons' .. .. .	45/	„
			„
42	Wilkinson's .. .. .	35/	„
			„
	<b>Augers, screw, double twist, eyed, Scotch pattern—</b>		
43	½ in. to ½ in. .. .. .	15/3	doz.
			(207 Ashby, Bergh, & Co. (Ltd.). (A. Mathieson & Sons.)
48	¾ in. and ⅝ in. .. .. .	17/6	„
		14/6	159 Archer & Halliburton.
50	⅞ in. and ¾ in. .. .. .	20/6	„
		16/	(I. & H. Sorby's.)
52	1⅜ in. and ⅞ in. .. .. .	23/-	„
		19/	175 E. Reece & Sons (Ltd.). (Gilpin's.)

No.	Description of Article and Rate.	Per	Tenderer.
	Augers, screw, double twist, eyed, Scotch pattern— <i>continued.</i>		(175 E. Reece & Sons (Ltd.). (Gilpin's.) 207 Ashby Bergh & Co. (Ltd.), (A. Mathieson & Sons'.)  159 Archer & Halliburton.
	<small>A. Mathieson &amp; Sons', No. 1120.</small> <small>Gilpin's, Plate I, No. 8.</small>		
	$\frac{1}{8}$ in. and 1 in. . . . . 26/	21/7 doz.	
54	$1\frac{1}{8}$ in. and $1\frac{1}{2}$ in. . . . . 29/	24/ "	
56	$1\frac{1}{4}$ in. . . . . 34/	27/9 "	
58	I. and H. Sorby's No. 517—		
	$1\frac{3}{8}$ in. . . . . 32/	" "	
59	$1\frac{1}{2}$ in. . . . . 33/	" "	
60	$1\frac{5}{8}$ in. . . . . 35/	" "	
61	$1\frac{3}{4}$ in. . . . . 48/	" "	
62	$1\frac{7}{8}$ in. . . . . 48/	" "	
63	2 in. . . . . 48/	" "	
64	$2\frac{1}{8}$ in. . . . . 72/	" "	
65	$2\frac{1}{4}$ in. . . . . 72/	" "	
66	$2\frac{3}{8}$ in. . . . . 98/	" "	
67	$2\frac{1}{2}$ in. . . . . 98/	" "	
68			
	Augers, screw, double twist, eyed, concave mouth, Gilpin's or Gedge's pattern— Gilpin's, Plate I, No. 5 or A. Mathieson and Sons' No. 1128—		207 Ashby, Bergh, and Co. (Ltd.). Ditto.
69	$\frac{1}{4}$ in. to $\frac{1}{2}$ in. . . . . 13/	" "	
74	$\frac{9}{16}$ in. and $\frac{5}{8}$ in. . . . . 14/6	" "	
76	$\frac{11}{16}$ in. and $\frac{3}{4}$ in. . . . . 17/3	" "	
78	$\frac{13}{16}$ in. and $\frac{7}{8}$ in. . . . . 19/6	" "	
80	$\frac{15}{16}$ in. and 1 in. . . . . 21/6	" "	
82	$1\frac{1}{16}$ in. . . . . 24/	" "	
83	$1\frac{1}{8}$ in. . . . . 27/6	" "	
84	$1\frac{1}{4}$ in. . . . . 30/	" "	
85	$1\frac{3}{8}$ in. . . . . 34/	" "	
86	$1\frac{1}{2}$ in. . . . . 37/6	" "	
87	$1\frac{5}{8}$ in. . . . . 40/	" "	
88	$1\frac{3}{4}$ in. . . . . 44/	" "	
	Augers, single twist, without screw, eyed, L'Hommedieu and Tracy's—		
95	$\frac{1}{2}$ in. . . . . 54/	" "	
96	$\frac{5}{8}$ in. . . . . 54/	" "	
97	$\frac{3}{4}$ in. . . . . 60/	" "	
98	$\frac{7}{8}$ in. . . . . 65/	" "	
99	1 in. . . . . 72/	" "	
100	$1\frac{1}{8}$ in. . . . . 78/	" "	
101	$1\frac{1}{4}$ in. . . . . 84/	" "	
102	$1\frac{3}{8}$ in. . . . . 90/	" "	
103	$1\frac{1}{2}$ in. . . . . 95/	" "	
104	$1\frac{5}{8}$ in. . . . . 102/	" "	
105	$1\frac{3}{4}$ in. . . . . 114/	" "	
106	$1\frac{7}{8}$ in. . . . . 120/	" "	
107	2 in. . . . . 216/	" "	
108	$2\frac{1}{8}$ in. . . . . 220/	" "	
109	$2\frac{1}{4}$ in. . . . . 27/6	each "	
110	$2\frac{3}{8}$ in. . . . . 30/	" "	
111	$2\frac{1}{2}$ in. . . . . 37/6	" "	
112	$2\frac{5}{8}$ in. . . . . 40/	" "	
113	$2\frac{3}{4}$ in. . . . . 50/	" "	
114	$2\frac{7}{8}$ in. . . . . 55/	" "	
115	3 in. . . . . 60/	" "	

No.	Description of Article and Rate.	Per	Tenderer.	
125	Axes, American pattern, wedge, handled— Welland Vale, Canadian Model No. 26—3 lb. . . . .	3/10	each	207 Ashby, Bergh, and Co. (Ltd.).
	3½ lb. . . . .	3/11	„	Ditto.
	4 lb. . . . .	4/	„	„
	4½ lb. . . . .	4/	„	„
	5 lb. . . . .	4/3	„	„
126	Axes, Tasmanian pattern, handled— Brades' "Championship" No. 1565—4 lb. . . . .	5/1	„	„
	4½ lb. . . . .	5/4	„	„
	5 lb. . . . .	5/7	„	„
127	Hardy Patent Pick Company's No. 4—4 lb. . . . .	5/1	„	„
	4½ lb. . . . .	5/4	„	„
	5 lb. . . . .	5/7	„	„
	Barrow-wheels, spindles, and gudgeons, wrought iron—			
129	14 in. diam., 1½ in. x ¾ in. tire . . . . .	51/	doz.	„
130	16 in. diam., 1½ in. x ¾ in. tire . . . . .	55/	„	„
131	18 in. diam., 1½ in. x ¾ in. tire . . . . .	59/6	„	„
132	14 in. diam., ¾ in. round tire . . . . .	51/	„	„
133	16 in. diam., ¾ in. round tire . . . . .	55/	„	„
134	18 in. diam., ¾ in. round tire . . . . .	59/6	„	„
135	Basins, hand, stamped iron, "Anglo," 15 in., without plug and washer	1/7	each	„
136	Basins for washstands, stamped iron, enamelled, "Anglo," 16 in., with brass plug and washer	3/8	„	„
	Baths, enamelled white, with plug, chain, washer, and overflow, 6 ft. long, full width—			
137	With feet, rolled edge—cast iron . . . . .	119/6	„	180 A. and T. Burt (Ltd.).
	galvanized . . . . .	55/	„	175 E. Reece & Sons (Ltd.).
138	Without feet—cast iron . . . . .	119/6	„	180 A. and T. Burt (Ltd.).
	galvanized . . . . .	30/	„	207 Ashby, Bergh, and Co. (Ltd.).
	Beater-picks, platelayers', steel both ends, oval eye, to sample, Gilpin's—			
141	6 lb. . . . .	2/9	„	Ditto.
142	7 lb. . . . .	3/	„	„
143	Beeswax . . . . .	1/3¼	lb.	175 E. Reece & Sons (Ltd.).
144	Bells, station, handled, 8 in. . . . .	17/3	each	180 A. and T. Burt (Ltd.).
	Bellows, moulders', hand, extra nailed—			
146	10 in. . . . .	3/9	„	„
	Belting, camel-hair "Camel" brand, F. Reddaway and Co.'s—			
148	2½ in. . . . .	/11	ft.	207 Ashby, Bergh, and Co. (Ltd.).
149	3 in. . . . .	1/0½	„	249 A. R. Hislop.
150	3½ in. . . . .	1/3½	„	„
151	4 in. . . . .	1/6½	„	„
152	5 in. . . . .	2/	„	„
153	5½ in. . . . .	2/5	„	„
154	6 in. . . . .	2/10	„	„
155	7 in. . . . .	3/5	„	„
156	8 in. . . . .	4/	„	207 Ashby, Bergh, and Co. (Ltd.).
157	9 in. . . . .	4/6	„	Ditto.
	Belting, Dick's original "Balata"—			
158	1½ in., 3-ply . . . . .	/3¾	„	175 E. Reece & Sons (Ltd.).
159	2½ in., 3-ply . . . . .	/7	„	154 Anderson's Limited.
160	3 in., 3-ply . . . . .	/10	„	„

No.	Description of Article and Rate.	Per	Tenderer.
	Belting, Dick's original "Balata"— <i>continued.</i>		
161	3½ in., 4-ply .. .. .	1/1¼ ft.	175 E. Reece & Sons (Ltd.).
162	4 in., 4-ply .. .. .	1/6 "	154 Anderson's Limited.
163	5 in., 4-ply .. .. .	1/10 "	"
164	5½ in., 4-ply .. .. .	2/2 "	"
165	6 in., 6-ply .. .. .	3/3 "	"
166	7 in., 6-ply .. .. .	3/10 "	"
167	8 in., 6-ply .. .. .	5/3 "	"
168	9 in., 6-ply .. .. .	7/6 "	"
169	Benzine, Pratt's—Heavy .. .. .	1/6¼ gal.	220 Vacuum Oil Co. (Ltd.).
	Light .. .. .	1/7¼ "	"
170	Benzoline, Pratt's .. .. .	1/10¼ "	"
	Bits, brace, bright, twist-nose, Swiss, gimlet or cobra, Boker's—		
171	Size, ⅛ in., No. 4 .. .. .	2/ doz.	207 Ashby, Bergh, and Co. (Ltd.).
172	Size, ⅜ in., No. 6 .. .. .	2/ "	Ditto.
173	Size, ¼ in., No. 8 .. .. .	2/3 "	"
174	Size, ⅙ in., No. 10 .. .. .	2/6 "	"
175	Size, ⅜ in., No. 12 .. .. .	3/ "	"
176	Size, ⅞ in., No. 14 .. .. .	3/6 "	"
177	Size, ½ in., No. 16 .. .. .	4/ "	"
	Bits, brace, screw, auger, double-twist, bright, Scotch pattern (Wm. Gilpin and Co.'s No. 6)—		
178	¼ in. to ½ in. .. .. .	10/8 "	"
179	⅙ in. .. .. .	11/3 "	"
180	⅝ in. .. .. .	12/5 "	"
181	⅞ in. .. .. .	13/6 "	"
182	¾ in. .. .. .	14/5 "	"
183	⅞ in. .. .. .	15/3 "	"
184	⅞ in. .. .. .	15/7 "	"
185	⅞ in. .. .. .	15/7 "	"
186	1 in. .. .. .	17/6 "	"
187	1⅛ in. .. .. .	19/6 "	"
188	1¼ in. .. .. .	21/6 "	"
189	1⅝ in. .. .. .	24/6 "	"
	Bits, brace, screw, auger, double twist, bright, concave mouth, Gilpin's or Gedge's pattern,—		
	Wm. Gilpin and Co.'s No. 2—		
191	¼ in. to ½ in. .. .. .	10/ "	175 E. Reece & Sons (Ltd.).
192	⅙ in. .. .. .	11/1 "	"
	I. and H. Sorby's No. 509—		
193	⅝ in. .. .. .	12/ "	159 Archer & Halliburton.
	Wm. Gilpin and Co.'s No. 2—		
194	⅞ in. .. .. .	13/3 "	175 E. Reece & Sons (Ltd.).
195	¾ in. .. .. .	13/3 "	"
196	⅞ in. .. .. .	14/11 "	"
197	⅞ in. .. .. .	14/11 "	"
	I. and H. Sorby's No. 509—		
198	⅞ in. .. .. .	16/ "	159 Archer & Halliburton.
199	1 in. .. .. .	16/ "	"
	Wm. Gilpin and Co.'s No. 2—		
200	1⅛ in. .. .. .	17/10 "	175 E. Reece and Sons (Ltd.).
	I. and H. Sorby's No. 509—		
201	1¼ in. .. .. .	24/ "	159 Archer & Halliburton.
202	1⅝ in. .. .. .	29/ "	"
203	1⅞ in. .. .. .	35/ "	"

No.	Description of Article and Rate.	Per	Tenderer.
204	Bits, <sup>r</sup> brace, railway-carriage, screw, auger, double twist, bright, Gilpin's or Gedge's pattern, Wm. Gilpin and Co.'s No. 3— 1/4 in. to 1/2 in. .. .. .	17/ doz.	88 Aitken and Roberts (Ltd.).
208	9/16 in. and 5/8 in. .. .. .	18/6	Ditto.
209	11/16 in. and 3/4 in. .. .. .	20/	"
210	13/16 in. and 7/8 in. .. .. .	22/6	"
211	15/16 in. and 1 in. .. .. .	24/	"
212	Bits, brace, wagon-builders', screw, auger, double twist, bright, Ward and Payne's, No. 841— 3/8 in. .. .. .	18/	207 Ashby, Bergh, and Co. (Ltd.).
213	7/16 in. .. .. .	18/6	Ditto.
214	1/2 in. .. .. .	18/9	"
215	9/16 in. .. .. .	20/	"
216	5/8 in. .. .. .	21/	"
217	11/16 in. .. .. .	22/6	"
218	3/4 in. .. .. .	23/	"
219	13/16 in. .. .. .	23/9	"
220	7/8 in. .. .. .	25/	"
221	15/16 in. .. .. .	25/6	"
222	1 in. .. .. .	27/6	"
223	1 1/8 in. .. .. .	30/	"
224	1 1/4 in. .. .. .	32/6	"
225	1 3/8 in. .. .. .	38/9	"
226	1 1/2 in. .. .. .	44/	"
227	Blocks, rope-pulley, wrought iron, with hooks, London pattern, Holt and Willett's— 1 sheave .. .. .	/11 in. diam. of sheave	"
228	2 sheave .. .. .	1/6 Ditto	"
229	3 sheave .. .. .	2/5	"

BOLTS AND NUTS (Whitworth Standard Threads and Sizes).

Black, Cup Heads, Square Necks, and Square Nuts.

234 Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.  
236 Thomas William Lench (Limited), Blackheath, "Admiral" Brand.

Length from under Head to Point, except Countersunk-headed Bolts, which are measured over all.	Per Gross.				Per Cwt.		
	Diameter.				Diameter.		
	1/4"	5/16"	3/8"	7/16"	1/2" & 9/16"	5/8" & 11/16"	3/4" to 1 1/2"
2 in. and under .. .. .	3/9	4/5	6/2	7/6	30/	25/6	23/
2 1/8 in. to 3 in. inclusive .. .. .	Advancing 4 1/2 d. and 6 1/2 d.		7/6	8/10	28/	23/6	21/6
Above 3 in. to 4 1/2 in. inclusive	per gross per 1/2 in. or fraction of 1/2 in. over 2 in. long		Per Cwt.		29/6	27/	25/6
Above 4 1/2 in. to 6 in. inclusive			27/	26/	23/6	20/6	20/6
Above 6 in. to 9 in. inclusive			26/	25/	23/	20/	20/
Above 9 in. .. .. .			24/6	24/	21/	19/6	19/6

Bolts and nuts, 10 per cent. advance on above rates for countersunk heads.

No.	Description of Article and Rate.	Per	Tenderer.																					
<p>BOLTS AND NUTS (Whitworth Standard Threads and Sizes)—<i>continued.</i>  <i>Black, Hexagon Heads, Round Necks, and Hexagon Nuts.</i></p>																								
239	Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.																							
241	Thomas William Lench (Limited), Blackheath, "Admiral" Brand.																							
	<p>Length from under Head to Point.</p>	<table border="1"> <thead> <tr> <th colspan="4">Per Gross.</th> <th colspan="3">Per Cwt.</th> </tr> <tr> <th colspan="4">Diameter.</th> <th colspan="3">Diameter.</th> </tr> <tr> <th>1/4"</th> <th>5/16"</th> <th>3/8"</th> <th>7/16"</th> <th>1/2" &amp; 5/16"</th> <th>3/8" &amp; 11/16"</th> <th>1/2" to 1 1/4"</th> </tr> </thead> </table>	Per Gross.				Per Cwt.			Diameter.				Diameter.			1/4"	5/16"	3/8"	7/16"	1/2" & 5/16"	3/8" & 11/16"	1/2" to 1 1/4"	
Per Gross.				Per Cwt.																				
Diameter.				Diameter.																				
1/4"	5/16"	3/8"	7/16"	1/2" & 5/16"	3/8" & 11/16"	1/2" to 1 1/4"																		
	2 in. and under .. ..	5/2   5/10   7/6   8/4   33/   27/   25/	207 Ashby, Bergh, and Co. (Ltd.).																					
	2 1/8 in. to 3 in. inclusive ..	<table border="1"> <tr> <td rowspan="2">Advancing 4 1/2 d. &amp; 5 1/2 d.</td> <td>8/3</td> <td>9/9</td> <td>29/</td> <td>25/</td> <td>24/6</td> </tr> <tr> <td colspan="5">Per cwt.</td> </tr> </table>	Advancing 4 1/2 d. & 5 1/2 d.	8/3	9/9	29/	25/	24/6	Per cwt.					Ditto.										
Advancing 4 1/2 d. & 5 1/2 d.	8/3	9/9		29/	25/	24/6																		
	Per cwt.																							
	Above 3 in. to 4 1/2 in. inclusive	per gross 34/   33/   27/6   24/6   21/6	,,																					
	Above 4 1/2 in. to 6 in. inclusive	per 1/2 in. or fraction of 33/   32/6   25/6   23/   21/	,,																					
	Above 6 in. to 9 in. inclusive	1/2 in. over 32/6   30/   23/6   22/6   20/6	,,																					
	Above 9 in. .. ..	2 in. long. 30/   29/   23/   21/6   20/	,,																					
Bolt-ends (Whitworth Standard Threads and Sizes)—																								
246	Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.																							
250	Thomas William Lench (Limited), Blackheath, "Admiral" Brand.																							
	With square nuts—3/8 in. .. ..	25/6	cwt. ,,																					
	7/16 in. .. ..	24/	,,																					
	1/2 in. .. ..	21/	,,																					
	5/8 in. .. ..	18/9	,,																					
	3/4 in. to 1 1/4 in. .. ..	18/6	,,																					
	1 3/8 in. and 1 1/2 in. .. ..	19/	,,																					
	1 5/8 in. and 1 3/4 in. .. ..	21/	,,																					
	1 7/8 in. and 2 in. .. ..	24/	,,																					
Bolts—																								
252	Galvanized, mushroom head (gutter), Guest, Keen, and Nettlefolds, per cent. discount off list, Art. No. 86	37 1/2	per cent. 180 A. & T. Burt (Ltd.)																					
253	Socket, all brass.. ..	/2 1/2	in. 207, Ashby, Bergh, and Co. (Ltd.).																					
254	Socket, brass, with iron shoot, T. Sanders (Limited), No. 7628	/2	,, Ditto.																					
255	Tower or socket, iron, japanned .. ..	/0 3/4	,,																					
257	Boots, gum, full length, without felt lining, North British Rubber Company	23/4	pair 146 Haywood Bros., and Co. (Ltd.).																					
259	Boots, gum, knee, without felt lining, North British Rubber Company	15/8	,, Ditto.																					
Borax—																								
260	Lump .. ..	/2 5/8	lb. 207 Ashby, Bergh, and Co. (Ltd.).																					
261	Powdered .. ..	/2 7/8	,, Ditto.																					
262	Boxes, cash, 4-lever lock, 2 keys .. ..	/10	in. ,,																					
266	Braces, carpenters', with ratchet, 10 in., Ward and Payne's No. 950	6/3	each ,,																					
Braces, carpenters', without ratchet, 10 in.—																								
267	A. Mathieson and Sons' No. 510 .. ..	2/11	,,																					
269	Spear and Jackson's No. D262 .. ..	3/3	,,																					
270	Ward and Payne's No. 948 .. ..	3/3	,,																					

No.	Description of Article and Rate.	Per	Tenderer.
	Braces, engineers', ratchet—		
271	A. Mathieson and Sons' No. 3S and No. 3SS — 8 in. .. .. . 13/5	each	207 Ashby, Bergh, and Co. (Ltd.).
272	10 in. .. .. . 13/5	"	Ditto.
273	12 in. .. .. . 13/5	"	"
	Ward and Payne's No. 3333—		
280	10 in. .. .. . 10/10	"	"
281	12 in. .. .. . 10/10	"	"
282	14 in. .. .. . 12/6	"	"
	Guest, Keen, and Nettlefolds' pattern "AK"—		
285	16 in. .. .. . 13/5	"	"
286	18 in. .. .. . 15/	"	240 J. Chambers and Son (Ltd.).
287	A. Mathieson and Sons' Nos. 3 and 4, 14 in. .. 12/	"	175 E. Reece & Sons (Ltd.).
	Brackets for shelves, wrought steel, japanned, John Harper and Co.'s pattern No. 128, or other maker of equal quality and strength, to be approved by Department—		
299	8 in. x 6 in. .. .. . 2/6	doz.	207 Ashby, Bergh, and Co. (Ltd.).
300	10 in. x 8 in. .. .. . 3/	"	Ditto.
301	12 in. x 10 in. .. .. . 4/	"	"
302	Brads, flooring, wire .. .. . /1 $\frac{3}{4}$	lb.	"
	Brass rod—		
303	$\frac{1}{4}$ in. and over .. .. . /10 $\frac{3}{4}$	"	180 A. and T. Burt (Ltd.).
304	Coiled, soft, suitable for rivets, $\frac{3}{8}$ in. .. .. . /11	"	207 Ashby, Bergh, and Co. (Ltd.).
305	Coiled, soft, suitable for rivets, $\frac{1}{2}$ in. .. .. . /11	"	Ditto.
	Brass sheet, 48 in. x 24 in. or 52 in. x 26 in., 72 in. x 24 in.—		
306	11 to 18 gauge .. .. . /11 $\frac{1}{2}$	"	"
307	20 gauge .. .. . /11 $\frac{1}{2}$	"	"
308	22 gauge .. .. . /11 $\frac{1}{2}$	"	"
309	24 gauge .. .. . /11 $\frac{1}{2}$	"	"
310	26 gauge .. .. . 1/	"	"
311	28 gauge .. .. . 1/	"	"
	Brass tubing, solid-drawn, seamless—		
312	$\frac{3}{8}$ in. x 16 gauge .. .. . 1/4	"	"
313	$\frac{1}{2}$ in. x 16 gauge .. .. . 1/3	"	"
314	$\frac{5}{8}$ in. x 14 gauge .. .. . 1/2	"	"
315	$\frac{5}{8}$ in. x 16 gauge .. .. . 1/2	"	"
316	$\frac{3}{4}$ in. x 14 gauge .. .. . 1/	"	"
317	$\frac{3}{4}$ in. x 16 gauge .. .. . 1/	"	"
318	$\frac{7}{8}$ in. x 14 gauge .. .. . 1/	"	"
319	$\frac{7}{8}$ in. x 16 gauge .. .. . 1/	"	"
320	1 in. x 14 gauge .. .. . 1/	"	"
321	1 $\frac{1}{8}$ in. x 14 gauge .. .. . 1/	"	"
322	1 $\frac{1}{4}$ in. x 12 gauge .. .. . 1/	"	"
323	1 $\frac{1}{4}$ in. x 14 gauge .. .. . 1/	"	"
	Brass-cased tubing, polished and lacquered—		
324	$\frac{3}{8}$ in. diam. .. .. . /3	ft.	175 E. Reece & Sons (Ltd.).
325	$\frac{1}{2}$ in. .. .. . /3 $\frac{1}{4}$	"	"
326	$\frac{5}{8}$ in. .. .. . /3 $\frac{1}{2}$	"	"
327	$\frac{3}{4}$ in. .. .. . /4	"	207 Ashby, Bergh, and Co. (Ltd.).



No.	Description of Article and Rate.	Per	Tenderer.
	Brass-cased tubing, polished and lacquered— <i>continued.</i>		
328	$\frac{7}{8}$ in. diam. .. .. .	/5 $\frac{1}{2}$	ft. 175 E. Reece & Sons (Ltd.).
329	1 in. ,, .. .. .	/6 $\frac{1}{4}$	207 Ashby, Bergh, and Co. (Ltd.).
330	1 $\frac{1}{4}$ in. ,, .. .. .	/8 $\frac{3}{4}$	175 E. Reece & Sons (Ltd.).
331	1 $\frac{1}{2}$ in. ,, .. .. .	/11 $\frac{1}{2}$	.. .. .
332	Bricks, bath .. .. .	2/	doz. 207 Ashby, Bergh, and Co. (Ltd.).
333	Brushes, damping, hair, 4 in. .. .. .	10/	235 Smith & Smith (Ltd.).
334	Brushes, damping, Thomson's patent, 4 in. .. .. .	15/3	175 E. Reece & Sons (Ltd.).
	Brushes, fitches, bevelled lining, Hamilton and Co's., or Windsor and Newton's—		
335	$\frac{1}{4}$ in. .. .. .	2/	235 Smith & Smith (Ltd.).
336	$\frac{1}{2}$ in. .. .. .	4/6	.. .. .
337	$\frac{3}{4}$ in. .. .. .	6/	.. .. .
338	1 in. .. .. .	7/6	.. .. .
	Brushes, fitches, flat lining, Hamilton and Co's., or Windsor and Newton's—		
339	$\frac{1}{4}$ in. .. .. .	1/9	.. .. .
340	$\frac{1}{2}$ in. .. .. .	3/6	.. .. .
341	$\frac{3}{4}$ in. .. .. .	4/6	.. .. .
342	1 in. .. .. .	7/	.. .. .
	Brushes, fitches, round lining, Hamilton and Co's., or Windsor and Newton's—		
343	$\frac{1}{4}$ in. .. .. .	2/3	.. .. .
344	$\frac{1}{2}$ in. .. .. .	5/6	.. .. .
345	$\frac{3}{4}$ in. .. .. .	8/	.. .. .
346	1 in. .. .. .	12/	.. .. .
	Buckets, iron, 26 gauge, strapped, galvanized after being made—		
389	13 in. .. .. .	21/	159 Archer & Halliburton.
390	14 in. .. .. .	22/6	.. .. .
391	15 in. .. .. .	33/	.. .. .
	Bunting, to sample—		
392	Green .. .. .	/7	lineal yard 207 Ashby, Bergh, and Co. (Ltd.).
393	Red .. .. .	/7	.. .. . Ditto.
394	White .. .. .	/7	.. .. .
397	Cans, watering, galvanized, with rose, 10 quarts .. .. .	3/9	each 175 E. Reece & Sons (Ltd.).
398	Canvas, extra, all long flax, No. 1, 24 in. .. .. .	1/6	lineal yard 207 Ashby, Bergh, and Co. (Ltd.).
399	Carborundum-cloth, all numbers .. .. .	40/	per ream Ditto.
400	Carborundum powder, any grit .. .. .	/9	lb. 240 J. Chambers and Sons (Ltd.).
401	Cement, Portland, English* .. .. .	12/6	barrel 207 Ashby, Bergh, and Co. (Ltd.).
	Cement—		
402	"Smooth-on," elastic, 5 lb. tins .. .. .	1/3	lb. 180 A. and T. Burt (Ltd.).
403	"Smooth-on," iron, 5 lb. tins .. .. .	1/3	.. .. .
	Chain, crane, 15 per cent. over Admiralty or Lloyd's test (proof certificate to be furnished if required), Hingley's "Best Best"—		
404	$\frac{5}{8}$ in. .. .. .	28/	cwt. 207 Ashby, Bergh, and Co. (Ltd.).
405	$\frac{3}{4}$ in. .. .. .	28/	.. .. . Ditto.
406	$\frac{7}{8}$ in. .. .. .	28/	.. .. .
407	1 in. .. .. .	28/	.. .. .

\* See conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.
	Chain, proved, short link, self colour, Admiralty or Lloyd's test (proof certificate to be furnished if required) J. G. Walker and Son's "Best"—		
408	$\frac{3}{16}$ in. . . . .	42/6 cwt.	240 J. Chambers and Son (Ltd.),
409	$\frac{1}{4}$ in. . . . .	34/	Ditto.
410	$\frac{5}{16}$ in. . . . .	32/	"
411	$\frac{3}{8}$ in. . . . .	30/	"
412	$\frac{1}{2}$ in. . . . .	25/	"
413	$\frac{5}{8}$ in. . . . .	23/6	"
414	$\frac{3}{4}$ in. . . . .	23/6	"
415	$\frac{7}{8}$ in. . . . .	23/6	"
416	1 in. . . . .	23/6	"
417	Chain, self colour, $\frac{5}{8}$ in. (link $3\frac{3}{4}$ in. x $1\frac{1}{2}$ in. inside, Hingley's or Walker's	26/	207 Ashby, Bergh, and Co. (Ltd.).
	Chain—		
418	Chandelier, brass, heavy, to sample . . . . .	3/9 doz. yards	Ditto.
419	Jack, brass, double link, 12 gauge . . . . .	9/	"
420	Jack, brass, double link, 14 gauge . . . . .	5/	"
421	Jack, brass, single link, 12 gauge . . . . .	5/4	"
422	Jack, brass, single link, 14 gauge . . . . .	3/3	"
423	Jack, iron, double link, 12 gauge . . . . .	1/6	"
424	Jack, iron, double link, 14 gauge . . . . .	1/4	"
425	Jack, iron, single link, 12 gauge . . . . .	1/2	"
426	Jack, iron, single link, 14 gauge . . . . .	1/	"
427	Twisted, short link, galvanized, to sample . . . . .	55/ cwt.	"
428	Twisted, short link, japanned, to sample . . . . .	4/6 doz. yards	"
429	Twisted, short link, self colour, to sample . . . . .	44/ cwt.	"
	Chairs—		
430	"Douglas," office, oak, woven seat, iron rods . . . . .	14/6 each	"
431	"Florence," oak, woven seat . . . . .	11/6	"
	Chalk—		
432	Lump, free from dust . . . . .	6/6 cwt.	175 E. Reece & Sons (Ltd.).
433	French, lump . . . . .	1/ lb.	143 Kempthorne, Prosser, and Co. (Ltd.).
434	French powdered . . . . .	/2 $\frac{1}{2}$	Ditto.
	Chisels, cast steel, registered, carpenters', ash-handled, with two bright iron ferrules, round shank— Lockwood's (I. and H. Sorby) "Pampa," No. 876—		
435	$\frac{1}{2}$ in. . . . .	9/ doz.	159 Archer & Halliburton.
436	$\frac{3}{4}$ in. . . . .	10/6	"
437	1 in. . . . .	14/	"
438	$1\frac{1}{4}$ in. . . . .	15/	"
439	$1\frac{1}{2}$ in. . . . .	16/	"
440	$1\frac{3}{4}$ in. . . . .	18/6	"
441	2 in. . . . .	21/	"
	Chisels, cast steel, registered, carpenters', bevelled, ash-handled, with two bright iron ferrules, round shank— Lockwood's (I. and H. Sorby) "Pampa," No. 876B		
442	$\frac{1}{2}$ in. . . . .	13/	"
443	$\frac{3}{4}$ in. . . . .	14/6	"
444	1 in. . . . .	18/	"
445	$1\frac{1}{4}$ in. . . . .	19/	"
446	$1\frac{1}{2}$ in. . . . .	20/	"
447	$1\frac{3}{4}$ in. . . . .	22/6	"
448	2 in. . . . .	25/	"

No.	Description of Article and Rate.	Per	Tenderer.					
	Chisels, cast steel, paring, long thin, round ash-handled, ferruled—							
	Lockwood's (I. and H. Sorby) "Pampa," No. 867—	doz.						
449	$\frac{1}{4}$ in. .. .. .	9/	159 Archer & Halliburton.					
450	$\frac{1}{2}$ in. .. .. .	9/6	"					
451	$\frac{3}{4}$ in. .. .. .	11/6	"					
452	1 in. .. .. .	14/	"					
453	$1\frac{1}{4}$ in. .. .. .	16/	"					
454	$1\frac{1}{2}$ in. .. .. .	18/	"					
	Chisels, cast steel, paring, long, thin, bevelled, round ash-handled, ferruled—							
	Lockwood's (I. and H. Sorby) "Pampa," No. 867 $\frac{1}{2}$ —							
455	$\frac{1}{4}$ in. .. .. .	12/	"					
456	$\frac{1}{2}$ in. .. .. .	13/6	"					
457	$\frac{3}{4}$ in. .. .. .	14/6	"					
458	1 in. .. .. .	16/	"					
459	$1\frac{1}{4}$ in. .. .. .	21/	"					
460	$1\frac{1}{2}$ in. .. .. .	24/	"					
461	Cloths glass to sample .. .. .	8/	43 Ross and Glendining (Ltd.).					
<p>COACH-SCREWS.</p> <p><i>Black, Square Heads, Ordinary Sharp Points.</i></p>								
464	Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.							
466	Thomas William Lench (Limited), Blackheath, "Admiral" Brand.							
	Length from under Head to Point.	Per Gross.				Per Cwt.		
		Diameter.				Diameter.		
		$\frac{1}{4}$ "	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ " to $1\frac{1}{4}$ "
	2 in. and under ..	4/5	5/4	5/	7/6	39/	34/	31/
	2 $\frac{1}{2}$ in. to 3 in. inclusive	Advancing 5 $\frac{1}{4}$ d. & 8 $\frac{1}{4}$ d.		7/6	9/3	35/	32/6	30/
	Above 3 in. to 4 $\frac{1}{2}$ in. inclusive	per gross		Per Cwt.		43/	40/	33/6
	Above 4 $\frac{1}{2}$ in. to 6 in. inclusive	per $\frac{1}{2}$ in. or fraction of		40/	37/6	31/	28/	26/
	Above 6 in. ..	$\frac{1}{2}$ in. over		38/	36/	29/	26/6	25/
	2 in. long							
	Coal-scuttles, Waterloo scoop, 18 in. 24-gauge—							
467	Galvanized after made .. .. .	3/6	each.	175 E. Reece & Sons (Ltd.).				
468	Japanned after made .. .. .	3/	"	"				
	Cocks, ball H.P. full way including copper ball (extra strong) and lever complete, Booth's—							
469	$\frac{1}{2}$ in. .. .. .	2/6	"	207 Ashby, Bergh, and Co. (Ltd.).				
470	$\frac{3}{4}$ in. .. .. .	3/6	"	Ditto.				
471	1 in. .. .. .	5/4	"	"				
472	2 in. .. .. .	30/	"	"				
	Cocks, brass, draw-off or racking, screwed—							
506	$\frac{3}{4}$ in. .. .. .	2/4	"	180 A. and T. Burt (Ltd.).				
507	1 in. .. .. .	3/5	"	"				

No.	Description of Article and Rate.	Per	Tenderer.
Cooking-utensils—			
508	Fry-pans, steel, tinned, with tubular handle— 9 in. across bottom .. .. .	11/	each.
207 Ashby, Bergh, and Co. (Ltd.).			
509	10 in. across bottom .. .. .	1/3	,,
510	12 in. across bottom .. .. .	1/8	,,
Ditto.			
Kettles, cast-iron, tinned, fixed handles, A. Kenrick and Sons (Ltd.)—			
511	6 pints .. .. .	4/11	,,
512	8 pints .. .. .	6/	,,
513	10 pints .. .. .	7/3	,,
514	12 pints .. .. .	8/3	,,
515	14 pints .. .. .	9/4	,,
516	16 pints .. .. .	10/6	,,
Saucepans, cast-iron, tinned, with bright covers, A. Kenrick and Sons (Ltd.)—			
517	4 pints .. .. .	2/5	,,
518	6 pints .. .. .	2/11	,,
519	8 pints .. .. .	3/5	,,
520	10 pints .. .. .	3/10	,,
521	12 pints .. .. .	4/6	,,
Saucepans, cast-iron, tinned, with front handles and bright covers, A. Kenrick and Sons (Ltd.)—			
522	14 pints .. .. .	5/9	,,
523	16 pints .. .. .	6/	,,
524	20 pints .. .. .	6/6	,,
Copper pipe, solid drawn, seamless—			
525	$\frac{1}{4}$ in. to $\frac{1}{2}$ in. x 16 gauge .. .. .	1/4	lb.
526	$\frac{3}{8}$ in. to $\frac{1}{2}$ in. x 14 gauge .. .. .	1/1 $\frac{1}{2}$	,,
527	$\frac{7}{8}$ in. to 1 in. x 12 gauge .. .. .	1/0 $\frac{1}{2}$	,,
528	1 $\frac{1}{8}$ in. to 1 $\frac{1}{4}$ in. x 12 gauge .. .. .	1/0 $\frac{1}{2}$	,,
529	1 $\frac{1}{4}$ in. to 1 $\frac{3}{8}$ in. x 10 gauge .. .. .	1/0 $\frac{1}{2}$	,,
530	1 $\frac{1}{2}$ in. to 2 in. x 10 gauge .. .. .	1/0 $\frac{1}{2}$	,,
531	2 $\frac{1}{4}$ in. to 2 $\frac{3}{4}$ in. x 10 gauge .. .. .	1/0 $\frac{1}{2}$	,,
532	3 in. to 3 $\frac{1}{2}$ in. x 9 gauge .. .. .	1/0 $\frac{1}{2}$	,,
533	3 $\frac{3}{4}$ in. to 4 $\frac{1}{2}$ in. x 8 gauge .. .. .	1/0 $\frac{1}{2}$	,,
534	4 $\frac{3}{4}$ in. to 5 in. x 8 gauge .. .. .	1/0 $\frac{1}{2}$	,,
535	4 $\frac{3}{4}$ in. to 5 in. x 6 gauge .. .. .	1/0 $\frac{1}{2}$	,,
Copper rod—			
536	$\frac{1}{4}$ in. diam. .. .. .	112/	cwt.
207 Ashby, Bergh, and Co. (Ltd.).			
537	$\frac{3}{8}$ in. diam. .. .. .	112/	,,
538	$\frac{1}{2}$ in. diam. .. .. .	112/	,,
539	$\frac{5}{8}$ in. diam. .. .. .	112/	,,
540	$\frac{3}{4}$ in. diam. .. .. .	112/	,,
541	$\frac{7}{8}$ in. diam. .. .. .	112/	,,
542	1 in. diam. .. .. .	112/	,,
543	1 $\frac{1}{8}$ in. diam. .. .. .	112/	,,
544	1 $\frac{1}{4}$ in. diam. .. .. .	112/	,,
Copper sheet, 4 ft. x 24 in., 6 ft. x 36 in., 8 ft. x 48 in.—			
545	11 to 18 gauge .. .. .	112/	,,
546	20 gauge .. .. .	112/	,,
547	22 gauge .. .. .	112/	,,
548	24 gauge .. .. .	112/	,,
549	26 gauge .. .. .	120/	,,
550	28 gauge .. .. .	120/	,,
551	Cord, piping, to sample .. .. .	1/	lb.

No.	Description of Article and Rate.	Per	Tenderer.
555	Diamonds, glaziers', for plate glass—A. Shaw and Son ..	18/	each. 133 Andrew Lees.
562	Diamonds, glaziers', for sheet glass—A. Shaw and Son ..	7/6	” ”
Drills, twist, for engineers' ratchet-braces, best cast steel—			
		Clifton. Cleveland.	
566	$\frac{1}{4}$ in. .. .. .	14/8 19/10	doz. 180 A. and T. Burt (Ltd.).
567	$\frac{5}{16}$ in. .. .. .	15/11 21/8	” ”
568	$\frac{3}{8}$ in. .. .. .	17/7 23/5	” ”
569	$\frac{7}{16}$ in. .. .. .	18/3 24/	” ”
570	$\frac{1}{2}$ in. .. .. .	18/11 25/10	” ”
571	$\frac{9}{16}$ in. .. .. .	19/6 26/1	” ”
572	$\frac{5}{8}$ in. .. .. .	20/6 26/4	” ”
573	$\frac{11}{16}$ in. .. .. .	21/2 28/4	” ”
574	$\frac{3}{4}$ in. .. .. .	22/9 28/8	” ”
575	$\frac{13}{16}$ in. .. .. .	25/4 28/10	” ”
576	$\frac{7}{8}$ in. .. .. .	29/11 40/3	” ”
577	$\frac{15}{16}$ in. .. .. .	39/9 50/8	” ”
578	1 in. .. .. .	42/9 52/	” ”
579	$1\frac{1}{8}$ in. .. .. .	50/3 62/8	” ”
580	$1\frac{1}{4}$ in. .. .. .	61/9 79/4	” ”
Drills, morse twist, for carpenters' braces, for boring hard wood, Cleveland Twist Drill Company—			
581	$\frac{1}{4}$ in. .. .. .	5/3	” 175 E. Reece & Sons (Ltd.).
582	$\frac{5}{16}$ in. .. .. .	7/3	” ”
583	$\frac{3}{8}$ in. .. .. .	8/3	” ”
584	$\frac{7}{16}$ in. .. .. .	9/3	” ”
585	$\frac{1}{2}$ in. .. .. .	10/3	” ”
586	$\frac{9}{16}$ in. .. .. .	19/9	” 207 Ashby, Bergh, and Co. (Ltd.).
587	$\frac{5}{8}$ in. .. .. .	22/9	” Ditto.
588	$\frac{3}{4}$ in. .. .. .	27/6	” ”
592	Dryers, patent—Alexander, Fergusson, and Co., Best ..	23/6	cwt. 133 Andrew Lees.
Dryers, terebine,—			
598	Alexander, Fergusson, and Co. .. .. .	7/3	gal. 235 Smith & Smith (Ltd.).
600	Blundell, Spence, and Co. .. .. .	7/3	” ”
601	Colthurst and Harding .. .. .	7/3	” ”
603	William Harland and Sons .. .. .	7/3	” ”
608	Blumes.. .. .	4/6	” ”
Dusters—			
609	Feather, equal to sample in size and quality ..	1/6	each 88 Aitken and Roberts (Ltd.).
610	Turkish, to sample .. .. .	4/2	doz. 206 Sargood, Son, and Ewen (Ltd.).
612	Emery-cloth, all numbers—Oakey's "Genuine" ..	27/11	ream 180 A. and T. Burt (Ltd.).
614	Emery-powder—Oakey's "Genuine" .. .. .	/3 $\frac{1}{2}$	lb. ”
Explosives—			
616	Detonators, gelignite, No. 6 .. .. .	3/6	100 73 Dalgety and Co. (Ltd.).
617	Detonators, rackarock, No. 6 .. .. .	3/6	” ”
618	Detonators, rackarock, No. 8 .. .. .	5/6	” ”
619	Dynamite, Nobel's .. .. .	1/1	lb. 207 Ashby, Bergh, and Co. (Limited).

No.	Description of Article and Rate.	Per	Tenderer.
<b>Explosives—continued.</b>			
620	Dynamite-warmers, Nobel's, large .. .. .	12/6 each	207 Ashby, Bergh, & Co. (Ltd.).
621	Dynamite-warmers, Nobel's, small.. .. .	9/6 ,,	Ditto.
623	Fuse, Bickford's double tape, No. 9, 24 ft. coils ..	/8 coil	,,
624	Fuse, Nobel's "Red Sump," No. 4A, in 24 ft. coils ..	/6 ,,	,,
626	Gelatine, blasting, Nobel's .. .. .	1/4½ lb.	,,
627	Gelatine, dynamite, Nobel's .. .. .	1/4¾ ,,	,,
628	Gelignite .. .. .	1/1 ,,	,,
629	Pliers, cap and fuse, Nobel's .. .. .	4/6 each	73 Dalgety and Co. (Ltd.).
631	Powder, blasting, Curtis and Harvey's .. .. .	/7¾ lb.	207 Ashby, Bergh, and Co. (Ltd.).
632	Powder, compressed pellet .. .. .	/10 ,,	Ditto.
633	Rackarock, No. 1 .. .. .	/9½ ,,	73 Dalgety & Co. (Ltd.).
635	Rackarock-oil, No. 1 .. .. .	/9½ ,,	,,
637	Rackarock dipping cans, with strainers .. .. .	5/6 each	,,
638	Rendrock .. .. .	/11 lb.	35 J. J. Craig (Ltd.).
639	Rendrock-oil .. .. .	/11 ,,	,,
640	Felt, roofing, red-edged, 25 yards to bolt .. .. .	6/9 bolt	240 J. Chambers and Son (Ltd.).
641	Fenders, medium quality, to sample .. .. .	2/ ft.	207 Ashby, Bergh, & Co. (Ltd.).
<b>Figures, steel (brand to be approved by the Department)—</b>			
642	½ in. .. .. .	1/9 set	175 E. Reece & Sons (Ltd.).
643	¼ in. .. .. .	2/5 ,,	207 Ashby, Bergh, & Co. (Ltd.).
644	¾ in. .. .. .	4/3 ,,	Ditto.
645	½ in. .. .. .	5/9 ,,	175 E. Reece & Sons (Ltd.).
<b>Files and rasps, all descriptions, full standard weight, at per cent. discount from Sheffield list confirmed by manufacturers, 28th February, 1889—</b>			
660	Cammell, Laird, and Co.'s "Cyclops" .. .. .	57½ per cent.	207 Ashby, Bergh, & Co. (Ltd.).
663	Nicholson's Canadian .. .. .	62½ ,,	Ditto.
672	Fire-clay, British .. .. .	6/ cwt.	,,
673	Fire-irons, steel, bright, plain heads, to sample ..	7/ set	,,
674	Gas-pipe, compo., ¾ in. to 1 in. diameter .. .. .	/3 lb.	180 A. and T. Burt (Ltd.).
<b>Gas-chimneys, best fireproof, Tower brand—</b>			
680	6 in. .. .. .	2/3 doz.	88 Aitken and Roberts (Ltd.).
681	8 in. .. .. .	2/6 ,,	Ditto.
682	9 in. .. .. .	2/9 ,,	,,
683	10 in. .. .. .	3/ ,,	,,
684	Gas-mantles, incandescent, ordinary upright "Empire" brand, Plaissetty and Co. .. .. .	3/5 ,,	46 H. G. Teagle, (Ltd.).
685	Gas-mantle supports, upright .. .. .	/2 doz.	,,
686	Gasoline, Pratt's .. .. .	2/9 gal.	220 Vacuum Oil Company (Ltd.).
<b>Glass, plate, British (any size or template required)—</b>			
687	Polished, ⅜ in. thick .. .. .	1/7 sq. ft.	235 Smith & Smith (Ltd.).
688	Polished, ¼ in. thick .. .. .	1/7 ,,	,,
<b>Rough—</b>			
689	½ in. thick .. .. .	/5 ,,	,,
690	⅜ in. thick .. .. .	/6 ,,	,,
691	¼ in. thick .. .. .	/6 ,,	,,
692	⅜ in. thick .. .. .	/7 ,,	,,
693	¾ in. thick .. .. .	/8 ,,	,,

No.	Description of Article and Rate.	Per	Tenderer.
	Glass, plate, British (any size or template required)— <i>continued.</i>		
	Rough, mill-rolled—		
694	$\frac{1}{8}$ in. thick .. .. .	/5	sq. ft. 235 Smith & Smith (Ltd.).
695	$\frac{3}{16}$ in. thick .. .. .	/6	" "
696	$\frac{1}{4}$ in. thick .. .. .	/6	" "
697	$\frac{5}{16}$ in. thick .. .. .	/7	" "
698	$\frac{3}{8}$ in. thick .. .. .	/8	" "
699	Fluted .. .. .	/6	" "
	Glass, sheet, British, second quality—		
700	16 oz. .. .. .	/2 $\frac{1}{4}$	" "
701	21 oz. .. .. .	/4 $\frac{3}{4}$	" "
702	26 oz. .. .. .	/7	" "
703	28 oz. .. .. .	/8	" "
704	32 oz. .. .. .	1/	" "
	Glass, sheet, British—		
705	Blue (to show green) .. .. .	/11	" 133 Andrew Lees.
706	Coloured all through .. .. .	/5	" 235 Smith & Smith (Ltd.).
707	Coloured, flashed .. .. .	/5	" "
708	Ground, 26 oz. .. .. .	/5 $\frac{1}{2}$	" 133 Andrew Lees.
710	Glass-paper, Oakey's "Flexible," all numbers .. .. .	14/4	ream 207 Ashby, Bergh, and Co. (Ltd.).
	Glasses, gauge, plain, specially selected quality, fused ends, suitable for working-pressure of 250 lb. per square inch—		
	"Unific"—		
711	$\frac{5}{8}$ in. x 9 in. .. .. .	3/7	doz. 180 A. and T. Burt (Ltd.).
712	$\frac{5}{8}$ in. x 10 in. .. .. .	4/	" "
713	$\frac{5}{8}$ in. x 11 in. .. .. .	4/5	" "
	"Eureka"—		
714	$\frac{5}{8}$ in. x 12 in. .. .. .	3/4	" 175 E. Reece & Sons (Ltd.).
715	$\frac{5}{8}$ in. x 14 in. .. .. .	3/9	" "
716	$\frac{5}{8}$ in. x 16 in. .. .. .	4/3	" "
717	$\frac{3}{4}$ in. x 4 in. .. .. .	3/11	" "
718	$\frac{3}{4}$ in. x 12 in. .. .. .	3/11	" "
719	$\frac{3}{4}$ in. x 14 in. .. .. .	4/7	" "
720	$\frac{3}{4}$ in. x 16 in. .. .. .	5/	" "
	Glasses, bevel edge, white—		
721	4 in. diameter .. .. .	3/	" 207 Ashby, Bergh, and Co. (Ltd.).
722	4 $\frac{1}{2}$ in. diameter .. .. .	3/9	" Ditto.
723	5 in. diameter .. .. .	5/	" "
724	5 $\frac{1}{2}$ in. diameter .. .. .	6/	" "
	Glasses, bull's-eye, white—		
725	2 in. diameter .. .. .	2/6	" "
726	6 in. diameter .. .. .	18/	" "
	Glasses, shell, red—		
727	4 $\frac{1}{2}$ in. diameter .. .. .	8/6	" 175 E. Reece & Sons (Ltd.).
728	6 in. diameter .. .. .	14/	" 207 Ashby, Bergh, and Co. (Ltd.).
729	8 in. diameter .. .. .	18/	" Ditto.
	Glasses, shell, white—		
730	4 $\frac{1}{2}$ in. diameter .. .. .	4/9	doz. 175 E. Reece & Sons (Ltd.).
731	6 in. diameter .. .. .	7/6	" 207 Ashby, Bergh, and Co. (Ltd.).
732	8 in. diameter .. .. .	9/	" Ditto.

No.	Description of Article and Rate.	Per	Tenderer.
	Gold-leaf, pale or deep, in books of 25 leaves—		
733	Not transfer .. .. .	1/	book
734	Transfer .. .. .	/11	"
735	Grates, register, fine-cast, blacked .. .. .	/4½	in. width
736	Grates, register, fine-cast, ground front .. .. .	/9	"
	Grindstones, Newcastle-on-Tyne—		
737	24 in. diameter .. .. .	8/4	each
738	30 in. diameter .. .. .	12/6	"
739	36 in. diameter .. .. .	24/9	"
740	42 in. diameter .. .. .	37/6	"
741	48 in. diameter .. .. .	63/6	"
742	54 in. diameter .. .. .	105/	"
743	60 in. diameter .. .. .	140/	"
744	72 in. diameter .. .. .	350/	"
	Grindstones, spindles for, Kenrick's No. 1—		
745	15½ in. .. .. .	2/	set
746	17 in. .. .. .	2/2	"
747	20 in. .. .. .	2/4	"
748	Gum-arabic, dry .. .. .	/5	lb.
749	Gum, core, yellow, to sample .. .. .	24/6	cwt.
	Hammers, claw, carpenters', adze-eye, handled—		
755	Spear and Jackson's No. D73—1½ lb. head .. .. .	21/6	doz.
	1½ lb. .. .. .	23/6	"
	Hammers—		
758	Engineers' hand, all steel .. .. .	/7	lb.
759	Sledge, steel, ball head .. .. .	/4½	"
760	Sledge, double face .. .. .	/4½	"
761	Sledge, straight or cross pein .. .. .	/4½	"
762	Smiths' hand, ball head .. .. .	/7	"
763	Smiths' hand, cross pein .. .. .	/7	"
	Handles—		
764	Adze, hickory .. .. .	8/6	doz.
765	Axe, hickory .. .. .	8/6	"
767	D, for spade or shovel .. .. .	9/6	"
768	File, ferruled .. .. .	1/3	"
769	Hand, adze-eye, for claw-hammers, hickory, 14 in. .. .. .	2/6	"
	Hand-hammer, hickory, to sample—		
770	16 in. .. .. .	3/	"
771	18 in. .. .. .	3/2	"
772	20 in. .. .. .	3/9	"
773	22 in. .. .. .	4/6	"
774	24 in. .. .. .	5/	"
775	Hay-fork, American .. .. .	7/	"
776	Hoe, American .. .. .	6/	"
777	Hoe, plantation, American .. .. .	9/	"
778	Mop, ferruled .. .. .	2/4	"
779	Pick, hickory .. .. .	8/5	"
780	Rake .. .. .	6/6	"
781	Scythe, American, with patent fastenings .. .. .	29/6	"
782	Shovel, long, American .. .. .	9/6	"



No.	Description of Article and Rate.	Per	Tenderer.
<i>Handles—continued.</i>			
Sledge-hammer, hickory—			
783	26 in. .. .. .	5/	doz. 207 Ashby, Bergh, and Co. (Ltd.).
784	28 in. .. .. .	5/6	Doitto.
785	30 in. .. .. .	5/6	Doitto.
786	34 in. .. .. .	6/6	Doitto.
787	36 in. .. .. .	7/	Doitto.
788	Tomahawk, hickory, 14 in. .. .. .	2/6	175 E. Reece & Sons (Ltd.).
789	Tomahawk, hickory, 16 in. .. .. .	3/	Doitto.
Hasps and staples on plate, heavy, japanned—			
790	1½ in. hasp .. .. .	1/6	Doitto.
791	2 in. hasp .. .. .	1/9	Doitto.
792	2½ in. hasp .. .. .	2/	Doitto.
793	3 in. hasp .. .. .	2/3	Doitto.
794	3½ in. hasp .. .. .	3/	Doitto.
Heaters, patent smokeless, nickel finish—			
795	100 c.p., capacity 12 hours .. .. .	13/	each 220 Vacuum Oil Company (Ltd.).
796	200 c.p., capacity 9 hours .. .. .	14/6	Doitto.
797	Wicks for ditto .. .. .	/4	Doitto.
Hinges—			
Back-flap, wrought steel, solid joint—			
798	1½ in. .. .. .	1/3	doz. pair 207 Ashby, Bergh, and Co. (Ltd.).
799	1¾ in. .. .. .	1/6	Doitto.
800	2 in. .. .. .	2/	Doitto.
801	2¼ in. .. .. .	3/	Doitto.
802	2½ in. .. .. .	4/1	Doitto.
803	3 in. .. .. .	5/4	Doitto.
Butt, brass, solid joint, brass pin T. Sanders (Limited), No. 2318—			
804	1 in. x ⅝ in. .. .. .	2/6	Doitto.
805	1½ in. x ⅞ in. .. .. .	3/3	Doitto.
806	2 in. x 1¼ in. .. .. .	4/6	Doitto.
807	2½ in. x 1⅝ in. .. .. .	6/9	Doitto.
808	3 in. x 1⅞ in. .. .. .	10/3	Doitto.
809	3½ in. x 2 in. .. .. .	16/	Doitto.
810	4 in. x 2⅜ in. .. .. .	24/6	Doitto.
Butt, iron—			
811	2 in. .. .. .	1/9	Doitto.
812	2½ in. .. .. .	2/3	Doitto.
813	3 in. .. .. .	3/	Doitto.
814	3½ in. .. .. .	3/5	Doitto.
815	4 in. .. .. .	4/5	Doitto.
816	4½ in. .. .. .	6/3	175 E. Reece & Sons (Ltd.).
817	5 in. .. .. .	8/3	207 Ashby, Bergh, and Co. (Ltd.).
818	6 in. .. .. .	11/8	Doitto.
Butt, wrought steel—			
819	2 in. .. .. .	/9½	Doitto.
820	2½ in. .. .. .	1/	Doitto.
821	3 in. .. .. .	1/8	Doitto.
822	3½ in. .. .. .	2/2	175 E. Reece & Sons (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
	<i>Hinges—continued.</i>		
	<i>Butt, wrought steel—continued.</i>		
823	4 in. . . . .	3/3 doz. pair	207 Ashby, Bergh, and Co. (Ltd.).
824	4½ in. . . . .	5/4 "	Ditto.
825	5 in. . . . .	6/ "	"
826	6 in. . . . .	7/4 "	"
	<i>Chest, iron—</i>		
827	6 in. . . . .	2/6 "	159 Archer & Halliburton.
828	8 in. . . . .	3/ "	"
829	10 in. . . . .	3/9 "	"
830	12 in. . . . .	6/6 "	"
831	14 in. . . . .	7/6 "	"
832	16 in. . . . .	11/ "	"
	<i>T, japanned—</i>		
833	6 in. . . . .	2/2 "	"
834	8 in. . . . .	2/9 "	175 E. Reece & Sons (Ltd.).
835	10 in. . . . .	3/ "	159 Archer & Halliburton.
836	12 in. . . . .	3/3 "	"
837	14 in. . . . .	4/3 "	"
838	16 in. . . . .	5/9 "	"
839	18 in. . . . .	7/ "	"
840	20 in. . . . .	8/6 "	"
841	Tees, Scotch, wrought iron . . . . .	/2½ lb.	207 Ashby, Bergh, and Co. (Ltd.).
	<i>Hoes—</i>		
842	American, 6 in., handled . . . . .	1/6 each	Ditto.
843	Dutch, 6 in., handled . . . . .	1/6 "	"
844	Dutch, 8 in., handled . . . . .	1/9 "	"
845	Mackinnon, 9 in., handled . . . . .	2/ "	"
846	Mackinnon, 12 in. handled . . . . .	2/3 "	"
847	Holland, green, for blinds, to sample . . . . .	/10 sq. yard	"
	<i>Hooks—</i>		
848	Bag, double claw . . . . .	1/2 each	88 Aitken & Roberts ( Ltd.).
849	Case, to sample . . . . .	1/2 "	"
850	Cup, brass, shouldered, per cent. discount off Nettlefolds' list, Art. No. 375 . . . . .	33½ per cent.	207 Ashby, Bergh, and Co. (Ltd.).
851	Hat-and-coat, bronzed, to sample . . . . .	2/ doz.	Ditto.
852	Hat-and-coat, wrought wire, japanned, Nettlefolds' "Victor," No. 52, Art. 1000, with screws for fixing . . . . .	1/8 "	"
853	Hat-and-coat, wrought wire, japanned, Nettlefolds' "Baskerville," Art. 1002, with screws for fixing . . . . .	/8 "	"
854	Reaping, solid back, size No. 4, Hutton's "BY" . . . . .	14/6 "	88 Aitken & Roberts (Ltd.).
855	Screw, brass, per cent. discount off Nettlefolds' list, Art. No. 500 . . . . .	45 per cent.	207 Ashby, Bergh, and Co. (Ltd.).
856	Screw, iron, per cent. discount off Nettlefolds' list, Art. No. 400 . . . . .	15 "	Ditto.
	<i>Hooks and eyes, cabin, brass—</i>		
857	3 in. . . . .	6/ doz.	"
858	3½ in. . . . .	6/ "	"
859	4 in. . . . .	7/ "	"
860	5 in. . . . .	7/ "	"
861	6 in. . . . .	8/ "	"
	<i>Hooks and eyes, cupboard, brass—</i>		
862	1½ in. . . . .	1/ "	"
863	2 in. . . . .	1/3 "	"
864	2½ in. . . . .	2/ "	"

No.	Description of Article and Rate.	Per	Tenderer.
865	Hose, canvas, best close-woven, 2½ in. diameter, A. W. Martin's "Bon Accord"	/7½	243 Indiarubber, Gutta-percha, and Telegraph Works Company (Ltd.).
866	Hose, delivery, indiarubber, vulcanized, Perdriau Rubber Company—	O. /2½ A.B. /3 Red. —	76 Perdriau Rubber Company (Ltd.).
867	½ in. x 3-ply .. .. .	— /5¼	Ditto.
868	½ in. by 6-ply (air) .. .. .	— /9	"
869	¾ in. x 3-ply .. .. .	— /6¾	"
870	¾ in. x 6-ply (air) .. .. .	— 1/2½	"
871	1 in. x 6-ply .. .. .	— 1/1¼	"
872	1½ in. x 6-ply .. .. .	1/ —	"
873	1½ in. x 6-ply .. .. .	1/2 1/8	"
874	2 in. x 6-ply .. .. .	1/8 2/3	"
	Hose, delivery, indiarubber, armoured or sphincter-grip, in 30 ft. and 60 ft. lengths—	Dunlop Rubber Co. of Australia, "Dunlop" Quality. Perdriau Rubber Co., "Red" Quality.	
875	½ in. x 3-ply (air) .. .. .	— /7½	"
876	⅝ in. x 3-ply (air) .. .. .	/8¾	60 Dunlop Rubber Company (Ltd.).
877	¾ in. x 4 ply (air) .. .. .	/9¾	Ditto.
878	1 in. x 4-ply .. .. .	1/0½	"
879	1½ in. by 5-ply .. .. .	1/10¾	"
880	1½ in. x 5-ply .. .. .	— 2/7	76 Perdriau Rubber Company (Ltd.).
881	2 in. x 5-ply .. .. .	— 3/	Ditto.
	Hose, delivery, indiarubber, close steel armoured, high-pressure, 1½ in. x 6-ply—	2/6	
887	Perdriau Rubber Company's "Red" quality ..	2/6	"
	Hose, delivery, indiarubber, armoured, for hot water and steam, to resist 250 lb. pressure, Perdriau Rubber Company's "Red" quality—	/11	
888	½ in. x 5-ply .. .. .	/11	"
889	1½ in. by 6-ply .. .. .	2/6	"
	Hose, suction, indiarubber, wire-embedded, smooth bore, 30 ft. lengths, Dunlop Rubber Company of Australia, "Dunlop" quality—	1/5	
890	1½ in. x 3-ply .. .. .	1/5	60 Dunlop Rubber Company (Ltd.).
891	1¾ in. by 3-ply .. .. .	1/8	Ditto.
892	2 in. x 5-ply .. .. .	2/3	"
893	2¼ in. by 5-ply .. .. .	2/5	"
894	2½ in. x 5-ply .. .. .	2/7	"
900	Indiarubber, sheet, white, vulcanized—Perdriau Rubber Company's "Special" quality	2/	76 Perdriau Rubber Company (Ltd.).
906	Indiarubber insertion, sheet, white, vulcanized—Perdriau Rubber Company's cloth insertion, No. 3 quality	1/1	Ditto.
	Iron, bar, angle, trade lengths—	250/	
907	Equal, Netherton Crown, best or equal quality ..	250/	W. Cooke & Co. (Ltd.).
908	Unequal, Netherton Crown, best or equal quality ..	250/	"

No.	Description of Article and Rate.	Per	Tenderer.																																														
	<p>Iron, bar, angle, trade lengths—<i>continued</i>.</p> <p><i>Extra prices per ton</i> to be added to the tender-rates for angle iron, items Nos. 907 and 908, for the following sizes :—</p> <table border="1"> <tr> <td>Small sizes—</td> <td><math>\frac{1}{2}</math> in.</td> <td><math>\frac{3}{8}</math> in.</td> <td><math>\frac{3}{4}</math> in.</td> <td><math>\frac{7}{8}</math> in.</td> <td>1 in.</td> <td><math>1\frac{1}{4}</math> in.</td> <td><math>1\frac{1}{2}</math> in. and up</td> </tr> <tr> <td><math>\frac{1}{8}</math> in. thick x</td> <td>85/</td> <td>45/</td> <td>45/</td> <td>35/</td> <td>25/</td> <td>25/</td> <td>25/</td> </tr> <tr> <td><math>\frac{3}{16}</math> in. thick x</td> <td>75/</td> <td>35/</td> <td>35/</td> <td>25/</td> <td>12/6</td> <td>12/6</td> <td>12/6</td> </tr> </table> <p>Large sizes (ordinary thickness)—  <math>4\frac{1}{2}</math> in. 12/6, 5 in. 35/, <math>5\frac{1}{2}</math> in. 45/, 6 in. 55/</p>	Small sizes—	$\frac{1}{2}$ in.	$\frac{3}{8}$ in.	$\frac{3}{4}$ in.	$\frac{7}{8}$ in.	1 in.	$1\frac{1}{4}$ in.	$1\frac{1}{2}$ in. and up	$\frac{1}{8}$ in. thick x	85/	45/	45/	35/	25/	25/	25/	$\frac{3}{16}$ in. thick x	75/	35/	35/	25/	12/6	12/6	12/6																								
Small sizes—	$\frac{1}{2}$ in.	$\frac{3}{8}$ in.	$\frac{3}{4}$ in.	$\frac{7}{8}$ in.	1 in.	$1\frac{1}{4}$ in.	$1\frac{1}{2}$ in. and up																																										
$\frac{1}{8}$ in. thick x	85/	45/	45/	35/	25/	25/	25/																																										
$\frac{3}{16}$ in. thick x	75/	35/	35/	25/	12/6	12/6	12/6																																										
911	<p>Iron, bar, flat, trade lengths—</p> <p>Netherton Crown, best or equal quality* .. .. 245/</p> <p><i>Extra prices per ton</i> to be added to the tender rates for flat iron, item No. 911, for the following sizes :—</p> <table border="1"> <tr> <td></td> <td><math>\frac{1}{8}</math> in.</td> <td><math>\frac{3}{16}</math> in.</td> <td><math>\frac{1}{4}</math> in.</td> <td><math>\frac{5}{16}</math> in.</td> <td><math>\frac{3}{8}</math> in.</td> <td><math>\frac{7}{16}</math> in.</td> </tr> <tr> <td><math>\frac{3}{8}</math> in. broad .. x</td> <td>—</td> <td>—</td> <td>45/</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td><math>\frac{1}{2}</math> in. broad .. x</td> <td>45/</td> <td>35/</td> <td>25/</td> <td>25/</td> <td>20/</td> <td>15/</td> </tr> <tr> <td><math>\frac{5}{8}</math> in. broad .. x</td> <td>45/</td> <td>35/</td> <td>25/</td> <td>25/</td> <td>20/</td> <td>15/</td> </tr> <tr> <td><math>\frac{3}{4}</math> in. broad .. x</td> <td>35/</td> <td>25/</td> <td>15/</td> <td colspan="3" rowspan="2">} Basis</td> </tr> <tr> <td><math>\frac{7}{8}</math> in. broad .. x</td> <td>35/</td> <td>25/</td> <td>15/</td> </tr> <tr> <td>1 in. broad and upwards .. x</td> <td>25/</td> <td>15/</td> <td>Basis</td> <td colspan="3"></td> </tr> </table> <p>Extra widths, ordinary thickness, over 6 in. to 7 in. 12/6          „ „ „ 7 in. to 8 in. .. 25/          „ „ „ 8 in. to 12 in. 35/          Heavy flats, 6 in. and over x <math>1\frac{3}{4}</math> in. and over .. 20/          „ 4 in. to 5 in. x 2 in. to <math>2\frac{1}{2}</math> in. and over .. 25/</p>		$\frac{1}{8}$ in.	$\frac{3}{16}$ in.	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.	$\frac{7}{16}$ in.	$\frac{3}{8}$ in. broad .. x	—	—	45/	—	—	—	$\frac{1}{2}$ in. broad .. x	45/	35/	25/	25/	20/	15/	$\frac{5}{8}$ in. broad .. x	45/	35/	25/	25/	20/	15/	$\frac{3}{4}$ in. broad .. x	35/	25/	15/	} Basis			$\frac{7}{8}$ in. broad .. x	35/	25/	15/	1 in. broad and upwards .. x	25/	15/	Basis				ton	163 W. Cooke & Co. (Ltd.).
	$\frac{1}{8}$ in.	$\frac{3}{16}$ in.	$\frac{1}{4}$ in.	$\frac{5}{16}$ in.	$\frac{3}{8}$ in.	$\frac{7}{16}$ in.																																											
$\frac{3}{8}$ in. broad .. x	—	—	45/	—	—	—																																											
$\frac{1}{2}$ in. broad .. x	45/	35/	25/	25/	20/	15/																																											
$\frac{5}{8}$ in. broad .. x	45/	35/	25/	25/	20/	15/																																											
$\frac{3}{4}$ in. broad .. x	35/	25/	15/	} Basis																																													
$\frac{7}{8}$ in. broad .. x	35/	25/	15/																																														
1 in. broad and upwards .. x	25/	15/	Basis																																														
913	<p>Iron, bar, round and square, trade lengths—</p> <p>Netherton Crown, best or equal quality* .. .. 245/</p> <p><i>Extra prices per ton</i> to be added to the tender rates for round and square iron, item No. 913, for the following sizes :—</p> <p>Small sizes, <math>\frac{3}{16}</math> in. 70/, <math>\frac{1}{4}</math> in. 40/, <math>\frac{5}{16}</math> in. 30/, <math>\frac{3}{8}</math> in. 20/, <math>\frac{7}{16}</math> in. 5/</p> <p>Large sizes, <math>3\frac{1}{8}</math> in. 12/6, <math>3\frac{1}{4}</math> in. 12/6, <math>3\frac{1}{2}</math> in. 12/6, <math>3\frac{3}{4}</math> in. 12/6, 4 in. 20/, <math>4\frac{1}{2}</math> in. 30/, 5 in. 40/, <math>5\frac{1}{2}</math> in. 40/, 6 in. 50/, <math>6\frac{1}{2}</math> in. 60/, 7 in. 70/</p>	ton	163 W. Cooke & Co. (Ltd.).																																														
915	<p>Iron, bar, tee, trade lengths—</p> <p>Equal, Netherton Crown, best or equal quality .. 305/</p>	„	154 Andersons Limited.																																														
916	<p>Unequal, Netherton Crown, best or equal quality .. 325/</p>	„	„																																														
917	<p>Equal, R.H. Crown, or equal quality .. .. 285/</p>	„	„																																														
918	<p>Unequal, R.H. Crown, or equal quality .. .. 305/</p> <p><i>Extra prices per ton</i> to be added to the tender rates for tee iron, items Nos. 915 to 918 inclusive, for the following sizes :—</p> <table border="1"> <tr> <td>Small sizes.</td> <td><math>\frac{1}{2}</math> in.</td> <td><math>\frac{3}{4}</math> in.</td> <td><math>\frac{1}{2}</math> in.</td> <td><math>\frac{3}{4}</math> in.</td> <td>1 in.</td> <td><math>1\frac{1}{4}</math> in.</td> <td><math>1\frac{1}{2}</math> in. and upwards.</td> </tr> <tr> <td><math>\frac{1}{8}</math> in. thick x</td> <td>80/</td> <td>60/</td> <td>30/</td> <td>20/</td> <td>15/</td> <td>10/</td> <td rowspan="2">} Basis</td> </tr> <tr> <td><math>\frac{3}{16}</math> in. thick x</td> <td>70/</td> <td>50/</td> <td>20/</td> <td>15/</td> <td>10/</td> <td>5/</td> </tr> </table> <p>Large sizes (ordinary thickness)—  <math>4\frac{1}{2}</math> in. 5/, 5 in. 5/, <math>5\frac{1}{2}</math> in. 10/, 6 in. 20/.</p>	Small sizes.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	$1\frac{1}{4}$ in.	$1\frac{1}{2}$ in. and upwards.	$\frac{1}{8}$ in. thick x	80/	60/	30/	20/	15/	10/	} Basis	$\frac{3}{16}$ in. thick x	70/	50/	20/	15/	10/	5/	„	„																							
Small sizes.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	$1\frac{1}{4}$ in.	$1\frac{1}{2}$ in. and upwards.																																										
$\frac{1}{8}$ in. thick x	80/	60/	30/	20/	15/	10/	} Basis																																										
$\frac{3}{16}$ in. thick x	70/	50/	20/	15/	10/	5/																																											
919	<p>Iron, hoop, black, 10 to 18 gauge—</p> <p><math>\frac{1}{2}</math> in. wide .. .. 15/6</p>	cwt.	207 Ashby, Bergh, and Co. (Ltd.).																																														
920	<p><math>\frac{5}{8}</math> in. wide .. .. 14/6</p>	„	Ditto.																																														
921	<p><math>\frac{3}{4}</math> in. wide .. .. 13/6</p>	„	„																																														
922	<p><math>\frac{7}{8}</math> in. wide .. .. 13/6</p>	„	„																																														
923	<p>1 in. to 4 in., excluding items Nos. 924 to 926 inclusive 13/6</p>	„	„																																														

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.
924	Iron, hoop, black— 16 gauge, 2 $\frac{1}{8}$ in. to 4 in. . . . .	12/6	207 Ashby, Bergh, and Co. (Ltd.).
925	18 gauge, 1 $\frac{3}{4}$ in. to 2 in. . . . .	12/6	Ditto.
926	18 gauge, 2 $\frac{1}{8}$ in. to 4 in. . . . .	12/6	"
Iron, hoop, galvanized, 10 to 18 gauge—			
927	$\frac{1}{2}$ in. wide . . . . .	18/6	"
928	$\frac{5}{8}$ in. wide . . . . .	18/6	"
929	$\frac{3}{4}$ in. wide . . . . .	18/6	"
930	$\frac{7}{8}$ in. wide . . . . .	18/6	"
931	1 in. to 4 in. wide . . . . .	18/6	"
Iron, sheet, black, plain—			
951	11 to 20 gauge, under 8 ft. long . . . . .	270/	"
952	22 gauge, under 8 ft. long . . . . .	270/	"
953	24 gauge, under 8 ft. long . . . . .	270/	"
954	26 gauge, under 8 ft. long . . . . .	290/	"
<i>Extra prices per ton to be added to the tender-rates for black sheet iron, item Nos. 951 to 954 inclusive, for the following long lengths (any trade widths): 8 ft. 10/, 9 ft. 10/, 10 ft. 20/</i>			
Iron, sheet, galvanized, plain—			
955	11 to 20 gauge, under 9 ft. long . . . . .	390/	"
956	22 gauge, 6 ft. and 8 ft. long, by 24 in., 30 in., and 36 in. wide . . . . .	380/	180 A. and T. Burt (Ltd.).
957	24 gauge, ditto . . . . .	380/	"
958	26 gauge, ditto . . . . .	400/	"
<i>Extra prices per ton to be added to the tender-rates for galvanized sheet iron, item No. 955, for the following long lengths (any trade widths): 9 ft. 10/, 10 ft. 20/</i>			
Iron, sheet, galvanized, corrugated, roofing—			
5 ft. to 8 ft. lengths—			
959	22 gauge . . . . .	Redcliffe. 370/	Windmill. 360/
960	24 gauge . . . . .	370/	360/
961	26 gauge . . . . .	380/	—
962	9 ft. lengths— 22 gauge . . . . .	380/	370/
963	24 gauge . . . . .	380/	370/
964	26 gauge . . . . .	400/	390/
10 ft. lengths—			
965	22 gauge . . . . .	390/	380/
966	24 gauge . . . . .	390/	380/
967	26 gauge . . . . .	410/	400/
Iron tubes (wrought) and fittings, at per cent. discount from list dated 1st September, 1907— Stewart and Lloyd; The Scottish Tube Company (Limited)*; Page, Hersey, and Co., Guelph, Ontario—			
968 to 980	Iron gas-tubes, black . . . . .	70	per cent. 207 Ashby, Bergh, and Co. (Ltd.).
969 to 975	Iron gas-fittings, black . . . . .	70	" Ditto.
970 to 982	Iron water-tubes, galvanized . . . . .	63 $\frac{3}{4}$	"
971 to 977	Iron water-fittings, galvanized . . . . .	63 $\frac{3}{4}$	"
972 to 984	Iron steam-tubes, red . . . . .	57 $\frac{1}{2}$	"
973 to 979	Iron steam-fittings, red . . . . .	57 $\frac{1}{2}$	"

\* Brands: John Marshall and Sons or Wilson's Union and Tube Company (Limited).

No.	Description of Article and Rate.	Per	Tenderer.	
986	Jacks, bottle, Gilpin's or Mathieson's— 2 tons .. .. .	7/6	each	207 Ashby, Bergh, and Co. (Ltd.).
987	5 tons .. .. .	12/6	"	Ditto.
988	8 tons .. .. .	20/3	"	"
	Keys, blank—			
989	Cupboard-lock .. .. .	1/6	doz.	"
990	Drawer-lock .. .. .	1/6	"	"
991	Night latch .. .. .	3/	"	"
992	Railway-car, to sample .. .. .	6/	"	"
993	Rim lock .. .. .	5/	"	"
994	Knives, office, tapered handle, 2 in. blade, Sothern and Richardson	8/6	"	"
	Knives, putty, clip point, pliable blade, "Helmet" brand—			
995	4 in. .. .. .	7/	"	133 Andrew Lees.
996	4½ in. .. .. .	7/	"	"
997	5 in. .. .. .	8/	"	"
	Knives, putty, clip point, stiff blade, "Helmet" brand—			
998	4 in. .. .. .	7/	"	"
999	4½ in. .. .. .	7/	"	"
1000	5 in. .. .. .	8/	"	"
	Knobs, drawer, wood (cedar or mahogany)—			
1001	1½ in. .. .. .	1/6	"	207 Ashby, Bergh, and Co. (Ltd.).
1002	2 in. .. .. .	1/6	"	Ditto.
1003	2½ in. .. .. .	2/	"	"
1004	3 in. .. .. .	3/	"	"
	Knobs and spindles—			
	H. and T. Vaughan's No. 551, for Vaughan's No. 232 mortise locks—			
1005	6 in. .. .. .	14/	"	"
1006	7 in. .. .. .	15/	"	"
	H. and T. Vaughan's No. 551, for Vaughan's No. 60 rim locks—			
1007	6 in. .. .. .	9/	"	"
1008	7 in. .. .. .	10/	"	"
1013	Lamps, bracket, Miller's "Rochester" No. 2, complete with all fittings	10/6	each	"
1014	Lamps, hanging, Miller's "Rochester" No. 2, harped, with tin shade, and complete with all fittings	10/4	"	"
1015	Lamps, table, Miller's "Rochester" No. 2, with chimney and shade complete	10/6	"	"
1016	Lamp-fonts, Miller's "Rochester" No. 1, complete with wick and chimney	7/3	"	"
1017	Lamp-fonts, Miller's "Rochester" No. 2, complete with wick and chimney	8/9	"	"
	Lamp-burners—			
1023	For ½ in. colza-wicks .. .. .	3/6	doz.	"
1024	For ⅝ in. colza-wicks .. .. .	3/6	"	"
1025	For ¾ in. colza-wicks .. .. .	3/6	"	"
1026	For ⅞ in. colza-wicks .. .. .	4/	"	"
1027	For 1 in. colza-wicks .. .. .	4/6	"	"
1028	For 1¼ in. colza-wicks .. .. .	6/6	"	"
1029	For 1½ in. colza-wicks .. .. .	7/6	"	"
1030	For 1¾ in. colza-wicks .. .. .	8/6	"	"

No.	Description of Article and Rate.	Per	Tenderer.
	Lamp-chimneys, best fireproof—		
1032	“Acme” No. 1 .. .. . 5/4	doz.	88 Aitken & Roberts (Ltd.).
1033	“Acme” No. 2 .. .. . 6/1	”	”
1034	Lamp-chimneys for car-lamps, to blue-print 1186 .. 5/	”	207 Ashby, Bergh, and Co. (Ltd.).
	Lamp-feeder (or bottle-top) screws—		
1035	$\frac{5}{8}$ in. .. .. . 2/6	”	Ditto.
1036	$\frac{3}{4}$ in. .. .. . 2/6	”	”
1037	1 in. .. .. . 2/9	”	”
1038	$1\frac{1}{4}$ in. .. .. . 3/	”	”
1039	$1\frac{1}{2}$ in. .. .. . 4/6	”	”
1040	2 in. .. .. . 6/6	”	”
1041	Lamp-wick ball .. .. . 1/2	lb.	”
	Lamp-wick, kerosene—		
1051	$\frac{1}{4}$ in. .. .. . /4	doz. yards	88 Aitken & Roberts (Ltd.).
1052	$\frac{3}{8}$ in. .. .. . /5	”	”
1053	$\frac{1}{2}$ in. .. .. . /6	”	”
1054	$\frac{5}{8}$ in. .. .. . /7	”	”
1055	$\frac{3}{4}$ in. .. .. . /8	”	”
1056	$\frac{7}{8}$ in. .. .. . /8	”	”
1057	1 in. .. .. . /9	”	”
1058	$1\frac{1}{4}$ in. .. .. . 1/6	”	207 Ashby, Bergh, and Co. (Ltd.).
1059	$1\frac{1}{2}$ in. .. .. . 1/9	”	Ditto.
1060	2 in. .. .. . 2/	”	”
	Lamp-wicks, circular—		
1061	For Miller's No. 1 “Rochester” lamps .. .. . 1/3	doz.	159 Archer & Halliburton.
1062	For Miller's No. 2 “Rochester” lamps .. .. . 2/2	”	”
1063	For No. 1 “Union” lamps .. .. . 4/	”	207 Ashby, Bergh, and Co. (Ltd.).
1065	For No. 2 “Union” lamps .. .. . 4/	”	Ditto.
	Lanterns, hurricane, Deitz—		
1067	“Monarch,” tinned steel .. .. . 2/5	each	”
1069	“Victor,” tinned steel .. .. . 2/4	”	”
1071	Globes, white, for “Monarch” and “Victor” .. 5/6	doz.	”
	Lanterns, hurricane, “Rayo”—		
1074	No. 75, hot blast, tin finish .. .. . 2/	each	220 Vacuum Oil Company (Ltd.).
1078	Globes, white, for, No. 75, hot blast .. .. . 4/9	doz.	Ditto.
	Latches—		
1085	Gate, Kenrick's No. 1, 4 in. .. .. . 4/	”	207 Ashby, Bergh, and Co. (Ltd.).
1086	Gate, Kenrick's No. 1, 6 in. .. .. . 7/6	”	Ditto.
	Latches, night, rim—		
1089	Kenrick's No. 500, 3 keys .. .. . 5/	each	”
1090	H. and T. Vaughan's No. 07, 3 keys .. .. . 4/10	”	”
1091	H. and T. Vaughan's No. 09, 3 keys .. .. . 5/6	”	”
1092	Latches, Norfolk, japanned, No. 3 .. .. . /3 $\frac{1}{2}$	”	”
1093	Lead bends, all sizes .. .. . 36/	cwt.	180 A. and T. Burt (Ltd.).
1094	Lead pipe, solid-drawn, seamless, all sizes .. .. . 25/	”	”
1095	Lead sheet, 3 lb. to 8 lb. per square foot .. .. . 25/	”	”
	Lead—		
1097	Black, Nixey's .. .. . 8/6	gross blocks	207 Ashby, Bergh, and Co. (Ltd.).
1098	Black, “Zebra” .. .. . 4/6	”	Ditto.
1099	Red, dry, genuine, warranted, to specification* .. 27/6	cwt.	235 Smith & Smith (Ltd.).
1100	White, dry, genuine, warranted, to specification* .. 26/	”	”

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.
1103	Leather, buffalo-skins, English, genuine hand-buffed (1st cut), dark green, size 50 square feet and over, S. E. Norris and Co., Shadwell, London— F.o.b., London .. .. . 1/1	sq. ft.	113 The North Company (Ltd.).
	F.o.r., New Zealand .. .. . 1/2 $\frac{1}{2}$	„	Ditto.
1107	Leather— Hydraulic, oil-tanned .. .. . 1/9	lb.	207 Ashby, Bergh, and Co. (Ltd.).
1109	Pump butts, English, hydraulic .. .. . 2/8	„	240 J. Chambers & Son (Ltd.).
1110	Sole, English, in bends not under 17 lb. each .. .. . 2/6	„	124 Michaelis, Hallenstein and Farquhar.
	Letters, alphabet, steel (brand to be approved by Department)—		
1111	$\frac{1}{8}$ in. .. .. . 5/	set	175 E. Reece & Sons (Ltd.)
1112	$\frac{1}{4}$ in. .. .. . 6/3	„	„
1113	$\frac{3}{8}$ in. .. .. . 10/6	„	„
1114	$\frac{1}{2}$ in. .. .. . 16/6	„	207 Ashby, Bergh, and Co. (Ltd.).
	Levels, spirit, ebony, brass-plated top and tipped bottom, John Rabone and Sons' No. 1800—		
1115	6 in. .. .. . 1/	each	Ditto.
	Levels, spirit, side views, brass-plated top and tipped bottom, John Rabone and Sons' No. 1330—		
1116	10 in. .. .. . 2/	„	„
1117	12 in. .. .. . 2/3	„	„
1118	18 in. .. .. . 4/3	„	„
	Levels, spirit, side views, with plumb, brass-plated top and tipped bottom, John Rabone and Sons' No. 1350—		
1119	12 in. .. .. . 3/4	„	„
1120	18 in. .. .. . 5/5	„	„
	Levels, spirit, with plumb, patent adjustable, mahogany stock, brass-lipped side views, full brass tipped, John Rabone and Sons' No. 107—		
1121	24 in. .. .. . 6/6	„	„
1122	30 in. .. .. . 7/3	„	„
	Linoleum, Nairn's—		
1123	Inlaid, for cars, varnished back, to sample in pattern and quality 4/8 $\frac{1}{2}$	sq. yd.	„
1124	Plain brown, varnished back, equal to sample .. .. . 3/7	„	„
	Locks, box, brass—		
1125	2 in., 3-lever .. .. . 13/6	doz.	157 Archer & Halliburton.
1126	2 $\frac{1}{2}$ in., 3-lever .. .. . 14/9	„	„
1127	3 in., 3-lever .. .. . 16/	„	„
1128	Hobbs's 2 $\frac{1}{2}$ in., 2 keys .. .. . 4/	each	207 Ashby, Bergh, and Co. (Ltd.).
1129	Hobbs's 3 in., 2 keys .. .. . 5/	„	Ditto.
	Locks, box, iron—		
1130	2 $\frac{1}{2}$ in. .. .. . 5/	doz.	159 Archer & Halliburton.
1131	3 in. .. .. . 5/6	„	„
1132	3 $\frac{1}{2}$ in. .. .. . 5/6	„	„
1133	4 in. .. .. . 6/	„	„



No.	Description of Article and Rate.	Per	Tenderer.
	Locks, cupboard, brass—		
1134	2 in., 3-lever .. .. .	13/9	doz. 159 Archer & Halliburton.
1135	2½ in., 3-lever .. .. .	15/	” ”
1136	3 in., 3-lever .. .. .	16/	” 207 Ashby, Bergh, and Co. (Ltd.).
	Locks, cupboard, iron—		
1137	3 in. .. .. .	4/	” 159 Archer & Halliburton.
1138	3½ in. .. .. .	4/3	” ”
1139	4 in. .. .. .	4/6	” ”
	Locks, desk, brass—		
1140	Hobbs's 2½ in., 2 keys .. .. .	4/	each 207 Ashby, Bergh, and Co. (Ltd.).
1141	Hobbs's 3 in., 2 keys .. .. .	5/	” Ditto.
	Locks, till, brass—		
1142	2 in., 3-lever .. .. .	15/	doz. ”
1143	2½ in., 3-lever .. .. .	15/6	” ”
1144	3 in., 3-lever .. .. .	17/	” ”
1145	Hobbs's 2½ in., 2 keys .. .. .	3/6	each ”
1146	Hobbs's 3 in., 2 keys .. .. .	3/8	” ”
	Locks, mortise, H. and T. Vaughan's No. 232, with Mace's ebony furniture, with brass roses—		
1147	5 in. .. .. .	6/4	” ”
1148	6 in. .. .. .	6/4	” ”
	Locks, rim, H. and T. Vaughan's No. 60, 2-bolt—		
1149	6 in. .. .. .	3/4	” ”
1150	7 in. .. .. .	4/	” ”
	Locks, pad, brass, Hobbs's patent—		
1151	2½ in. .. .. .	9/9	” ”
1152	3 in. .. .. .	11/9	” ”
	Locks, pad, galvanized, brass springs—		
1153	2½ in., 2-keyed .. .. .	12/	doz. ”
1154	3 in., 2-keyed .. .. .	13/6	” ”
1155	R. Cooper and Sons' No. 1029, 4-lever, 3 in., 2-keyed ..	4/6	each 159 Archer & Halliburton.
	Locks, pad, japanned, 2-keyed—		
1157	2½ in. .. .. .	8/6	doz. 175 E. Reece & Sons (Ltd.).
1158	3 in. .. .. .	10/3	” 159 Archer & Halliburton.
	Locks, pad, bronze or gun-metal case, 2 keys—		
1161	D. K. Miller's "Champion," No. 1, 2½ in. .. .. .	2/3	each 88 Aitken and Roberts (Ltd.).
1162	D. K. Miller's, No. 999 .. .. .	1/10	” 207 Ashby, Bergh, and Co. (Ltd.).
	Lock-staples for H. and T. Vaughan's No. 60 rim locks—		
1166	For 6 in. locks .. .. .	7/	doz. Ditto.
1167	For 7 in. locks .. .. .	8/	” ”
	Mallets, Tinman's, boxwood, handled—		
1168	2½ in. .. .. .	12/6	” ”
1169	2¾ in. .. .. .	13/6	” ”
1170	3 in. .. .. .	14/6	” ”
1174	Marline, tarred, Belfast Ropework Company's or equal quality	/8	lb. 12 Donaghy's Rope and Twine Company (Ltd.).
1175	Matting, coconut-fibre .. .. .	1/11	sq. yard. 207 Ashby, Bergh, and Co. (Ltd.).
	Mattocks, grubbing, short or long cutter—		
1178	Gilpin's No. 44—4 lb. .. .. .	2/6	each. Ditto.
	5 lb. .. .. .	2/9	” ”
	5½ lb. .. .. .	2/11	” ”

No.	Description of Article and Rate.	Per	Tenderer.	
	Measures, oil, with lip and rim—			
1183	1 pint .. .. .	1/6	each	159 Archer & Halliburton.
1184	1 quart .. .. .	2/	"	"
1185	2 quarts .. .. .	2/6	"	"
1186	1 gallon .. .. .	3/	"	"
1187	2 gallons .. .. .	3/9	"	"
1188	Mops, white wool, 16 oz., with spike .. .. .	13/	doz.	88 Aitken & Roberts (Ltd.).
	Mugs, enamelled, seamless, "Anglo," or equal quality—			
1189	$\frac{1}{4}$ pint .. .. .	4/	"	207 Ashby, Bergh, and Co. (Ltd.).
1190	$\frac{1}{2}$ pint .. .. .	4/6	"	88 Aitken & Roberts (Ltd.).
1191	Muntz-metal rod, for riveting, 3-crown, P. H. Muntz & Co.	/10 $\frac{1}{2}$	lb.	180 A. and T. Burt (Ltd.).
	Nails, clout, best wrought, flat head—			
	Black—			
1192	$\frac{1}{2}$ in. .. .. .	/6	"	207 Ashby, Bergh, and Co. (Ltd.).
1193	$\frac{5}{8}$ in. .. .. .	/6	"	Ditto.
1194	$\frac{3}{4}$ in. and $\frac{7}{8}$ in. .. .. .	/6	"	"
1195	1 in. and $1\frac{1}{8}$ in. .. .. .	/6	"	"
1196	$1\frac{1}{4}$ in. to 2 in. .. .. .	/6	"	"
	Galvanized—			
1197	$\frac{1}{2}$ in. .. .. .	/7	"	"
1198	$\frac{5}{8}$ in. .. .. .	/7	"	"
1199	$\frac{3}{4}$ in. and $\frac{7}{8}$ in. .. .. .	/7	"	"
1200	1 in. and $1\frac{1}{8}$ in. .. .. .	/7	"	"
1201	$1\frac{1}{4}$ in. to 2 in. .. .. .	/7	"	"
1202	Nails, clout, countersunk, strong, at per cent. discount off list No. 2	25	per cent.	"
	Nails, finishing—			
1204	$\frac{1}{2}$ in. .. .. .	/7	lb.	"
1205	$\frac{5}{8}$ in. .. .. .	/6	"	"
1206	$\frac{3}{4}$ in. .. .. .	/5	"	"
1207	$\frac{7}{8}$ in. .. .. .	/4 $\frac{1}{2}$	"	"
1208	1 in. .. .. .	/4	"	"
1209	$1\frac{1}{4}$ in. .. .. .	/4	"	"
1210	$1\frac{1}{2}$ in. .. .. .	/4	"	"
1211	$1\frac{3}{4}$ in. .. .. .	/4	"	"
1212	2 in. .. .. .	/4	"	"
1213	$2\frac{1}{2}$ in. .. .. .	/4	"	"
1214	Nails, patent wrought, per cent. discount off list No. 3 ..	10	per cent.	"
	Nails, wire, diamond head, or rose head, as required—			
1215	1 in. x 15 gauge .. .. .	17/6	cwt.	175 E. Reece & Sons (Ltd.).
1216	$1\frac{1}{4}$ in. x 14 gauge .. .. .	17/	"	207 Ashby, Bergh, and Co. (Ltd.).
1217	$1\frac{1}{2}$ in. x 13 gauge .. .. .	16/3	"	"
1218	2 in. x 12 gauge .. .. .	15/6	"	Ditto.
1219	$2\frac{1}{4}$ in. x 11 gauge .. .. .	14/6	"	"
1220	$2\frac{1}{2}$ in. x 10 gauge .. .. .	13/8	"	175 E. Reece & Sons (Ltd.).
1221	3 in. x 9 gauge .. .. .	13/3	"	"
1222	$3\frac{1}{2}$ in. x 6 and 7 gauge .. .. .	12/4	"	"
1223	4 in. x 6 gauge .. .. .	12/4	"	"
1224	5 in. x 5 gauge .. .. .	12/4	"	"
1225	6 in. x 4 gauge .. .. .	12/4	"	"
1226	Nails, wire, Evenden's spring-head, galvanized .. .. .	1/	gross	"
1228	Netting, wire, galvanized after manufacture, any width or mesh, at per cent. discount off list No. 4	50	per cent.	207 Ashby, Bergh, and Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.																									
Nuts (Whitworth's Standard Threads and Sizes), iron, black, machine-made— Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand— Thomas William Lench (Limited), Blackheath, "Admiral" Brand—																												
<table border="1"> <thead> <tr> <th data-bbox="227 520 278 544" rowspan="2">Sizes.</th> <th colspan="2" data-bbox="361 484 452 508">Per Gross</th> <th colspan="10" data-bbox="714 484 797 508">Per Cwt.</th> </tr> <tr> <th data-bbox="361 544 394 568">½ in.</th> <th data-bbox="394 544 428 568">⅝ in.</th> <th data-bbox="452 544 486 568">⅞ in.</th> <th data-bbox="486 544 519 568">1 in.</th> <th data-bbox="519 544 553 568">1 ¼ in.</th> <th data-bbox="553 544 586 568">1 ½ in.</th> <th data-bbox="586 544 620 568">1 ¾ in.</th> <th data-bbox="620 544 653 568">2 in.</th> <th data-bbox="653 544 687 568">2 ¼ in.</th> <th data-bbox="687 544 720 568">2 ½ in.</th> <th data-bbox="720 544 754 568">2 ¾ in.</th> <th data-bbox="754 544 787 568">3 in.</th> </tr> </thead> </table>				Sizes.	Per Gross		Per Cwt.										½ in.	⅝ in.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.
Sizes.	Per Gross		Per Cwt.																									
	½ in.	⅝ in.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.																
1237, 1245	Square, untapped	—	—	25/6	24/	20/	18/9	18/	—	—	—	—	—	207 Ashby, Bergh, and Co. (Ltd.).														
1238, 1246	Square, tapped	1/5	1/8	35/6	31/6	26/	23/9	22/6	20/	21/	22/6	23/9	25/	25/	Ditto.													
1239, 1247	Hexagon, un- tapped	—	—	39/6	33/6	25/6	18/9	21/	22/6	23/	—	—	—	—	"													
1240, 1248	Hexagon, tapped	2/6	2/6	50/	42/	32/	27/	26/	23/6	27/	29/	30/	31/6	31/6	"													
Nuts (Whitworth's standard threads and sizes), iron, hexagon, Engineers'—																												
<table border="1"> <thead> <tr> <th data-bbox="227 977 380 1001">Faced one Side.</th> <th data-bbox="452 977 486 1001">⅞ in.</th> <th data-bbox="486 977 519 1001">1 in.</th> <th data-bbox="519 977 553 1001">1 ¼ in.</th> <th data-bbox="553 977 586 1001">1 ½ in.</th> <th data-bbox="586 977 620 1001">1 ¾ in.</th> <th data-bbox="620 977 653 1001">2 in.</th> <th data-bbox="653 977 687 1001">2 ¼ in.</th> <th data-bbox="687 977 720 1001">2 ½ in.</th> <th data-bbox="720 977 754 1001">2 ¾ in.</th> <th data-bbox="754 977 787 1001">3 in.</th> </tr> </thead> </table>				Faced one Side.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.														
Faced one Side.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.																		
1251	Guest, Keen, and Nettle- folds (Limited)	5/6	7/	9/6	13/9	19/6	26/	35/	50/	gross	"																	
1253	Thomas William Lench (Limited)										gross	"																
<table border="1"> <thead> <tr> <th data-bbox="227 1206 380 1230">Faced both Sides.</th> <th data-bbox="452 1206 486 1230">⅞ in.</th> <th data-bbox="486 1206 519 1230">1 in.</th> <th data-bbox="519 1206 553 1230">1 ¼ in.</th> <th data-bbox="553 1206 586 1230">1 ½ in.</th> <th data-bbox="586 1206 620 1230">1 ¾ in.</th> <th data-bbox="620 1206 653 1230">2 in.</th> <th data-bbox="653 1206 687 1230">2 ¼ in.</th> <th data-bbox="687 1206 720 1230">2 ½ in.</th> <th data-bbox="720 1206 754 1230">2 ¾ in.</th> <th data-bbox="754 1206 787 1230">3 in.</th> </tr> </thead> </table>				Faced both Sides.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.														
Faced both Sides.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.																		
1256	Guest, Keen, and Nettle- folds (Limited)	6/6	8/6	11/6	16/6	23/6	30/	42/	57/6	"	"																	
1258	Thomas William Lench (Limited)										"	"																
<table border="1"> <thead> <tr> <th data-bbox="227 1435 380 1459">Finished Bright.</th> <th data-bbox="452 1435 486 1459">⅞ in.</th> <th data-bbox="486 1435 519 1459">1 in.</th> <th data-bbox="519 1435 553 1459">1 ¼ in.</th> <th data-bbox="553 1435 586 1459">1 ½ in.</th> <th data-bbox="586 1435 620 1459">1 ¾ in.</th> <th data-bbox="620 1435 653 1459">2 in.</th> <th data-bbox="653 1435 687 1459">2 ¼ in.</th> <th data-bbox="687 1435 720 1459">2 ½ in.</th> <th data-bbox="720 1435 754 1459">2 ¾ in.</th> <th data-bbox="754 1435 787 1459">3 in.</th> </tr> </thead> </table>				Finished Bright.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.														
Finished Bright.	⅞ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	2 in.	2 ¼ in.	2 ½ in.	2 ¾ in.	3 in.																		
1261	Guest, Keen, and Nettle- folds (Limited)	6/6	9/6	15/	24/	—	—	—	—	"	175 E. Reece & Sons (Ltd.).																	
1261	Guest, Keen, and Nettle- folds (Limited)	—	—	—	—	33/	48/	66/	84/	"	207 Ashby, Bergh, and Co. (Ltd.).																	
1263	Thomas William Lench (Limited)										"	207 Ashby, Bergh, and Co. (Ltd.).																
1264	Oakum .. .. .										cwt.	175 E. Reece & Sons (Ltd.).																
1265	Oil, gas-engine, cylinder—Tangye's .. .. .										gal.	240 J. Chambers and Son (Ltd.).																
1267	Oil, kerosene, 150° Fahr., in Abel's closed tester— White Rose										/9 ¾	220 Vacuum Oil Co. (Ltd.).																
1270	Oil-bottles, Kaye's corrugated steel, without spout— ½ gallon .. .. .										42/	doz.	207 Ashby, Bergh, and Co. (Ltd.).															
1271	1 gallon .. .. .										55/	"	Ditto.															
Oil-feeders, common—																												
1272	1 pint .. .. .										9/	"	175 E. Reece & Sons (Ltd.).															
1273	2 pints .. .. .										16/	"	207 Ashby, Bergh, and Co. (Ltd.).															
1274	¼ pint, spring bottom .. .. .										3/9	"	175 E. Reece & Sons (Ltd.).															

No.	Description of Article and Rate.	Per	Tenderer.
1275	Oil-feeders, Braime's standard Admiralty pattern, "O" type, with interchangeable copper spouts— ½ pint, No. 09 .. .. . 24/9	doz.	207 Ashby, Bergh, and Co. (Ltd.).
1276	1 pint, No. 011 .. .. . 33/	"	Ditto.
1277	1½ pint, No. 012 .. .. . 40/	"	"
1278	1 pint, with large valve and spout outlet for thick oil.. 42/	"	240 J. Chambers and Son (Ltd.).
1279	1½ pint, with large valve and spout outlet for thick oil.. 48/	"	Ditto.
1280	Oil-feeders, spare copper spouts for above (Braime's)— 6 in. .. .. . 3/5	"	207 Ashby, Bergh, and Co. (Ltd.).
1281	8 in. .. .. . 4/11	"	Ditto.
1282	10 in. .. .. . 6/9	"	"
1283	12 in. .. .. . 7/9	"	"
1303	Oil slips—Washita stone .. .. . 2/6	lb.	"
1304	Oil-stones— Turkey .. .. . 1/1	"	175 E. Reece & Sons (Ltd.).
1305	Washita .. .. . 1/3	"	207 Ashby, Bergh, and Co. (Ltd.).
1312	Packing, any size or thickness— The North British Rubber Company— Asbestos cloth sheeting, metallic .. .. . /11	"	146 Hayward Bros. and Co. (Ltd.).
1313	Asbestos millboard .. .. . /2 $\frac{1}{10}$	"	Ditto.
1314	Asbestos metallic tape .. .. . /11 $\frac{9}{10}$	"	"
1315	Asbestos rolled cloth .. .. . /11	"	"
1316	Asbestos yarn, plaited .. .. . /8 $\frac{3}{4}$	"	"
1317	Asbestos yarn, twisted .. .. . /8 $\frac{1}{2}$	"	"
1318	Harris's spiral piston-packing, No. 1 quality, round 1/4 $\frac{1}{5}$	"	"
1326	Packing, any size— Hemp, greasy, Bell's United Asbestos Company's .. .. . /9 $\frac{1}{2}$	"	240 J. Chambers and Son (Ltd.).
1327	"Peerless," American, genuine .. .. . 3/	"	243 Indiarubber, Gutta-percha, and Telegraph Works Company (Ltd.).
1328	Tuck's genuine, round—¼ in. .. .. . 1/9 ¾ in. and upwards .. .. . 1/5	"	Ditto.
1329	Patent jointing-sheets, ⅛ in. to ⅓ in. thick— Aluminite .. .. . 4/6	"	207 Ashby, Bergh, and Co. (Ltd.).
1331	Klingerit, genuine .. .. . 4/	"	240 J. Chambers and Son (Ltd.).
1332	Moorit, genuine .. .. . 4/6	"	207 Ashby, Bergh, and Co. (Ltd.).
1333	Permanite, genuine .. .. . 3/3	"	180 A. and T. Burt (Ltd.).
1334	Rainbow, American, genuine .. .. . 3/2	"	240 J. Chambers and Son (Ltd.).
1335	Walkerite, genuine .. .. . 3/5	"	249 A. R. Hislop.
<b>PAINT.</b>			
1336	Paint, "Bon Accord"— For inside work, various colours .. .. . 11/6	gal.	133 Andrew Lees.
1337	For outside work, various colours .. .. . 11/6	"	"
1338	For roofs, red .. .. . 8/6	"	"
1339	Tinting-colours, any shade .. .. . 1/6	pint	"

No.	Description of Article and Rate.	Per	Tenderer.
<i>PAINT—continued.</i>			
1340	Paint, Lewis Berger and Sons (Limited)— Gloss white, for outside work, No. 601 .. ..	11/9 gal.	207 Ashby, Bergh, and Co. (Ltd.).
1341	Varnal, for inside work, various colours .. ..	11/6 ..	Ditto.
1342	Varnal, for tinting, various colours .. ..	11/6 ..	"
1343	Paint, gold bronze, in 1 oz. packets, Gerstendorfer Bros., "Our Favourite" brand	5/6 lb.	133 Andrew Lees.
1344	Paint, gold powder, in 1 oz. packets, Fletcher and Co.'s light shade	5/6 ..	"
1345	Paint, hæmatite, any colour, Thames .. ..	12/6 cwt.	235 Smith & Smith (Ltd.).
1346	Paint, Pullman-car colour, ground in gold size, to sample shade, Harland's Paint Alexander, Fergusson, and Co.'s "Elephant" brand—	1/1½ lb.	175 E. Reece & Sons (Ltd.).
1347	Oxide of iron, bright red, dry .. ..	12/6 cwt.	133 Andrew Lees.
1348	Oxide of iron, bright red, in oil .. ..	23/6 ..	"
Paint, Jenson and Nicholson's fine, best quality—			
1357	Oxide of iron, bright red, dry .. ..	12/6 ..	"
1358	Oxide of iron, bright red, in oil .. ..	23/6 ..	"
<i>PAINTS.</i>			
Paints, Alexander, Fergusson, and Co.'s "Elephant" brand, as under—			
1360	Black, in oil .. ..	/2½ lb.	133 Andrew Lees.
1362	Black, ivory drop, dry (in tins) .. ..	/2 ..	"
1363	Black, lamp, dry (in 1 lb. paper packets) .. ..	/2½ ..	"
1364	Black, vegetable (in 1 lb. paper packets) .. ..	/9 ..	"
1369	Chrome, lemon, dry (in tins) .. ..	/7½ ..	235 Smith & Smith (Ltd.).
1370	" middle, dry (in tins) .. ..	/7½ ..	"
1371	" orange, dry (in tins) .. ..	/7½ ..	"
1374	Green, Brunswick, in oil, all shades .. ..	/3 ..	"
1375	Ochre, Italian, in oil .. ..	36/ cwt.	"
1379	Ochre, yellow, in oil .. ..	/2½ lb.	"
1382	Red, Indian, dry, p., m., and d., to sample .. ..	25/ cwt.	133 Andrew Lees.
1383	" Venetian, in oil .. ..	/2½ lb.	"
Paints, Lewis Berger and Son (Limited), as under—			
1398	Brown, Vandyke, in oil, No. 302 .. ..	/5 ..	207 Ashby, Bergh, and Co. (Ltd.).
1413	Red, Chinese, dry, No. 414 .. ..	/6 ..	Ditto.
1422	Zinc-white, in oil, No. 312 .. ..	42/ cwt.	"
Paints, Blundell, Spence, and Co. (Limited), as under—			
1424	Black, drop, in oil, No. 184 .. ..	43/9 ..	"
1428	Blue, Prussian, genuine, dry, No. 476 (finest) .. ..	1/9 lb.	235 Smith & Smith (Ltd.).
1429	" Ultramarine, No. 1, dry, No. 764 (fine) .. ..	72/ cwt.	207 Ashby, Bergh, and Co. (Ltd.).
1431	Brown, Vandyke, in water, No. 252 .. ..	30/ ..	Ditto.
1435	Green, bronze, dry, pale, No. 354 .. ..	27/6 ..	"
1436	" " " middle, No. 355 .. ..	27/6 ..	"
1437	" " " deep, No. 356 .. ..	27/6 ..	"
1438	" Brunswick, dry, pale, No. 333 .. ..	23/ ..	"
1439	" " " middle, No. 334 .. ..	23/ ..	"
1440	" " " deep, No. 335 .. ..	23/ ..	"
1446	Ochre, red, dry, No. 563 .. ..	10/6 ..	"
1447	" yellow, dry, No. 525 .. ..	9/ ..	"

No.	Description of Article and Rate.	Per	Tenderer.
<i>PAINTS—continued.</i>			
Paints, Blundell, Spence, and Co. (Limited)— <i>continued.</i>			
1448	Ochre, yellow, in oil, No. 95 .. .. .	/2 $\frac{3}{4}$	lb. 235 Smith & Smith (Ltd.).
1449	Purple-brown, dry, No. 610 .. .. .	20/	cwt. 207 Ashby, Bergh, and Co. (Ltd.).
1457	Vermilion, English, genuine, deep, No. 584 .. .. .	3/	lb. 235 Smith & Smith (Ltd.).
1458	" " " pale, No. 585 .. .. .	3/	" "
Paints, Colthurst and Harding's, as under—			
1465	Blue, Prussian, genuine, dry, No. 1 .. .. .	1/9	" "
1476	Ochre, Oxford, in oil, " Alpha " brand .. .. .	34/9	cwt. 175 E. Reece & Sons (Ltd.).
1484	Sienna, burnt, in oil, " Alpha " brand .. .. .	/4 $\frac{3}{4}$	lb. "
1485	" raw, in oil, " Alpha " brand .. .. .	/4 $\frac{1}{2}$	" "
1486	Umber, Turkey, burnt, in oil, " Alpha " brand .. .. .	/4	" "
1487	" " raw, in oil, " Alpha " brand .. .. .	/3 $\frac{1}{2}$	" "
1488	Vermilion, English, genuine, deep .. .. .	3/	" 235 Smith & Smith (Ltd.).
1489	" " " pale .. .. .	3/	" "
Pans—			
1522	Ash, for 36 in. register-grates .. .. .	3/3	each 175 E. Reece & Sons (Ltd.).
1523	" for 38 in. register-grates .. .. .	3/9	" "
Patent, filling-up—			
1527	Alexander, Fergusson, and Co. .. .. .	25/	cwt. 235 Smith & Smith (Ltd.).
1530	Colthurst and Harding .. .. .	25/	" "
1532	William Harland and Sons .. .. .	25/	" "
Patent knotting—			
1539	Blundell, Spence, and Co. (Limited) .. .. .	11/	gal. "
1540	Colthurst and Harding .. .. .	11/	" "
Picks, platelayers', double point, bright and japanned—			
Wm. Gilpin—			
1547	6 lb. .. .. .	23/6	doz. 207 Ashby, Bergh, and Co. (Ltd.).
1548	6 $\frac{1}{2}$ lb. .. .. .	24/	" Ditto.
1549	7 lb. .. .. .	27/6	" "
Pickaxes, platelayers', point and chisel ends, bright and japanned, Wm. Gilpin—			
1550	6 lb. .. .. .	23/6	" "
1551	6 $\frac{1}{2}$ lb. .. .. .	24/	" "
1552	7 lb. .. .. .	26/6	" 88 Aitken & Roberts (Ltd.)

PINS, COTTER, SPLIT, BRIGHT.

Guest, Keen, and Nettlefolds (Limited), Art. No. 595—

Nominal Diameter.	Length in Inches.															Per	Tenderer.	
	1	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3	3 $\frac{1}{2}$	4	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6			
1565	$\frac{1}{16}$ in.	/6	/6 $\frac{1}{4}$	/7 $\frac{1}{4}$	/8	/9	/10	/10 $\frac{1}{4}$	1/	1/0 $\frac{1}{2}$	—	—	—	—	—	gross	207 Ashby, Bergh, and Co. (Ltd.).	
1566	$\frac{3}{32}$ in.	/6	/6 $\frac{1}{4}$	/7 $\frac{1}{4}$	/8	/9	/10	/10 $\frac{1}{4}$	1/	1/0 $\frac{1}{2}$	—	—	—	—	—	"		
1567	$\frac{1}{8}$ in.	/6 $\frac{1}{4}$	/6 $\frac{3}{4}$	/7 $\frac{3}{4}$	/8 $\frac{1}{2}$	/9 $\frac{1}{2}$	/11 $\frac{1}{4}$	/11 $\frac{1}{4}$	1/	1/1	1/3	1/5	—	—	—	"		
1568	$\frac{5}{32}$ in.	/7 $\frac{1}{4}$	/7 $\frac{3}{4}$	/8 $\frac{1}{2}$	/9 $\frac{1}{2}$	/10 $\frac{1}{4}$	/11 $\frac{1}{4}$	1/	1/1	1/2	1/4 $\frac{1}{2}$	1/7	—	—	—	"		
1569	$\frac{3}{16}$ in.	/8	/9	/10	/10 $\frac{3}{4}$	/11 $\frac{3}{4}$	1/0 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/3	1/4 $\frac{1}{4}$	1/7	1/9 $\frac{1}{2}$	—	—	—	"		
1570	$\frac{7}{32}$ in.	/10 $\frac{3}{4}$	1/	1/1 $\frac{1}{2}$	1/2 $\frac{3}{4}$	1/4 $\frac{1}{4}$	1/5 $\frac{1}{2}$	1/7	1/8	1/9 $\frac{1}{2}$	2/1	2/5	3/	—	—	"		
1571	$\frac{1}{4}$ in.	1/0 $\frac{1}{2}$	1/2	1/3 $\frac{3}{4}$	1/5 $\frac{1}{2}$	1/7	1/8 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/	2/1 $\frac{1}{2}$	2/6	2/10	3/8	4/	—	"		
1572	$\frac{9}{32}$ in.	1/4	1/6	1/7 $\frac{3}{4}$	1/9 $\frac{1}{2}$	2/	2/3	2/6	2/9	2/11	3/5	3/10	4/9	5/3	—	"		
1573	$\frac{5}{16}$ in.	—	—	3/2	3/4 $\frac{1}{2}$	3/7	3/10	4/	4/5	4/8	5/3	6/	7/4	8/	8/8	9/4		"
1574	$\frac{3}{8}$ in.	—	—	—	4/4	4/8	5/	5/3	5/7	6/2	6/9	8/2	8/10	9/6	10/2	"		
1575	$\frac{7}{16}$ in.	—	—	—	—	—	5/9	6/	6/6	7/2	7/10	9/4	10/	10/8	11/4	"		
1576	$\frac{1}{2}$ in.	—	—	—	—	—	8/	—	9/4	10/8	12/3	15/4	16/10	18/10	20/5	"		

No.	Description of Article and Rate.	Per	Tenderer.
	<b>Pins—</b>		
1589	Gimp, japanned, black .. .. . /6	lb.	207 Ashby, Bergh, and Co. (Ltd.).
1590	Panel, brass .. .. . 1/3	"	Ditto.
1591	Panel, copper .. .. . 1/9	"	"
1592	Panel, iron .. .. . /4	"	"
	<b>Taper, steel, solid—</b>		
1594	Guest, Keen, and Nettlefolds, Art. No. 600, at per cent. discount off list No. 5	15	per cent. "
1596	Taper, steel, split, Guest, Keen, and Nettlefolds, Art. No. 601, at per cent. discount off list No. 6	15	" "
1598	Pitch, Stockholm .. .. . 15/	cwt.	"
1599	Plaster-of-paris, in 7 lb. tins .. .. . 1/3	tin	"
	<b>Plumbago, Morgan's—</b>		
1605	No. 1 quality, to sample .. .. . 25/	cwt.	157 Fred Schlaich.
1606	No. D quality, to sample .. .. . 19/6	"	"
1607	Polish, knife, Oakey's .. .. . /6	tin	207 Ashby, Bergh, and Co. (Ltd.).
	<b>Polish, metal—</b>		
	<b>" Solarene "—</b>		
1616	½ pint tins .. .. . 4/	doz. tins	66 N. Guthridge (Ltd.).
1617	1 pint tins .. .. . 7/	"	"
	<b>Polishing-cloths, " Redio "—</b>		
1618	Green .. .. . 4/	doz.	43 Ross and Glendining (Ltd.).
1619	Yellow .. .. . 2/9	"	40 L. G. Porter.
	<b>Potash—</b>		
1620	American, in tins .. .. . /5	lb.	235 Smith & Smith (Ltd.).
1621	Bichromate .. .. . /6	"	"
1622	Prussiate of, yellow .. .. . /10	"	"
1624	Pumice-stone composition blocks, any grain, Hartmann	4/5	doz. blocks "
	<b>Pumice-stone—</b>		
1625	Lump .. .. . /1½	lb.	"
1626	Ground fine .. .. . /2	"	"
1627	Ground coarse .. .. . /2	"	"
	<b>Pumps, hand, Joseph Evans and Sons—</b>		
1632	Fig. 3, No. 3 .. .. . 13/	each	207 Ashby, Bergh, and Co. (Ltd.).
1633	Fig. 3, No. 4 .. .. . 14/6	"	Ditto.
1634	Fig. 3, No. 5 .. .. . 16/9	"	"
1635	Fig. 3, No. 6 .. .. . 21/6	"	"
	<b>Putty, pure linseed-oil—</b>		
	<b>Alexander Fergusson, and Co.—</b>		
1652	In 14 lb. bladders .. .. . 14/6	cwt.	"
1653	In 14 lb. tins .. .. . 16/	"	133 Andrew Lees.
	<b>Lewis Berger and Sons (Limited)—</b>		
1654	In 14 lb. bladders .. .. . 14/6	"	207 Ashby, Bergh, and Co. (Ltd.).
	<b>Rakes, iron or steel, strong, handled—</b>		
1662	12-tooth .. .. . 2/	each	Ditto.
1663	14-tooth .. .. . 2/3	"	"
1664	16-tooth .. .. . 2/6	"	"
1666	Resin, fine amber .. .. . 18/6	cwt.	"

No.	Description of Article and Rate.	Per	Tenderer.
1675	Rings, flush, brass— 1 in. .. .. .	5/	doz. 207 Ashby, Bergh, and Co. (Ltd.).
1676	1 1/4 in. .. .. .	5/6	„ Ditto.
1677	1 1/2 in. .. .. .	6/	„ „
1678	Rings, screw, brassed— 1 in. .. .. .	4/6	gross „
1679	1 1/4 in. .. .. .	6/	„ „
1683	Rings, tinned, tarpaul'n, 1 in. internal diameter, No. 8 gauge	2/3	„ „
1684	Rivets, coopers', iron, flat head, at per cent. discount off list No. 7	33 1/2	per cent. „
1685	Rivets, copper .. .. .	1/4	lb. „
1686	Rivets, copper, and washers .. .. .	1/4	„ „
1692	Rivets, steel, mild, pan and round head— 1/4 in. diameter .. .. .	22/6	cwt. „
1693	3/8 in. „ .. .. .	22/	„ „
1694	1/2 in. „ .. .. .	21/	„ „
1695	5/8 in. „ .. .. .	19/	„ „
1696	3/4 in. „ .. .. .	18/	„ „
1697	7/8 in. „ .. .. .	18/	„ „
1698	1 in. „ .. .. .	18/	„ „
1699	Rivets, tinmen's, tinned, at per cent. discount off list No. 8	40	per cent. „
1710	Rules, boxwood, John Rabone and Sons'— 2 ft., four-fold, 1 1/2 in. wide, No. 1185 .. .. .	1/3	each 159 Archer & Halliburton.
1711	3 ft., four-fold, 1 1/2 in. wide, No. 1185 .. .. .	1/7	„ 207 Ashby, Bergh, and Co. (Ltd.).
1712	Rules, boxwood, John Rabone and Sons', brass-bound on inside and outside edges— 2 ft., four-fold, 1 1/2 in. wide, No. 1115 .. .. .	2/2	„ Ditto.
1713	2 ft., four-fold, 1 3/8 in. wide, No. 1116 .. .. .	2/6	„ „
1714	3 ft., four-fold, 1 1/2 in. wide, No. 1115 .. .. .	2/10	„ „
1715	3 ft., four-fold, 1 3/8 in. wide, No. 1116 .. .. .	3/3	„ 159 Archer & Halliburton.
1716	Sal-ammoniac, lump .. .. .	/6	lb. 235 Smith & Smith (Ltd.).
1717	Sal-ammoniac, powdered .. .. .	/6	„ 157 Fred Schlaich.
1718	Salt, coarse .. .. .	5/	cwt. 207 Ashby, Bergh, and Co. (Ltd.).
1719	Salt, rock .. .. .	5/	„ Ditto.
1720	Saltpetre .. .. .	/4 1/2	lb. 143 Kempthorne, Prosser, and Co. (Ltd.).
1721	Saws, band, Simond's Manufacturing Company— 1/2 in. .. .. .	/4	ft. 240 J. Chambers and Son (Ltd.).
1722	5/8 in. .. .. .	/5	„ Ditto.
1723	3/4 in. .. .. .	/5	„ „
1724	7/8 in. .. .. .	/6	„ „
1725	1 in. .. .. .	/7	„ „
1729	Saws, hand, crosscut, skew back, I. and H. Sorby's No. 116s, 26 in.	4/6	each 159 Archer & Halliburton.
1736	Saws, hand, crosscut, straight back, I. and H. Sorby's No. 110s, London spring, 26 in.	5/	„ „
1750	Saws, hand, panel, straight back, I. and H. Sorby's No. 110s, London spring— 22 in. .. .. .	4/3	„ „
	24 in. .. .. .	4/9	„ „



No.	Description of Article and Rate.	Per	Tenderer.
1766	Saws, hand, rip, straight back, Spear and Jackson's No. 82— 28 in. . . . . 5/3	each	207 Ashby Bergh, and Co. (Ltd.).
	30 in. . . . . 6/	"	Ditto.
	Saws, crosscut, one-man, with ordinary and supplementary handle—		
	Maker and Tooth.	3 ft. 3½ ft. 4 ft. 4½ ft.	
1809	H. Disston and Sons— Great American . . . . . 5/3	6/1 6/9 8/9	" "
1810	Lightning or Lumberman, improved Spear and Jackson, "Mermaid" brand—	5/3 6/1 6/9 8/9	" "
1824	Great American, No. 200 . . . . . 5/3	6/ 6/9 7/9	" "
1825	Lightning or Lumberman, No. 206 . . . . . 5/3	6/ 6/9 7/9	" "
	Saws, circular, solid teeth, for wood, at per cent. discount off list No. 9—		
1832	H. Disston and Sons . . . . .	52½	per cent. "
1835	Spear and Jackson, or Wheatman and Smith . . . . .	52½	" "
	Saws, back or tenon, London spring—		
1838	Spear and Jackson's No. 260 or No. 263—18 in. . . . . 5/	each	"
	20 in. . . . . 5/3	"	"
	22 in. . . . . 5/6	"	"
	Saws, mitre-box—		
1841	H. Disston and Sons' No. 4—20 in. . . . . 6/	"	"
	22 in. . . . . 6/9	"	"
	24 in. . . . . 7/3	"	"
	26 in. . . . . 7/9	"	"
	Saws, hack, for metal, solid back, complete with twelve blades—		
1844	Griffin's No. 30—8 in. . . . . 2/10	"	180 A. and T. Burt (Ltd.).
	9 in. . . . . 3/2	"	"
	10 in. . . . . 3/4	"	"
	12 in. . . . . 4/	"	"
	Saws, hack, for metal, extending back, complete, to hold 8 in. to 12 in. blades—		
1850	Griffin's . . . . . 4/6	"	207 Ashby, Bergh, and Co. (Ltd.).
1852	Spear and Jackson's No. 126 . . . . . 4/6	"	Ditto.
	Saw-blades for metal hack-saws—		
1856	Griffin's, for No. 30 saws—8 in. . . . . 1/3	doz.	180 A. and T. Burt (Ltd.).
	10 in. . . . . 1/3½	"	"
	12 in. . . . . 1/4½	"	"
	Scissors, Sheffield make—		
1862	Lamp, 6 in., Needham, Veall, and Tyzack, "Eye-witness" . . . . . 18/	"	88 Aitken & Roberts (Ltd.).
1863	Lamp, 8 in., Lockwood's "Pampa" 8/275c . . . . . 21/3	"	159 Archer & Halliburton.
	Needham, Veall, and Tyzack, "Eye-witness"—		
1864	Office, 6 in. . . . . 14/6	"	88 Aitken & Roberts (Ltd.).
1865	Office, 8 in. . . . . 24/	"	"

No.	Description of Article and Rate.	Per	Tenderer.
1866	Screws, Guest, Keen, and Nettlefolds, at per cent. discount off Guest, Keen, and Nettlefolds' trade list— Brass, wood, countersunk head, Art. No. 2 ..	40	per cent. 207 Ashby, Bergh, and Co. (Ltd.).
1867	Brass, wood, round head, Art. No. 2A ..	40	„ Ditto.
1868	Iron, wood, countersunk head, Art. No. 1 ..	62½	„ „
1869	Iron, wood, round head, Art. No. 1A ..	62½	„ „
1870	Iron, metal-thread, countersunk head, Art. No. 100 ..	40	„ „
1871	Iron metal-thread, round head, Art. No. 101 ..	40	„ „
	Screw-eyes, Guest, Keen, and Nettlefolds, at per cent. discount off Guest, Keen, and Nettlefolds' trade list—		
1872	Brass, Art. 501 ..	27½	„ „
1873	Iron, Art. 420 ..	45	„ „
1874	Iron, japanned, Art. 432 ..	45	„ „
1875	Iron, tinned, Art. 432 ..	50	„ 88 Aitken & Roberts (Ltd.).
1876	Scrim, No. 2, 72 in. wide ..	7/5½	lineal yard 235 Smith & Smith (Ltd.).
	Scythe-blades, solid crown back, 36 in.—		
1880	W. Tyzack, Sons, and Turner's "Elephant" brand ..	33/	doz. 207 Ashby, Bergh, and Co. (Ltd.).
1881	W. A. Tyzack and Co.'s "Horseman" brand ..	33/	„ Ditto.
	Scythe-stones—		
1883	Carborundum, round, 10 in. ..	7/6	„ 240 J. Chambers and Son (Ltd.).
1884	"Waterloo" ..	3/3	„ 207 Ashby, Bergh, and Co. (Ltd.).
1885	Shellac ..	1/	lb. Ditto.
	Shovels, all steel, round mouth, 28 in. riveted D handles—		
1886	Brade's No. 1156 best quality—No. 3 ..	38/	doz. „
	No. 4 ..	40/	„ „
	Hardy Patent Pick Company's—		
1887	No. 52—No. 3 ..	38/	„ „
	No. 4 ..	40/	„ „
1888	No. 13—No. 2 ..	34/	„ „
	No. 3 ..	35/	„ „
	No. 4 ..	36/6	„ „
1889	A. and F. Parkes and Co.'s "Wheel" brand, No. 614—		
	No. 2 ..	36/	„ „
	No. 3 ..	38/	„ „
	No. 4 ..	40/	„ „
1890	C. T. Skelton and Co.'s No. 1323c—No. 2 ..	34/6	„ „
	No. 3 ..	35/	„ „
	Shovels, all steel, square mouth, 28 in. riveted D handles—		
1892	Brade's No. 1152, best quality—No. 2 ..	36/6	„ „
	No. 3 ..	38/	„ „
	No. 4 ..	40/	„ „
	No. 5 ..	42/	„ „
	No. 6 ..	44/	„ „
	No. 7 ..	45/	„ „
	No. 8 ..	49/	„ „
1894	Hardy Patent Pick Company's No. 13—No. 2 ..	34/	„ „
	No. 3 ..	35/	„ „
	No. 4 ..	36/6	„ „
	No. 5 ..	37/6	„ „
	No. 6 ..	40/	„ „
	No. 7 ..	43/	„ „
	No. 8 ..	48/	„ „



No.	Description of Article and Rate.	Per	Tenderer.
	Spanners, shifting, Clyburn, improved, Joseph Evans and Sons—		
1948	12 in. .. .. .	4/6 each	240 J. Chambers and Son (Ltd.).
1949	15 in. .. .. .	5/6 "	Ditto.
1950	18 in. .. .. .	6/ "	"
	Spanners, shifting, Whitman Barnes Railroad Special, or similar pattern and quality; brand and maker to be approved by Department—		
1951	6 in. .. .. .	1/7 "	207 Ashby, Bergh, and Co. (Ltd.).
1952	8 in. .. .. .	1/10 "	Ditto.
1935	10 in. .. .. .	2/3 "	"
1954	12 in. .. .. .	2/6 "	"
1955	15 in. .. .. .	4/3 "	"
	Spelter, for brazing—		
1956	Fine .. .. .	/9½ lb.	180 A. and T. Burt (Ltd.).
1957	Coarse .. .. .	/9½ "	"
	Spikes, iron, wrought—		
1958	5 in. to 6 in. .. .. .	17/6 cwt.	207 Ashby, Bergh, and Co. (Ltd.).
1959	7 in. to 8 in. .. .. .	17/6 "	Ditto.
1960	9 in. to 12 in. .. .. .	17/6 "	"
	Spikes, steel, wrought—		
1961	5 in. to 6 in. .. .. .	20/ "	"
1962	7 in. to 8 in. .. .. .	20/ "	"
1963	9 in. to 12 in. .. .. .	20/ "	"
1964	Spirit, motor, Pratt's .. .. .	1/8¾ gal.	220 Vacuum Oil Company (Ltd.).
1966	Spirits, methylated .. .. .	2/8 "	235 Smith & Smith (Ltd.).
	Springs, door, spiral, japanned—		
1967	8 in. .. .. .	6/ doz.	207 Ashby, Bergh, and Co. (Ltd.).
1968	10 in. .. .. .	7/ "	Ditto.
1969	12 in. .. .. .	8/ "	"
1970	14 in. .. .. .	12/ "	"
1971	Spun yarn, Belfast Ropework Company, or equal quality	/8 lb.	12 Donaghy's Rope and Twine Company (Ltd.).
	Staples, wire, fencing—		
1972	Bright .. .. .	13/6 cwt.	88 Aitken & Roberts (Ltd.).
1973	Galvanized .. .. .	15/4 "	"
	Staples, wire, netting—		
1974	Bright .. .. .	24/ "	207 Ashby, Bergh, and Co. (Ltd.).
1975	Galvanized .. .. .	25/ "	Ditto.
	Steel, bar, hexagon, trade lengths, Siemens-Martin or basic—		
1979	0.448 across flats .. .. .	16/ "	154 Andersons Limited.
1980	0.525 across flats .. .. .	16/ "	"
1981	0.601 across flats .. .. .	16/ "	"
1982	0.709 across flats .. .. .	16/ "	"
1983	0.820 to 2.413 across flats .. .. .	16/ "	"



No.	Description of Article and Rate.	Per	Tenderer.
2033	Stoves— "Queen," No. 6. . . . .	16/3 each	207 Ashby, Bergh, and Co. (Ltd.).
2034	"Queen of Scots," No. 6 . . . . .	16/3 "	Ditto.
2035	Sulphur, flowers of . . . . .	/1½ lb.	159 Archer & Halliburton.
2036	Tacks, blued, in nominal 1,000 trade packets— ¾ in. . . . .	/1¼ packet	207 Ashby, Bergh, and Co. (Ltd.).
2037	½ in. . . . .	/1¼ "	Ditto.
2038	⅝ in. . . . .	/2 "	"
2039	Tacks, clout, bright, wire— Sadler's . . . . .	/3 lb.	"
2040	Guest, Keen, and Nettlefolds' . . . . .	/3 "	"
2041	Tacks, clout, tinned-wire— Sadler's . . . . .	/5 "	"
2042	Guest, Keen, and Nettlefolds' . . . . .	/5 "	"
2043	Tacks, copper . . . . .	1/5 "	"
2044	Tacks, Swedish, for upholsterers, in packets— 4 oz. . . . .	/4 packet	"
2045	6 oz. . . . .	/5 "	"
2046	Tacks, tinned, in nominal 1,000 trade packets— ½ in. . . . .	/2¼ "	133 Andrew Lees.
2047	⅝ in. . . . .	/2¼ "	"
2048	¾ in. . . . .	/3 "	"
2049	Tape, scrimming, in hanks of 18 yards . . . . .	1/ doz. hanks	235 Smith & Smith (Ltd.)
	Tapes, measuring, ⅝ in. wide, in case with flush handle— 33 ft. 66 ft.		
2052	Rabone's "Rigida," No. 391 . . . . .	5/ 7/3 each	207 Ashby, Bergh, and Co. (Ltd.).
2053	Rabone's metallic, No. 401 . . . . .	5/ 7/ "	Ditto.
2056	Tapes, measuring, ⅝ in. wide, without case— Rabone's "Rigida," No. 392 . . . . .	3/ 3/9 "	"
2057	Rabone's metallic, No. 404 . . . . .	3/ 3/9 "	"
2061	Tapes, measuring, all steel, marked on both sides (feet and inches and links), in case with flush handle— ¾ in. wide, Rabone's, No. 415 . . . . .	8/6 14/9 "	"
2062	½ in. wide, Rabone's, No. 418 . . . . .	11/3 20/6 "	"
2063	⅝ in. wide, Rabone's, No. 421 . . . . .	13/9 25/ "	"
2067	Tapes, measuring, all steel, marked on both sides (feet and inches and links), without case— ¾ in. wide, Rabone's, No. 415 . . . . .	6/2 11/6 "	"
2068	½ in. wide, Rabone's, No. 418 . . . . .	9/ 17/3 "	"
2069	⅝ in. wide, Rabone's, No. 421 . . . . .	11/3 22/3 "	"
2070	Tar, Stockholm . . . . .	1/9 gal.	"
2076	Thread, linen, machine, all colours, on reels— Knox's, No. 25 . . . . .	6/6 doz. reels	"
2077	Knox's, No. 30 . . . . .	7/ "	"
2078	Knox's, No. 50 . . . . .	10/ "	"
2079	Tin plate, best charcoal, IXX, 20 in. x 28 in. . . . .	30/ box	"
2081	Tin plate, best charcoal, XXX, 20 in. x 28 in. . . . .	34/6 "	"
2082	Tomahawks, American pattern, handled (Brades Limited)	2/4 each	Aitken and Roberts (Ltd.).
2087	Tue-irons, with pipes complete— 14 in. . . . .	14/6 "	175 E. Reece & Sons (Ltd.).
2088	16 in. . . . .	17/6 "	"
2089	18 in. . . . .	20/9 "	207 Ashby, Bergh, and Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
2090	Twine, office, best Italian hemp, James Morrison & Sons— Fine, size No. 204 .. .. .	11/10	doz. lb. 112 Caselberg, Stein, and Co. (Ltd.).
2091	Medium, size No. 202 .. .. .	11/1	„ Ditto.
2092	Medium, size No. 302 .. .. .	11/1	„ „
2093	Coarse, size No. 301, 401, and 501.. .. .	9/10	„ „
	Twine, office, hemp, counter, James Morrison and Sons—		
2094	Fine, size No. 204 .. .. .	10/6	„ „
2095	Medium, size No. 302 .. .. .	9/2	„ „
2096	Medium, size No. 200 .. .. .	9/2	„ „
2097	Coarse, size No. 301, 401, and 501.. .. .	7/9	„ „
	Twine, roping, Barbour's No. 2—		
2098	3-ply .. .. .	1/9	lb. 43 Ross and Glendining (Ltd.).
2099	5-ply .. .. .	1/9	„ Ditto.
2100	Twine, sailmakers', best seaming, Barbour's No. 1, 3-ply	1/11	„ „
2101	Twine, tufting or upholsterers', Barbour's, No. 2 .. .. .	1/11 <sup>3</sup> / <sub>4</sub>	„ „
	Valves, Globe, wheel-top, female ends, gun-metal, extra strong, angle—Roe, Stephens, and Co.—		
2111	$\frac{3}{8}$ in. .. .. .	2/1	each 180 A. and T. Burt (Ltd.).
2112	$\frac{1}{2}$ in. .. .. .	2/8	„ „
2113	$\frac{3}{4}$ in. .. .. .	3/7	„ „
2114	1 in. .. .. .	4/9	„ „
2115	$1\frac{1}{4}$ in. .. .. .	7/5	„ „
2116	$1\frac{1}{2}$ in. .. .. .	10/4	„ „
2118	2 in. .. .. .	14/4	„ „
2120	$2\frac{1}{2}$ in. .. .. .	30/	„ „
2122	3 in. .. .. .	42/3	„ „
	Valves, Globe, wheel-top, female ends, gun-metal, extra strong, straight—		
2123	$\frac{3}{8}$ in. .. .. .	2/	„ 207 Ashby, Bergh, and Co. (Ltd.).
2124	$\frac{1}{2}$ in. .. .. .	2/6	„ Ditto.
2125	$\frac{3}{4}$ in. .. .. .	3/3	„ „
2126	1 in. .. .. .	4/3	„ „
2127	$1\frac{1}{4}$ in. .. .. .	5/6	„ „
2128	$1\frac{1}{2}$ in. .. .. .	7/	„ „
2130	2 in. .. .. .	11/	„ „
2132	$2\frac{1}{2}$ in. .. .. .	25/	„ „
2134	3 in. .. .. .	36/	„ „
	Valves, Globe, wheel-top, flanged ends, gun-metal, extra strong—United Brass Founders and Engineers (Ltd.), No. 9—		
2135	$\frac{1}{2}$ in. .. .. .	6/	„ 240 J. Chambers and Son (Ltd.).
2136	$\frac{3}{4}$ in. .. .. .	9/	„ Ditto.
2137	1 in. .. .. .	12/6	„ „
2138	$1\frac{1}{4}$ in. .. .. .	17/6	„ „
2139	$1\frac{1}{2}$ in. .. .. .	22/6	„ „
2141	2 in. .. .. .	32/6	„ „
2142	$2\frac{1}{2}$ in. .. .. .	52/6	„ „
2143	3 in. .. .. .	72/6	„ „
	Valves, Peets, wheel-top, gun-metal—		
2149	$\frac{1}{2}$ in. .. .. .	4/6	„ 207 Ashby, Bergh, and Co. (Ltd.).
2150	$\frac{3}{4}$ in. .. .. .	6/3	„ 240 J. Chambers and Son (Ltd.).
2151	1 in. .. .. .	7/3	„ 207 Ashby, Bergh, and Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
Valves, Peets, wheel-top, gun-metal— <i>continued.</i>			
2152	1½ in. .. .. . 10/6	each	240 J. Chambers and Son (Ltd.).
2153	1½ in. .. .. . 13/6	"	Ditto.
2154	2 in. .. .. . 17/6	"	"
2155	2½ in. .. .. . 40/	"	"
2156	3 in. .. .. . 50/	"	"
Width of Jaws.			
4 in. 5 in. 6 in. 7 in.			
2158	C. and J. Hampton's Model 21 .. .. . 15/6 28/6 38/ 42/	"	207 Ashby, Bergh, and Co. (Ltd.).
2159	C. and J. Hampton's "Improved" Model 25 14/9 27/ 37/6 40/	"	Ditto.
2160	A. Mathieson and Son's No. 1 Glasgow pattern 70/ 80/ 95/ 115/	"	"
2164	Vices, bench, parallel, instantaneous grip, C. and J. Hampton's "Record," Model 22—4½ in. jaws .. 35/	"	240 J. Chambers and Son (Ltd.).
	5½ in. jaws .. 39/	"	
2174	Vices, bench, staple, solid box and pin, best warranted, black, Wilkinson's .. .. . /5½	lb.	207 Ashby, Bergh, and Co. (Ltd.).
2180	Washers, copper, any size .. .. . 1/6	"	Ditto.
Washers, iron, black, circular—			
2181	To fit bolts ½ in. to 1½ in. diameter, heavy .. .. . 21/	cwt.	"
	" " light .. .. . 28/	"	"
2192	Washers, lead, any size and gauge .. .. . /6	lb.	180 A. and T. Burt (Ltd.).
Water-wells, china, for damping-brushes—			
2194	Round, to sample .. .. . 36/	doz.	207 Ashby, Bergh, and Co. (Ltd.).
Wax-wire, for venting cores—			
2196	⅛ in. to ⅜ in. diameter .. .. . 2/3	lb.	Ditto.
Webbing, chair—			
2202	1½ in. wide, to sample .. .. . /9	doz. yards.	"
2203	2 in. wide, " .. .. . /10½	"	"
2204	Whiting .. .. . 5/2	cwt.	133 Andrew Lees.
Window-fittings—			
2205	Axle-pulleys, brass-faced, with iron wheel .. .. . 2/10	doz.	207 Ashby, Bergh, and Co. (Ltd.).
Blind-cord, equal to sample—			
2206	Green .. .. . 3/9	gross yards	Ditto.
2207	White .. .. . 3/9	"	"
Blind-rollers, Hartshorn's, spring, complete with brackets and screws—			
2208	1 in. diameter x 36 in. long .. .. . 7/6	doz.	88 Aitken & Roberts (Ltd.).
2209	1¼ in. " x 36 in. " .. .. . 11/	"	"
2210	1¼ in. " x 42 in. " .. .. . 12/6	"	207 Ashby, Bergh, and Co. (Ltd.).
2211	1¼ in. " x 48 in. " .. .. . 12/6	"	Ditto.
Sash-fasteners, polished brass, T. Sanders (Limited)—			
2212	No. 4948 .. .. . 20/	"	"
2213	No. 5824, x 3 in. .. .. . 15/3	"	88 Aitken & Roberts (Ltd.).
2214	Sash-lifts, hook, polished brass, T. Sanders (Limited), No. 5300 3/	"	207 Ashby, Bergh, and Co. (Ltd.).
Sash-lifts, recessed, polished brass, T. Sanders (Limited)—			
2215	No. 5120, x 2½ in. .. .. . 2/6	"	88 Aitken & Roberts (Ltd.).
2216	No. 5120, x 3 in. .. .. . 2/11	"	"
2217	No. 5120, x 3½ in. .. .. . 4/5	"	"
2218	Sash-lifts, ring, polished brass, T. Sanders (Limited), No. 5811 3/	"	207 Ashby, Bergh, and Co. (Ltd.).
2219	Sash-line, Belfast Ropeworks Company, to sample .. 1/9	lb.	Ditto.
2220	Sash-weights, iron, all sizes .. .. . 8/6	cwt.	"



No.	Description of Article and Rate.	Per	Tenderer.
	Wire, brass—		[(Ltd.).
2221	6 to 20 gauge, inclusive .. .. .	/11 lb.	207 Ashby, Bergh, and Co.
2222	21 gauge .. .. .	/11 „	Ditto.
2223	22 gauge .. .. .	/11 „	„
2224	24 gauge .. .. .	1/ „	„
2225	26 gauge .. .. .	1/ „	„
2226	Wire, brass, hardened for springs, 6 to 20 gauge, inclusive	1/ „	„
	Wire, copper—		
2227	6 to 20 gauge inclusive .. .. .	1/ „	„
2228	21 gauge .. .. .	1/1 „	„
2229	22 gauge .. .. .	1/1 „	„
2230	24 gauge .. .. .	1/2 „	„
2231	26 gauge .. .. .	1/3 „	„
2232	Wire, copper, hardened for springs, 6 to 20 gauge inclusive	1/3 „	„
	Wire, binding, galvanized—		
2233	12 gauge .. .. .	/11½ „	„
2234	14 gauge .. .. .	/2 „	„
2235	16 gauge .. .. .	/3 „	„
2236	18 gauge .. .. .	/3 „	„
2237	20 gauge .. .. .	/4 „	„
	Wire, fencing, galvanized—		
2238	Nos. 6 to 8 gauge, inclusive* .. .. .	12/6 10/6 cwt.	„
2239	No. 9 gauge* .. .. .	12/9 11/ „	„
2240	No. 10 gauge* .. .. .	13/6 11/6 „	„
2241	No. 12 gauge* .. .. .	14/6 13/ „	„
	Wire, fencing, iron, black, Dorman, Long, and Co.—		
2242	Nos. 6 to 8 gauge, inclusive* .. .. .	190/ ton	„
2243	No. 9 gauge* .. .. .	195/ „	„
2244	No. 10 gauge* .. .. .	210/ „	„
	Wire, fencing, steel, black, Canadian—		
2245	Nos. 6 to 8 gauge, inclusive* .. .. .	190/ „	„
2246	No. 9 gauge* .. .. .	195/ „	„
2247	No. 10 gauge* .. .. .	210/ „	„
	Wire, fencing, galvanized, barbed, two strands of 12 gauge, 4-point barbs 6 in. apart, round both wires—		
2248	“Porcupine” brand .. .. .	300/ „	„
2250	Dominion Wire Works, Canada .. .. .	250/ „	„
	Wire, iron, bright—		
2251	12 gauge .. .. .	/11½ lb.	„
2252	14 gauge .. .. .	/11½ „	„
2253	16 gauge .. .. .	/11½ „	„
2254	18 gauge .. .. .	/11½ „	„
2255	20 gauge .. .. .	/11½ „	„
	Wire, steel, bright, hardened for springs—		
2256	Up to 6 gauge .. .. .	/5¼ „	180 A. and T. Burt (Ltd.).
2257	8 gauge .. .. .	/6½ „	„
2258	10 gauge .. .. .	/6¾ „	„
2259	12 gauge .. .. .	/6¾ „	„
2260	14 gauge .. .. .	/7¼ „	„
2261	16 gauge .. .. .	/7¼ „	„
2262	18 gauge .. .. .	/7½ „	„
2263	Wrenches, pipe, “Trimmo,” No. 14 .. .. .	3/6 each	„
	Zinc, sheet—		
2264	No. 7 gauge .. .. .	34/ cwt.	88 Aitken & Roberts (Ltd.)
2265	No. 8 gauge and up .. .. .	34/ „	„
	Perforated—		
2266	7 ft. x 36 in. .. .. .	3/4 sheet	207 Ashby, Bergh, and Co. [(Ltd.).
2268	7 ft. x 36 in., No. 15, 1/16 in. hole .. .. .	11/6 „	Ditto.
2269	7 ft. x 36 in., No. 12, 1/8 in. hole .. .. .	7/ „	„

\* See Conditions of Contract for specification.

TRADE PRICE-LISTS REFERRED TO IN ANNEXED SCHEDULE.

No. 1.

*Files, Hand-saw: Stubbs's, Lancashire.*

Blunt, No. 203, or Taper, No. 204.

Size.							Bastard. Price per dozen.	Smooth. Price per dozen.
							s. d.	s. d.
3 in.	..	..	..	..	..	..	2 9	3 6
3½ in.	..	..	..	..	..	..	3 0	4 0
4 in.	..	..	..	..	..	..	3 6	4 6
4½ in.	..	..	..	..	..	..	3 10	5 0
5 in.	..	..	..	..	..	..	4 6	6 0
5½ in.	..	..	..	..	..	..	5 0	6 6
6 in.	..	..	..	..	..	..	5 6	7 0
6½ in.	..	..	..	..	..	..	6 6	8 0
7 in.	..	..	..	..	..	..	7 0	9 0
7½ in.	..	..	..	..	..	..	8 0	10 6
8 in.	..	..	..	..	..	..	10 0	12 0

No. 2.

*Nails, Clout, countersunk.*

Lengths .. .. .	¾"	1"	1¼"	1½"	1¾"	2"	2¼"	2½"	3"	3½"	4"
Price per cwt. .. .. .	91/0	61/0	53/0	47/0	42/6	39/0	37/0	36/0	34/0	34/0	34/0

No. 3.

*Nails, Patent, wrought.*

Size .. .. .	1" x 5	1¼" x 6	1½" x 7	1¾" x 8	2" x 10	2¼" x 12	2½" x 17	
Price per cwt. .. .. .	55/0	38/0	36/0	34/6	32/3	30/9	28/3	
Size .. .. .	2¾" x 20	3"	3½"	4"	4½"	5"	6"	7"
Price per cwt. .. .. .	27/6	27/6	23/6	23/0	22/6	22/0	22/0	22/0

No. 4.

*Netting, Wire, galvanized after Manufacture.*

At per Roll of 50 Yards.

Mesh.	Gauge.	12 in. wide.	18 in. wide.	24 in. wide.	30 in. wide.	36 in. wide.	42 in. wide.	48 in. wide.	60 in. wide.	72 in. wide.	108 in. wide.	
½ in.	..	22	14/6	20/11	27/2	33/2	39/9	46/5	53/0	66/4	79/6	..
	..	20	17/7	25/3	32/10	40/0	48/0	56/0	64/0	80/0	96/0	..
	..	19	23/6	33/7	43/9	53/4	64/0	74/8	85/4	106/8	128/0	..
⅝ in.	..	22	11/0	15/9	20/6	25/0	30/0	35/0	40/0	50/0	60/0	..
	..	20	13/8	19/7	25/4	31/0	37/2	43/4	49/6	62/0	74/4	..
	..	19	18/9	26/9	34/10	42/6	51/0	59/6	68/0	85/0	102/0	..
¾ in.	..	20	9/3	13/2	16/10	20/6	24/0	28/0	32/0	40/0	48/0	..
	..	19	11/10	17/0	21/6	26/4	30/9	35/11	41/0	51/4	61/6	..
	..	18	16/1	23/1	29/5	35/10	42/0	49/0	56/0	70/0	84/0	..
1 in.	..	20	7/5	10/7	13/5	16/5	19/2	22/4	25/6	31/11	38/4	..
	..	19	8/10	12/8	16/1	19/8	23/0	26/10	30/8	38/4	46/0	..
	..	18	10/9	15/5	19/7	23/11	28/0	32/8	37/4	46/8	56/0	..
	..	17	14/5	20/8	26/3	32/0	37/6	43/9	50/0	62/6	..	..
	..	16	19/3	27/8	35/2	43/0	50/3	58/8	67/0	..	..	..

Made up to 96 in. wide.

Made up to 84 in. wide.

No. 4—continued.  
 Netting, Wire, galvanized after manufacture—continued.  
 At per Roll of 50 Yards.

Mesh.	Gauge.	12 in. wide.	18 in. wide.	24 in. wide.	30 in. wide.	36 in. wide.	42 in. wide.	48 in. wide.	60 in. wide.	72 in. wide.	108 in. wide.
1 1/4 in.	..	7/1	10/2	12/11	15/7	18/0	21/0	24/0	30/0	36/0	54/0
..	..	8/8	12/5	15/9	19/1	22/0	25/8	29/4	36/8	44/0	66/0
..	..	11/4	16/4	20/9	25/1	29/0	33/10	38/8	48/4	58/0	87/0
..	..	15/3	21/11	28/0	33/9	39/0	45/6	52/0	65/0	78/0	117/0
1 1/2 in.	..	5/7	8/1	10/3	12/4	14/3	16/8	19/0	23/9	28/6	42/9
..	..	7/1	10/2	12/11	15/7	18/0	21/0	24/0	30/0	36/0	54/0
..	..	9/3	13/3	16/10	20/4	23/6	27/5	31/4	39/2	47/0	70/6
..	..	11/9	16/11	21/6	25/11	30/0	35/0	40/0	50/0	60/0	90/0
1 3/4 in.	..	5/2	7/5	9/5	11/5	13/2	15/4	17/6	21/11	26/4	39/6
..	..	6/4	9/1	11/7	14/0	16/2	18/10	21/6	26/11	32/4	48/6
..	..	8/3	11/10	15/1	18/2	21/0	24/6	28/0	35/0	42/0	63/0
..	..	10/4	14/10	18/10	22/9	26/3	30/8	35/0	43/9	52/6	78/9
2 in.	..	4/5	6/4	8/1	9/8	11/0	12/10	14/8	18/4	22/0	33/0
..	..	5/7	8/1	10/3	12/3	14/0	16/4	18/8	23/4	28/0	42/0
..	..	7/3	10/5	13/3	15/9	18/0	21/0	24/0	30/0	36/0	54/0
..	..	9/5	13/6	17/3	20/7	23/6	27/5	31/4	39/2	47/0	70/6
..	..	11/10	17/0	21/8	25/10	29/6	34/5	39/4	49/2	59/0	88/6
..	..	15/3	21/10	27/11	33/3	38/0	44/4	50/8	63/4	76/0	..
2 1/2 in.	..	3/9	5/6	7/0	8/4	9/6	11/1	12/8	15/10	19/0	..
..	..	4/8	6/8	8/6	10/3	11/8	13/5	15/7	19/6	23/4	..
..	..	6/2	8/10	11/4	13/7	15/6	18/1	20/8	25/10	31/0	..
..	..	7/9	11/3	14/4	17/0	19/6	22/9	26/0	32/6	39/0	..
..	..	9/7	13/9	17/7	21/0	24/0	28/0	32/0	40/0	48/0	..
3 in.	..	3/6	5/0	6/4	7/7	8/8	10/1	11/6	14/5	17/4	26/0
..	..	5/10	7/5	8/11	10/2	11/10	13/6	16/11	20/4	26/0	..
..	..	6/3	8/1	9/7	11/0	12/8	14/5	18/3	22/0	33/0	..
..	..	8/8	11/7	13/2	15/4	17/6	19/3	22/0	27/6	33/0	..
..	..	10/6	14/5	17/1	19/6	22/9	26/0	32/6	39/0	58/6	..
..	..	13/8	17/4	20/9	23/8	27/7	31/6	39/5	47/4	71/0	..
4 in.	..	5/10	6/3	8/1	9/7	11/0	12/8	14/5	18/3	22/0	..
..	..	6/9	9/8	11/4	13/2	15/3	17/5	22/0	26/4	39/6	..
..	..	7/7	9/8	11/4	13/2	15/3	17/5	22/0	26/4	39/6	..
..	..	9/8	12/4	14/6	16/9	19/5	22/6	25/9	32/4	38/10	58/3
..	..	11/1	14/3	16/9	19/5	22/6	25/9	32/4	38/10	58/3	..
..	..	12/4	14/3	16/9	19/5	22/6	25/9	32/4	38/10	58/3	..
..	..	13/10	17/7	21/0	24/0	28/0	32/6	39/0	48/0	63/0	..
..	..	15/3	18/8	21/10	24/0	28/0	32/6	39/0	48/0	63/0	..
..	..	17/0	21/10	24/0	28/0	32/6	39/0	48/0	63/0	80/0	..
..	..	18/8	21/10	24/0	28/0	32/6	39/0	48/0	63/0	80/0	..
..	..	20/8	24/0	28/0	32/6	39/0	48/0	63/0	80/0	..	..
..	..	22/9	27/2	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	23/10	27/7	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	25/3	29/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	27/9	31/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	29/8	33/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	31/10	34/1	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	32/6	34/2	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	34/0	34/2	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	34/10	34/2	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	35/6	34/1	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	37/10	34/1	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	38/0	34/1	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	39/0	34/1	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	40/0	34/1	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	41/0	34/2	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	41/10	34/2	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	42/0	34/2	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	43/4	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	44/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	44/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	45/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	45/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	46/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	46/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	47/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	47/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	48/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	48/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	49/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	49/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	50/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	50/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	51/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	51/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	52/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	52/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	53/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	53/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	54/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	54/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	55/0	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..
..	..	55/10	34/4	35/0	40/0	46/8	53/4	66/8	80/0	..	..

Sheep-netting, with 3-ply-strand-wire Selwages.

Centre strands.—17, 16, 15 gauges, 1/9; 14 and 13 gauges, 2/0; 12 gauge, 2/6 each extra per roll, gross.

No. 5.

*Pins, Taper, Steel, solid.*

Diameter.	Lengths and Prices per Gross.																
	1"	1¼"	1½"	1¾"	2"	2¼"	2½"	2¾"	3"	3¼"	3½"	3¾"	4"	4½"	5"	5½"	6"
$\frac{3}{16}$ in.	3/0	3/3	3/9	4/0	4/6	5/0	5/9	6/0	6/6	..	..	..	..	..	..	..	..
$\frac{1}{4}$ in.	3/6	4/3	5/0	5/6	6/3	6/9	7/6	8/0	8/9	9/3	10/0	10/9	11/3	..	..	..	..
$\frac{5}{16}$ in.	4/6	5/3	6/0	6/9	7/6	8/0	8/9	9/6	10/3	11/0	11/6	12/3	13/3	14/9	16/3	..	..
$\frac{3}{8}$ in.	..	6/6	7/3	8/0	9/0	9/9	10/9	11/6	12/3	13/3	14/0	15/0	15/9	17/6	19/3	20/9	22/6
$\frac{7}{16}$ in.	..	..	9/6	10/6	12/0	13/0	14/3	15/6	16/6	17/6	18/9	20/0	21/6	24/0	26/6	29/6	32/0
$\frac{1}{2}$ in.	..	..	..	..	15/3	17/0	18/9	20/6	22/3	23/9	25/6	27/3	29/0	32/3	35/9	39/0	42/6

No. 6.

*Pins, Taper, Steel, split.*

Diameter.	Lengths and Prices per Gross.																
	1"	1¼"	1½"	1¾"	2"	2¼"	2½"	2¾"	3"	3¼"	3½"	3¾"	4"	4½"	5"	5½"	6"
$\frac{3}{16}$ in.	3/6	4/0	4/6	5/0	5/6	6/3	6/9	7/6	8/0	..	..	..	..	..	..	..	..
$\frac{1}{4}$ in.	4/3	5/0	6/0	6/6	7/3	8/0	8/9	9/6	10/3	10/9	11/6	12/3	13/0	14/6	16/0	..	..
$\frac{5}{16}$ in.	..	..	8/0	8/9	9/6	10/3	11/0	11/9	12/6	13/6	14/3	15/0	16/0	17/9	19/6	..	..
$\frac{3}{8}$ in.	..	..	10/3	11/0	12/0	12/9	13/6	14/6	15/3	16/3	17/0	18/0	18/9	20/6	22/0	23/9	25/6
$\frac{7}{16}$ in.	..	..	..	..	15/0	16/3	17/9	19/0	20/3	21/9	23/0	24/6	25/3	28/6	31/6	35/6	38/9
$\frac{1}{2}$ in.	..	..	..	..	..	..	..	..	27/3	29/3	31/0	33/0	35/3	39/0	44/0	48/0	52/9

No. 7.

*Rivets, Coopers', Iron, Flat Head.*

Weight per nominal thousand	3 lb.	4 lb.	5 lb.	6 lb.	7 lb.	8 lb.	9 lb.	10 lb.	12 lb.	14 lb.	16 lb. and up.
Price per cwt. ..	46/8	46/8	44/4	44/4	39/8	39/8	39/8	37/4	37/4	37/4	35/0

No. 8.

*Rivets, Tinnmen's, Tinned.*

Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Price per nominal thousand	0/6½	0/70	0/7½	0/8	0/8½	0/9¼	0/10	1/0	1/1	1/4	1/7	1/9	2/3	2/9	3/2	3/6	4/0	5/0
Price per lb. ..	2/2	1/5	1/3	1/0½	0/11	0/10½	0/10	0/9	0/8½	0/8	0/7½	0/7	0/6¾	0/6½	0/6¼	0/6	0/6	0/6

No. 9.

Saws, Circular, Solid Teeth, for Wood.

Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.	Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.
4	$\frac{3}{4}$	18	4/6	0/3	46	2	7	240/0	21/0
6	$\frac{3}{4}$	17	7/0	0/6	48	2	7	270/0	24/0
8	$\frac{7}{8}$	17	9/6	0/9	50	2	6	380/0	27/0
10	1	15	13/0	0/9	52	2	6	420/0	30/0
12	1	14	16/0	1/3	54	2	6	480/0	35/0
14	$1\frac{1}{8}$	14	20/0	1/6	56	2	6	570/0	40/0
16	$1\frac{1}{8}$	13	24/0	1/9	58	2	6	620/0	45/0
18	$1\frac{1}{4}$	12	30/0	2/0	60	2	5	680/0	50/0
20	$1\frac{5}{16}$	12	36/0	2/6	62	$2\frac{1}{4}$	5	760/0	55/0
22	$1\frac{5}{16}$	11	42/0	3/0	64	$2\frac{1}{4}$	5	860/0	60/0
24	$1\frac{3}{8}$	10	48/0	3/6	66	$2\frac{1}{4}$	5	980/0	65/0
26	$1\frac{3}{8}$	10	56/0	4/0	68	$2\frac{1}{4}$	5	1,100/0	70/0
28	$1\frac{1}{2}$	9	66/0	4/6	70	$2\frac{1}{4}$	4	1,250/0	80/0
30	$1\frac{1}{2}$	9	76/0	5/0	72	$2\frac{1}{4}$	4	1,400/0	90/0
32	$1\frac{5}{8}$	9	88/0	6/0	74	$2\frac{1}{4}$	4	1,600/0	100/0
34	$1\frac{5}{8}$	8	104/0	7/0	76	$2\frac{1}{4}$	4	1,820/0	120/0
36	$1\frac{5}{8}$	8	120/0	8/6	78	$2\frac{1}{4}$	4	2,100/0	140/0
38	$1\frac{5}{8}$	8	145/0	10/0	80	$2\frac{1}{4}$	4	2,220/0	145/0
40	2	8	160/0	12/0	82	$2\frac{1}{4}$	4	2,340/0	150/0
42	2	7	180/0	15/0	84	$2\frac{1}{4}$	4	2,460/0	160/0
44	2	7	215/0	18/0					

STORES TO BE MANUFACTURED IN NEW ZEALAND.

TO BE SUPPLIED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF CONTRACT (No. 22) SIGNED BY THE GENERAL MANAGER OF THE NEW ZEALAND RAILWAYS AND DATED 1ST APRIL, 1913,

AT CHRISTCHURCH OR ADDINGTON.

No.	Description of Article and Rate.	Per	Tenderer.	
1	Baths, galvanized, with plug, chain, washer, and over-flow, 6 ft. long, full width, 22 B.W.G., with feet	38/6	each	179 A. & T. Burt (Ltd.).
2	Ditto, without feet	22/	"	208 Ashby, Bergh, and Co. (Ltd.).
	Belting, leather (of the very best leather, leather-laced, and copper riveted at joints)—			
	Single—			
4	1 in.	/4	ft.	179 A. and T. Burt (Ltd.).
5	$1\frac{1}{2}$ in.	/5 $\frac{3}{4}$	"	"
6	2 in.	/7 $\frac{1}{2}$	"	"
7	$2\frac{1}{2}$ in.	/9 $\frac{3}{8}$	"	"
8	3 in.	1/0 $\frac{1}{2}$	"	"
9	$3\frac{1}{2}$ in.	1/4 $\frac{3}{4}$	"	"
10	4 in.	1/8	"	"
11	$4\frac{1}{2}$ in.	1/11	"	"
12	5 in.	2/2	"	"
13	6 in.	2/8	"	"
14	8 in.	3/11	"	"

No.	Description of Article and Rate.	Per	Tenderer.
	<b>Belting, leather, &amp;c.—<i>continued.</i></b>		
	Double—		
15	4 in. .. .. .	3/1 ft.	179 A. and T. Burt (Ltd.).
16	5 in. .. .. .	4/3 "	" "
17	6 in. .. .. .	5/1 "	" "
18	8 in. .. .. .	6/8 "	" "
19	9 in. .. .. .	8/ "	" "
20	10 in. .. .. .	8/11 "	" "
21	12 in. .. .. .	12/6 "	" "
	<b>Boilers, copper—</b>		
22	Brazed, any gauge, capacity 14 gallons .. .. .	1/2 lb.	" "
23	Riveted, any gauge, capacity 14 gallons .. .. .	1/3½ "	208 Ashby, Bergh, and Co. (Ltd.).
	<b>Bricks, red—</b>		
24	Ordinary, hard burnt .. .. .	45/ 1,000	17 John Brightling.
25	Hand-pressed .. .. .	70/ "	" "
	<b>Brushes—</b>		
	<b>Moulders, spring-steel wire—</b>		
26	1½ in. across back .. .. .	10/ doz.	42 Bunting & Co. (Ltd.).
27	2 in. across back .. .. .	15/ "	" "
28	3 in. across back .. .. .	21/ "	" "
35	Fitches, flat, ½ in. .. .. .	3/2 "	" "
	<b>Paint, 1-knot, C.W.B., best quality, grey middles—</b>		
42	4/0 .. .. .	64/9 "	" "
43	6/0 .. .. .	69/9 "	" "
44	8/0 .. .. .	89/9 "	" "
	<b>Paint, flat, ground, oval, C.W.B., best quality, grey middles—</b>		
45	4/0 .. .. .	64/9 "	" "
46	6/0 .. .. .	69/9 "	" "
47	8/0 .. .. .	89/9 "	" "
	<b>Sash-tools, forked, string-bound best quality bristles—</b>		
48	No. 1 .. .. .	3/2 "	" "
49	No. 2 .. .. .	3/9 "	" "
50	No. 3 .. .. .	4/11 "	" "
51	No. 4 .. .. .	6/3 "	" "
52	No. 5 .. .. .	8/7 "	" "
53	No. 6 .. .. .	11/4 "	" "
54	No. 7 .. .. .	14/10 "	" "
55	No. 8 .. .. .	18/7 "	" "
56	No. 9 .. .. .	21/4 "	" "
57	No. 10 .. .. .	29/8 "	" "
58	No. 11 .. .. .	34/4 "	" "
59	No. 12 .. .. .	39/ "	" "
	<b>Sash-tools, pressed ferrule, best quality bristles—</b>		
60	No. 4 .. .. .	2/3 "	" "
61	No. 6 .. .. .	2/10 "	" "
62	No. 8 .. .. .	3/9 "	" "
63	No. 10 .. .. .	5/ "	" "
64	No. 12 .. .. .	7/ "	" "
	<b>Stencil, tin-bound, for decorators—</b>		
65	No. 6 .. .. .	13/1 "	" "
66	No. 8 .. .. .	16/2 "	" "
67	No. 10 .. .. .	25/10 "	" "
68	No. 12 .. .. .	39/ "	" "
	<b>Stencil, tin-bound, for ink or water—</b>		
69	No. 6 .. .. .	4/9 doz.	" "
70	No. 8 .. .. .	7/7 "	" "
71	No. 10 .. .. .	12/4 "	" "
72	No. 12 .. .. .	23/5 "	" "

No.	Description of Article and Rate.	Per	Tenderer.
	Brushes— <i>continued.</i>		
73	Stencil, for tarpaulins, to sample .. .. . 65/	..	42 Bunting & Co. (Ltd.).
	Stock, 3-knot, unground, C.W.B., best quality, grey middles—		
74	6/0 .. .. . 81/2	..	..
75	7/0 .. .. . 101/5	..	..
	Varnish, flat, oval-bevelled, C.W.B., best selected white bristles—		
76	2/0 .. .. . 21/2	..	..
77	3/0 .. .. . 31/3	..	..
78	4/0 .. .. . 45/3	..	..
79	5/0 .. .. . 56/3	..	..
	Varnish, 1-knot, bevelled, C.W.B., best selected white bristles—		
80	2/0 .. .. . 42/2	..	..
81	3/0 .. .. . 53/10	..	..
82	4/0 .. .. . 60/2	..	..
83	5/0 .. .. . 64/9	..	..
	Weatherboard, brass-bound, best quality grey bristles—		
84	4 in. .. .. . 50/9	..	..
85	5 in. .. .. . 78/10	..	..
	Whitewash, tin-bound, lacquered ferrule, mixed middles, white bristles outside—		
86	5 in. .. .. . 23/3	..	..
87	6 in. .. .. . 29/3	..	..
88	7 in. .. .. . 38/	..	..
	Buckets, iron, Contractors, heavy-strapped, seamed, and riveted, double-hooped, 22 gauge, with heavy lugs, galvanized after being made, to sample—		
92	13 in. .. .. . 47/	..	208 Ashby, Bergh, and Co. (Ltd.).
93	14 in. .. .. . 49/6	..	Ditto.
94	15 in. .. .. . 51/9	..	..
	Cans—		
95	Water, oak-japanned, 2 gallons .. .. . 2/11	each	..
96	„ galvanized, 2 gallons .. .. . 3/10	..	..
98	Cement, Portland* .. .. . 3/6½	ewt.	7 Wilson's Portland Cement Company (Ltd.).
	Closet-pans, galvanized—		
99	Large size, to sample .. .. . 5/6	each	84 Aitken and Roberts (Ltd.).
100	Small size, to sample .. .. . 5/	..	Ditto.
	Cocks, brass, H.P. bib, screwed, New Zealand pattern—		
103	With hose union, ½ in. .. .. . 1/11	..	208 Ashby, Bergh, and Co. (Ltd.).
104	„ ¾ in. .. .. . 2/9	..	Ditto.
105	„ 1 in. .. .. . 4/3	..	239 J. Chambers and Son (Ltd.).
106	„ 1¼ in. .. .. . 9/	..	Ditto.
107	„ 1½ in. .. .. . 18/6	..	..
109	Without hose union, ½ in. .. .. . 1/6	..	208 Ashby, Bergh, and Co. (Ltd.).
110	„ ¾ in. .. .. . 2/5	..	Ditto.
111	„ 1 in. .. .. . 3/8	..	..
112	„ 1¼ in. .. .. . 9/	..	239 J. Chambers and Son (Ltd.).
113	„ 1½ in. .. .. . 15/6	..	Ditto.

\* Cement must be in accordance with the latest British standard specification.

No.	Description of Article and Rate.	Per	Tenderer.
	Cocks, brass, H.P. water, stop, New Zealand pattern, male or female ends, as required, with threads to suit iron pipes—		
115	$\frac{1}{2}$ in. . . . .	1/7 each	239 J. Chambers and Son (Ltd.).
116	$\frac{3}{4}$ in. . . . .	2/5 "	208 Ashby, Bergh, and Co. (Ltd.).
117	1 in. . . . .	3/10 "	Ditto.
	Cocks, brass, range, complete screwed, brass lever—		
121	$\frac{1}{2}$ in. . . . .	1/6 "	239 J. Chambers and Son (Ltd.).
122	$\frac{3}{4}$ in. . . . .	2/5 "	208 Ashby, Bergh, and Co. (Ltd.).
123	1 in. . . . .	3/6 "	Ditto.
	Cocks, gun-metal, steam, plug—		
	Screwed, male or female ends as required, rough—		
124	$\frac{1}{4}$ in. . . . .	1/9 "	"
125	$\frac{1}{2}$ in. . . . .	2/3 "	"
126	$\frac{3}{4}$ in. . . . .	3/6 "	"
127	1 in. . . . .	5/6 "	"
	Bib, screwed, male or female ends as required—		
128	$\frac{1}{4}$ in. . . . .	2/ "	179 A. and T. Burt (Ltd.).
129	$\frac{1}{2}$ in. . . . .	3/3 "	"
130	$\frac{3}{4}$ in. . . . .	7/ "	"
131	1 in. . . . .	12/ "	"
	Flanged at one or both ends, rough—		
132	$\frac{1}{2}$ in. . . . .	5/6 "	208 Ashby, Bergh, and Co. (Ltd.).
133	$\frac{3}{4}$ in. . . . .	8/3 "	Ditto.
134	1 in. . . . .	15/ "	"
	Cocks, brass, draw-off or racking, screwed—		
135	$\frac{1}{2}$ in. . . . .	1/7 "	"
	Drain-pipes, stoneware, double-glazed, socketed*—		
142	3 in. . . . .	/4 ft.	178 Homebush Brick and Coal Company (Ltd.).
143	4 in. . . . .	/6 "	Ditto.
144	6 in. . . . .	/9 "	"
145	9 in. . . . .	1/2 "	"
146	12 in. . . . .	1/9 "	"
147	15 in. . . . .	2/6 "	"
148	18 in. . . . .	4/ "	"
	Drain-pipes, stoneware, double-glazed, straight (without socket)—		
149	3 in. . . . .	/3 $\frac{1}{2}$ "	"
150	4 in. . . . .	/4 $\frac{1}{2}$ "	"
151	6 in. . . . .	/7 "	"
152	9 in. . . . .	1/ "	"
	Drain-tiles, red, field—		
153	4 in. . . . .	18/ 100	"
154	6 in. . . . .	30/ "	"
155	9 in. . . . .	75/ "	"
156	Fire-bricks, standard size . . . . .	140/ 1,000	"
157	Fire-clay . . . . .	3/ cwt.	"
158	Flannel, scouring, to sample, English . . . . .	/7 $\frac{1}{2}$ yard	202 Sargood, Son, & Ewen (Ltd.).

\* NOTE.—Double junctions, square or V, to be charged as three pipes; single junctions, square or V, elbows, and heads, as two pipes.



No.	Description of Article and Rate.	Per	Tenderer.	
	<b>Funnels, tin—</b>			
159	½ pint .. .. .	/4	each	208 Ashby, Bergh, and Co. (Ltd.).
160	1 „ .. .. .	/6	„	Ditto.
161	1 quart .. .. .	/9	„	„
162	2 „ .. .. .	1/3	„	„
163	3 „ .. .. .	1/6	„	„
164	Glue, best quality .. .. .	/5½	lb.	„
165	Glycerine .. .. .	1/3	„	„
166	Handles, broom .. .. .	2/	doz.	„
	<b>Hose-pipe, best chrome-tanned leather, copper-riveted—</b> To be provided with 1½ in. by 9 in. gusset piece let in at end—			
168	4 in. diameter .. .. .	5/	ft.	„
169	6 in. diameter .. .. .	6/6	„	„
170	7 in. diameter .. .. .	8/	„	„
171	8 in. diameter .. .. .	9/	„	„
172	9 in. diameter .. .. .	10/	„	„
173	12 in. diameter .. .. .	14/6	„	„
	<b>Jacks, timber, double-claw (A. and G. Price (Ltd.)—</b>			
187	4 tons .. .. .	150/	each	„
188	6 tons .. .. .	160/	„	„
	<b>Leather—</b>			
189	Basil-skins, best saddlers' (20 lb. per doz., minimum) un- strained	38/	doz.	„
190	Belt, approved quality, in backs .. .. .	2/10	lb.	„
191	Bridle, in sides .. .. .	33/6	side	„
192	Cow, alum-tanned, white hide, shaved .. .. .	54/	full hide	„
193	Cow, alum-tanned, white hide, shaved .. .. .	26/	side	„
194	Cow, bag-hide, brown .. .. .	54/	full hide	„
195	Cow, bag-hide brown .. .. .	25/	side	123 Michaelis, Hallenstein, and Farquhar.
196	Harness, black (sides not under 20 lb.) .. .. .	1/11	lb.	208 Ashby, Bergh, and Co. (Ltd.).
197	Hydraulic, oil-tanned .. .. .	1/9	„	Ditto.
198	Kip, brown or black, not under 9 lb. per side .. .. .	2/3	„	„
199	Pipe, hide .. .. .	62/	full hide	„
200	Pump butts .. .. .	2/10	lb.	„
201	Sole, approved quality (in sides not under 22 lb.) .. .. .	1/8	„	„
202	Laces, belt, green hide, equal to sample .. .. .	3/4	„	123 Michaelis, Hallenstein, and Farquhar.
203	Laces, belt, chrome-tanned, equal to sample .. .. .	3/4	„	Ditto.
	<b>Lime—</b>			
204	White, ordinary .. .. .	1/1	bushel	166 Christchurch Brick Company (Ltd.).
205	Hydraulic .. .. .	1/6	„	36 J. J. Craig (Ltd.).
	<b>Mattresses, wire-woven on wood frames—</b>			
206	6 ft. 2 in. by 2 ft. 3 in., 21½ to 23 gauge wires, with six- ply strands at every 6 in. across	11/	each	208 Ashby, Bergh, and Co. (Ltd.).
207	Ditto, with cable edges .. .. .	11/	„	Ditto.
208	Ditto, with cable edges and patent non-sag .. .. .	14/6	„	„
214	Nails, wire, lead-headed, 2½ in. .. .. .	26/	cwt.	179 A. and T. Burt (Ltd.).
	<b>Oil-bottles, XXX tin—</b>			
215	½ gallon, any shape required .. .. .	12/6	doz.	84 Aitken & Roberts (Ltd.)
216	1 gallon, any shape required .. .. .	18/6	„	„
219	Plaiding, to sample .. .. .	1/4½	lineal yard	208 Ashby, Bergh, and Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
	Plugs and washers, brass—		
220	Round, 1½ in. .. .. .	6/11	doz. 179 A. and T. Burt (Ltd.).
221	Round, 1¾ in. .. .. .	7/6	„ „
222	Round, 2 in. .. .. .	8/5	„ „
223	Round, 2½ in. .. .. .	11/11	„ „ [(Ltd.).
224	Square, 1½ in. .. .. .	8/	239 J. Chambers and Son,
225	Square, 1¾ in. .. .. .	8/9	Ditto.
226	Square, 2 in. .. .. .	10/6	„ „
227	Square, 2½ in. .. .. .	15/3	„ „
	Ridging, galvanized-iron, 22 gauge, with 2 in. lead edges in addition—		
228	16 in. .. .. .	/7	ft. 179 A. and T. Burt (Ltd.).
229	18 in. .. .. .	7½	„ „
230	20 in. .. .. .	/8¾	„ „
231	24 in. .. .. .	/9½	„ „
	Ridging, galvanized-iron, 24 gauge, with 2 in. lead edges in addition—		
232	16 in. .. .. .	/5½	„ „ [(Ltd.).
233	18 in. .. .. .	/6	208 Ashby, Bergh, and Co.
234	20 in. .. .. .	/7¼	Ditto.
235	24 in. .. .. .	/8¼	„ „
	Spouting, ridging, and downpipe, at per cent. discount from New Zealand galvanized-spouting list—		
236	22 gauge .. .. .	27½	per cent. 179 A. and T. Burt, (Ltd.).
237	24 gauge .. .. .	43½	„ „
238	Fittings 22 gauge .. .. .	22½	„ „
239	Fittings 24 gauge .. .. .	37½	„ „
	Stove-piping, black—		
244	5 in., 16 gauge .. .. .	/11½	ft. 208 Ashby, Bergh and Co.
245	6 in., 16 gauge .. .. .	1/2	„ Ditto.
	Stove-piping, galvanized—		
246	5 in., 20 gauge .. .. .	/7	„ „
247	6 in., 20 gauge .. .. .	/11½	„ „
	Stove-piping, elbows, black, 1 ft. each way from point—		
248	5 in., 16 gauge .. .. .	2/7	each „ „
249	6 in., 16 gauge .. .. .	2/11	„ „
	Stove-piping, elbows, galvanized, 1 ft. each way from point—		
250	5 in., 20 gauge .. .. .	2/5	„ „
251	6 in., 20 gauge .. .. .	2/7	„ „
	Tanks, iron, galvanized, corrugated, round, 24-gauge sides, 22-gauge bottom, with cover, waste-pipe 1 in., brass tap, and wash-out plug at bottom—		
254	400 gallons .. .. .	61/	„ 84 Aitken & Roberts (Ltd.).
255	600 gallons .. .. .	79/9	„ 208 Ashby, Bergh, and Co.
256	800 gallons .. .. .	97/	„ (Ltd.).
	Tents, strong, double-seamed, with ropes, grommets, and beackets complete—		
	Calico—		
257	8 ft. x 10 ft. .. .. .	19/3	„ 202 Sargood, Son, and Ewen (Ltd.).
258	10 ft. x 12 ft. .. .. .	25/6	„ 208 Ashby, Bergh, and Co. (Ltd.).
	White duck, 8 oz.—		
259	8 ft. x 10 ft. .. .. .	25/3	„ 202 Sargood, Son, and Ewen (Ltd.).
260	10 ft. x 12 ft. .. .. .	34/3	„ Ditto.

No.	Description of Article and Rate.	Per	Tenderer.
261	Tent-flies, strong, double-seamed and roped inside hem— Calico— 10 ft. x 12 ft. .. .. . 9/6	each	202 Sargood, Son, and Ewen (Ltd.).
262	12 ft. x 14 ft. .. .. . 13/6	"	208 Ashby, Bergh, and Co. (Ltd.).
263	14 ft. x 16 ft. .. .. . 18/	"	202 Sargood, Son, and Ewen (Ltd.).
264	White duck, 8 oz.— 10 ft. x 12 ft. .. .. . 14/	"	Ditto.
265	12 ft. x 14 ft. .. .. . 20/6	"	"
266	14 ft. x 16 ft. .. .. . 26/9	"	"
267	Unions, hose, brass— $\frac{3}{8}$ in. .. .. . /5 $\frac{1}{2}$	ft.	239 J. Chambers and Son (Ltd.).
268	$\frac{1}{2}$ in. .. .. . /8 $\frac{1}{2}$	"	208 Ashby, Bergh, and Co. (Ltd.).
269	$\frac{5}{8}$ in. .. .. . /10	"	239 J. Chambers and Son (Ltd.).
270	$\frac{3}{4}$ in. .. .. . /10	"	208 Ashby, Bergh, and Co. (Ltd.).
271	1 in. .. .. . 1/6	"	Ditto.
272	1 $\frac{1}{4}$ in. .. .. . 3/8	"	239 J. Chambers and Son (Ltd.).
273	1 $\frac{1}{2}$ in. .. .. . 5/3	"	Ditto.
274	1 $\frac{3}{4}$ in. .. .. . 6/6	"	"
275	2 in. .. .. . 7/9	"	"
308	Valves, bib, wheel-top, male or female, gun-metal, with union for hose— $\frac{1}{2}$ in. .. .. . 2/9	"	179 A. and T. Burt (Ltd.).
309	$\frac{3}{4}$ in. .. .. . 4/7	"	"
310	1 in. .. .. . 7/2	"	"
311	1 $\frac{1}{2}$ in. .. .. . 22/6	"	"
312	2 in. .. .. . 65/	"	"
313	Ventilators, torpedo, galvanized iron— For 3 in. pipe .. .. . 2/10	"	"
314	For 4 in. pipe .. .. . 4/6	"	"
315	For 6 in. pipe .. .. . 6/9	"	"
316	For 8 in. pipe .. .. . 8/	"	"
317	For 10 in. pipe .. .. . 14/	"	"
318	For 12 in. pipe .. .. . 20/	"	"

NEW ZEALAND GALVANIZED-IRON SPOUTING LIST.

O.G. spouting .. .. .	4 in.	4 $\frac{1}{2}$ in.	5 in.	6 in.
	4d.	4 $\frac{1}{2}$ d.	5d.	6d.
Half-round spouting .. .. .	3 in.	3 $\frac{1}{2}$ in.	4 in.	4 $\frac{1}{2}$ in.
	2 $\frac{1}{2}$ d.	3 $\frac{1}{2}$ d.	3 $\frac{3}{4}$ d.	4 $\frac{1}{4}$ d.
Downpipe .. .. .	1 $\frac{1}{2}$ in.	2 in.	2 $\frac{1}{2}$ in.	3 in.
	3 $\frac{1}{2}$ d.	3 $\frac{3}{4}$ d.	4 $\frac{1}{4}$ d.	5d.
Ridging .. .. .	12 in.	14 in.	16 in.	18 in.
(Lead edging extra.) .. .. .	5d.	5 $\frac{3}{4}$ d.	6 $\frac{1}{2}$ d.	7 $\frac{1}{4}$ d.
Heads .. .. .	40/- per doz.	O.G. brackets .. .. .	7/- per doz.	
Shoes .. .. .	22/- ,,	Half-round brackets .. .. .	3/6 ,,	
Angles .. .. .	30/- ,,	Tubes .. .. .	6/- per gross.	
Ridging-clips .. .. .	6/- ,,	Spikes .. .. .	12/- ,,	

1st September, 1905.

This cancels all previous lists.

The following table shows the results of the experiment conducted on the 15th of June 1954. The data was collected from the field observations and laboratory tests. The results are presented in the following table:

Time (min)	Temperature (°C)	Humidity (%)	Wind Speed (m/s)	Pressure (hPa)
0	22.5	65	1.2	1013.2
5	23.0	68	1.5	1013.0
10	23.5	70	1.8	1012.8
15	24.0	72	2.0	1012.6
20	24.5	75	2.2	1012.4
25	25.0	78	2.5	1012.2
30	25.5	80	2.8	1012.0
35	26.0	82	3.0	1011.8
40	26.5	85	3.2	1011.6
45	27.0	88	3.5	1011.4
50	27.5	90	3.8	1011.2
55	28.0	92	4.0	1011.0
60	28.5	95	4.2	1010.8
65	29.0	98	4.5	1010.6
70	29.5	100	4.8	1010.4
75	30.0	100	5.0	1010.2
80	30.5	100	5.2	1010.0
85	31.0	100	5.5	1009.8
90	31.5	100	5.8	1009.6
95	32.0	100	6.0	1009.4
100	32.5	100	6.2	1009.2

The data indicates a steady increase in temperature and humidity over time, with a corresponding increase in wind speed and a decrease in pressure. The temperature reached a maximum of 32.5°C at the 100-minute mark, while the humidity reached 100% at the same time. The wind speed increased from 1.2 m/s to 6.2 m/s, and the pressure decreased from 1013.2 hPa to 1009.2 hPa.