



SUPPLEMENT

TO THE

NEW ZEALAND GAZETTE

OF

THURSDAY, MARCH 19, 1914.

Published by Authority.

---

WELLINGTON, MONDAY, MARCH 23, 1914.

---

NEW ZEALAND RAILWAYS.

---

ACCEPTED TENDER - RATES for the SUPPLY AND  
DELIVERY of STORES at DUNEDIN or HILLSIDE,  
and INVERCARGILL—1914-17.



No.	Description of Article and Rate.	Per	Tenderer.
<i>Augers, screw, &amp;c.—continued.</i>			
A. Mathieson and Sons' No. 1120—			
43	$\frac{1}{4}$ in. to $\frac{3}{8}$ in. .. .. .	15/	doz. 110 John Edmond.
46	$\frac{7}{16}$ in. and $\frac{1}{2}$ in. .. .. .	15/6	" "
48	$\frac{9}{16}$ in. and $\frac{5}{8}$ in. .. .. .	18/6	" 167 Laidlaw and Gray (Ltd.).
50	$\frac{11}{16}$ in. .. .. .	21/9	" 110 John Edmond.
51	$\frac{3}{4}$ in. .. .. .	22/6	" 167 Laidlaw and Gray (Ltd.).
52	$\frac{13}{16}$ in. .. .. .	23/6	" 110 John Edmond.
53	$\frac{7}{8}$ in. .. .. .	25/6	" "
54	$\frac{15}{16}$ in. and 1 in. .. .. .	26/6	" "
Augers, screw, double twist, eyed, concave mouth, Gilpin's or Gedge's pattern, Gilpin's, Plate I, No. 5—			
71	$\frac{3}{8}$ in. and $\frac{1}{2}$ in. .. .. .	15/	" 85 New Zealand Hardware Company (Ltd.).
75	$\frac{5}{8}$ in. .. .. .	16/	" Ditto.
77	$\frac{3}{4}$ in. .. .. .	18/	" "
79	$\frac{7}{8}$ in. .. .. .	20/	" "
81	1 in. .. .. .	24/	" "
84	$1\frac{1}{4}$ in. .. .. .	28/	" "
Augers, single twist, without screw, eyed, L'Hommedieu and Tracy's—			
95	$\frac{1}{8}$ in. .. .. .	39/6	" 144 Briscoe and Co. (Ltd.).
96	$\frac{5}{8}$ in. .. .. .	47/	" "
97	$\frac{3}{4}$ in. .. .. .	51/6	" "
98	$\frac{7}{8}$ in. .. .. .	61/	" "
99	1 in. .. .. .	71/	" "
100	$1\frac{1}{8}$ in. .. .. .	75/	" "
101	$1\frac{1}{4}$ in. .. .. .	84/	" "
102	$1\frac{3}{8}$ in. .. .. .	94/	" 110 John Edmond.
103	$1\frac{1}{2}$ in. .. .. .	112/	" "
104	$1\frac{5}{8}$ in. .. .. .	124/	" "
105	$1\frac{3}{4}$ in. .. .. .	140/	" "
106	$1\frac{7}{8}$ in. .. .. .	156/	" "
107	2 in. .. .. .	187/	" "
108	$2\frac{1}{8}$ in. .. .. .	262/	" "
109	$2\frac{1}{4}$ in. .. .. .	330/	" "
110	$2\frac{3}{8}$ in. .. .. .	394/	" "
111	$2\frac{1}{2}$ in. .. .. .	490/	" "
112	$2\frac{5}{8}$ in. .. .. .	495/	" "
113	$2\frac{3}{4}$ in. .. .. .	640/	" "
114	$2\frac{7}{8}$ in. .. .. .	672/	" "
115	3 in. .. .. .	680/	" "
Axes, American pattern, wedge, handled—			
125	Sharp's— $3\frac{1}{2}$ lb. .. .. .	4/	each 176 Thomson, Bridger, and Co. (Ltd.).
	4 lb. .. .. .	4/	" Ditto.
	$4\frac{1}{2}$ lb. .. .. .	4/	" "
Axes, Tasmanian pattern, handled—			
128	Collins's—4 lb. .. .. .	3/8	" 144 Briscoe and Co. (Ltd.).
	$4\frac{1}{2}$ lb. .. .. .	3/9	" "
	5 lb. .. .. .	3/10	" "
Barrow-wheels, spindles, and gudgeons, wrought iron—			
129	14 in. diam., $1\frac{1}{2}$ in. x $\frac{3}{4}$ in. tire .. .. .	51/	doz. 168 James Park and Co.
130	16 in. diam., $1\frac{1}{2}$ in. x $\frac{3}{8}$ in. tire .. .. .	54/	" "
131	18 in. diam., $1\frac{1}{2}$ in. x $\frac{3}{8}$ in. tire .. .. .	60/	" "

No.	Description of Article and Rate.	Per	Tenderer.
	Barrow-wheels, &c.— <i>continued.</i>		
132	14 in. diam., $\frac{3}{4}$ in. round tire .. .. .	54/	doz.
133	16 in. diam., $\frac{3}{4}$ in. round tire .. .. .	60/	"
134	18 in. diam., $\frac{3}{4}$ in. round tire .. .. .	66/	"
135	Basins, hand, stamped iron, "Anglo," 15 in., without plug and washer	1/3	each
136	Basins for washstands, stamped iron, enamelled, "Anglo," 16 in., with brass plug and washer	3/5	"
	Baths, enamelled white, with plug, chain, washer, and overflow, 6 ft. long, full width—		
137	With feet, rolled edge—cast iron .. .. .	112/	"
	galvanized .. .. .	57/6	"
138	Without feet—cast iron .. .. .	109/	"
	galvanized .. .. .	57/6	"
	Beater-picks, platelayer's, steel both ends, oval eye, Brades', to sample—		
141	6 lb. .. .. .	2/2	each
142	7 lb. .. .. .	2/5	"
143	Beeswax .. .. .	1/2	lb.
144	Bells, station, handled, 8 in. .. .. .	17/3	each
	Bellows, moulders', hand, extra nailed—		
145	9 in. .. .. .	2/4	"
146	10 in. .. .. .	2/9	"
147	12 in. .. .. .	3/4	"
	Belting, camel-hair, "Camel" brand, F. Reddaway and Co.'s—		
148	2 $\frac{1}{2}$ in. .. .. .	/11 $\frac{1}{2}$	ft.
149	3 in. .. .. .	1/1	"
150	3 $\frac{1}{2}$ in. .. .. .	1/4	"
151	4 in. .. .. .	1/7	"
152	5 in. .. .. .	2/1	"
153	5 $\frac{1}{2}$ in. .. .. .	2/6	"
154	6 in. .. .. .	2/10	"
155	7 in. .. .. .	3/5	"
156	8 in. .. .. .	4/1	"
157	9 in. .. .. .	4/8	"
	Belting, Dick's original "Balata"—		
158	1 $\frac{1}{2}$ in., 3-ply .. .. .	/4 $\frac{3}{4}$	"
159	2 $\frac{1}{2}$ in., 3-ply .. .. .	/7 $\frac{1}{4}$	"
160	3 in., 3-ply .. .. .	/8 $\frac{3}{4}$	"
161	3 $\frac{1}{2}$ in., 4-ply .. .. .	1/2 $\frac{1}{2}$	"
162	4 in., 4-ply .. .. .	1/4 $\frac{1}{2}$	"
163	5 in., 4-ply .. .. .	1/8 $\frac{1}{2}$	"
164	5 $\frac{1}{2}$ in., 4-ply .. .. .	2/	"
165	6 in., 6-ply .. .. .	3/3	"
166	7 in., 6-ply .. .. .	4/1	"
167	8 in., 6-ply .. .. .	4/10	"
168	9 in., 6-ply .. .. .	5/6	"
169	Benzine, Pratt's—Heavy .. .. .	1/6 $\frac{1}{4}$	gal.
	Light .. .. .	1/7 $\frac{3}{4}$	"
170	Benzoline, Pratt's .. .. .	1/10 $\frac{3}{4}$	"
	Bits, brace, bright, twist-nose, Swiss, gimlet or cobra—		
171	$\frac{1}{8}$ in., No. 4 .. .. .	1/10	doz.
172	$\frac{3}{16}$ in., No. 6 .. .. .	1/10	"
173	$\frac{1}{4}$ in., No. 8 .. .. .	1/10	"
174	$\frac{5}{16}$ in., No. 10 .. .. .	2/3	"
175	$\frac{3}{8}$ in., No. 12 .. .. .	2/3	"
176	$\frac{7}{16}$ in., No. 14 .. .. .	2/6	"
177	$\frac{1}{2}$ in., No. 16 .. .. .	2/6	"

No.	Description of Article and Rate.	Per	Tenderer.
Bits, brace, screw, auger, double-twist, bright, Scotch pattern, William Gilpin and Co., No. 6—			
178	¼ in. to ½ in. . . . .	10/9	doz.
179	⅜ in. . . . .	12/	"
180	½ in. . . . .	13/	"
181	⅝ in. . . . .	14/	"
182	¾ in. . . . .	14/	"
183	⅞ in. . . . .	15/	"
184	7/8 in. . . . .	16/	"
185	1 1/8 in. . . . .	16/6	"
186	1 in. . . . .	18/	"
187	1 1/8 in. . . . .	20/6	"
188	1 1/4 in. . . . .	22/	"
189	1 3/8 in. . . . .	24/	"
190	1 1/2 in. . . . .	28/	"
Bits, brace, screw, auger, double twist, bright, concave mouth, Gilpin's or Gedge's pattern, William Gilpin and Co., No. 2—			
191	¼ in. to ½ in. . . . .	10/8	"
192	⅜ in. . . . .	11/11	"
193	½ in. . . . .	13/9	"
194	⅝ in. . . . .	15/6	"
195	¾ in. . . . .	15/9	"
196	⅞ in. . . . .	16/	"
197	7/8 in. . . . .	17/5	"
198	1 1/8 in. . . . .	18/4	"
199	1 in. . . . .	19/3	"
200	1 1/8 in. . . . .	24/	"
201	1 1/4 in. . . . .	26/	"
202	1 3/8 in. . . . .	30/	"
203	1 1/2 in. . . . .	33/	"
Blocks, rope-pulley, wrought iron, with hooks, London pattern, Holt and Willett—			
227	1 sheave . . . . .	/11	in. diam. of sheave
228	2 sheave . . . . .	1/5	ditto
229	3 sheave . . . . .	2/4	"

71 Paterson & Barr (Ltd.).

110 John Edmond.

85 New Zealand Hardware Company (Ltd.).

Ditto.

**BOLTS AND NUTS (Whitworth Standard Threads and Sizes).**

*Black, Cup or Countersunk Heads, Square Necks, and Square Nuts.*

Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" brand.

Length from under Head to Point, except Countersunk-headed Bolts, which are measured over all.	Per Gross.				Per Cwt.		
	Diameter.				Diameter.		
	¼"	⅜"	½"	¾"	½" & ⅝"	⅞" & 1 1/16"	1 1/8" to 1 1/4"
2 in. and under . . . . .	3/3	4/	5/3	6/6	32/	23/	21/
2 1/8 in. to 3 in. inclusive . . . . .	Advancing		8/	7/9	31/	21/	20/
Above 3 in. to 4 1/2 in. inclusive	4d. and 6d. per gross		Per Cwt.		26/	23/	20/6
Above 4 1/2 in. to 6 in. inclusive	per 1/2 in. or fraction of		26/	25/3	24/6	22/6	20/6
Above 6 in. to 9 in. inclusive	per 1/2 in. or fraction of		24/6	24/	22/6	19/6	19/
Above 9 in. . . . .	per 1/2 in. over 2 in. long		23/	22/	19/6	17/9	17/6
Extra for hexagon nuts—							
Per gross . . . . .	1/	1/	1/3	1/3	—	—	—
Per hundredweight . . . . .	—	—	4/	4/	2/6	2/	1/6

144 Briscoe & Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.										
<b>BOLTS AND NUTS—continued.</b>													
<i>Black, Hexagon Heads, Round Necks, and Hexagon Nuts.</i>													
Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" brand.													
	Length from under Head to Point.	Per Gross. Diameter.	Per Cwt. Diameter.										
		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 12.5%; text-align: center;">1"</td> <td style="width: 12.5%; text-align: center;">5/16"</td> <td style="width: 12.5%; text-align: center;">3/8"</td> <td style="width: 12.5%; text-align: center;">7/16"</td> </tr> </table>	1"	5/16"	3/8"	7/16"	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 12.5%; text-align: center;">1/2" &amp; 5/16"</td> <td style="width: 12.5%; text-align: center;">3/8" &amp; 11/16"</td> <td style="width: 12.5%; text-align: center;">1/2" to 1 1/4"</td> </tr> </table>	1/2" & 5/16"	3/8" & 11/16"	1/2" to 1 1/4"			
1"	5/16"	3/8"	7/16"										
1/2" & 5/16"	3/8" & 11/16"	1/2" to 1 1/4"											
239	2 in. and under .. ..	5/   5/6   10/6   9/	35/   29/   26/										
	2 1/2 in. to 3 in. inclusive ..	Advancing 4d. and 6d.   8/6   10/	26/   26/   25/										
	Above 3 in. to 4 1/2 in. inclusive	per gross   Per Cwt.   34/6   31/	28/   23/6   24/										
	Above 4 1/2 in. to 6 in. inclusive	per 1/2 in. or   34/   30/6	25/   22/   22/6										
	Above 6 in. to 9 in. inclusive	fraction of   31/   28/	25/   21/   21/6										
Above 9 in. .. ..	1/2 in. over 2 in. long   27/6   27/	23/   20/   18/6	144 Briscoe & Co. (Ltd.).										
<b>BOLT-ENDS (Whitworth Standard Threads and Sizes).</b>													
Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" brand.													
	Diameter.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">3/8"</td> <td style="width: 10%; text-align: center;">1/2"</td> <td style="width: 10%; text-align: center;">5/8"</td> <td style="width: 10%; text-align: center;">3/4"</td> <td style="width: 10%; text-align: center;">7/8" to 1 1/4"</td> <td style="width: 10%; text-align: center;">1 1/8" &amp; 1 1/2"</td> <td style="width: 10%; text-align: center;">1 3/8" &amp; 1 3/4"</td> <td style="width: 10%; text-align: center;">1 1/2" &amp; 2"</td> <td style="width: 10%; text-align: center;">Per</td> </tr> </table>		3/8"	1/2"	5/8"	3/4"	7/8" to 1 1/4"	1 1/8" & 1 1/2"	1 3/8" & 1 3/4"	1 1/2" & 2"	Per	
3/8"	1/2"	5/8"		3/4"	7/8" to 1 1/4"	1 1/8" & 1 1/2"	1 3/8" & 1 3/4"	1 1/2" & 2"	Per				
246	With square nuts	—   —   —   16/6   16/6   17/3   17/6   —	—   cwt.	144 Briscoe and Co. (Ltd.). 110 John Edmond.									
247	With hexagon nuts	22/6   22/   21/6   20/   19/6   19/6   19/6   19/6	—   "										
252	<b>Bolts—</b> Galvanized, mushroom head (gutter), Guest, Keen, and Nettlefolds, per cent. discount off list, Art. No. 86		45   per cent.	71 Paterson & Barr (Ltd.).									
253	Socket, all brass .. ..		/3   in.										
254	Socket, brass, with iron shoot, T. Sanders (Limited), No. 7628		/2 1/4   "	146 Hayward Bros. & Co. (Ltd.).									
255	Tower or socket, iron, japanned .. ..		/0 3/4   "										
257	Boots, gum, full length, without felt lining, North British Rubber Company		23/4   pair	Ditto.									
259	Boots, gum, knee, without felt lining, North British Rubber Company		15/8   "										
260	<b>Borax—</b> Lump .. ..		/2 1/2   lb.	110 John Edmond.									
261	Powdered .. ..		/2 1/2   "										
262	Boxes, cash, 4-lever lock, 2 keys .. ..		1/   in.	176 Thomson, Bridger, and Co. (Ltd.).									
263	Braces, carpenters', with ratchet, 10 in., A. Mathieson and Sons' No. 210		6/9   each										
267	Braces, carpenters', without ratchet, 10 in., A. Mathieson and Sons' No. 510		3/5   "	110 John Edmond.									
271	<b>Braces, engineers', ratchet—</b> A. Mathieson and Sons' No. 3S and No. 3SS— 8 in. .. ..		12/   "										
272	10 in. .. ..		12/   "	144 Briscoe & Co. (Ltd.).									
273	12 in. .. ..		12/   "										
283	Guest, Keen, and Nettlefolds'— Pattern "B," 14 in. .. ..		13/9   "	238 J. Chambers and Son (Ltd.).									
285	Pattern "AK," 16 in. .. ..		13/6   "										
286	Pattern "AK," 18 in. .. ..		15/   "	Ditto.									
287	A. Mathieson and Sons' Nos. 3 and 4— 14 in. .. ..		12/3   "										

No.	Description of Article and Rate.	Per	Tenderer.
	Brackets for shelves, wrought steel, japanned, John Harper and Co.'s pattern No. 128, or other maker of equal quality and strength, to be approved by Department—		
299	8 in. x 6 in. . . . .	2/3 doz.	176 Thomson, Bridger and Co. (Ltd.).
300	10 in. x 8 in. . . . .	3/	Ditto.
301	12 in. x 10 in. . . . .	4/6	"
302	Brads, flooring, wire . . . . .	/1 $\frac{5}{8}$	168 James Park and Co.
303	Brass rod, $\frac{1}{4}$ in. and over . . . . .	/8 $\frac{4}{16}$	144 Briscoe and Co. (Ltd.).
	Brass sheet, 48 in. x 24 in. or 52 in. x 26 in., 72 in. x 24 in.—		
306	11 to 18 gauge . . . . .	/10 $\frac{1}{2}$	"
307	20 gauge . . . . .	/10 $\frac{1}{2}$	"
308	22 gauge . . . . .	/11	"
309	24 gauge . . . . .	/11 $\frac{1}{4}$	"
310	26 gauge . . . . .	/11 $\frac{3}{4}$	"
311	28 gauge . . . . .	1/1	"
	Brass tubing, solid-drawn, seamless—		
312	$\frac{3}{8}$ in. x 16 gauge . . . . .	1/4	"
313	$\frac{1}{2}$ in. x 16 gauge . . . . .	1/4	"
314	$\frac{5}{8}$ in. x 14 gauge . . . . .	1/3 $\frac{1}{2}$	"
315	$\frac{5}{8}$ in. x 16 gauge . . . . .	1/3 $\frac{1}{2}$	"
316	$\frac{3}{4}$ in. x 14 gauge . . . . .	1/1	"
317	$\frac{3}{4}$ in. x 16 gauge . . . . .	1/	"
318	$\frac{7}{8}$ in. x 14 gauge . . . . .	1/	"
319	$\frac{7}{8}$ in. x 16 gauge . . . . .	1/	"
320	1 in. x 14 gauge . . . . .	1/	"
321	1 $\frac{1}{8}$ in. x 14 gauge . . . . .	/11 $\frac{1}{2}$	"
322	1 $\frac{1}{4}$ in. x 12 gauge . . . . .	1/2	"
323	1 $\frac{1}{4}$ in. x 14 gauge . . . . .	1/2	"
	Brass, cased tubing, polished and lacquered—		
324	$\frac{3}{8}$ in. diam. . . . .	/2 ft.	168 James Park and Co.
325	$\frac{1}{2}$ in. diam. . . . .	/2 $\frac{1}{2}$	"
326	$\frac{5}{8}$ in. diam. . . . .	/3	144 Briscoe and Co. (Ltd.).
327	$\frac{3}{4}$ in. diam. . . . .	/3 $\frac{1}{2}$	"
328	$\frac{7}{8}$ in. diam. . . . .	/3 $\frac{3}{4}$	"
329	1 in. diam. . . . .	/5	"
330	1 $\frac{1}{4}$ in. diam. . . . .	/5 $\frac{3}{4}$	"
331	1 $\frac{1}{2}$ in. diam. . . . .	/11 $\frac{3}{4}$	"
332	Bricks, bath . . . . .	1/11 doz.	"
334	Brushes, damping, Thomson's patent, 4 in. . . . .	15/6	198 Smith & Smith (Ltd.).
	Brushes, fitches, bevelled lining, Windsor and Newton's or other approved maker—		
335	$\frac{1}{4}$ in. . . . .	2/	"
336	$\frac{1}{2}$ in. . . . .	4/6	"
337	$\frac{3}{4}$ in. . . . .	6/	"
338	1 in. . . . .	7/6	"
	Brushes, fitches, flat lining, Windsor and Newton's or other approved maker—		
339	$\frac{1}{4}$ in. . . . .	1/9	"
340	$\frac{1}{2}$ in. . . . .	3/6	"
341	$\frac{3}{4}$ in. . . . .	4/6	"
342	1 in. . . . .	7/	"
	Brushes, fitches, round lining, Windsor and Newton's or other approved maker—		
343	$\frac{1}{4}$ in. . . . .	2/3	"
344	$\frac{1}{2}$ in. . . . .	5/6	"
345	$\frac{3}{4}$ in. . . . .	8/	"
346	1 in. . . . .	12/	"

No.	Description of Article and Rate.	Per	Tenderer.
	Brushes, stencil, tin-bound, G. P. Kent and Sons' P—		
366	No. 8 .. .. . 6/8	doz.	198 Smith & Smith (Ltd.).
367	No. 10 .. .. . 8/5	"	"
368	No. 12 .. .. . 14/6	"	"
	Bunting, to sample—		
392	Green .. .. . /6 $\frac{3}{4}$	lineal yard	139 Bing, Harris, and Co. (Ltd.).
393	Red .. .. . /6 $\frac{3}{4}$	"	Ditto.
394	White .. .. . /6 $\frac{3}{4}$	"	"
398	Canvas, extra, all long flax, No. 1, 24 in. .. .. . 1/7 $\frac{1}{2}$	"	"
400	Carborundum-powder, any grit .. .. . /9	lb.	238 J. Chambers and Sons (Ltd.).
401	Cement, Portland, English* .. .. . 13/2	barrel	144 Briscoe and Co. (Ltd.).
	Cement, "Smooth-on,"—		
402	Elastic, 5 lb. tins .. .. . 1/3	lb.	182 A. and T. Burt (Ltd.).
403	Iron, 5 lb. tins .. .. . 1/3	"	"
	Chain, crane, 15 per cent. over Admiralty or Lloyd's test (proof certificate to be furnished if required), Hingley's Best Best or equal quality—		
404	$\frac{5}{8}$ in. .. .. . 31/	cwt.	110 John Edmond.
405	$\frac{3}{4}$ in. .. .. . 30/6	"	"
406	$\frac{7}{8}$ in. .. .. . 29/6	"	"
407	1 in. .. .. . 29/6	"	"
	Chain, proved, short link, self colour, Admiralty or Lloyd's test (proof certificate to be furnished if required), J. G. Walker and Sons' Best—		
408	$\frac{3}{16}$ in. .. .. . 42/6	"	238 J. Chambers and Son (Ltd.).
409	$\frac{1}{4}$ in. .. .. . 34/	"	Ditto.
410	$\frac{5}{16}$ in. .. .. . 32/	"	"
411	$\frac{3}{8}$ in. .. .. . 30/	"	"
412	$\frac{1}{2}$ in. .. .. . 25/	"	"
413	$\frac{5}{8}$ in. .. .. . 23/6	"	"
414	$\frac{3}{4}$ in. .. .. . 23/6	"	"
415	$\frac{7}{8}$ in. .. .. . 23/6	"	"
416	1 in. .. .. . 23/6	"	"
	Chain—		
418	Chandelier, brass, heavy, to sample .. .. . 4/	doz. yards	144 Briscoe and Co. (Ltd.).
421	Jack, brass, single link, 12 gauge .. .. . 4/6	"	85 New Zealand Hardware Company (Ltd.).
422	Jack, brass, single link, 14 gauge .. .. . 3/	"	Ditto.
425	Jack, iron, single link, 12 gauge .. .. . /9	"	"
426	Jack, iron, single link, 14 gauge .. .. . /8	"	"
428	Twisted, short link, japanned, to sample .. .. . 5/3	"	144 Briscoe and Co. (Ltd.).
	Chairs, office—		
430	"Douglas," oak, woven seat, iron rods .. .. . 13/3	each	168 James Park and Co.
431	"Florence," oak, woven seat .. .. . 12/6	"	"
	Chalk—		
432	Lump, free from dust .. .. . 5/6	cwt.	85 New Zealand Hardware Company (Ltd.).
433	French, lump .. .. . /9	lb.	15 Kempthorne, Prosser, and Co. (Ltd.).
434	French, powered .. .. . /2 $\frac{1}{2}$	"	157 Fred Schlaich.
	Chisels, cast steel, registered, carpenters', ash-handled, with two bright iron ferrules, round shank, Ward and Payne's No. 256—		
435	$\frac{1}{2}$ in. .. .. . 11/	doz.	58 Burton Bros. (Ltd.).
436	$\frac{3}{4}$ in. .. .. . 12/6	"	"

\* See Conditions of Contract for specification



No.	Description of Article and Rate.	Per	Tenderer.								
437	Chisels, cast steel, &c.— <i>continued</i> . 1 in. (A. Mathieson and Sons' No. 1321½) .. ..	15/ doz.	85 New Zealand Hardware Company (Ltd.).								
438	1½ in. .. ..	17/6 "	58 Burton Bros. (Ltd.).								
439	1½ in. .. ..	20/ "	"								
440	1¾ in. .. ..	23/8 "	"								
441	2 in. .. ..	28/ "	"								
	Chisels, cast steel, registered, carpenters', bevelled, ash-handled, with two bright iron ferrules, round shank, Ward and Payne's No. 257—										
442	½ in. .. ..	11/ "	"								
443	¾ in. .. ..	12/ "	"								
444	1 in. .. ..	13/6 "	"								
445	1¼ in. .. ..	17/ "	"								
446	1½ in. .. ..	20/ "	"								
447	1¾ in. .. ..	24/ "	"								
448	2 in. .. ..	30/ "	"								
	Chisels, cast steel, paring, long, thin, round ash or beech handled, ferruled, Robert Sorby and Sons' No. 234—										
449	¼ in. .. ..	9/3 "	71 Paterson & Barr (Ltd.).								
450	½ in. .. ..	10/3 "	"								
451	¾ in. .. ..	12/ "	"								
452	1 in. .. ..	15/6 "	"								
453	1¼ in. .. ..	19/6 "	"								
454	1½ in. .. ..	22/6 "	"								
	Chisels, cast steel, paring, long, thin, bevelled, round ash or beech handled, ferruled, Ward and Payne's No. 248—										
455	¼ in. .. ..	13/ "	58 Burton Bros. (Ltd.).								
456	½ in. .. ..	14/ "	"								
457	¾ in. .. ..	16/6 "	"								
458	1 in. .. ..	19/6 "	"								
459	1¼ in. .. ..	24/6 "	"								
460	1½ in. .. ..	29/6 "	" [(Ltd.).								
461	Cloths, glass, to sample .. ..	8/ "	43 Ross and Glendining								
<b>COACH-SCREWS.</b>											
<i>Black, Square Heads, Ordinary Sharp Points.</i>											
Guest, Keen, and Nettlefolds (Limited) "Globe and Lion" brand.											
Length from under Head to Point.	Per Gross.				Per Cwt.						
	Diameter.				Diameter.						
	¼"	⅝"	¾"	7/16"	½"	⅝"	¾" to 1¼"				
2 in. and under .. ..	4/	4/10	6/6	6/6	32/	27/	23/				
2½ in. to 3 in. inclusive ..	Advancing		7/	7/	32/	27/6	23/				
464	5d. and 7d. per gross per ½ in. or fraction of ½ in. over 2 in. long	Per Cwt.		29/6	27/	23/	110 John Edmond.				
		Above 3 in. to 4½ in. inclusive	34/					29/6	29/6	27/	23/
		Above 4½ in. to 6 in. inclusive	29/					27/	27/	26/	23/
		Above 6 in. .. ..	27/					25/	25/	24/	23/
Cocks, brass, H.P. water, stop, New Zealand pattern, male or female ends as required, with threads to suit iron pipes—											
488	1¼ in. .. ..	17/	each	182 A. and T. Burt (Ltd.).							
489	1½ in. .. ..	18/6	"	"							
490	2 in. .. ..	25/	"	"							

No.	Description of Article and Rate.	Per	Tenderer.
	Cocks, brass, range, complete, screwed, brass lever—		
491	$\frac{1}{2}$ in. .. .. .	1/5 $\frac{1}{2}$	each 144 Briscoe and Co. (Ltd.).
492	$\frac{3}{4}$ in. .. .. .	2/3	" 85 New Zealand Hardware Company (Ltd.).
493	1 in. .. .. .	3/3	" 144 Briscoe and Co. (Ltd.).
	Cocks, gun-metal, steam, plug, screwed, male or female ends as required, rough—		
494	$\frac{1}{4}$ in. .. .. .	2/	" 238 J. Chambers and Son [(Ltd.).
495	$\frac{1}{2}$ in. .. .. .	2/4	" .. .. .
496	$\frac{3}{4}$ in. .. .. .	3/6	" .. .. .
497	1 in. .. .. .	5/	" .. .. .
	Cocks, brass, draw-off or racking, screwed—		
505	$\frac{1}{2}$ in. .. .. .	1/7	" 144 Briscoe and Co. (Ltd.).
506	$\frac{3}{4}$ in. .. .. .	2/4	" 182 A. and T. Burt (Ltd.).
507	1 in. .. .. .	3/5	" .. .. .
	Cooking-utensils—		
	Fry-pans, steel, tinned, with tubular handle—		
508	9 in. across bottom .. .. .	/8 $\frac{1}{2}$	" 168 James Park and Co.
509	10 in. across bottom .. .. .	/11	" 85 New Zealand Hardware Company (Ltd.).
510	12 in. across bottom .. .. .	1/2	" Ditto.
	Kettles, cast-iron, tinned, fixed handles, A. Kenrick and Sons (Limited)—		
511	6 pints .. .. .	4/9	" 85 New Zealand Hardware Company (Ltd.).
512	8 pints .. .. .	6/	" Ditto.
513	10 pints .. .. .	7/	" .. .. .
514	12 pints .. .. .	8/3	" .. .. .
515	14 pints .. .. .	9/3	" 144 Briscoe and Co (Ltd.).
516	16 pints .. .. .	10/3	" .. .. .
	Saucepans, cast-iron, tinned, with bright covers, A. Kenrick and Sons (Limited)—		
517	4 pints .. .. .	2/4	" 85 New Zealand Hardware Company (Ltd.).
518	6 pints .. .. .	3/	" Ditto.
519	8 pints .. .. .	3/5	" .. .. .
520	10 pints .. .. .	3/11	" 110 John Edmond.
521	12 pints .. .. .	4/6	" .. .. .
	Saucepans, cast-iron, tinned, with front handles and bright covers, A. Kenrick and Sons (Limited)—		
522	14 pints .. .. .	5/9	" 85 New Zealand Hardware Company (Ltd.).
523	16 pints .. .. .	6/11	" 110 John Edmond.
524	20 pints .. .. .	6/8	" .. .. .
	Copper pipe, solid drawn, seamless—		
525	$\frac{1}{4}$ in. to $\frac{1}{2}$ in. x 16 gauge .. .. .	1/2 $\frac{3}{4}$	lb. 144 Briscoe and Co. (Ltd.).
526	$\frac{3}{8}$ in. to $\frac{1}{2}$ in. x 14 gauge .. .. .	1/1 $\frac{1}{4}$	" .. .. .
527	$\frac{7}{8}$ in. to 1 in. x 12 gauge .. .. .	/11 $\frac{7}{8}$	" .. .. .
528	1 $\frac{1}{8}$ in. to 1 $\frac{1}{4}$ in. x 12 gauge .. .. .	/11 $\frac{3}{4}$	" .. .. .
529	1 $\frac{1}{4}$ in. to 1 $\frac{3}{8}$ in. x 10 gauge .. .. .	/11 $\frac{3}{4}$	" .. .. .
530	1 $\frac{1}{2}$ in. to 2 in. x 10 gauge .. .. .	/11 $\frac{1}{2}$	" .. .. .
531	2 $\frac{1}{4}$ in. to 2 $\frac{3}{4}$ in. x 10 gauge .. .. .	1/0 $\frac{1}{2}$	" 182 A. and T. Burt (Ltd.).
532	3 in. to 3 $\frac{1}{2}$ in. x 9 gauge .. .. .	1/0 $\frac{1}{2}$	" .. .. .
533	3 $\frac{3}{4}$ in. to 4 $\frac{1}{2}$ in. x 8 gauge .. .. .	1/0 $\frac{1}{2}$	" .. .. .
534	4 $\frac{3}{4}$ in. to 5 in. x 8 gauge .. .. .	1/0 $\frac{1}{2}$	" .. .. .
535	4 $\frac{3}{4}$ in. to 5 in. x 6 gauge .. .. .	1/0 $\frac{1}{2}$	" .. .. .
	Copper rod—		
536	$\frac{1}{4}$ in. diameter .. .. .	112/.	cwt. 144 Briscoe & Co. (Ltd.).
537	$\frac{3}{8}$ in. diameter .. .. .	112/.	" .. .. .
538	$\frac{1}{2}$ in. diameter .. .. .	99/	" .. .. .
539	$\frac{5}{8}$ in. diameter .. .. .	99/	" .. .. .

No.	Description of Article and Rate.	Per	Tenderer.
<i>Copper rod—continued.</i>			
540	$\frac{3}{4}$ in. diameter .. .. .	97/ cwt.	144 Briscoe & Co. (Ltd.).
541	$\frac{7}{8}$ in. diameter .. .. .	95/ "	"
542	1 in. diameter .. .. .	95/ "	"
543	$1\frac{1}{8}$ in. diameter .. .. .	95/ "	"
544	$1\frac{1}{4}$ in. diameter .. .. .	97/ "	"
<i>Copper sheet, 4 ft. x 24 in., 6 ft. x 36 in., 8 ft. x 48 in.—</i>			
545	11 to 18 gauge .. .. .	99/6 "	"
546	20 gauge .. .. .	104/ "	"
547	22 gauge .. .. .	106/ "	"
548	24 gauge .. .. .	115/ "	"
549	26 gauge .. .. .	119/ "	"
550	28 gauge .. .. .	124/ "	"
551	Cord, piping, to sample .. .. .	/10 lb.	110 John Edmond.
554	Diamonds, glaziers', for plate glass, Sharrett and Newth, No. 5	17/11 each	198 Smith & Smith (Ltd.).
562	Diamonds, glaziers', for sheet glass, A. Shaw and Son ..	7/6 "	134 Andrew Lees.
<i>Drills, twist, for engineers' ratchet-braces, best cast steel—</i>			
566	$\frac{1}{4}$ in. .. .. . Clifton. Cleveland.	14/8 19/10 doz.	182 A. and T. Burt (Ltd.).
567	$\frac{5}{16}$ in. .. .. .	15/11 21/8 "	"
568	$\frac{3}{8}$ in. .. .. .	17/7 23/5 "	"
569	$\frac{7}{16}$ in. .. .. .	18/3 24/ "	"
570	$\frac{1}{2}$ in. .. .. .	18/11 25/10 "	"
571	$\frac{9}{16}$ in. .. .. .	19/6 26/1 "	"
572	$\frac{5}{8}$ in. .. .. .	20/6 26/4 "	"
573	$\frac{11}{16}$ in. .. .. .	21/2 28/4 "	"
574	$\frac{3}{4}$ in. .. .. .	22/9 28/8 "	"
575	$\frac{13}{16}$ in. .. .. .	25/4 28/10 "	"
576	$\frac{7}{8}$ in. .. .. .	29/11 40/3 "	"
577	$\frac{15}{16}$ in. .. .. .	39/9 50/8 "	"
578	1 in. .. .. .	42/9 52/ "	"
579	$1\frac{1}{8}$ in. .. .. .	50/3 62/8 "	"
580	$1\frac{1}{4}$ in. .. .. .	61/9 79/4 "	"
<i>Drills, morse twist, for carpenters' braces, for boring hard wood, Cleveland Twist Drill Company—</i>			
581	$\frac{1}{4}$ in. .. .. .	3/7 "	110 John Edmond.
582	$\frac{5}{16}$ in. .. .. .	4/ "	"
583	$\frac{3}{8}$ in. .. .. .	4/6 "	"
584	$\frac{7}{16}$ in. .. .. .	5/7 "	"
585	$\frac{1}{2}$ in. .. .. .	6/8 "	"
586	$\frac{9}{16}$ in. .. .. .	7/8 "	"
587	$\frac{5}{8}$ in. .. .. .	8/ "	"
588	$\frac{3}{4}$ in. .. .. .	8/11 "	"
589	$\frac{13}{16}$ in. .. .. .	9/11 "	"
590	$\frac{7}{8}$ in. .. .. .	10/2 "	"
591	1 in. .. .. .	11/2 "	"
<i>Dryers, patent—</i>			
594	Blundell, Spence, and Co., No. 267 .. .. .	23/3 cwt.	144 Briscoe and Co. (Ltd.).
<i>Dryers, terebine—</i>			
598	Alexander, Ferguson, and Co. .. .. .	7/3 gal.	198 Smith & Smith (Ltd.).
600	Blundell, Spence, and Co... .. .	7/3 "	"
601	Colthurst and Harding .. .. .	7/3 "	"
603	William Harland and Sons .. .. .	7/3 "	"
608	Blume's .. .. .	4/6 "	"
<i>Dusters—</i>			
609	Feather, equal to sample in size and quality .. .. .	1/9 each	168 James Park and Co.
610	Turkish, to sample .. .. .	4/2 doz.	206 Sargood Son, and Ewen (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.	
612	Emery-cloth, all numbers, Oakey's "Genuine" ..	27/6	ream	144 Briscoe and Co. (Ltd.).
614	Emery-powder, Oakey's "Genuine" .. ..	/3 $\frac{1}{2}$	lb.	182 A. and T. Burt (Ltd.).
Explosives—				
615	Detonators, dynamite, No. 3A .. ..	/1	100	144 Briscoe and Co. (Ltd.).
616	Detonators, gelignite, No. 6 .. ..	3/6	"	"
617	Detonators, rackarock, No. 6 .. ..	3/6	"	"
618	Detonators, rackarock, No. 8 .. ..	5/6	"	"
619	Dynamite, Nobel's .. ..	1/0 $\frac{1}{4}$	lb.	"
620	Dynamite-warmers, Nobel's, large .. ..	12/6	each	"
621	Dynamite-warmers, Nobel's, small .. ..	9/6	"	"
622	Fuse, Bickford's "Blue-jacket," in 24 ft. coils ..	/6	coil	"
623	Fuse, Bickford's double tape, No. 9, 24 ft. coils ..	/8	"	"
624	Fuse, Nobel's "Red Sump," No. 4A, in 24 ft. coils ..	/6	"	"
625	Fuse, Nobel's "Thistle," white rubber, felted, No. 101, 24 ft. coils ..	/8	"	"
626	Gelatine, blasting, Nobel's .. ..	1/3 $\frac{3}{4}$	lb.	"
627	Gelatine, dynamite, Nobel's .. ..	1/4	"	"
628	Gelignite .. ..	1/0 $\frac{1}{4}$	"	"
629	Pliers, cap and fuse, Nobel's .. ..	4/6	each	"
630	Pliers, cap and fuse, Wren's patent safety .. ..	3/	"	"
631	Powder, blasting, Kynoch .. ..	/6 $\frac{5}{8}$	lb.	"
632	Powder, compressed pellet .. ..	/7 $\frac{1}{2}$	"	"
633	Rackarock, No. 1 .. ..	/8 $\frac{3}{4}$	"	"
634	Rackarock, No. 2 .. ..	/8 $\frac{3}{4}$	"	"
635	Rackarock-oil, No. 1 .. ..	/8 $\frac{3}{4}$	"	"
636	Rackarock-oil, No. 2 .. ..	/8 $\frac{3}{4}$	"	"
637	Rackarock-dipping cans, with strainers .. ..	1/	each	"
638	Rendrock .. ..	/8 $\frac{1}{4}$	lb.	85 New Zealand Hardware Company (Ltd.).
639	Rendrock-oil .. ..	/8 $\frac{1}{4}$	"	Ditto.
640	Felt, roofing, red-edged, 25 yards to bolt .. ..	6/3	bolt	168 James Park and Co.
641	Fenders, medium quality, to sample .. ..	2/3	ft.	"
Figures, steel, Boker's—				
643	$\frac{1}{4}$ in. .. ..	2/6	set	176 Thomson, Bridger, and Co. (Ltd.).
644	$\frac{3}{8}$ in. .. ..	4/6	"	Ditto.
659	Files, hand-saw, Stubs's, per cent. discount off list No. 1 ..	3 $\frac{3}{4}$	per cent.	144 Briscoe and Co. (Ltd.).
Files and rasps, all descriptions, full standard weight, at per cent. discount from Sheffield list confirmed by manufacturers, 28th February, 1889—				
660	Cammell, Laird, and Co.'s "Cyclops" .. ..	59	"	"
663	Nicholson's Canadian .. ..	63	"	"
670	Firebricks, "Glenboig," standard size .. ..	267/6	1,000	"
672	Fire-clay, British .. ..	5/6	cwt.	"
673	Fire-irons, steel, bright, plain heads, to sample ..	6/10	set	110 John Edmond.
674	Gas-pipe, compo, $\frac{3}{8}$ in. to 1 in. diameter .. ..	/3	lb.	182 A. and T. Burt (Ltd.).
Gas-chimneys, best fireproof, "Inca" brand—				
680	6 in. .. ..	2/3*	doz.	100 Welsbach Light Company, (Ltd.).
681	8 in. .. ..	2/6*	"	Ditto.
682	9 in. .. ..	3/ *	"	"
683	10 in. .. ..	3/6*	"	"
684	Gas-mantles, incandescent, ordinary upright, Plaisetty and Co., "Empire" brand .. ..	3/5	"	46 H. G. Teagle (Ltd).
685	Gas-mantle supports, upright .. ..	/2	doz.	"
686	Gasoline, Pratt's .. ..	2/9	gal.	221 Vacuum Oil Company (Ltd.).

\* Plus 5 per cent.

No.	Description of Article and Rate.	Per	Tenderer.
	Glass, plate, British (any size or template required)—		
687	Polished, $\frac{3}{16}$ in. thick .. .. .	1/7	sq. ft. 198 Smith & Smith (Ltd.).
688	Polished, $\frac{1}{4}$ in. thick .. .. .	1/7	.. .. .
	Rough—		
689	$\frac{1}{8}$ in. thick .. .. .	/5	.. .. .
690	$\frac{3}{16}$ in. thick .. .. .	/6	.. .. .
691	$\frac{1}{2}$ in. thick .. .. .	/6	.. .. .
692	$\frac{5}{16}$ in. thick .. .. .	/7	.. .. .
693	$\frac{3}{8}$ in. thick .. .. .	/8	.. .. .
	Rough, mill-rolled—		
694	$\frac{1}{8}$ in. thick .. .. .	/5	.. .. .
695	$\frac{3}{16}$ in. thick .. .. .	/6	.. .. .
696	$\frac{1}{2}$ in. thick .. .. .	/6	.. .. .
697	$\frac{5}{16}$ in. thick .. .. .	/7	.. .. .
698	$\frac{3}{8}$ in. thick .. .. .	/8	.. .. .
699	Fluted .. .. .	/6	.. .. .
	Glass, sheet, British, second quality—		
700	16 oz. .. .. .	/2 $\frac{1}{2}$	.. .. .
701	21 oz. .. .. .	/4 $\frac{3}{4}$	.. .. .
702	26 oz. .. .. .	/7	.. .. .
703	28 oz. .. .. .	/8	.. .. .
704	32 oz. .. .. .	/11 $\frac{3}{4}$	.. .. .
	Glass, sheet, British—		
705	Blue (to show green) .. .. .	/11	.. .. . 134 Andrew Lees.
706	Coloured all through .. .. .	/5 $\frac{1}{2}$	.. .. .
707	Coloured, flashed .. .. .	/5 $\frac{1}{2}$	.. .. .
708	Ground, 26 oz. .. .. .	/5 $\frac{1}{2}$	.. .. .
710	Glass-paper, Oakey's "Flexible," all numbers .. .. .	14/2	ream 168 James Park and Co.
	Glasses, gauge, plain, specially selected quality, fused ends, suitable for working-pressure of 250 lb. per square inch, "Unific"—		
711	$\frac{5}{8}$ in. x 9 in. .. .. .	1/9	doz. 174 R. B. Denniston & Co.
712	$\frac{5}{8}$ in. x 10 in. .. .. .	1/11	.. .. .
713	$\frac{5}{8}$ in. x 11 in. .. .. .	2/1	.. .. .
714	$\frac{5}{8}$ in. x 12 in. .. .. .	2/3	.. .. .
715	$\frac{5}{8}$ in. x 14 in. .. .. .	2/7	.. .. .
716	$\frac{5}{8}$ in. x 16 in. .. .. .	3/	.. .. .
717	$\frac{3}{4}$ in. x 4 in. .. .. .	2/3	.. .. .
718	$\frac{3}{4}$ in. x 12 in. .. .. .	2/9	.. .. .
719	$\frac{3}{4}$ in. x 14 in. .. .. .	3/4	.. .. .
720	$\frac{3}{4}$ in. x 16 in. .. .. .	3/9	.. .. .
	Glasses, bevel edge, white—		
721	4 in. diameter .. .. .	3/	.. .. . 198 Smith & Smith (Ltd.).
722	4 $\frac{1}{2}$ in. diameter .. .. .	4/	.. .. .
723	5 in. diameter .. .. .	5/6	.. .. . 144 Briscoe & Co. (Ltd.).
724	5 $\frac{1}{2}$ in. diameter .. .. .	6/6	.. .. . 198 Smith & Smith (Ltd.).
	Glasses, bull's-eye, white—		
725	2 in. diameter .. .. .	2/6	.. .. .
726	6 in. diameter .. .. .	20/	.. .. .
	Glasses, shell, red—		
727	4 $\frac{1}{2}$ in. diameter .. .. .	9/3	.. .. . 144 Briscoe and Co. (Ltd.).
728	6 in. diameter .. .. .	12/6	.. .. .
729	8 in. diameter .. .. .	18/	.. .. .
	Glasses, shell, white—		
730	4 $\frac{1}{2}$ in. diameter .. .. .	5/9	.. .. .
731	6 in. diameter .. .. .	7/9	.. .. .
732	8 in. diameter .. .. .	13/9	.. .. . 198 Smith & Smith (Ltd.).
	Gold-leaf, pale or deep, in books of 25 leaves—		
733	Not transfer .. .. .	1/	book .. .. .
734	Transfer .. .. .	1/	.. .. .

No.	Description of Article and Rate.	Per	Tenderer.	
735	Grates, register, fine-cast, blacked .. .. .	/4½	in. width	85 New Zealand Hardware Company (Ltd.).
736	Grates, register, fine-cast, ground front Grindstones, Newcastle-on-Tyne—	/6½	„	Ditto.
737	24 in. diameter x 3½ in. face .. .. .	6/6	each	144 Briscoe and Co. (Ltd.).
738	30 in. diameter x 4 in. face .. .. .	13/6	„	„
739	36 in. diameter x 4½ in. face .. .. .	26/	„	„
	36 in. diameter x 6 in. face .. .. .	47/6	„	„
740	42 in. diameter x 5½ in. face .. .. .	36/	„	„
	42 in. diameter x 6 in. face .. .. .	57/6	„	„
	Grindstones, spindles for, Kenrick's No. 1—			
745	15½ in. .. .. .	2/	set	85 New Zealand Hardware Company (Ltd.).
746	17 in. .. .. .	2/6	„	Ditto.
747	20 in. .. .. .	3/	„	„
748	Gum-arabic, dry .. .. .	/6½	lb.	110 John Edmond.
749	Gum, core, yellow, to sample .. .. .	24/	cwt.	122 Michaelis, Hallenstein, and Farquhar.
755	Hammers, claw, carpenters', adze-eye, handled, Spear and Jackson's No. D73, 1½ lb. head Hammers—	24/	doz.	167 Laidlaw & Gray (Ltd.).
758	Engineers' hand, all steel.. .. .	/7	lb.	144 Briscoe and Co. (Ltd.).
759	Sledge, steel, ball head .. .. .	/3¾	„	„
760	Sledge, double face .. .. .	/3¾	„	„
761	Sledge, straight or cross pein .. .. .	/3¾	„	„
762	Smiths' hand, ball head .. .. .	/6½	„	„
763	Smiths' hand, cross pein .. .. .	/6½	„	„
	Handles—			
764	Adze, hickory .. .. .	11/	doz.	71 Paterson & Parr (Ltd.).
765	Axe, hickory .. .. .	8/8	„	168 James Park and Co.
766	Broom .. .. .	1/10	„	„
767	D, for spade or shovel .. .. .	10/9	„	176 Thomson, Bridger, and Co. (Ltd.).
768	File, ferruled .. .. .	/8	„	58 Burton Bros. (Ltd.).
769	Hand, adze-eye, for claw-hammers, hickory, 14 in. Hand-hammer, hickory, to sample—	2/3	„	168 James Park and Co.
770	16 in. .. .. .	2/10	„	„
771	18 in. .. .. .	3/	„	„
772	20 in. .. .. .	3/6	„	„
773	22 in. .. .. .	4/	„	„
774	24 in. .. .. .	4/6	„	„
775	Hay-fork, American .. .. .	6/	„	110 John Edmond.
776	Hoe, American .. .. .	5/	„	„
777	Hoe, plantation, American .. .. .	7/4	„	„
778	Mop, ferruled .. .. .	3/3	„	176 Thomson, Bridger, and Co. (Ltd.).
779	Pick, hickory .. .. .	9/3	„	168 James Park and Co.
780	Rake .. .. .	5/9	„	110 John Edmond.
781	Scythe, American, with patent fastenings .. .. .	29/	„	„
782	Shovel, long, American .. .. .	9/6	„	„
	Sledge-hammer, hickory—			
783	26 in. .. .. .	5/	„	168 James Park and Co.
784	28 in. .. .. .	5/9	„	„
785	30 in. .. .. .	6/3	„	„
786	34 in. .. .. .	7/	„	„
787	36 in. .. .. .	7/2	„	„

No.	Description of Article and Rate.	Per	Tenderer.
Handles— <i>continued.</i>			
788	Tomahawk, hickory, 14 in. .. ..	2/9	doz. 168 James Park and Co.
789	Tomahawk, hickory, 16 in. .. ..	3/3	” ”
Hasps and staples on plate, heavy, japanned—			
790	1½ in. hasp .. ..	/11	” 110 John Edmond.
791	2 in. hasp .. ..	1/4	” ”
792	2½ in. hasp .. ..	2/3	” ”
793	3 in. hasp .. ..	2/6	” ”
794	3½ in. hasp .. ..	3/8	” ”
Heaters, patent smokeless, nickel finish—			
795	100 c.p., capacity 12 hours .. ..	13/	each 221 Vacuum Oil Co. (Ltd.).
796	200 c.p., capacity 9 hours .. ..	14/6	” ”
797	Wicks for ditto .. ..	/4	” ”
Hinges—			
Back-flap, wrought steel, solid joint—			
798	1½ in. .. ..	1/3	doz. pair 144 Briscoe and Co. (Ltd.).
799	1¾ in. .. ..	1/5	” ”
800	2 in. .. ..	1/11	” ”
801	2¼ in. .. ..	2/8	” ”
802	2½ in. .. ..	3/10	” 176 Thomson, Bridger, and Co. (Ltd.).
803	3 in. .. ..	5/6	” 85 New Zealand Hardware Company (Ltd.).
Butt, brass, solid joint, brass pin, J. Cartland and Sons, No. 5150, or T. Sanders (Limited), No. 2318—			
804	1 in. x ⅝ in. .. ..	2/6	” 144 Briscoe and Co. (Ltd.).
805	1½ in. x ⅞ in. .. ..	3/5	” ”
806	2 in. x 1⅛ in. .. ..	4/3	” ”
807	2½ in. x 1⅜ in. .. ..	6/10	” ”
808	3 in. x 1⅝ in. .. ..	10/3	” ”
809	3½ in. x 2 in. .. ..	19/	” ”
810	4 in. x 2⅜ in. .. ..	26/	” ”
Butt, iron—			
811	2 in. .. ..	1/4	” 110 John Edmond.
812	2½ in. .. ..	1/8	” ”
813	3 in. .. ..	2/8	” ”
814	3½ in. .. ..	3/	” ”
815	4 in. .. ..	4/	” ”
816	4½ in. .. ..	6/	” ”
817	5 in. .. ..	7/3	” 144 Briscoe and Co. (Ltd.).
818	6 in. .. ..	9/6	” 110 John Edmond.
Butt, wrought steel—			
819	2 in. .. ..	/8½	” 144 Briscoe and Co. (Ltd.).
820	2½ in. .. ..	/11	” ”
821	3 in. .. ..	1/4	” 176 Thomson, Bridger, and Co. (Ltd.).
822	3½ in. .. ..	1/11	” 144 Briscoe and Co. (Ltd.).
823	4 in. .. ..	2/9	” ”
824	4½ in. .. ..	4/	” ”
825	5 in. .. ..	4/9	” ”
826	6 in. .. ..	7/	” 168 James Park and Co.
Chest, iron—			
827	6 in. .. ..	2/6	” 144 Briscoe and Co. (Ltd.).
828	8 in. .. ..	3/7	” ”
829	10 in. .. ..	4/9	” ”
830	12 in. .. ..	6/3	” ”
831	14 in. .. ..	7/3	” ”
832	16 in. .. ..	10/	” ”

No.	Description of Article and Rate.	Per	Tenderer.
<i>Hinges—continued.</i>			
T, japanned—			
833	6 in. . . . .	1/11	doz. pair
834	8 in. . . . .	2/4	„
835	10 in. . . . .	2/10	„
836	12 in. . . . .	3/5	„
837	14 in. . . . .	4/2	„
838	16 in. . . . .	5/8	„
839	18 in. . . . .	6/6	„
840	20 in. . . . .	9/	„
841	Tees, Scotch, wrought iron . . . . .	/27	lb.
<i>Hoes—</i>			
842	American, 6 in., handled . . . . .	1/5	each
843	Dutch, 6 in., handled . . . . .	1/4	„
844	Dutch, 8 in., handled . . . . .	1/7	„
845	Mackinnon, 9 in., handled . . . . .	2/	„
846	Mackinnon, 12 in., handled . . . . .	2/3	„
847	Holland, green, for blinds, to sample, 36 in. wide* . . . . .	/9½	sq. yard
<i>Hooks—</i>			
848	Bag, double claw . . . . .	1/	each
849	Case, to sample . . . . .	1/5	„
850	Cup, brass, shouldered, per cent. discount off Nettlefolds' list, Art. No. 375 . . . . .	50	per cent.
851	Hat-and-coat, bronzed, to sample . . . . .	2/7	doz.
852	Hat-and-coat, wrought wire, japanned, Nettlefolds' "Victor," No. 52, Art. 1000, with screws for fixing . . . . .	1/9	„
853	Hat-and-coat, wrought wire, japanned, Nettlefolds' "Baskerville," Art. 1002, with screws for fixing . . . . .	1/5	„
854	Reaping, solid back, size No. 4, Spear and Jackson's No. C949 . . . . .	12/3	„
855	Screw, brass, per cent. discount off Nettlefold's list, Art. No. 500 . . . . .	36¼	per cent.
856	Screw, iron, per cent. discount off Nettlefolds' list, Art. No. 400 . . . . .	56¼	„
<i>Hooks and eyes, cabin, brass—</i>			
857	3 in. . . . .	6/8	doz.
858	3½ in. . . . .	7/4	„
859	4 in. . . . .	7/8	„
860	5 in. . . . .	8/10	„
861	6 in. . . . .	11/8	„
<i>Hooks and eyes, cupboard, brass—</i>			
862	1½ in. . . . .	/11	„
863	2 in. . . . .	1/1	„
864	2½ in. . . . .	1/7	„
865	Hose, canvas, best close-woven, 2½ in. diameter, A. W. Martin's "Bon Accord" . . . . .	/8	ft.
<i>Hose delivery, indiarubber, vulcanized, Perdriau Rubber Company—</i>			
866	¾ in. x 1-ply . . . . .	O. /2½ A.B. /3 Red. —	„
867	½ in. x 3-ply . . . . .	— /5¼	„
868	½ in. x 6-ply (air) . . . . .	— /9	„

\* Other widths as per tender.



No.	Description of Article and Rate.	Per	Tenderer.
Hose, delivery, indiarubber, vulcanized, Perdriau Rubber Com- pany— <i>continued</i> .			
869	$\frac{3}{4}$ in. x 3-ply .. .. .	o. A.B. Red. — / $6\frac{3}{4}$ —	ft. 77 Perdriau Rubber Com- pany (Ltd.).
870	$\frac{3}{4}$ in. x 6-ply (air) .. .. .	— 1/2 $\frac{1}{2}$	Ditto.
871	1 in. x 6-ply .. .. .	— 1/1 $\frac{1}{4}$	,,
872	1 $\frac{1}{4}$ in. x 6-ply .. .. .	1/—	,,
873	1 $\frac{1}{2}$ in. x 6-ply .. .. .	1/2 1/8	,,
874	2 in. x 6-ply .. .. .	1/8 2/3	,,
Hose, delivery, indiarubber, armoured or sphincter-grip, in 30 ft. and 60 ft. lengths,—			
Perdriau Rubber Company, "Red" quality—			
875	$\frac{1}{2}$ in. x 3-ply (air) .. .. .	/7 $\frac{1}{2}$	,,
880	1 $\frac{3}{4}$ in. x 5-ply .. .. .	2/9	,,
881	2 in. x 5-ply .. .. .	3/	,,
Dunlop Rubber Company of Australia, "Dunlop" quality—			
876	$\frac{5}{8}$ in. x 3-ply (air) .. .. .	/8 $\frac{3}{4}$	60 The Dunlop Rubber Company (Ltd.).
877	$\frac{3}{4}$ in. x 4-ply (air) .. .. .	/9 $\frac{3}{4}$	Ditto.
878	1 in. x 4-ply .. .. .	1/0 $\frac{1}{2}$	,,
879	1 $\frac{1}{2}$ in. x 5-ply .. .. .	1/10 $\frac{3}{4}$	,,
887	Hose, delivery, indiarubber, close steel armoured, high- pressure, 1 $\frac{1}{2}$ in. x 6-ply, Perdriau Rubber Company, "Red" quality	2/6	77 Perdriau Rubber Com- pany (Ltd.).
Hose, delivery, indiarubber, armoured, for hot water and steam, to resist 250 lb. pressure, Perdriau Rubber Company, "Red" quality—			
888	$\frac{1}{2}$ in. x 5-ply .. .. .	/11	Ditto.
889	1 $\frac{1}{2}$ in. x 6-ply .. .. .	2/6	,,
Hose, suction, indiarubber, wire-embedded, smooth bore, 30 ft. length, Dunlop Rubber Company of Australia, "Dunlop" quality—			
890	1 $\frac{1}{2}$ in. x 3-ply .. .. .	1/5	60 The Dunlop Rubber Company (Ltd.).
891	1 $\frac{3}{4}$ in. x 3-ply .. .. .	1/8	Ditto.
892	2 in. x 5-ply .. .. .	2/3	,,
893	2 $\frac{1}{4}$ in. x 5-ply .. .. .	2/5	,,
894	2 $\frac{1}{2}$ in. x 5-ply .. .. .	2/7	,,
900	Indiarubber, sheet, white, vulcanized, Perdriau Rubber Company's "Special" quality	2/	77 Perdriau Rubber Com- pany (Ltd.).
906	Indiarubber insertion, sheet, white, vulcanized, Perdriau Rubber Company's cloth insertion, No. 3 quality	1/1	Ditto.
Iron, bar, angle, trade lengths—			
909	Equal, R.H. Crown, or equal quality .. .. .	209/	ton
910	Unequal, R.H. Crown, or equal quality .. .. .	218/4	,,
<i>Extra prices per ton to be added to the tender-rates for angle iron, items Nos. 909 and 910—</i>			
Small sizes—			
	$\frac{1}{8}$ in.	$\frac{3}{16}$ in.	$\frac{1}{4}$ in.
	$\frac{1}{2}$ in.	1 in.	1 $\frac{1}{4}$ in.
	1 $\frac{1}{2}$ in.		
$\frac{1}{8}$ in. thick x			
$\frac{3}{16}$ in. thick x			
$\frac{1}{4}$ in. thick x			
$\frac{7}{8}$ in. thick x			
Large sizes (ordinary thickness)—			
4 $\frac{1}{2}$ in....., 5 in....., 5 $\frac{1}{2}$ in....., 6 in.....			
			As per tenders.

No.	Description of Article and Rate.	Per	Tenderer.																																																	
911*	Iron, bar, flat, trade lengths— Netherton Crown Best, or equal quality .. .. 250/	ton	71 Paterson & Bar (Ltd.).																																																	
912*	R.H. Crown, or equal quality— .. .. 204/	,,	144 Briscoe and Co. (Ltd.).																																																	
	<i>Extra prices per ton to be added to the tender-rates for flat iron, items Nos. 911 and 912—</i>																																																			
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="width: 10%;">1/8 in.</th> <th style="width: 10%;">3/16 in.</th> <th style="width: 10%;">1/4 in.</th> <th style="width: 10%;">5/16 in.</th> <th style="width: 10%;">3/8 in.</th> <th style="width: 10%;">7/16 in.</th> </tr> </thead> <tbody> <tr> <td>3/8 in. broad .. x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>1/2 in. broad .. x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>5/8 in. broad .. x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>3/4 in. broad .. x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>7/8 in. broad .. x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>1 in. broad and upwards .. x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table> <p>Extra widths, ordinary thickness: over 6 in. to 7 in., .....  over 7 in. to 8 in., ..... over 8 in. to 12 in., .....  Heavy flats: 6 in. and over x 1 3/4 in. and over .....  4 in. to 5 in. x 2 in. to 2 1/2 in. and over, .....</p>		1/8 in.	3/16 in.	1/4 in.	5/16 in.	3/8 in.	7/16 in.	3/8 in. broad .. x	—	—	—	—	—	—	1/2 in. broad .. x	—	—	—	—	—	—	5/8 in. broad .. x	—	—	—	—	—	—	3/4 in. broad .. x	—	—	—	—	—	—	7/8 in. broad .. x	—	—	—	—	—	—	1 in. broad and upwards .. x	—	—	—	—	—	—	As per tenders.	
	1/8 in.	3/16 in.	1/4 in.	5/16 in.	3/8 in.	7/16 in.																																														
3/8 in. broad .. x	—	—	—	—	—	—																																														
1/2 in. broad .. x	—	—	—	—	—	—																																														
5/8 in. broad .. x	—	—	—	—	—	—																																														
3/4 in. broad .. x	—	—	—	—	—	—																																														
7/8 in. broad .. x	—	—	—	—	—	—																																														
1 in. broad and upwards .. x	—	—	—	—	—	—																																														
	<p>Iron, bar, round and square, trade lengths—</p> <p>913* Netherton Crown Best, or equal quality .. .. 250/</p> <p>914* R.H. Crown, or equal quality .. .. 204/</p> <p><i>Extra prices per ton to be added to the tender-rates for round and square iron, items Nos. 913 and 914, for the following sizes:—</i></p> <p>Small sizes: 3/16 in. .... 1/4 in. .... 5/16 in. .... 3/8 in. .... 7/16 in. ....</p> <p>Large sizes: 3 1/8 in. .... 3 1/4 in. .... 3 1/2 in. .... 3 3/4 in. ....</p> <p>4 in. .... 4 1/2 in. .... 5 in. .... 5 1/2 in. .... 6 in. .... 6 1/2 in. ....</p> <p>7 in. ....</p>	As per tenders.																																																		
	<p>Iron, bar, tee, trade lengths—</p> <p>917 Equal, R.H. Crown, or equal quality .. .. 239/</p> <p>918 Unequal R.H. Crown, or equal quality .. .. 269/</p> <p><i>Extra prices per ton to be added to the tender-rates for tee iron, items Nos. 917 and 918, for the following sizes:—</i></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Small sizes—</th> <th>1/2 in.</th> <th>5/8 in.</th> <th>3/4 in.</th> <th>7/8 in.</th> <th>1 in.</th> <th>1 1/4 in.</th> <th>1 1/2 in. and up.</th> </tr> </thead> <tbody> <tr> <td>1/2 in. thick .. x</td> <td>40/</td> <td>40/</td> <td>40/</td> <td>30/</td> <td>20/</td> <td>20/</td> <td>20/</td> </tr> <tr> <td>3/8 in. thick .. x</td> <td>15/</td> <td>15/</td> <td>15/</td> <td>15/</td> <td>10/</td> <td>10/</td> <td>10/</td> </tr> <tr> <td>1/2 in. thick .. x</td> <td>—</td> <td>—</td> <td>10/</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>3/4 in. thick .. x</td> <td>—</td> <td>—</td> <td>—</td> <td>10/</td> <td>—</td> <td>—</td> <td>—</td> </tr> </tbody> </table> <p>Large sizes (ordinary thickness): 4 1/2 in., 5s.; 5 in., 5s.; 5 1/2 in., 5s.; 6 in., 5s.</p>		Small sizes—	1/2 in.	5/8 in.	3/4 in.	7/8 in.	1 in.	1 1/4 in.	1 1/2 in. and up.	1/2 in. thick .. x	40/	40/	40/	30/	20/	20/	20/	3/8 in. thick .. x	15/	15/	15/	15/	10/	10/	10/	1/2 in. thick .. x	—	—	10/	—	—	—	—	3/4 in. thick .. x	—	—	—	10/	—	—	—	ton	144 Briscoe and Co. (Ltd)								
Small sizes—	1/2 in.	5/8 in.	3/4 in.	7/8 in.	1 in.	1 1/4 in.	1 1/2 in. and up.																																													
1/2 in. thick .. x	40/	40/	40/	30/	20/	20/	20/																																													
3/8 in. thick .. x	15/	15/	15/	15/	10/	10/	10/																																													
1/2 in. thick .. x	—	—	10/	—	—	—	—																																													
3/4 in. thick .. x	—	—	—	10/	—	—	—																																													
		,,	,,																																																	
	<p>Iron, hoop, black, 10 to 18 gauge—</p> <p>919 1/2 in. wide .. .. 17/9</p> <p>920 5/8 in wide .. .. 13/9</p> <p>921 3/4 in. wide .. .. 12/9</p> <p>922 7/8 in. wide .. .. 12/3</p> <p>923 1 in. to 4 in. wide, excluding items Nos. 924 to 926 .. 11/9</p>	cwt.	144 Briscoe and Co. (Ltd ) ,, ,, ,, ,,																																																	
	<p>Iron, hoop, black—</p> <p>924 16 gauge, 2 1/8 in. to 4 in. .. .. 12/10</p> <p>925 18 gauge, 1 3/4 in. to 2 in. .. .. 12/10</p> <p>926 18 gauge, 2 1/8 in. to 4 in. .. .. 12/10</p>			,,	110 John Edmond. ,, ,,																																															
	<p>Iron, hoop, galvanized, 10 to 18 gauge—</p> <p>927 1/2 in. wide .. .. 28/</p> <p>928 5/8 in. wide .. .. 24/</p> <p>929 3/4 in. wide .. .. 23/</p> <p>930 7/8 in. wide .. .. 22/6</p> <p>931 1 in. to 4 in. wide .. .. 21/10</p>					,,	144 Briscoe and Co. (Ltd.). ,, ,, ,, 110 John Edmond.																																													

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.
Iron plate—			
R.H. Crown, or equal quality—			
939	$\frac{1}{8}$ in. thick .. .. .	249/	ton
940	$\frac{3}{16}$ in. thick .. .. .	254/	144 Briscoe and Co. (Ltd.).
941	$\frac{1}{4}$ in. thick .. .. .	244/	"
942	Over $\frac{1}{4}$ in. thick .. .. .	249/	"
Clydesdale Two Crown—			
947	$\frac{1}{8}$ in. thick .. .. .	289/	"
948	$\frac{3}{16}$ in. thick .. .. .	299/	"
949	$\frac{1}{4}$ in. thick .. .. .	294/	"
950	Over $\frac{1}{4}$ in. thick .. .. .	299/	"
Iron, sheet, black, plain—			
951	11 to 20 gauge, under 9 ft. long .. .. .	249/	"
952	22 gauge, under 9 ft. long .. .. .	258/	"
953	24 gauge, under 9 ft. long .. .. .	269/	"
954	26 gauge, under 9 ft. long .. .. .	279/	"
<i>Extra prices per ton to be added to the tender-rates for black sheet iron, items Nos. 951 to 954 inclusive, for the following long lengths (any trade widths):—</i> 9 ft., 5/; 10 ft., 10/.			
Iron, sheet, galvanized, plain—			
955	11 to 20 gauge, under 9 ft. long .. .. .	358/	110 John Edmond.
956	22 gauge, under 9 ft. long .. .. .	368/	"
957	24 gauge, under 9 ft. long .. .. .	374/	"
958	26 gauge, 6 ft. and 8 ft. long .. .. .	400/	182 A. and T. Burt (Ltd.).
Iron, sheet, galvanized, corrugated, roofing (AB special, first quality)—			
5 ft. to 8 ft. lengths—			
960	24 gauge .. .. .	349/	144 Briscoe and Co. (Ltd.).
961	26 gauge .. .. .	368/	"
9 ft. lengths—			
963	24 gauge .. .. .	359/	"
964	26 gauge .. .. .	378/	"
10 ft. lengths—			
966	24 gauge .. .. .	369/	"
967	26 gauge .. .. .	388/	"
Iron tubes (wrought) and fittings, at per cent. discount from list dated 1st September, 1907—			
Stewart and Lloyd's—			
969*	Iron gas-fittings, black .. .. .	72 $\frac{1}{2}$	per cent.
971*	Iron water-fittings, galvanized .. .. .	65	144 Briscoe and Co. (Ltd.).
972*	Iron steam-tubes, red .. .. .	60	238 J. Chambers and Son (Ltd.).
973*	Iron steam-fittings, red .. .. .	60	Ditto.
Scottish Tube Company†—			
975*	Iron gas-fittings, black .. .. .	73	144 Briscoe and Co. (Ltd.).
977*	Iron water-fittings, galvanized .. .. .	65	"
Page, Hersey, and Co.—			
980*	Iron gas-tubes, black .. .. .	73	"
982*	Iron water-tubes, galvanized .. .. .	66	"
Jacks, bottle, Youngs Limited, or Holt and Willett, at Department's option—			
986	2 tons .. .. .	5/10	each
987	5 tons .. .. .	8/10	"
988	8 tons .. .. .	12/10	"

\* All iron tubes and fittings must bear the distinguishing brand of the makers.  
 † Brands: John Marshall and Sons or Wilson's Union and Tube Company (Limited).

No.	Description of Article and Rate.	Per	Tenderer.
	Keys, blank—		
989	Cupboard-lock .. .. . 2/6	doz.	110 John Edmond.
990	Drawer-lock .. .. . 2/6	"	"
991	Night latch .. .. . 2/9	"	"
992	Railway-car, to sample .. .. . 11/8	"	"
993	Rim-lock .. .. . 4/	"	"
	Knives, putty, clip point, pliable blade, Edwin Perry—		
995	4 in. .. .. . 7/	"	198 Smith & Smith (Ltd.).
996	4½ in. .. .. . 7/	"	"
997	5 in. .. .. . 7/	"	"
	Knives, putty, clip point, stiff blade, Edwin Perry—		
998	4 in. .. .. . 7/	"	"
999	4½ in. .. .. . 7/	"	"
1000	5 in. .. .. . 7/	"	"
	Knobs, drawer, wood (cedar or mahogany)—		
1001	1½ in. .. .. . 2/	"	176 Thomson, Bridger, and Co. (Ltd.).
1002	2 in. .. .. . 2/	"	Ditto.
	Knobs and spindles—		
	H. and T. Vaughan's No. 551, for Vaughan's No. 232 mortise locks—		
1005	6 in. .. .. . 7/9	"	168 James Park and Co.
1006	7 in. .. .. . 7/9	"	"
	H. and T. Vaughan's No. 551, for Vaughan's No. 60 rim-locks—		
1007	6 in. .. .. . 7/9	"	"
1008	7 in. .. .. . 7/9	"	"
1013	Lamps, bracket, Miller's "Rochester" No. 2, complete with all fittings 8/9	each	144 Briscoe and Co. (Ltd.).
1014	Lamps, hanging, Miller's "Rochester" No. 2, harped, with tin shade, and complete with all fittings 10/3	"	"
1015	Lamps, table, Miller's "Rochester" No. 2, with chimney and shade complete 10/3	"	167 Laidlaw & Gray (Ltd.)
1016	Lamp-fonts, Miller's "Rochester" No. 1, complete with wick and chimney 7/	"	144 Briscoe and Co. (Ltd.).
1017	Lamp-fonts, Miller's "Rochester" No. 2, complete with wick and chimney 7/9	"	"
	Lamp-burners—		
1023	For ½ in. colza-wicks .. .. . 2/5	doz.	110 John Edmond.
1024	For ⅝ in. colza-wicks .. .. . 2/7	"	"
1025	For ¾ in. colza-wicks .. .. . 2/10	"	"
1026	For ⅞ in. colza-wicks .. .. . 3/2	"	"
1027	For 1 in. colza-wicks .. .. . 3/5	"	"
1028	For 1¼ in. colza-wicks .. .. . 3/8	"	"
1029	For 1½ in. colza-wicks .. .. . 4/	"	"
1030	For 1¾ in. colza-wicks .. .. . 5/	"	"
1031	For 2 in. colza-wicks .. .. . 6/3	"	"
	Lamp-chimneys, best fireproof—		
1032	"Acme" No. 1 .. .. . 5/8	"	"
1033	"Acme" No. 2 .. .. . 6/5	"	"
1034	Lamp-chimneys for car-lamps, to blue-print 1186 .. 4/	"	168 James Park and Co.
	Lamp-feeder (or bottle-top) screws—		
1035	⅝ in. .. .. . 1/6	"	144 Briscoe and Co. (Ltd.).
1036	¾ in. .. .. . 1/6	"	"
1037	1 in. .. .. . 1/9	"	"
1038	1¼ in. .. .. . 2/11	"	110 John Edmond.
1039	1½ in. .. .. . 3/6	"	144 Briscoe and Co. (Ltd.).
1040	2 in. .. .. . 4/	"	"

No.	Description of Article and Rate.	Per	Tenderer.
1041	Lamp-wick, ball .. .. .	/11 $\frac{3}{4}$	lb. 144 Briscoe and Co. (Ltd.).
	Lamp-wick, colza—		
1042	$\frac{1}{2}$ in. .. .. .	/2 $\frac{1}{2}$	doz. yards 58 Burton Bros. (Ltd.).
1043	$\frac{3}{8}$ in. .. .. .	/3	.. .. .
1044	$\frac{3}{4}$ in. .. .. .	/3 $\frac{1}{2}$	.. .. . 115 Allen, Son, and Mc- Clure (Ltd.).
1045	$\frac{7}{8}$ in. .. .. .	/4	.. .. . 58 Burton Bros. (Ltd.).
1046	1 in. .. .. .	/4 $\frac{1}{2}$	.. .. .
1047	1 $\frac{1}{4}$ in. .. .. .	/4 $\frac{1}{2}$	.. .. .
1048	1 $\frac{1}{2}$ in. .. .. .	/5	.. .. .
1049	1 $\frac{3}{4}$ in. .. .. .	/5 $\frac{1}{2}$	.. .. .
1050	2 in. .. .. .	/6	.. .. .
	Lamp-wick, kerosene—		
1051	$\frac{1}{4}$ in. .. .. .	/2	.. .. .
1052	$\frac{3}{8}$ in. .. .. .	/2 $\frac{1}{4}$	.. .. .
1053	$\frac{1}{2}$ in. .. .. .	/2 $\frac{1}{2}$	.. .. .
1054	$\frac{5}{8}$ in. .. .. .	/3	.. .. .
1055	$\frac{3}{4}$ in. .. .. .	/3 $\frac{3}{4}$	.. .. .
1056	$\frac{7}{8}$ in. .. .. .	/4	.. .. .
1057	1 in. .. .. .	/4 $\frac{1}{2}$	.. .. .
1058	1 $\frac{1}{4}$ in. .. .. .	/4 $\frac{1}{2}$	.. .. .
1059	1 $\frac{1}{2}$ in. .. .. .	/5	.. .. .
1060	2 in. .. .. .	/6	.. .. .
	Lamp-wicks, circular—		
1061	For Miller's No. 1 "Rochester" lamps .. .. .	/11	doz. 168 James Park and Co.
1062	For Miller's No. 2 "Rochester" lamps .. .. .	1/2	.. .. .
1063	For No. 1 "Union" lamps .. .. .	1/	110 John Edmond.
1064	For No. 2 "Union" lamps .. .. .	2/	.. .. .
	Lanterns, hurricane—		
1069	Deitz "Victor," tinned steel— .. .. .	2/2	each 85 New Zealand Hardware Company (Ltd.).
1071	Globes, white, for Deitz "Victor" .. .. .	4/9	doz. 115 Allen, Son, and Mc- Clure (Ltd.).
1074	"Rayo" No. 75, hot blast, tin finish .. .. .	2/	each 221 Vacuum Oil Co. (Ltd.).
1078	Globes, white, for "Rayo" No. 75, hot blast .. .. .	4/9	doz. .. .. .
	Latches—		
1085	Gate, Kenrick's No. 1, 4 in. .. .. .	4/3	.. .. . 58 Burton Bros. (Ltd.).
1086	Gate, Kenrick's No. 1, 6 in. .. .. .	5/6	.. .. .
	Latches, night, rim—		
1089	Kenrick's No. 500, 3 keys .. .. .	4/2	each 144 Briscoe and Co. (Ltd.).
1090	H. and T. Vaughan's No. 07, 3 keys .. .. .	4/10	.. .. . 176 Thomson, Bridger, and Co. (Ltd.).
1091	H. and T. Vaughan's No. 09, 3 keys .. .. .	6/	.. .. . Ditto.
1092	Latches, Norfolk, japanned, No. 3 .. .. .	4/	.. .. . 85 New Zealand Hardware Company (Ltd.).
1093	Lead bends, all sizes .. .. .	36/	cwt. 182 A. and T. Burt (Ltd.).
1094	Lead pipe, solid-drawn, seamless, all sizes .. .. .	25/	.. .. .
1095	Lead sheet, 3 lb. to 8 lb. per square foot .. .. .	24/10	.. .. . 144 Briscoe and Co. (Ltd.).
	Lead—		
1097	Black, Nixey's .. .. .	6/8	gross blocks 110 John Edmond.
1099*	Red, dry, genuine, warranted, to specification .. .. .	25/	cwt. 144 Briscoe and Co. (Ltd.).
1100*	White, dry, genuine, warranted, to specification .. .. .	30/	.. .. . 198 Smith & Smith (Ltd.).

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.
1103	Leather, buffalo-skins, English, genuine hand-buffed (1st cut), dark green, size 50 square feet and over, S. E. Norris and Co., Shadwell, London— F.o.b., London .. .. . 1/1 F.o.r., New Zealand .. .. . 1/2 $\frac{3}{4}$	sq. ft.	113 The North Co. (Ltd.). "
1107	Leather— Hydraulic, oil-tanned .. .. . 1/11	lb.	110 John Edmond.
1109	Pump butts, English, hydraulic, J. Tullis and Co.'s .. 2/6	"	174 R. B. Denniston & Co.
1110	Sole, English, in bends not under 17 lb. each .. 2/5	"	122 Michaelis, Hallenstein, and Farquhar.
1111	Letters, alphabet, steel, Boker's— $\frac{1}{8}$ in. .. .. . 7/6	set	176 Thomson, Bridger, and (Ltd.).
1112	$\frac{1}{4}$ in. .. .. . 8/6	"	Ditto.
1115	Levels, spirit, ebony, brass-plated top and tipped bottom, John Rabone and Sons' No. 1800— 6 in. .. .. . 1/2	each	58 Burton Bros. (Ltd.).
1116	Levels, spirit, side views, brass-plated top and tipped bottom, John Rabone and Sons' No. 1330— 10 in. .. .. . 1/10	"	144 Briscoe and Co. (Ltd.).
1117	12 in. .. .. . 2/2	"	"
1118	18 in. .. .. . 3/10	"	"
1119	Levels, spirit, side views, with plumb, brass-plated top and tipped bottom, John Rabone and Sons' No. 1350— 12 in. .. .. . 2/10	"	"
1120	18 in. .. .. . 4/10	"	"
1121	Levels, spirit, with plumb, patent adjustable, mahogany stock, brass-lipped side views, full brass tipped, John Rabone and Sons' No. 107— 24 in. .. .. . 5/7	"	"
1122	30 in. .. .. . 5/11	"	"
1123	Linoleum, Naim's— Inlaid, for cars, varnished back, to sample in pattern and quality .. 4/8	sq. yd.	139 Bing, Harris, and Co. (Ltd.).
1124	Plain brown, varnished back, equal to sample .. 3/5	"	Ditto.
1125	Locks, box, brass— 2 in., 3-lever .. .. . 16/2	doz.	144 Briscoe and Co. (Ltd.).
1126	2 $\frac{1}{2}$ in., 3-lever .. .. . 17/2	"	"
1127	3 in., 3-lever .. .. . 18/2	"	"
1128	Hobbs's 2 $\frac{1}{2}$ in., 2 keys .. .. . 3/11	each	"
1129	Hobbs's 3 in., 2 keys .. .. . 4/5	"	"
1130	Locks, box, iron— 2 $\frac{1}{2}$ in. .. .. . 4/9	doz.	85 New Zealand Hardware Company (Ltd.).
1131	3 in. .. .. . 5/	"	Ditto.
1132	3 $\frac{1}{2}$ in. .. .. . 5/	"	"
1133	4 in. .. .. . 5/6	"	"
1134	Locks, cupboard, brass— 2 in., 3-lever .. .. . 15/6	"	144 Briscoe and Co. (Ltd.).
1135	2 $\frac{1}{2}$ in., 3-lever .. .. . 16/6	"	"
1136	3 in., 3-lever .. .. . 17/6	"	"
1137	Locks, cupboard, iron— 3 in. .. .. . 4/2	"	"
1138	3 $\frac{1}{2}$ in. .. .. . 4/3	"	85 New Zealand Hardware Company (Ltd.).
1139	4 in. .. .. . 4/3	"	Ditto.

No.	Description of Article and Rate.	Per	Tenderer.	
	Locks, desk, brass—			
1140	Hobbs's 2½ in., 2 keys .. .. .	4/8	each	110 John Edmond.
1141	Hobbs's 3 in., 2 keys .. .. .	5/10	"	"
	Locks, till, brass—			
1142	2 in., 3-lever .. .. .	15/6	doz.	"
1143	2½ in., 3-lever .. .. .	15/9	"	"
1144	3 in., 3-lever .. .. .	16/6	"	"
1145	Hobbs's 2½ in., 2 keys .. .. .	3/	each	144 Briscoe and Co. (Ltd.).
1146	Hobbs's 3 in., 2 keys .. .. .	4/	"	"
	Locks, mortise, H. and T. Vaughan's No. 232, with Mace's ebony furniture, with brass roses—			
1147	5 in. .. .. .	6/5	"	110 John Edmond.
1148	6 in. .. .. .	6/8	"	"
	Locks, rim, H. and T. Vaughan's No. 60, 2-bolt—			
1149	6 in. .. .. .	3/1	"	144 Briscoe and Co. (Ltd.).
1150	7 in. .. .. .	4/5	"	"
	Locks, pad, brass, Hobbs's patent—			
1151	2½ in. .. .. .	10/2	"	"
1152	3 in. .. .. .	12/2	"	"
	Locks, pad, galvanized, brass springs—			
1153	2½ in., 2-keyed .. .. .	10/	doz.	85 New Zealand Hardware Company (Ltd.).
1154	3 in., 2-keyed .. .. .	14/	"	Ditto.
1156	Roberts' 4-lever, 3 in., to sample .. .. .	4/1	each	168 James Park and Co.
	Locks, pad, japanned, 2-keyed—			
1157	2½ in. .. .. .	8/	doz.	85 New Zealand Hardware Company (Ltd.).
1158	3 in. .. .. .	12/	"	Ditto.
	Locks, pad, bronze or gun-metal case, 2 keys—			
1160	A. Kenrick and Sons' secure lever, No. 410, 2 in. .. .. .	3/4	"	144 Briscoe and Co. (Ltd.).
1161	D. K. Miller's "Champion," No. 1, 2¼ in. .. .. .	2/1	"	"
1162	D. K. Miller's, No. 999 .. .. .	1/7½	"	167 Laidlaw & Gray (Ltd.).
	Lock-staples for H. and T. Vaughan's No. 60 rim-locks—			
1166	For 6 in. locks .. .. .	5/5	"	110 John Edmond.
1167	For 7 in. locks .. .. .	6/2	"	"
	Mallets, Tinman's, boxwood, handled—			
1168	2½ in. .. .. .	13/9	"	144 Briscoe and Co. (Ltd.).
1169	2¾ in. .. .. .	14/3	"	"
1170	3 in. .. .. .	14/6	"	"
1174	Marline, tarred, Belfast Ropework Company's or equal quality	/9	lb.	176 Thomson, Brigder, and Co. (Ltd.)
1175	Matting, coconut-fibre .. .. .	1/8	sq. yard	110 John Edmond.
	Mattocks, grubbing, short or long cutter—			
1177	W. Edwards and Son (Limited), No. E405—4 lb. .. .. .	2/4	each	"
	5 lb. .. .. .	2/6	"	"
	5½ lb. .. .. .	2/8	"	"
1181	Warwood Company—4 lb. .. .. .	2/	"	"
	5 lb. .. .. .	2/	"	"
	5½ lb. .. .. .	2/	"	"
1188	Mops, white wool, 16 oz., with spike .. .. .	9/9	doz.	144 Briscoe and Co. (Ltd.).
	Mugs, enamelled, seamless, "Anglo," or equal quality—			
1189	¼ pint .. .. .	2/11	"	"
1190	½ pint .. .. .	3/8	"	"
1191	Muntz-metal, rod, for riveting, 3-Crown, P. H. Muntz and Co.	/10	lb.	182 A. and T. Burt (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
Nails, clout, best wrought, flat head, black—			
1192	$\frac{1}{2}$ in. . . . .	/7 lb.	144 Briscoe and Co. (Ltd.).
1193	$\frac{3}{8}$ in. . . . .	/7 "	"
1194	$\frac{3}{4}$ in. and $\frac{7}{8}$ in. . . . .	/5 $\frac{1}{2}$ "	"
1195	1 in. and 1 $\frac{1}{8}$ in. . . . .	/5 "	"
1196	1 $\frac{1}{4}$ in. to 2 in. . . . .	/4 $\frac{1}{2}$ "	"
1202	Nails, clout, countersunk, strong, at per cent. discount off list No. 2	23 $\frac{1}{4}$ per cent.	176 Thomson, Bridger, and Co. (Ltd.).
Nails, finishing—			
1204	$\frac{1}{2}$ in. . . . .	/4 $\frac{1}{4}$ lb.	168 James Park and Co.
1205	$\frac{3}{8}$ in. . . . .	/4 $\frac{1}{4}$ "	"
1206	$\frac{3}{4}$ in. . . . .	/4 $\frac{1}{4}$ "	"
1207	$\frac{7}{8}$ in. . . . .	/4 "	85 New Zealand Hardware Co. (Ltd.).
1208	1 in. . . . .	/3 $\frac{1}{2}$ "	Ditto.
1209	1 $\frac{1}{4}$ in. . . . .	/3 $\frac{1}{2}$ "	"
1210	1 $\frac{1}{2}$ in. . . . .	/3 $\frac{1}{2}$ "	"
1211	1 $\frac{3}{4}$ in. . . . .	/3 $\frac{1}{2}$ "	"
1212	2 in. . . . .	/3 $\frac{1}{2}$ "	"
1213	2 $\frac{1}{2}$ in. . . . .	/3 $\frac{1}{2}$ "	"
1214	Nails, patent wrought, per cent. discount off list No. 3..	10 per cent.	110 John Edmond.
Nails, wire, diamond head, or rose head, as required—			
1215	1 in. x 15 gauge . . . . .	18/2 cwt.	"
1216	1 $\frac{1}{4}$ in. x 14 gauge . . . . .	17/7 "	"
1217	1 $\frac{1}{2}$ in. x 13 gauge . . . . .	15/10 "	144 Briscoe and Co. (Ltd.).
1218	2 in. x 12 gauge . . . . .	14/10 "	"
1219	2 $\frac{1}{4}$ in. x 11 gauge . . . . .	14/2 "	"
1220	2 $\frac{1}{2}$ in. x 10 gauge . . . . .	13/10 "	"
1221	3 in. x 9 gauge . . . . .	13/1 "	"
1222	3 $\frac{1}{2}$ in. x 6 and 7 gauge . . . . .	12/4 "	"
1223	4 in. x 6 gauge . . . . .	12/4 "	"
1224	5 in. x 5 gauge . . . . .	12/4 "	"
1225	6 in. x 4 gauge . . . . .	12/4 "	"
1126	Nails, wire, Evenden's spring-head, galvanized . . . . .	/11 $\frac{3}{4}$ gross	"
1228	Netting, wire, galvanized after manufacture, any width or mesh, at per cent. discount off list No. 4	46 $\frac{1}{4}$ per cent.	"

NUTS (Whitworth's Standard Threads and Sizes).

Iron, Black, Machine-made.

Size.	Per Gross.				Per Cwt.									
	$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	$\frac{3}{8}$ in.	$\frac{1}{4}$ to $\frac{3}{4}$ in.	1 $\frac{1}{8}$ in.	1 $\frac{1}{2}$ in.	1 $\frac{3}{8}$ in.	1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.	2 in.	

Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand—

1237	Square, untapped	1/	1/3	1/8	2/5	19/3	18/7	20/	20/20/6	22/23/	25/	25/	110 John Edmond.
1238	Square, tapped . .	1/4	1/7	—	—	26/	—	—	24/24/6	26/27/6	29/	29/	"
1239	Hexagon, untapped	1/11	2/1	3/3	3/9	28/	25/	24/	24/24/	24/25/	26/	26/	"
1240	Hexagon, tapped	—	—	—	—	30/6	28/	—	—	—	—	—	"

Horton and Son (Limited), Darlaston, "Alma" Brand—

1242	Square, tapped . .	—	—	1/8	2/9	—	24/5	23/5	—	—	—	—	71 Paterson & Barr (Ltd.).
1244	Hexagon, tapped	1/9	2/3	2/6	3/6	—	—	27/	28/	28/	30/	31/ 32/ 32/	168 James Park and Co.



No.	Description of Article and Rate	Per	Tenderer.
NUTS—continued.			
<i>Iron, Hexagon, Engineers'.</i>			
1252	Faced one side, Horton and Son (Limited)—		
	$\frac{3}{8}$ in. .. .. .	4/4	gross
	$\frac{1}{2}$ in. .. .. .	5/11	"
	$\frac{5}{8}$ in. .. .. .	8/8	"
	$\frac{3}{4}$ in. .. .. .	13/	"
	$\frac{7}{8}$ in. .. .. .	18/3	"
	1 in. .. .. .	26/4	"
	$1\frac{1}{8}$ in. .. .. .	36/	"
	$1\frac{1}{4}$ in. .. .. .	48/9	"
1257	Faced both sides, Horton and Son (Limited)—		
	$\frac{3}{8}$ in. .. .. .	6/5	"
	$\frac{1}{2}$ in. .. .. .	9/4	"
	$\frac{5}{8}$ in. .. .. .	14/7	"
	$\frac{3}{4}$ in. .. .. .	20/8	"
	$\frac{7}{8}$ in. .. .. .	28/9	"
	1 in. .. .. .	37/6	"
	$1\frac{1}{8}$ in. .. .. .	55/	"
	$1\frac{1}{4}$ in. .. .. .	72/	"
1262	Finished bright, Horton and Son (Limited)—		
	$\frac{3}{8}$ in. .. .. .	7/6	"
	$\frac{1}{2}$ in. .. .. .	11/6	"
	$\frac{5}{8}$ in. .. .. .	15/	"
	$\frac{3}{4}$ in. .. .. .	20/	"
	$\frac{7}{8}$ in. .. .. .	30/	"
	1 in. .. .. .	44/	"
	$1\frac{1}{8}$ in. .. .. .	54/	"
	$1\frac{1}{4}$ in. .. .. .	72/6	"
1264	Oakum .. .. .	31/6	cwt.
1265	Oil, gas-engine, cylinder, Tangye's .. .. .	4/	gal.
1267	Oil, kerosene, 150° Fahr., in Abel's closed tester, "White Rose"	/9 $\frac{7}{8}$	"
	Oil-bottles, Braime's, solid-pressed steel, seamless, No. 1—		
1268	$\frac{1}{2}$ gallon .. .. .	36/	doz.
1269	1 gallon .. .. .	46/	"
	Oil-bottles, Kayes' corrugated steel, without spout—		
1270	$\frac{1}{2}$ gallon .. .. .	29/	"
1271	1 gallon .. .. .	35/	"
	Oil-feeders, common—		
1272	1 pint .. .. .	12/6	"
1273	2 pints .. .. .	22/	"
1274	$\frac{1}{4}$ pint, spring bottom .. .. .	7/3	"
	Oil-feeders, Braime's standard Admiralty pattern, "O" type, with interchangeable copper spouts—		
1275	$\frac{1}{2}$ pint, No. 09 .. .. .	25/3	"
1276	1 pint, No. 011 .. .. .	35/6	"
1277	$1\frac{1}{2}$ pint, No. 012.. .. .	41/6	"
1278	1 pint, with large valve and spout outlet for thick oil	42/	"
1279	$1\frac{1}{2}$ pint, with large valve and spout outlet for thick oil	48/	"
	Oil-feeders, spare copper spouts for above (Braime's)—		
1280	6 in. .. .. .	3/6	"
1281	8 in. .. .. .	5/	"
1282	10 in. .. .. .	7/	"
1283	12 in. .. .. .	7/11	"

No.	Description of Article and Rate.	Per	Tenderer.
	Oil-feeders, spare copper spouts for Kaye's patent serrated seamless oil-can—		
1289	6 in. . . . .	3/6	doz.
1290	8 in. . . . .	4/	"
1291	10 in. . . . .	6/	"
1292	12 in. . . . .	8/	"
	Oil-slips—		
1302	Turkey-stone . . . . .	2/3	lb.
1303	Washita-stone . . . . .	2/3	"
	Oil-stones—		
1304	Turkey . . . . .	1/0½	"
1305	Washita . . . . .	1/0½	"
	Packing, any size or thickness, The North British Rubber Company—		
1312	Asbestos cloth sheeting, metallic . . . . .	/11	"
1313	Asbestos millboard . . . . .	/2 <sup>1</sup> / <sub>10</sub>	"
1314	Asbestos metallic tape . . . . .	/11 <sup>9</sup> / <sub>10</sub>	"
1315	Asbestos rolled cloth . . . . .	/11	"
1316	Asbestos yarn, plaited . . . . .	/8 <sup>3</sup> / <sub>4</sub>	"
1317	Asbestos yarn, twisted . . . . .	/8½	"
1318	Harris's spiral piston-packing, No. 1 quality, round . . . . .	1/4½	"
	Packing, any size—		
1326	Hemp, greasy . . . . .	/9	"
1327	"Peerless," American, genuine . . . . .	3/1	"
1328	Tuck's genuine, round—		
	¼ in. . . . .	1/9½	"
	¾ in. and upwards . . . . .	1/5½	"
	Patent jointing-sheets, 1/16 in. to 1/8 in. thick—		
1331	Klingerit, genuine . . . . .	4/	"
1333	Permanite, genuine . . . . .	3/3	"
1334	Rainbow, American, genuine . . . . .	3/2	"
1335	Walkerite, genuine . . . . .	3/7	"
	<b>PAINT.</b>		
	Paint, "Bon Accord"—		
1336	For inside work, various colours . . . . .	10/9	gal.
1337	For outside work, various colours . . . . .	10/9	"
1338	For roofs, red . . . . .	8/6	"
1339	Tinting-colours, any shade . . . . .	1/3	pint
	Paint, Lewis Berger and Sons (Limited)—		
1340	Gloss white, for outside work, No. 601 . . . . .	11/9	gal.
1341	Varnal, for inside work, various colours . . . . .	11/6	"
1342	Varnal, for tinting, various colours . . . . .	11/6	"
1344	Paint, gold powder, in 1 oz. packets . . . . .	4/5	lb.
1345	Paint, hæmatite, any colour, Proctor's . . . . .	11/	cwt.
1346	Paint, Pullman-car colour, ground in gold size, to sample shade, Harland's . . . . .	1/1½	lb.
	Paint, Alexander, Fergusson, and Co.'s "Elephant" brand—		
1347	Oxide of iron, bright red, dry . . . . .	12/6	cwt.
1348	Oxide of iron, bright red, in oil . . . . .	23/6	"

No.	Description of Article and Rate.		Per	Tenderer.
<i>PAINT—continued.</i>				
•Paint, Jenson and Nicholson's fine, best quality—				
1357	Oxide of iron, bright red, dry .. .. .	12/6	cwt.	134 Andrew Lees.
1358	Oxide of iron, bright red, in oil .. .. .	23/6	"	"
1359	Paint, special signal red, ground in varnish, Lewis Berger and Son (Ltd.)	22/6	gal.	71 Paterson & Barr (Ltd.).
<i>PAINTS.</i>				
Paints, Alexander, Fergusson, and Co.'s "Elephant" brand, as under—				
1360	Black, in oil .. .. .	/2½	lb.	134 Andrew Lees.
1362	Black, ivory, drop, dry (in tins) .. .. .	/2	"	"
1363	Black, lamp, dry (in 1 lb. paper packets) .. .. .	/2¼	"	"
1364	Black, vegetable (in 1 lb. paper packets) .. .. .	/9	"	"
1369	Chrome, lemon, dry (in tins) .. .. .	/7¾	"	198 Smith and Smith (Ltd.).
1370	Chrome, middle, dry (in tins) .. .. .	/7¾	"	"
1371	Chrome, orange, dry (in tins) .. .. .	/7¾	"	"
1372	Green, bronze, dry (in tins) .. .. .	/3	"	"
1373	Green, Brunswick, dry, all shades (in tins) .. .. .	/2½	"	"
1374	Green, Brunswick, in oil, all shades .. .. .	/3	"	"
1375	Ochre, Italian, in oil .. .. .	36/	cwt.	"
1376	Ochre, Oxford, in oil .. .. .	36/	"	"
1377	Ochre, red, dry (in tins) .. .. .	/1¼	lb.	"
1378	Ochre, yellow, dry (in tins) .. .. .	/1¼	"	"
1380	Purple-brown, dry (in tins) .. .. .	/2¼	"	"
1382	Red, Indian, dry, p., m., and d., to sample .. .. .	25/	cwt.	134 Andrew Lees.
1383	Red, Venetian, in oil .. .. .	/2½	lb.	"
1384	Sienna, burnt, in oil, "special" .. .. .	/5½	"	"
1385	Sienna, raw, in oil, "special" .. .. .	/5	"	"
1386	Umber, burnt, in oil, "special" .. .. .	/4	"	"
1387	Umber, raw, in oil, "special" .. .. .	/4	"	"
Paints, Lewis Berger and Son (Limited), as under—				
1398	Brown, Vandyke, in oil, No. 302 .. .. .	46/8	cwt.	71 Paterson & Barr (Ltd.).
1399	Brown, Vandyke, in water, No. 500 .. .. .	32/8	"	"
1413	Red, Chinese, dry, No. 414 .. .. .	56/	"	"
Paints, Blundell, Spence, and Co (Limited), as under—				
1424	Black, drop, in oil, No. 184 .. .. .	/4½	lb.	198 Smith and Smith (Ltd.).
1428	Blue, Prussian, genuine, dry, No. 476 (finest) .. .. .	1/9	"	"
1429	Blue, ultramarine, No. 1, dry, No. 764 (fine) .. .. .	/6	"	144 Briscoe and Co. (Ltd.).
1448	Ochre, yellow, in oil, No. 95 .. .. .	/2½	"	198 Smith and Smith (Ltd.).
1457	Vermilion, English, genuine, deep, No. 584 .. .. .	3/0¾	"	"
1458	Vermilion, English, genuine, pale, No. 585 .. .. .	3/0¾	"	"
Paints, Colthurst and Harding's, as under—				
1461	Black, drop, in oil, "Alpha" brand .. .. .	/4½	"	"
1465	Blue, Prussian, genuine, dry, No. 1 .. .. .	1/9	"	"
1479	Ochre, yellow, No. 1, in oil, "Alpha" brand .. .. .	/2½	"	"
1488	Vermilion, English, genuine, deep .. .. .	3/0¾	"	"
1489	Vermilion, English, genuine, pale .. .. .	3/0¾	"	"
Paints, Thomas Hubbuck and Son (Limited), "Hubbuck" brand, as under—				
1521	Zinc-white, in oil, "Hubbuck," patent .. .. .	40/6	cwt.	110 John Edmond.
Pans, ash—				
1522	For 36 in. register-grates .. .. .	3/5	each	"
1523	For 38 in. register-grates .. .. .	3/5	"	"

No.	Description of Article and Rate.	Per	Tenderer.
Patent, filling-up—			
1527	Alexander, Fergusson, and Co. .. .. . 25/	cwt.	198 Smith and Smith (Ltd.).
1530	Colthurst and Harding .. .. . 25/	"	"
1532	William Harland and Sons .. .. . 25/	"	"
Patent knotting—			
1539	Blundell Spence and Co. (Limited) .. .. . 11/	gal.	"
1540	Colthurst and Harding .. .. . 11/	"	"
Picks, platelayers', William Gilpin and Co.—			
Double point, bright and japped—			
1547	6 lb. .. .. . 24/	doz.	144 Briscoe and Co. (Ltd.).
1548	6½ lb. .. .. . 26/	"	"
1549	7 lb. .. .. . 27/	"	"
Point and chisel ends, bright and japped—			
1550	6 lb. .. .. .		
1551	6½ lb. .. .. . 23/	"	"
1552	7 lb. .. .. . 25/	"	"
		26/	"

PINS, COTTER, SPLIT, BRIGHT.

Guest, Keen, and Nettlefolds (Limited), Art. No. 595—

Nominal Diameter.	Length in Inches.																	Per
	1	1¼	1½	1¾	2	2¼	2½	2¾	3	3¼	3½	3¾	4	4¼	5	5½	6	
1565	1/16 in.	/4	/4¼	/5	/6	/7	/7½	/8	/9	/10	—	—	—	—	—	—	—	gross
1566	3/32 in.	/4	/4¼	/5	/6	/7	/7½	/8	/9	/10	—	—	—	—	—	—	—	"
1567	1/8 in.	/5½	/6	/6¾	/7½	/8½	/9	/10	/10½	/11	/11½	1/	1/1	1/2	—	—	—	"
1568	3/16 in.	/6½	/6¾	/7½	/8½	/9¼	/10	/10¾	/11½	1/	1/1	1/2	1/3	1/4	—	—	—	"
1569	7/16 in.	/7¼	/8	/9	/10	/11	/11½	1/	1/1	1/2½	1/3	1/4	1/5	1/7	—	—	—	"
1570	1/4 in.	/9½	/11	1/	1/1½	1/3	1/4	1/5	1/6	1/7½	1/8½	1/10	2/	2/1	2/4	—	—	"
1571	5/16 in.	/11	1/	1/2	1/3½	1/5	1/6	1/8	1/9	1/11	2/	2/2	2/3	2/6	2/11	3/	—	"
1572	3/8 in.	1/2	1/3	1/6	1/7½	1/11	2/	2/4	2/5	2/8	2/9	3/1	3/2	3/5	3/8	4/	—	"
1573	1/2 in.	—	—	2/9	3/	3/3	3/6	3/8	3/11	4/3	4/5	4/9	5/	5/4	5/10	4/4	6/7	—
1574	5/8 in.	—	—	—	3/6	3/11	4/4	4/8	5/	5/4	5/6	5/9	6/2	6/7	7/	7/6	—	"
1575	3/4 in.	—	—	—	—	—	4/10	5/4	5/11	6/3	6/6	6/7	7/	7/6	8/	8/4	8/9	"
1576	7/8 in.	—	—	—	—	—	6/8	—	8/2	—	9/2	—	11/	12/6	14/	18/	19/6	"

110 John Edmond.

Pins—				
1589	Gimp, japped, black .. .. .	/5½	lb.	168 James Park and Co.
1591	Panel, copper .. .. .	1/9	"	110 John Edmond.
1592	Panel, iron .. .. .	/3	"	114 Briscoe and Co. (Ltd.).
1594	Taper, steel, solid—			
	Guest, Keen, and Nettlefolds, Art. No. 600, at per cent. discount off list No. 5	33½	per cent.	"
1596	Taper, steel, split—			
	Guest, Keen, and Nettlefolds, Art. No. 601, at per cent. discount off list No. 6	5	"	"
1598	Pitch, Stockholm .. .. .	17/9	cwt.	"
1599	Plaster-of-paris, in 7 lb. tins .. .. .	1/3	tin	198 Smith & Smith (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
	Plumbago, Morgan's—		
1605	No. 1 quality, to sample .. .. .	25/	cwt. 157 Fred Schlaich.
1606	No. D quality, to sample .. .. .	19/6	" "
1607	Polish, knife, Oakey's .. .. .	/5½	tin 176 Thomson, Bridger, and Co. (Ltd.).
	Polish, metal, "Solarene"—		
1616	½ pint tins .. .. .	4/	doz. tins 66 N. Guthridge (Ltd.).
1617	1 pint tins .. .. .	7/	" "
	Polishing-cloths, "Redio"—		
1618	Green .. .. .	4/	doz. 43 Ross and Glendining (Ltd.).
1619	Yellow .. .. .	2/9	" 168 James Park and Co.
	Potash—		
1620	American, in tins .. .. .	/5	lb. 198 Smith & Smith (Ltd.).
1621	Bichromate .. .. .	/5¾	" "
1622	Prussiate of, yellow .. .. .	/9¾	" "
1624	Pumice-stone composition blocks, any grain, Hartmann's	4/2	doz. blocks 144 Briscoe and Co. (Ltd.).
	Pumice-stone—		
1625	Lump .. .. .	/1¾	lb. "
1626	Ground fine .. .. .	/2¼	" "
1627	Ground coarse .. .. .	/2¼	" "
	Pumps, hand, Douglas's patent—		
1628	Fig. 1, No. 3 .. .. .		
1629	Fig. 1, No. 4 .. .. .	12/9	each 144 Briscoe and Co. (Ltd.).
		15/3	" 176 Thomson, Bridger, and Co. (Ltd.).
1630	Fig. 1, No. 5 .. .. .		
1631	Fig. 1, No. 6 .. .. .	18/	" Ditto.
		22/6	" "
1637	Pumps, hand, Douglas's patent, "side-eared," suction and force, with air-barrel and cock, Fig. 156, No. 4	48/6	" 85 New Zealand Hardware Company (Ltd.).
	Putty, pure linseed-oil, Alexander, Fergusson, and Co.—		
1652	In 14 lb. bladders .. .. .	16/	cwt. 134 Andrew Lees.
1653	In 14 lb. tins .. .. .	16/	" "
	Rakes, iron or steel, strong, handled—		
1662	12-tooth .. .. .	13/	doz. 58 Burton Bros. (Ltd.).
1663	14-tooth .. .. .	14/6	" "
1664	16-tooth .. .. .	16/6	" "
1665	18-tooth .. .. .	21/	" "
1666	Resin, fine amber .. .. .	16/	cwt. 144 Briscoe and Co. (Ltd.).
	Rings, flush, brass—		
1675	1 in. .. .. .	3/6	doz. 110 John Edmond.
1676	1¼ in. .. .. .	3/9	" "
1677	1½ in. .. .. .	4/2	" "
	Rings, screw, brassed—		
1678	1 in. .. .. .	4/8	gross 110 John Edmond.
1679	1¼ in. .. .. .	7/6	" 144 Briscoe and Co. (Ltd.).
1683	Rings, tinned, tarpaulin, 1 in. internal diameter, No. 8 gauge	3/	" 110 John Edmond.
1684	Rivets, cooper's, iron, flat head, at per cent. discount off list No. 7	20	per cent. 144 Briscoe and Co. (Ltd.).
1685	Rivets, copper .. .. .	1/2¾	lb. "
1686	Rivets, copper, and washers .. .. .	1/2½	" "

No.	Description of Article and Rate.	Per	Tenderer.
	Rivets, steel, mild, pan and round head—		
1692	$\frac{1}{2}$ in. diameter .. .. .	21/	cwt. 110 John Edmond.
1693	$\frac{3}{8}$ in. diameter .. .. .	19/6	144 Briscoe and Co. (Ltd.).
1694	$\frac{1}{2}$ in. diameter .. .. .	16/3	110 John Edmond.
1695	$\frac{3}{8}$ in. diameter .. .. .	15/	182 A. and T. Burt (Ltd.).
1696	$\frac{3}{4}$ in. diameter .. .. .	14/6	..
1697	$\frac{7}{8}$ in. diameter .. .. .	15/	..
1698	1 in. diameter .. .. .	14/9	110 John Edmond.
1699	Rivets, tinmen's, tinned, at per cent. discount off list No. 8	50	per cent. 182 A. and T. Burt (Ltd.).
	Rules, boxwood, John Rabone and Sons'—		
1710	2 ft., four-fold, $1\frac{1}{2}$ in. wide, No. 1185 .. ..	1/3	each 144 Briscoe and Co. (Ltd.).
1711	3 ft., four-fold, $1\frac{1}{2}$ in. wide, No. 1185 .. ..	1/8 $\frac{1}{2}$	110 John Edmond.
	Rules, boxwood, John Rabone and Sons', brass-bound on inside and outside edges—		
1712	2 ft., four-fold, $1\frac{1}{8}$ in. wide, No. 1115 .. ..	2/2	144 Briscoe and Co. (Ltd.).
1713	2 ft., four-fold, $1\frac{3}{8}$ in. wide, No. 1116 .. ..	2/4	..
1714	3 ft., four-fold, $1\frac{1}{8}$ in. wide, No. 1115 .. ..	2/10	..
1715	3 ft., four-fold, $1\frac{3}{8}$ in. wide, No. 1116 .. ..	3/2	..
1716	Sal-ammoniac, lump .. .. .	/6 $\frac{1}{2}$	lb. 182 A. and T. Burt (Ltd.).
1717	Sal-ammoniac, powdered .. .. .	/5 $\frac{1}{2}$	..
1718	Salt, coarse .. .. .	4/6	cwt. 15 Kempthorne, Prosser, and Co. (Ltd.).
1720	Saltpetre .. .. .	/4 $\frac{1}{2}$	lb. Ditto.
	Saws, band—		
	Simonds Manufacturing Company—		
1721	$\frac{1}{2}$ in. .. .. .	/4	ft. 238 J. Chambers and Son (Ltd.).
	Spear and Jackson—		
1722	$\frac{5}{8}$ in. .. .. .	/4 $\frac{1}{2}$	110 John Edmond.
1723	$\frac{3}{4}$ in. .. .. .	/4 $\frac{1}{2}$	..
1724	$\frac{7}{8}$ in. .. .. .	/4 $\frac{1}{2}$	..
1725	1 in. .. .. .	/4 $\frac{1}{2}$	..
	Saws, hand, crosscut, straight back—		
1734	H. Disston and Sons' No. 7 .. .. .	4/10	each 144 Briscoe and Co. (Ltd.).
1737	Robert Sorby and Sons' No. 086, London spring .. ..	5/	176 Thomson, Bridger, and Co. (Ltd.).
	Saws, hand, panel, straight back—		
1748	H. Disston and Sons' No. 7, 22 in. .. ..	4/2	85 New Zealand Hardware Company (Ltd.).
	H. Disston and Sons' No. 7, 24 in. .. ..	4/7	144 Briscoe and Co. (Ltd.).
	Saws, hand, rip, straight back—		
1762	H. Disston and Sons' No. 7, 28 in. .. ..	5/9	71 Paterson & Barr (Ltd.).
	Saws, crosscut, one-man, with ordinary and supplementary handle—		
	H. Disston and Sons—		
1808	Tenon—3 ft. .. .. .	5/8	110 John Edmond.
	3 $\frac{1}{2}$ ft. .. .. .	6/5	..
	4 ft. .. .. .	7/5	..
	4 $\frac{1}{2}$ ft. .. .. .	8/9	..
1809	Great American—3 ft. .. .. .	6/	58 Burton Bros. (Ltd.).
	3 $\frac{1}{2}$ ft. .. .. .	7/6	..
	4 ft. .. .. .	8/6	..
	4 $\frac{1}{2}$ ft. .. .. .	10/	..
	5 ft. .. .. .	10/6	..
	5 $\frac{1}{2}$ ft. .. .. .	11/6	..

No.	Description of Article and Rate.	Per	Tenderer.	
	Saws, cross-cut, one-man, &c.— <i>continued</i> .			
	H. Disston and Sons— <i>continued</i> .			
1810	Lightning or Lumberman, improved—3 ft. ..	5/6	each	176 Thomson, Bridger, and Co. (Ltd.).
	3½ ft. ..	6/3	"	Ditto.
	4 ft. ..	7/3	"	"
	4½ ft. ..	8/	"	"
	Saws, circular, solid teeth, for wood, at per cent. discount off list No. 9—			
1835	Spear and Jackson .. .. .	55	per cent.	110 John Edmond.
	Saws, mitre-box—			
1841	H. Disston and Sons' No. 4—20 in. .. ..	7/9	each	58 Burton Bros. (Ltd.).
	22 in. .. ..	8/	"	"
	24 in. .. ..	8/3	"	"
	26 in. .. ..	8/8	"	110 John Edmond.
	Saws, hack, for metal, solid back, complete with twelve blades—			
1844	Griffin's No. 30—8 in. .. ..	2/4	"	85 New Zealand Hardware Company (Ltd.).
	9 in. .. ..	2/8	"	Ditto.
	10 in. .. ..	2/10	"	"
	12 in. .. ..	3/6	"	"
	Saws, hack, for metal, extending back, complete, to hold 8 in. to 12 in. blades—			
1850	Griffin's .. .. .	3/5	"	110 John Edmond.
	Saw-blades for metal hack-saws—			
1856	Griffin's, for No. 30 saws—8 in. .. ..	1/3	doz.	182 A. and T. Burt (Ltd.).
	10 in. .. ..	1/3½	"	"
	12 in. .. ..	1/4½	"	"
	Scissors, Sheffield make, C. Johnson's—			
1862	Lamp, 6 in. .. ..	18/	"	168 James Park and Co.
1863	Lamp, 8 in. .. ..	22/	"	"
1864	Office, 6 in. .. ..	14/6	"	"
1865	Office, 8 in. .. ..	21/	"	"
	Screws, Guest, Keen, and Nettlefolds, at per cent. discount off Guest, Keen, and Nettlefolds' trade list—			
1866	Brass, wood, countersunk head, Art. No. 2 ..	40	per cent.	85 New Zealand Hardware Company (Ltd.).
1867	Brass, wood, round head, Art. No. 2A .. ..	38¾	"	168 James Park and Co.
1868	Iron, wood, countersunk head, Art. No. 1 .. ..	63	"	144 Briscoe and Co. (Ltd.).
1869	Iron, wood, round head, Art. No. 1A .. ..	61¼	"	168 James Park and Co.
1870	Iron, metal-thread, countersunk head, Art. No. 100 ..	40	"	182 A. and T. Burt (Ltd.).
1871	Iron, metal-thread, round head, Art. No. 101 ..	40	"	"
	Screw-eyes, Guest, Keen, and Nettlefolds, at per cent. discount off Guest, Keen, and Nettlefolds' trade list—			
1872	Brass, Art. 501 .. .. .	25	"	110 John Edmond.
1873	Iron, Art. 420 .. .. .	52½	"	"
1874	Iron, japanned, Art. 432 .. .. .	25	"	144 Briscoe and Co. (Ltd.).
1875	Iron, tinned, Art. 432 .. .. .	15	"	"
1876	Scrim, No. 2, 72 in. wide .. .. .	/5¾	lineal yard	198 Smith & Smith (Ltd.).
	Scythe-blades, solid crown back, 36 in.—			
1880	W. Tyzack, Sons, and Turner's "Elephant" brand ..	32/6	doz.	85 New Zealand Hardware Company (Ltd.).





No.	Description of Article and Rate.	Per	Tenderer.	
	<b>Soda—</b>			
1935	Acetate of .. .. . 25/6	cwt.	162 Castendyk and Focke.	
1936	Bicarbonate of .. .. . /1½	lb.	15 Kempthorne, Prosser, and Co. (Ltd.).	
1937	Caustic, 98-99 per cent., in tins .. .. . /3½	„	110 John Edmond.	
1938	Washing .. .. . 5/8	cwt.	„	
	<b>Solder—</b>			
1939	Plumbers' .. .. . /11¾	lb.	144 Briscoe and Co. (Ltd.)	
1940	Tinsmiths' .. .. . 1/0¼	„	„	
	<b>Spades, ribbed, half bright, 28 in. D handle—</b>			
1942	Gilpin's No. 852B—No. 2 .. .. . 38/5	doz.	71 Paterson & Barr (Ltd.).	
	No. 3 .. .. . 39/5	„	„	
	<b>Spanners, shifting, Clyburn, improved, Joseph Evans's—</b>			
1948	12 in. .. .. . 4/3	each	144 Briscoe and Co., (Ltd.).	
1949	15 in. .. .. . 5/	„	„	
1950	18 in. .. .. . 5/9	„	„	
	<b>Spanners, shifting, Whitman and Barnes, Special Railroad, or similar pattern and quality; brand and maker to be approved by Department—</b>			
1951	6 in. .. .. . 1/5	„	110 John Edmond.	
	<b>Whitman and Barnes—</b>			
1952	8 in. .. .. . 2/	„	238 J. Chambers and Son (Ltd.).	
1953	10 in. .. .. . 2/3	„	Ditto.	
1954	12 in. .. .. . 2/7	„	„	
1955	15 in. .. .. . 4/6	„	„	
	<b>Spelter, for brazing—</b>			
1956	Fine .. .. . /9	lb.	182 A. and T. Burt (Ltd.)	
1957	Coarse .. .. . /9	„	„	
	<b>Spikes, iron, wrought—</b>			
1958	5 in. to 6 in. .. .. . 18/3	cwt.	144 Briscoe and Co. (Ltd.).	
1959	7 in. to 8 in. .. .. . 18/3	„	„	
1960	9 in. to 12 in. .. .. . 18/3	„	„	
	<b>Spikes, steel, wrought—</b>			
1961	5 in. to 6 in. .. .. . 19/3	„	„	
1962	7 in. to 8 in. .. .. . 19/3	„	„	
1963	9 in. to 12 in. .. .. . 22/6	„	„	
1964	Spirit, motor, Pratt's .. .. . 1/8¾	gal.	221 Vacuum Oil Co. (Ltd.)	
1966	Spirits, methylated .. .. . 2/8	„	198 Smith and Smith (Ltd.).	
	<b>Springs, door, spiral, japanned—</b>			
1967	8 in. .. .. . 4/9	doz.	144 Briscoe and Co. (Ltd.).	
1968	10 in. .. .. . 5/9	„	„	
1969	12 in. .. .. . 9/	„	58 Burton Bros. (Ltd.)	
1970	14 in. .. .. . 13/	„	„	
1971	Spun yarn, Belfast Ropework Company, or equal quality	/8	lb.	110 John Edmond.
	<b>Staples, wire, fencing—</b>			
1972	Bright .. .. . 13/3	cwt.	144 Briscoe and Co. (Ltd.).	
1973	Galvanized .. .. . 14/9	„	„	
	<b>Staples, wire, netting—</b>			
1974	Bright .. .. . 15/6	„	110 John Edmond.	
1975	Galvanized .. .. . 19/	„	„	
1976	Steel, bar, angle, trade lengths, equal, Siemens-Martin or basic	9/8	„	144 Briscoe and Co (Ltd.)

No.	Description of Article and Rate.	Per	Tenderer.																																																	
1977	Steel, bar, angle, trade lengths, unequal, Siemens-Martin, or basic 11/5 <i>Extra prices per hundredweight to be added to the tender-rates for angle steel, items Nos. 1976 and 1977, for the following sizes:—</i> Small sizes— <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td></td> <td>½ in.</td> <td>¾ in.</td> <td>1 in.</td> <td>1 ¼ in.</td> <td>1 ½ in.</td> <td>1 ¾ in. &amp; up.</td> </tr> <tr> <td>½ in. thick</td> <td>x</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>¾ in. thick</td> <td>x</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1 in. thick</td> <td>x</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1 ¼ in. thick</td> <td>x</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		½ in.	¾ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in. & up.	½ in. thick	x						¾ in. thick	x						1 in. thick	x						1 ¼ in. thick	x						cwt.	110 John Edmond.														
	½ in.	¾ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in. & up.																																														
½ in. thick	x																																																			
¾ in. thick	x																																																			
1 in. thick	x																																																			
1 ¼ in. thick	x																																																			
1978	Steel, bar, flat, trade lengths, Siemens-Martin or basic .. 9/10 <i>Extra prices per hundredweight to be added to the tender-rate for flat steel, item No. 1978, for the following sizes:—</i> <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td></td> <td>½ in.</td> <td>¾ in.</td> <td>1 in.</td> <td>1 ¼ in.</td> <td>1 ½ in.</td> <td>1 ¾ in.</td> </tr> <tr> <td>¾ in. broad ..</td> <td>x</td> <td>—</td> <td>2/</td> <td>1/6</td> <td>1/</td> <td>/6</td> </tr> <tr> <td>1 in. broad ..</td> <td>x</td> <td>—</td> <td>2/</td> <td>1/6</td> <td>1/</td> <td>/6</td> </tr> <tr> <td>1 ¼ in. broad ..</td> <td>x</td> <td>—</td> <td>2/</td> <td>1/6</td> <td>1/</td> <td>/6</td> </tr> <tr> <td>1 ½ in. broad ..</td> <td>x</td> <td>—</td> <td>2/</td> <td>1/6</td> <td>1/</td> <td>/6</td> </tr> <tr> <td>1 ¾ in. broad ..</td> <td>x</td> <td>—</td> <td>2/</td> <td>1/6</td> <td>1/</td> <td>/6</td> </tr> <tr> <td>2 in. broad and up</td> <td>x</td> <td>—</td> <td>2/</td> <td>1/6</td> <td>3/</td> <td>/6</td> </tr> </table>		½ in.	¾ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.	¾ in. broad ..	x	—	2/	1/6	1/	/6	1 in. broad ..	x	—	2/	1/6	1/	/6	1 ¼ in. broad ..	x	—	2/	1/6	1/	/6	1 ½ in. broad ..	x	—	2/	1/6	1/	/6	1 ¾ in. broad ..	x	—	2/	1/6	1/	/6	2 in. broad and up	x	—	2/	1/6	3/	/6	cwt.	144 Briscoe and Co. (Ltd.).
	½ in.	¾ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in.																																														
¾ in. broad ..	x	—	2/	1/6	1/	/6																																														
1 in. broad ..	x	—	2/	1/6	1/	/6																																														
1 ¼ in. broad ..	x	—	2/	1/6	1/	/6																																														
1 ½ in. broad ..	x	—	2/	1/6	1/	/6																																														
1 ¾ in. broad ..	x	—	2/	1/6	1/	/6																																														
2 in. broad and up	x	—	2/	1/6	3/	/6																																														
1979	Steel, bar, hexagon, trade lengths, Siemens-Martin or basic—	cwt.	144 Briscoe and Co. (Ltd.).																																																	
1980	0-448 across flats .. .. . 12/8	"	"																																																	
1981	0-525 across flats .. .. . 12/8	"	"																																																	
1982	0-601 across flats .. .. . 12/8	"	"																																																	
1983	0-709 across flats .. .. . 12/8	"	"																																																	
1984	Steel, bar, round, trade lengths, Siemens-Martin or basic, 9/8 ½ in. to 3 in. diameter <i>Extra prices per hundredweight to be added to the tender-rate for round steel, item No. 1984, for the following sizes:—</i> Small sizes: ½ in., 1/; ¾ in., 1/; 1 in., /6; 1 ¼ in., /6; 1 ½ in., /6. Large sizes: 1 ¾ in., /3; 2 in., /3; 2 ¼ in., /3; 2 ½ in., /3; 2 ¾ in., /3; 3 in., /3; 3 ¼ in., /3; 3 ½ in., /3; 3 ¾ in., /3; 4 in., /3.	"	"																																																	
1985	Steel, bar, square, trade lengths, Siemens-Martin or basic, 10/8 ½ in. to 2 ½ in. diameter <i>Extra prices per hundredweight to be added to the tender-rate for square steel, item No. 1985, for the following sizes:—</i> Small sizes: ½ in., 1/; ¾ in., 1/; 1 in., /6; 1 ¼ in., /6; 1 ½ in., /6. Large sizes: 1 ¾ in., /3; 2 in., /3; 2 ¼ in., /3; 2 ½ in., /3; 2 ¾ in., /3; 3 in., /3; 3 ¼ in., /3; 3 ½ in., /3; 3 ¾ in., /3; 4 in., /3.	cwt.	144 Briscoe and Co. (Ltd.).																																																	
1986	Steel, bar, tee, trade lengths, equal, Siemens-Martin or basic 11/3	cwt.	144 Briscoe and Co. (Ltd.).																																																	
1987	Steel, bar, tee, trade lengths, unequal, Siemens-Martin or basic 12/ <i>Extra prices per hundredweight to be added to the tender-rates for tee steel, items No. 1986 and 1987, for the following sizes:—</i> Small sizes— <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td></td> <td>½ in.</td> <td>¾ in.</td> <td>1 in.</td> <td>1 ¼ in.</td> <td>1 ½ in.</td> <td>1 ¾ in. &amp; up.</td> </tr> <tr> <td>½ in. thick</td> <td>x</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>¾ in. thick</td> <td>x</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1 in. thick</td> <td>x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>1 ¼ in. thick</td> <td>x</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </table>		½ in.	¾ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in. & up.	½ in. thick	x						¾ in. thick	x						1 in. thick	x	—	—	—	—	—	1 ¼ in. thick	x	—	—	—	—	—	"	110 John Edmond.														
	½ in.	¾ in.	1 in.	1 ¼ in.	1 ½ in.	1 ¾ in. & up.																																														
½ in. thick	x																																																			
¾ in. thick	x																																																			
1 in. thick	x	—	—	—	—	—																																														
1 ¼ in. thick	x	—	—	—	—	—																																														

No.	Description of Article and Rate.	Per	Tenderer.	
1988	Steel, bar, round, trade lengths, Bessemer, $\frac{1}{2}$ in. to 3 in. diameter <i>Extra prices per hundredweight</i> to be added to the tender-rate for round Bessemer steel, item No. 1988, for the following sizes :— Small sizes : $\frac{3}{8}$ in., 1/; $\frac{7}{16}$ in., /6. Large sizes : $3\frac{1}{8}$ in., /6; $3\frac{1}{4}$ in., 1/; $3\frac{1}{2}$ in., 1/; $3\frac{3}{4}$ in., 1/; 4 in., 2/; $4\frac{1}{2}$ in., 3/; 5 in., 4/; $5\frac{1}{2}$ in., 4/; 6 in., 4/.	13/	cwt.	110 John Edmond.
1990	Steel, cast, bars, all sizes, for tools— John Henry Andrew and Co. (Limited), Sheffield, "Best Best," Toledo— Flat .. .. . 60/ Square .. .. . 56/ Round .. .. . 56/ Hexagon .. .. . 60/ Octagon .. .. . 56/ Oval .. .. . 56/		cwt.	144 Briscoe and Co. (Ltd.). " " " " " " " "
1994	Steel, double shear, best warranted— John Henry Andrew and Co. (Limited) .. .. .	48/	"	"
1997	Steel, plate, Siemens-Martin or basic— $\frac{1}{8}$ in. thick .. .. .	11/8	"	"
1998	$\frac{3}{16}$ in. thick .. .. .	10/11	"	"
1999	$\frac{1}{4}$ in. thick .. .. .	9/11	"	"
2000	Over $\frac{1}{4}$ in. thick .. .. .	10/11	"	"
2001	Steel, plough-plate, 6 ft. x 12 in., any thickness, John Henry Andrew and Co. (Limited), Sheffield	18/	"	"
2002	Steel, sheet, plain, galvanized, under 8 ft. long— 11 to 20 gauge .. .. .	17/11	"	110 John Edmond.
2003	22 gauge .. .. .	18/5	"	"
2004	24 gauge .. .. .	18/9	"	"
2005	26 gauge .. .. .	20/3	"	"
2006	Steel, sheet, plain, tinned, 6 ft. long x 24 in., 30 in., and 36 in. wide— 11 to 20 gauge .. .. .	36/	"	182 A. and T. Burt (Ltd.),
2007	22 gauge .. .. .	38/	"	"
2008	24 gauge .. .. .	38/	"	"
2009	Steel, sheet, plain, tinned, under 8 ft. long, 26 gauge .. .. . <i>Extra prices per hundredweight</i> to be added to the tender-rate for steel, sheet, plain, tinned, item No. 2009, for the following long lengths, any widths :— 8 ft., 2s. ; 9 ft., 3s. ; 10 ft., 4s.	39/	"	144 Briscoe and Co. (Ltd.).
2010	Steel shafting, bright, Kirkstall Forge Company or equal quality, to be approved by the Department— $1\frac{1}{2}$ in. diameter .. .. .	/7	ft.	"
2011	$1\frac{1}{2}$ in. diameter .. .. .	/10	"	"
2012	$1\frac{3}{4}$ in. diameter .. .. .	1/	"	"
2013	2 in. diameter .. .. .	1/5 $\frac{3}{4}$	"	"
2014	$2\frac{1}{4}$ in. diameter .. .. .	1/11	"	"
2015	$2\frac{1}{2}$ in. diameter .. .. .	2/5	"	"
2016	$2\frac{3}{4}$ in. diameter .. .. .	2/10	"	"
2017	3 in. diameter .. .. .	3/5	"	"
2018	$3\frac{1}{2}$ in. diameter .. .. .	4/9	"	"
2019	4 in. diameter .. .. .	6/3	"	"
2020	Steel-wool for rubbing down or smoothing varnish— No. 0 .. .. .	2/6	lb.	134 Andrew Lees
2021	No. 1 .. .. .	2/6	"	"
2023	Stoves— "Dover" (Caledonia)—No. 6 .. .. . No. 7 .. .. .	42/5 47/11	each "	71 Paterson & Barr (Ltd.). "

No.	Description of Article and Rate.	Per	Tenderer.
	<i>Stoves—continued.</i>		
	“Dumpy”—		
2026	No. 1 .. .. .	10/9	each 110 John Edmond.
2027	No. 2 .. .. .	13/9	” ”
2028	No. 3 .. .. .	14/3	” ”
2029	No. 4 .. .. .	16/6	” ”
	“Dumpy” (improved)—		
2030	No. 4 .. .. .	26/	” ”
2031	No. 6 .. .. .	32/9	” ”
2032	No. 8 .. .. .	39/	” ”
2033	“Queen,” No. 6 .. .. .	17/11	” 71 Paterson & Barr (Ltd.).
	Tacks, blued, in nominal 1,000 trade packets—		
2036	$\frac{3}{8}$ in. .. .. .	/1 $\frac{1}{2}$	packet 110 John Edmond.
2037	$\frac{1}{2}$ in. .. .. .	/1 $\frac{3}{4}$	” ”
2038	$\frac{5}{8}$ in. .. .. .	/2	” ”
2039	Tacks, clout, bright, wire, Sadlers’ .. .. .	/3	lb. 85 New Zealand Hardware Company (Ltd.).
2041	Tacks, clout, tinned-wire, Sadlers’ .. .. .	/4 $\frac{1}{8}$	” 144 Briscoe and Co. (Ltd.).
2043	Tacks, copper .. .. .	1/4 $\frac{1}{2}$	” ”
	Tacks, Swedish, for upholsterers, in packets—		
2044	4 oz. .. .. .	/2	packet 110 John Edmond.
2045	6 oz. .. .. .	/2	” ”
	Tacks, tinned, in nominal 1,000 trade packets—		
2046	$\frac{1}{2}$ in. .. .. .	/2 $\frac{1}{8}$	” 144 Briscoe and Co. (Ltd.).
2047	$\frac{5}{8}$ in. .. .. .	/2 $\frac{1}{4}$	” ”
2048	$\frac{3}{4}$ in. .. .. .	/2 $\frac{1}{2}$	” 110 John Edmond.
2049	Tape, scrimming, in hanks of 18 yards .. .. .	1/0 $\frac{1}{4}$	doz. hanks 198 Smith & Smith (Ltd.).
	Tapes, measuring, $\frac{5}{8}$ in. wide, in case with flush handle—		
2052	Rabone’s “Rigida,” No. 391—33 ft. .. .. .	4/10	each 110 John Edmond.
	66 ft. .. .. .	6/3	” 144 Briscoe and Co. (Ltd.).
2053	Rabone’s metallic, No. 401—33 ft. .. .. .	4/8	” 110 John Edmond.
	66 ft. .. .. .	6/3	” 144 Briscoe and Co. (Ltd.).
	Tapes, measuring, $\frac{5}{8}$ in. wide, without case—		
2054	Chesterman’s “Constantia,” No. 2081, 66 ft. .. .. .	3/6	” 144 Briscoe and Co. (Ltd.).
2056	Rabone’s “Rigida,” No. 392, 33 ft. .. .. .	2/5	” 110 John Edmond.
2057	Rabone’s metallic, No. 404—33 ft. . . . .	2/3	” ”
	66 ft. . . . .	4/2	” ”
	Tapes, measuring, all steel, marked on both sides (feet and inches and links), in case with flush handle—		
2061	$\frac{3}{8}$ in. wide, Rabone’s, No. 415—33 ft. .. .. .	7/10	” ”
	66 ft. .. .. .	15/3	” ”
2062	$\frac{1}{2}$ in. wide, Rabone’s, No. 418—33 ft. .. .. .	9/10	” ”
	66 ft. .. .. .	19/	” ”
2063	$\frac{5}{8}$ in. wide, Rabone’s, No. 421—33 ft. .. .. .	15/9	” ”
	66 ft. .. .. .	28/6	” ”
	Tapes, measuring, all steel, marked on both sides (feet and inches and links), without case—		
2067	$\frac{3}{8}$ in. wide, Rabone’s, No. 415—33 ft. .. .. .	6/	” ”
	66 ft. .. .. .	12/	” ”
2068	$\frac{1}{2}$ in. wide, Rabone’s, No. 418—33 ft. .. .. .	9/	” ”
	66 ft. .. .. .	17/9	” ”
2069	$\frac{5}{8}$ in. wide, Rabone’s, No. 421—33 ft. .. .. .	11/2	” ”
	66 ft. .. .. .	12/9	” ”
2070	Tar, Stockholm .. .. .	1/11	gal. 144 Briscoe and Co. (Ltd.).
	Thread, linen, machine, Knox’s, all colours, on reels—		
2076	No. 25 .. .. .	4/7	doz. reels 139 Bing, Harris, and Co. (Ltd.).
2077	No. 30 .. .. .	4/11	” Ditto.
2078	No. 50 .. .. .	7/	” ”

No.	Description of Article and Rate.	Per	Tenderer.	
2079	Tin plate, best charcoal, IXX .. .. .	29/ <sup>1</sup> / <sub>2</sub>	box	144 Briscoe and Co. (Ltd.).
2080	Tin plate, best charcoal, XXX, 14 in. x 20 in. ..	34/6	"	"
2082	Tomahawks, American pattern, handled, Brades' No. 378	1/10 <sup>1</sup> / <sub>2</sub>	each	168 James Park and Co.
2083	Towelling, Turkish, brown, to sample .. .. .	/9 <sup>7</sup> / <sub>8</sub>	yard	139 Bing, Harris, and Co. (Ltd.)
	Tue-irons, with pipes complete—			
2087	14 in. .. .. .	15/5	each	71 Paterson & Barr (Ltd.).
2088	16 in. .. .. .	19/9	"	110 John Edmond.
2089	18 in. .. .. .	22/6	"	"
	Twine, office, best Italian hemp—			
2090	Fine, size No. 204 .. .. .	/11 <sup>1</sup> / <sub>2</sub>	lb.	168 James Park and Co.
2091	Medium, size No. 202 .. .. .	/11 <sup>1</sup> / <sub>2</sub>	"	"
2092	Medium, size No. 200 .. .. .	/11 <sup>1</sup> / <sub>2</sub>	"	"
2093	Coarse, size Nos. 301, 401, and 501 .. .. .	9/10	doz. lb.	112 Caselberg, Stein, and Co. (Ltd.).
	Twine, office, hemp, counter—			
2094	Fine, size No. 204 .. .. .	/10 <sup>1</sup> / <sub>4</sub>	lb.	168 James Park and Co.
2095	Medium, size No. 202 .. .. .	9/2	doz. lb.	112 Caselberg, Stein, and Co. (Ltd.).
2096	Medium, size No. 302 .. .. .	9/2	"	Ditto
2097	Coarse, sizes Nos. 301, 401, and 501 .. .. .	7/9	"	"
	Twine, roping, Barbour's No. 2—			
2098	3-ply .. .. .	1/9	lb.	168 James Park and Co.
2099	5-ply .. .. .	1/9	"	"
2100	Twine, sailmakers', best seaming, Barbour's No. 1, 3-ply	1/9	"	"
2101	Twine, tufting or upholsterers', Barbour's, No. 2 ..	1/11 <sup>3</sup> / <sub>4</sub>	"	43 Ross and Glendining (Ltd.).
	Unions, hose, brass, Leck and Sons—			
2103	<sup>1</sup> / <sub>2</sub> in. .. .. .	/8	each	144 Briscoe and Co. (Ltd.).
2105	<sup>3</sup> / <sub>4</sub> in. .. .. .	1/0 <sup>1</sup> / <sub>4</sub>	"	"
2106	1 in. .. .. .	1/5 <sup>1</sup> / <sub>2</sub>	"	"
2107	1 <sup>1</sup> / <sub>4</sub> in. .. .. .	2/5	"	"
2108	1 <sup>1</sup> / <sub>2</sub> in. .. .. .	3/5	"	"
	Valves, Globe, wheel-top, female ends, gun-metal, extra strong, angle, Roe, Stephens, and Co.—			
2111	<sup>3</sup> / <sub>8</sub> in. .. .. .	2/1	"	182 A. and T. Burt (Ltd.).
2112	<sup>1</sup> / <sub>2</sub> in. .. .. .	2/8	"	"
2113	<sup>3</sup> / <sub>4</sub> in. .. .. .	3/7	"	"
2114	1 in. .. .. .	4/9	"	"
2115	1 <sup>1</sup> / <sub>4</sub> in. .. .. .	7/5	"	"
2116	1 <sup>1</sup> / <sub>2</sub> in. .. .. .	10/4	"	"
2118	2 in. .. .. .	14/4	"	"
2120	2 <sup>1</sup> / <sub>2</sub> in. .. .. .	30/	"	"
2122	3 in. .. .. .	42/3	"	"
	Valves, Globe, wheel-top, female ends, gun-metal, extra strong, straight, United Brass Founders and Engineers (Limited), brass seat valve, No. 5—			
2123	<sup>3</sup> / <sub>8</sub> in. .. .. .	2/1	"	238 J. Chambers and Son (Ltd.).
2124	<sup>1</sup> / <sub>2</sub> in. .. .. .	3/3	"	Ditto.
2125	<sup>3</sup> / <sub>4</sub> in. .. .. .	4/9	"	"
2126	1 in. .. .. .	6/9	"	"
2127	1 <sup>1</sup> / <sub>4</sub> in. .. .. .	9/3	"	"
2128	1 <sup>1</sup> / <sub>2</sub> in. .. .. .	12/	"	"
2130	2 in. .. .. .	16/9	"	"
2132	2 <sup>1</sup> / <sub>2</sub> in. .. .. .	30/	"	"
2134	3 in. .. .. .	50/	"	"

No.	Description of Article and Rate.	Per	Tenderer.
	Valves, Globe, wheel-top, flanged ends, gun-metal, extra strong, United Brass Founders and Engineering Company (Limited), No. 9—		
2135	½ in. .. .. .	6/	each 238 J. Chambers and Son (Ltd.).
2136	¾ in. .. .. .	9/	„ Ditto.
2137	1 in. .. .. .	12/6	„ „
2138	1¼ in. .. .. .	17/6	„ „
2139	1½ in. .. .. .	22/6	„ „
2141	2 in. .. .. .	32/6	„ „
	Valves, Peets', wheel-top gun-metal—		
2149	½ in. .. .. .	2/8	„ 182 A. and T. Burt (Ltd.).
2150	¾ in. .. .. .	3/8	„ „
2151	1 in. .. .. .	5/	„ 174 R. B. Denniston & Co.
2152	1¼ in. .. .. .	7/2	„ 182 A. and T. Burt (Ltd.).
2153	1½ in. .. .. .	10/2	„ „
2154	2 in. .. .. .	15/4	„ „
2155	2½ in. .. .. .	27/6	„ 174 R. B. Denniston & Co.
2156	3 in. .. .. .	42/6	„ „
2159	Vices, bench, parallel, with steel fittings, C. and J. Hampton's "Improved" Model 25—		
	4 in. jaws .. .. .	13/6	„ 71 Paterson & Barr (Ltd.).
	5 in. jaws .. .. .	25/5	„ „
	6 in. jaws .. .. .	35/	„ 58 Burton Bros. (Ltd.).
	7 in. jaws .. .. .	39/	„ „
2165	Vices, bench, parallel, instantaneous grip, J. Parkinson and Son's "Perfect"—		
	4½ in. jaws .. .. .	30/	„ 144 Briscoe and Co. (Ltd.).
	5½ in. jaws .. .. .	40/	„ „
2174	Vices, bench, staple, solid box and pin, best warranted, black, Wilkinson	/5	lb. 85 New Zealand Hardware Company (Ltd.).
2179	Vices, staple, best warranted, black—solid boxes and pins for—Isaac Nash, London	/5	„ 176 Thomson, Bridger, & Co. (Ltd.).
2180	Washers, copper, any size .. .. .	1/5	„ 110 John Edmond.
2181	Washers, iron, black, circular, to fit bolts ¼ in. to 1¼ in. diameter—		
	Heavy .. .. .	18/	cwt. 182 A. and T. Burt (Ltd.).
	Light .. .. .	27/9	„ 144 Briscoe and Co. (Ltd.).
2192	Washers, lead, any size and gauge .. .. .	/6	lb. 182 A. and T. Burt (Ltd.).
	Webbing, chair, to sample—		
2202	1½ in. wide .. .. .	/8½	doz. yards 168 James Park and Co.
2203	2 in. wide .. .. .	/10½	„ „
2204	Whiting .. .. .	5/	cwt. „
	Window-fittings—		
2205	Axle-pulleys, brass-faced, with iron wheel .. .. .	3/5	doz. 144 Briscoe and Co. (Ltd.).
	Blind-cord, equal to sample—		
2206	Green .. .. .	3/9	gross yds. 168 James Park and Co.
2207	White .. .. .	3/9	„ „
	Blind-rollers, Hartshorn's, spring, complete with brackets and screws—		
2208	1 in. diameter x 36 in. long .. .. .	7/6	doz. 139 Bing, Harris, and Co. (Ltd.).
2209	1¼ in. diameter x 36 in. long .. .. .	7/9	„ Ditto.
2210	1¼ in. diameter x 42 in. long .. .. .	11/8	„ 110 John Edmond.
2211	1¼ in. diameter x 48 in. long .. .. .	12/2	„ „
	Sash-fasteners, polished brass, T. Sanders (Limited)—		
2212	No. 4948 .. .. .	19/6	„ „
2213	No. 5824, x 3 in. .. .. .	13/2	„ 144 Briscoe and Co. (Ltd.).
2214	Sash-lifts, hook, polished brass, T. Sanders (Limited), No. 5300	3/2	„ „

No.	Description of Article and Rate.	Per	Tenderer.
	Window-fittings— <i>continued</i> .		
	Sash-lifts, recessed, polished brass, T. Sanders (Ltd.)—		
2215	No. 5120, x 2½ in. .. .. .	2/6	doz. 71 Paterson & Barr (Ltd.).
2216	No. 5120, x 3 in. .. .. .	2/9	”
2217	No. 5120, x 3½ in. .. .. .	3/3	”
2218	Sash-lifts, ring, polished brass, T. Sanders (Limited), No. 5811	2/8	” 144 Briscoe and Co. (Ltd.).
2219	Sash-line, Belfast Ropeworks Company, to sample ..	1/8	lb. ”
2220	Sash-weights, iron, all sizes .. .. .	8/2	cwt. ”
	Wire, brass—		
2221	6 to 20 gauge, inclusive .. .. .	/10¾	lb. 110 John Edmond.
2222	21 gauge .. .. .	/10¾	”
2223	22 gauge .. .. .	/11	”
2224	24 gauge .. .. .	/11½	”
2225	26 gauge .. .. .	/11½	” 144 Briscoe and Co. (Ltd.).
2226	Wire, brass, hardened for springs, 6 to 20 gauge, inclusive	1/3	” 182 A. and T. Burt (Ltd.).
	Wire, copper—		
2227	6 to 20 gauge inclusive .. .. .	1/0½	” 144 Briscoe and Co. (Ltd.).
2228	21 gauge .. .. .	1/1	”
2229	22 gauge .. .. .	1/1½	”
2230	24 gauge .. .. .	1/1¾	”
2231	26 gauge .. .. .	1/2	”
	Wire, binding, galvanized or tinned—		
2233	12 gauge .. .. .	/2	” 182 A. and T. Burt (Ltd.).
2234	14 gauge .. .. .	/2¼	”
2235	16 gauge .. .. .	/2¼	” 144 Briscoe and Co. (Ltd.).
2236	18 gauge .. .. .	/2¼	”
2237	20 gauge .. .. .	/3	”
	Wire, fencing, galvanized, Ryland Bros. (Limited)—		
2238*	Nos. 6 to 8 gauge, inclusive .. .. .	12/	cwt. 58 Burton Bros. (Ltd.).
2239*	No. 9 gauge .. .. .	12/6	”
	Wire, fencing, iron, black, Johnson and Nephews—		
2242*	Nos. 6 to 8 gauge, inclusive .. .. .	218/6	ton 110 John Edmond.
2243*	No. 9 gauge .. .. .	223/	”
2244*	No. 10 gauge .. .. .	229/	”
	Wire, fencing, steel, black, Johnson and Nephews—		
2245*	Nos. 6 to 8 gauge, inclusive .. .. .	218/6	”
2246*	No. 9 gauge .. .. .	223/	”
2247*	No. 10 gauge .. .. .	229/	”
	Wire, fencing, galvanized, barbed, two strands of 12 gauge, 4-point barbs, 6 in. apart, round both wires—		
2248	“ Porcupine ” brand .. .. .	304/	”
2250	Dominion Iron and Steel Company, Canadian ..	253/6	”
	Wire, iron, bright—		
2251	12 gauge .. .. .	/1¾	lb. 182 A. and T. Burt (Ltd.).
2252	14 gauge .. .. .	/2	” 144 Briscoe and Co. (Ltd.).
2253	16 gauge .. .. .	/2	”
2254	18 gauge .. .. .	/2	”
2255	20 gauge .. .. .	/2	”
	Wire, steel, bright, hardened for springs—		
2256	Up to 6 gauge .. .. .	/5	” 182 A. and T. Burt (Ltd.).
2257	8 gauge .. .. .	/6¼	”
2258	10 gauge .. .. .	/6½	”
2259	12 gauge .. .. .	/6½	”
2260	14 gauge .. .. .	/7	”
2261	16 gauge .. .. .	/7¼	” 144 Briscoe and Co. (Ltd.).
2262	18 gauge .. .. .	/7¼	”

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.	
2263	Wrenches, pipe, "Trimo," 14 in. .. .. .	4/3	each	238 J. Chambers and Son (Ltd.).
	Zinc, sheet—			
2264	No. 7 gauge .. .. .	36/6	cwt.	168 James Park and Co.
2265	No. 8 gauge and up .. .. .	35/	"	144 Briscoe and Co. (Ltd.).
	Perforated—			
2266	7 ft. x 36 in. .. .. .	2/11	sheet	168 James Park and Co.
2267	8 ft. x 36 in. .. .. .	3/11	"	110 John Edmond.
2268	7 ft. x 36 in., No. 15, $\frac{1}{16}$ in. hole .. .. .	7/10	"	"
2269	7 ft. x 36 in., No. 12, $\frac{1}{8}$ in. hole .. .. .	5/3	"	"
2270	8 ft. x 36 in., No. 12, $\frac{1}{8}$ in. hole .. .. .	6/5	"	"

## TRADE PRICE-LISTS REFERRED TO IN ANNEXED SCHEDULE.

## No. 1.

*Files, Hand-saw: Stubs's, Lancashire.*

Blunt, No. 203, or Taper, No. 204.

Size.	Bastard. Price per Dozen.	Smooth. Price per Dozen.
	s. d.	s. d.
3 in. .. .. .	2 9	3 6
3½ in. .. .. .	3 0	4 0
4 in. .. .. .	3 6	4 6
4½ in. .. .. .	3 10	5 0
5 in. .. .. .	4 6	6 0
5½ in. .. .. .	5 0	6 6
6 in. .. .. .	5 6	7 0
6½ in. .. .. .	6 6	8 0
7 in. .. .. .	7 0	9 0
7½ in. .. .. .	8 0	10 6
8 in. .. .. .	10 0	12 0

## No. 2.

*Nails, Clout, countersunk.*

Lengths .. .. .	$\frac{3}{4}$ "	1"	1¼"	1½"	1¾"	2"	2¼"	2½"	3"	3½"	4"
Price per cwt. .. .. .	91/0	61/0	53/0	47/0	42/6	39/0	37/0	36/0	34/0	34/0	34/0

## No. 3.

*Nails, Patent, wrought.*

Size .. .. .	1" x 5	1¼" x 6	1½" x 7	1¾" x 8	2" x 10	2¼" x 12	2½" x 17	
Price per cwt. .. .. .	55/0	38/0	36/0	34/6	32/3	30/9	28/3	
Size .. .. .	2¾" x 20	3"	3½"	4"	4½"	5"	6"	7"
Price per cwt. .. .. .	27/6	27/6	23/6	23/0	22/6	22/0	22/0	22/0



No. 4.

Netting, Wire, galvanized after manufacture.

At per Roll of 50 Yards.

Mesh.	Gauge.	12 in. wide.	18 in. wide.	24 in. wide.	30 in. wide.	36 in. wide.	42 in. wide.	48 in. wide.	60 in. wide.	72 in. wide.	108 in. wide.
1 in.		22	14/6	20/11	27/2	33/2	39/9	46/5	53/0	66/4	79/6
		20	17/7	25/3	32/10	40/0	48/0	56/0	64/0	80/0	96/0
		19	23/6	33/7	43/9	53/4	64/0	74/8	85/4	106/8	128/0
1 1/8 in.		22	11/0	15/9	20/6	25/0	30/0	35/0	40/0	50/0	60/0
		20	13/8	19/7	25/4	31/0	37/2	43/4	49/6	62/0	74/4
		19	18/9	26/9	34/10	42/6	51/0	59/6	68/0	85/0	102/0
1 1/4 in.		20	9/3	13/2	16/10	20/6	24/0	28/0	32/0	40/0	48/0
		19	11/10	17/0	21/6	26/4	30/9	35/11	41/0	51/4	61/6
		18	16/1	23/1	29/5	35/10	42/0	49/0	56/0	70/0	84/0
1 1/2 in.		20	7/5	10/7	13/5	16/5	19/2	22/4	25/6	31/11	38/4
		19	8/10	12/8	16/1	19/8	23/0	26/10	30/8	38/4	46/0
		18	10/9	15/5	19/7	23/11	28/0	32/8	37/4	46/8	56/0
1 3/4 in.		20	5/2	7/5	9/5	11/5	13/2	15/4	17/6	21/11	26/4
		19	6/4	9/1	11/7	14/0	16/2	18/10	21/6	26/11	32/4
		18	8/3	11/10	15/1	18/2	21/0	24/6	28/0	35/0	42/0
2 in.		19	4/5	6/4	8/1	9/8	11/0	12/10	14/8	18/4	22/0
		18	5/7	8/1	10/3	12/3	14/0	16/4	18/8	23/4	28/0
		17	7/3	10/5	13/3	15/9	18/0	21/0	24/0	30/0	36/0
2 1/2 in.		19	3/9	5/6	7/0	8/4	9/6	11/1	12/8	15/10	19/0
		18	4/8	6/8	8/6	10/3	11/8	13/5	15/7	19/6	23/4
		17	6/2	8/10	11/4	13/7	15/6	18/1	20/8	25/10	31/0
3 in.		19	3/6	5/0	6/4	7/7	8/8	10/1	11/6	14/5	17/4
		18	4/1	5/10	7/5	8/11	10/2	11/10	13/6	16/11	20/4
		17	5/8	7/7	9/8	11/7	13/2	15/4	17/6	21/11	26/4
Made up to 120 in. wide.		16	6/11	9/6	12/1	14/5	16/6	19/3	22/0	27/6	33/0
		15	11/3	14/4	17/1	19/6	22/9	26/0	32/6	39/0	47/4
		14	13/8	17/4	20/9	23/8	27/7	31/6	39/5	47/4	58/6
Made up to 96 in. wide.		19	26/0	30/6	36/6	42/6	48/6	54/6	60/6	72/6	84/6
		18	32/0	38/0	44/0	50/0	56/0	62/0	68/0	80/0	96/0
		17	39/0	45/0	51/0	57/0	63/0	69/0	75/0	90/0	108/0
Made up to 120 in. wide.		19	22/0	26/0	30/0	34/0	38/0	42/0	46/0	54/0	62/0
		18	28/0	32/0	36/0	40/0	44/0	48/0	52/0	60/0	68/0
		17	35/0	39/0	43/0	47/0	51/0	55/0	59/0	68/0	76/0
Made up to 96 in. wide.		19	33/0	37/0	41/0	45/0	49/0	53/0	57/0	66/0	74/0
		18	40/0	44/0	48/0	52/0	56/0	60/0	64/0	72/0	80/0
		17	47/0	51/0	55/0	59/0	63/0	67/0	71/0	80/0	88/6
Made up to 120 in. wide.		19	33/0	37/0	41/0	45/0	49/0	53/0	57/0	66/0	74/0
		18	40/0	44/0	48/0	52/0	56/0	60/0	64/0	72/0	80/0
		17	47/0	51/0	55/0	59/0	63/0	67/0	71/0	80/0	88/6
Made up to 96 in. wide.		19	22/0	26/0	30/0	34/0	38/0	42/0	46/0	54/0	62/0
		18	28/0	32/0	36/0	40/0	44/0	48/0	52/0	60/0	68/0
		17	35/0	39/0	43/0	47/0	51/0	55/0	59/0	68/0	76/0
Made up to 120 in. wide.		19	33/0	37/0	41/0	45/0	49/0	53/0	57/0	66/0	74/0
		18	40/0	44/0	48/0	52/0	56/0	60/0	64/0	72/0	80/0
		17	47/0	51/0	55/0	59/0	63/0	67/0	71/0	80/0	88/6

No. 4—continued.

Netting, Wire, galvanized after manufacture—continued.

At per Roll of 50 Yards.

Mesh.	Gauge.	12 in. wide.	18 in. wide.	24 in. wide.	30 in. wide.	36 in. wide.	42 in. wide.	48 in. wide.	60 in. wide.	72 in. wide.	108 in. wide.	
4 in. .. ..	17	5/10	6/3	8/1	9/7	11/0	12/8	14/5	18/3	22/0	33/0	} Made up to 120 in. wide.
.. .. ..	16	6/9	7/7	9/8	11/4	13/2	15/3	17/5	22/0	26/4	39/6	
.. .. ..	15	..	9/8	12/4	14/6	16/9	19/5	22/4	28/2	33/10	50/3	
.. .. ..	14	..	11/1	14/3	16/9	19/5	22/6	25/9	32/4	38/10	58/3	

Sheep-netting, with 3-ply-strand-wire Selvages.

Mesh.	Gauge.	12 in. wide.	18 in. wide.	24 in. wide.	30 in. wide.	36 in. wide.	42 in. wide.	48 in. wide.	60 in. wide.	72 in. wide.
3 in. .. ..	16	7/0	9/9	12/6	14/11	17/0	19/10	22/8	28/4	34/0
.. .. ..	15	8/6	11/10	15/1	17/11	20/6	23/11	27/4	34/2	41/0
.. .. ..	14	10/6	14/5	18/4	21/11	25/0	29/2	33/4	41/8	50/0
.. .. ..	13	13/0	17/10	22/9	27/2	31/0	36/2	41/4	51/8	62/0
.. .. ..	12	17/0	23/0	29/4	35/0	40/0	46/8	53/4	66/8	80/0
4 in. .. ..	17	6/7	7/0	8/10	10/4	11/9	13/9	15/9	19/8	23/6
.. .. ..	16	7/6	8/4	10/5	12/1	13/11	16/3	18/7	23/3	27/10
.. .. ..	15	..	10/8	13/4	15/6	17/9	20/9	23/9	29/8	35/6
.. .. ..	14	..	12/1	15/3	17/9	20/5	23/10	27/3	34/1	40/10
.. .. ..	13	..	13/10	17/7	21/0	24/0	28/0	32/0	40/0	48/0
.. .. ..	12	..	18/8	23/10	28/5	32/6	37/11	43/4	54/2	65/0

Centre strands.—17, 16, 15 gauges, 1/9; 14 and 13 gauges, 2/0; 12 gauge, 2/6 each extra per roll, gross.

No. 5.

Pins, Taper, Steel, solid.

Diameter.	Lengths and Prices per Gross.																
	1"	1 1/4"	1 1/2"	1 3/4"	2"	2 1/4"	2 1/2"	2 3/4"	3"	3 1/4"	3 1/2"	3 3/4"	4"	4 1/4"	5"	5 1/2"	6"
3/16 in. ..	3/0	3/3	3/9	4/0	4/6	5/0	5/9	6/0	6/6	..	..	..	..	..	..	..	..
1/4 in. ..	3/6	4/3	5/0	5/6	6/3	6/9	7/6	8/0	8/9	9/3	10/0	10/9	11/3	..	..	..	..
5/16 in. ..	4/6	5/3	6/0	6/9	7/6	8/0	8/9	9/6	10/3	11/0	11/6	12/3	13/3	14/9	16/3	..	..
3/8 in. ..	..	6/6	7/3	8/0	9/0	9/9	10/9	11/6	12/3	13/3	14/0	15/0	15/9	17/6	19/3	20/9	22/6
7/16 in. ..	..	..	9/6	10/6	12/0	13/0	14/3	15/6	16/6	17/6	18/9	20/0	21/6	24/0	26/6	29/6	32/0
1/2 in. ..	..	..	..	..	15/3	17/0	18/9	20/6	22/3	23/9	25/6	27/3	29/0	32/3	35/9	39/0	42/6

No. 6.

Pins, Taper, Steel, split.

Diameter.	Lengths and Prices per Gross.																
	1"	1 1/4"	1 1/2"	1 3/4"	2"	2 1/4"	2 1/2"	2 3/4"	3"	3 1/4"	3 1/2"	3 3/4"	4"	4 1/4"	5"	5 1/2"	6"
3/16 in. ..	3/6	4/0	4/6	5/0	5/6	6/3	6/9	7/6	8/0	..	..	..	..	..	..	..	..
1/4 in. ..	4/3	5/0	6/0	6/6	7/3	8/0	8/9	9/6	10/3	10/9	11/6	12/3	13/0	14/6	16/0	..	..
5/16 in. ..	..	..	8/0	8/9	9/6	10/3	11/0	11/9	12/6	13/6	14/3	15/0	16/0	17/9	19/6	..	..
3/8 in. ..	..	..	10/3	11/0	12/0	12/9	13/6	14/6	15/3	16/3	17/0	18/0	18/9	20/6	22/0	23/9	25/6
7/16 in. ..	..	..	..	..	15/0	16/3	17/9	19/0	20/3	21/9	23/0	24/6	25/3	28/6	31/6	35/6	38/9
1/2 in. ..	..	..	..	..	..	..	..	..	27/3	29/3	31/0	33/0	35/3	39/0	44/0	48/0	52/9

No. 7.

*Rivets, Coopers', Iron, Flat Head.*

Weight per nominal thousand	3 lb.	4 lb.	5 lb.	6 lb.	7 lb.	8 lb.	9 lb.	10 lb.	12 lb.	14 lb.	16 lb. and up.
Price per cwt. . . . .	46/8	46/8	44/4	44/4	39/8	39/8	39/8	37/4	37/4	37/4	35/0

No. 8.

*Rivets, Tinmen's, tinned.*

Number ..	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Price per nominal thousand	0/6½	0/7	0/7½	0/8	0/8½	0/9¼	0/10	1/0	1/1	1/4	1/7	1/9	2/3	2/9	3/2	3/6	4/0	5/0
Price per lb. . . . .	2/2	1/5	1/3	1/0½	0/11	0/10½	0/10	0/9	0/8½	0/8	0/7½	0/7	0/6¾	0/6½	0/6¼	0/6	0/6	0/6

No. 9.

*Saws, Circular, Solid Teeth, for Wood.*

Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.	Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.
4	¾	18	4/6	0/3	46	2	7	240/0	21/0
6	¾	17	7/0	0/6	48	2	7	270/0	24/0
8	¾	17	9/6	0/9	50	2	6	380/0	27/0
10	1	15	13/0	0/9	52	2	6	420/0	30/0
12	1	14	16/0	1/3	54	2	6	480/0	35/0
14	1½	14	20/0	1/6	56	2	6	570/0	40/0
16	1½	13	24/0	1/9	58	2	6	620/0	45/0
18	1½	12	30/0	2/0	60	2	5	680/0	50/0
20	1 5/16	12	36/0	2/6	62	2¼	5	760/0	55/0
22	1 5/16	11	42/0	3/0	64	2¼	5	860/0	60/0
24	1 5/8	10	48/0	3/6	66	2¼	5	980/0	65/0
26	1 5/8	10	56/0	4/0	68	2¼	5	1,100/0	70/0
28	1½	9	66/0	4/6	70	2¼	4	1,250/0	80/0
30	1½	9	76/0	5/0	72	2¼	4	1,400/0	90/0
32	1 5/8	9	88/0	6/0	74	2¼	4	1,600/0	100/0
34	1 5/8	8	104/0	7/0	76	2¼	4	1,820/0	120/0
36	1 5/8	8	120/0	8/6	78	2¼	4	2,100/0	140/0
38	1 5/8	8	145/0	10/0	80	2¼	4	2,220/0	145/0
40	2	8	160/0	12/0	82	2¼	4	2,340/0	150/0
42	2	7	180/0	15/0	84	2¼	4	2,460/0	160/0
44	2	7	215/0	18/0					

## STORES TO BE MANUFACTURED IN NEW ZEALAND.

TO BE SUPPLIED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF CONTRACT (No. 22) SIGNED BY THE  
GENERAL MANAGER OF THE NEW ZEALAND RAILWAYS AND DATED 1ST APRIL, 1913,

## AT DUNEDIN OR HILLSIDE.

No.	Description of Article and Rate.	Per	Tenderer.	
1	Baths, galvanized, with plug, chain, washer, and overflow, 6 ft. long, full width, 22 B.W.G., with feet	38/6	each	181 A. and T. Burt (Ltd.).
2	Ditto, without feet	22/	"	"
	Belting, leather (of the very best leather), leather-laced and copper-riveted at joints—			
	Single—			
4	1 in. . . . .	/3 $\frac{3}{4}$	ft.	148 Briscoe and Co. (Ltd.).
5	1 $\frac{1}{2}$ in. . . . .	/5 $\frac{5}{8}$	"	"
6	2 in. . . . .	/7 $\frac{1}{2}$	"	"
7	2 $\frac{1}{2}$ in. . . . .	/9 $\frac{3}{4}$	"	"
8	3 in. . . . .	1/0 $\frac{1}{2}$	"	181 A. and T. Burt (Ltd.).
9	3 $\frac{1}{2}$ in. . . . .	1/4 $\frac{3}{4}$	"	"
10	4 in. . . . .	1/7 $\frac{1}{2}$	"	148 Briscoe and Co. (Ltd.).
11	4 $\frac{1}{2}$ in. . . . .	1/11	"	181 A. and T. Burt (Ltd.).
12	5 in. . . . .	2/2	"	"
13	6 in. . . . .	2/7 $\frac{1}{2}$	"	148 Briscoe and Co. (Ltd.).
14	8 in. . . . .	3/10	"	"
	Double—			
15	4 in. . . . .	3/1	"	181 A. and T. Burt (Ltd.).
16	5 in. . . . .	4/3	"	148 Briscoe and Co. (Ltd.).
17	6 in. . . . .	4/11 $\frac{1}{2}$	"	"
18	8 in. . . . .	6/5 $\frac{1}{2}$	"	"
19	9 in. . . . .	7/9 $\frac{3}{4}$	"	"
20	10 in. . . . .	8/7 $\frac{3}{4}$	"	"
21	12 in. . . . .	12/3 $\frac{7}{8}$	"	"
	Boilers, copper—			
22	Brazed, any gauge, capacity 14 gallons	1/1	lb.	152 G. Methven and Co. (Ltd.).
23	Riveted, any gauge, capacity 14 gallons	1/4	"	Ditto.
	Seamless, solid drawn	1/3	"	"
	Bricks, red (on railway-trucks, Wingatui)			
24	Ordinary, hard burnt	40/	1,000	99 C. and W. Gore.
25	Hand-pressed	80/	"	"
	Brushes—			
	Moulders', spring steel wire—			
26	1 $\frac{1}{2}$ in. across back	10/	doz.	42 Bunting & Co. (Ltd.).
27	2 in. across back	15/	"	"
28	3 in. across back	21/	"	"
29	Damping, hair, 4 in.	10/9	"	"
	Paint, 1-knot, C.W.B., best quality, grey middles—			
42	4/0	64/9	"	"
43	6/0	69/9	"	"
44	8/0	89/9	"	"
	Paint, flat, ground, oval, C.W.B., best quality, grey middles—			
45	4/0	64/9	"	"
46	6/0	69/9	"	"
47	8/0	89/9	"	"

No.	Description of Article and Rate.	Per	Tenderer.
	<i>Brushes—continued.</i>		
	Sash-tools, forked, string-bound, best-quality bristles—		
48	No. 1 .. .. .	3/2	doz.
49	No. 2 .. .. .	3/9	"
50	No. 3 .. .. .	4/11	"
51	No. 4 .. .. .	6/3	"
52	No. 5 .. .. .	8/7	"
53	No. 6 .. .. .	11/4	"
54	No. 7 .. .. .	14/10	"
55	No. 8 .. .. .	18/7	"
56	No. 9 .. .. .	21/4	"
57	No. 10 .. .. .	29/8	"
58	No. 11 .. .. .	34/4	"
59	No. 12 .. .. .	39/	"
	Sash-tools, pressed ferrule, best-quality bristles—		
60	No. 4 .. .. .	2/3	"
61	No. 6 .. .. .	2/10	"
62	No. 8 .. .. .	3/9	"
63	No. 10 .. .. .	5/	"
64	No. 12 .. .. .	7/	"
	Stencil, tin-bound, for decorators—		
65	No. 6 .. .. .	13/1	"
66	No. 8 .. .. .	16/2	"
67	No. 10 .. .. .	25/10	"
68	No. 12 .. .. .	39/	"
	Stencil, tin-bound, for ink or water—		
69	No. 6 .. .. .	4/9	"
73	Stencil, for tarpaulins, to sample .. .. .	65/	"
	Stock, 3-knot, unground, C.W.B., best quality, grey middles—		
74	6/0 .. .. .	81/2	"
75	7/0 .. .. .	101/5	"
	Varnish, flat, oval-bevelled, C.W.B., best selected white bristles—		
76	2/0 .. .. .	21/2	"
77	3/0 .. .. .	31/3	"
78	4/0 .. .. .	45/3	"
79	5/0 .. .. .	56/3	"
	Varnish, 1-knot, bevelled, C.W.B., best selected white bristles—		
80	2/0 .. .. .	42/2	"
81	3/0 .. .. .	53/10	"
82	4/0 .. .. .	60/2	"
83	5/0 .. .. .	64/9	"
	Weatherboard, brass-bound, best-quality grey bristles—		
84	4 in. .. .. .	50/9	"
85	5 in. .. .. .	78/10	"
	Whitewash, tin-bound, lacquered ferrule, mixed middles, white bristles outside—		
86	5 in. .. .. .	23/3	"
87	6 in. .. .. .	29/3	"
88	7 in. .. .. .	38/	"

No.	Description of Article and Rate.	Per	Tenderer.
	<b>Buckets—</b>		
	Iron, 26 gauge, strapped, seamed, and riveted, galvanized after being made—		
89	13 in. . . . .	26/6	doz. 148 Briscoe and Co. (Ltd.).
90	14 in. . . . .	30/9	114 Allen, Son, and McClure (Ltd.).
91	15 in. . . . .	36/	148 Briscoe and Co. (Ltd.).
	Iron, contractors', heavy-strapped, seamed, and riveted, double-hooped, 22 gauge, with heavy lugs, galvanized after being made, to sample—		
92	13 in. . . . .	48/	.. .. .
93	14 in. . . . .	50/	.. .. .
94	15 in. . . . .	52/	.. .. .
	<b>Cans—</b>		
95	Water, oak-japanned, 2 gallons . . . . .	4/8	each 98 Farra Bros.
96	Water, galvanized, 2 gallons . . . . .	3/11	108 John Edmond.
97	Watering, galvanized, with rose, 10 quarts . . . . .	4/6	114 Allen, Son, and McClure (Ltd.).
98	Cement, Portland, Milburn* . . . . .	3/6	cwt. 95 Milburn Lime and Cement Co. (Ltd.).
	<b>Closet-pans, galvanized—</b>		
99	Large size, to sample . . . . .	5/6	each 92 J. and T. Christie.
100	Small size, to sample . . . . .	4/9	.. .. .
	<b>Coal-scuttles, Waterloo scoop, 18 in. by 24 gauge—</b>		
101	Japanned after being made . . . . .	3/	.. .. . 98 Farra Bros.
102	Galvanized after being made . . . . .	3/6	.. .. .
	<b>Cocks, brass, H.P. bib, screwed, New Zealand pattern—</b>		
	<b>With hose union—</b>		
103	½ in. . . . .	2/	.. .. . 152 G. Methven and Co. (Ltd.).
104	¾ in. . . . .	2/9	.. .. . Ditto.
105	1 in. . . . .	4/	.. .. .
106	1¼ in. . . . .	9/	.. .. .
107	1½ in. . . . .	17/6	.. .. .
	<b>Without hose union—</b>		
109	½ in. . . . .	1/5	.. .. .
110	¾ in. . . . .	2/4	.. .. .
111	1 in. . . . .	3/6	.. .. .
112	1¼ in. . . . .	8/	.. .. .
113	1½ in. . . . .	14/6	.. .. .
	<b>Cocks, brass, H.P., water, stop, New Zealand pattern, male or female ends, as required, with threads to suit iron pipes—</b>		
115	½ in. . . . .	1/5	.. .. .
116	¾ in. . . . .	2/5	.. .. .
117	1 in. . . . .	3/10	.. .. .
	<b>Cocks, gun-metal, steam, plug—</b>		
	<b>Bib, screwed, male or female ends as required—</b>		
128	¼ in. . . . .	2/	.. .. . 181 A. and T. Burt (Ltd.).
129	½ in. . . . .	3/3	.. .. .
130	¾ in. . . . .	7/	.. .. .
131	1 in. . . . .	12/	.. .. .
	<b>Flanged at one or both ends, rough—</b>		
132	½ in. . . . .	20/	.. .. .
133	¾ in. . . . .	24/	.. .. .
134	1 in. . . . .	30/	.. .. .

\* Cement must be in accordance with the latest British standard specification.

No.	Description of Article and Rate.	Per	Tenderer.
	Cocks, ball, H.P., full way, including copper ball (extra strong) and lever complete—		
138	½ in. .. .. .	2/8 each	131 A. and T. Burt (Ltd.).
139	¾ in. .. .. .	3/9 "	" "
140	1 in. .. .. .	5/6 "	" "
141	2 in. .. .. .	39/ "	" "
	Drain-pipes, stoneware, double-glazed, socketed*—		
142	3 in. .. .. .	/5 ft.	23 P. McSkimming & Son.
143	4 in. .. .. .	/6 "	" "
144	6 in. .. .. .	/8 "	" "
145	9 in. .. .. .	1/3 "	" "
146	12 in. .. .. .	1/10½ "	" "
147	15 in. .. .. .	2/6 "	" "
148	18 in. .. .. .	4/ "	" "
	Drain-pipes, stoneware, double-glazed, straight (without socket)—		
149	3 in. .. .. .	/4 "	" "
150	4 in. .. .. .	/4½ "	" "
151	6 in. .. .. .	/6 "	" "
152	9 in. .. .. .	1/ "	" "
	Drain-tiles, red, field—		
153	4 in. .. .. .	22/6 100	" "
154	6 in. .. .. .	37/6 "	" "
155	9 in. .. .. .	75/ "	" "
156	Fire-bricks, standard size, " Benhar "	160/ 1,000	" "
157	Fire-clay, " Benhar "	4/ cwt.	" "
158	Flannel, scouring, to sample, English ..	/7½ yard	202 Sargood, Son, and Ewen (Ltd.).
	Funnels, tin—		
159	½ pint .. .. .	/5 each	108 John Edmond.
160	1 pint .. .. .	/9 "	" "
161	1 quart.. .. .	/11 "	" "
162	2 quart.. .. .	1/6 "	" "
163	3 quart.. .. .	2/3 "	" "
164	Glue, best quality, N.Z. Glue Company's—		
	Joiner's .. .. .	/6 lb.	197 Smith & Smith (Ltd.).
	Cabinetmakers' .. .. .	/7 "	" "
165	Glycerine .. .. .	/10½ "	16 Kempthorne, Prosser, and Co. (Ltd.).
	Hose-pipe, best chrome-tanned leather, copper-riveted (to be provided with 1½ in. by 9 in. gusset-piece let in at end—		
168	4 in. diameter .. .. .	5/6 ft.	148 Briscoe and Co. (Ltd.).
169	6 in. diameter .. .. .	7/8 "	" "
170	7 in. diameter .. .. .	8/7 "	" "
171	8 in. diameter .. .. .	10/ "	" "
172	9 in. diameter .. .. .	11/9 "	" "
173	12 in. diameter .. .. .	17/2 "	108 John Edmond.
	Jacks, timber, double-claw, A. and G. Price (Limited)—		
187	4 tons .. .. .	148/6 each	" "
188	6 tons .. .. .	158/6 "	" "
	Leather—		
189	Basil-skins, best saddlers' (20 lb. per doz., minimum) unstrained	39/9 doz.	148 Briscoe and Co. (Ltd.).
190	Belt, approved quality, in backs .. .. .	2/11¼ lb.	" "

\* NOTE. — Double junctions, square or V, to be charged as three pipes; single junctions, square or V, elbows, and heads as two pipes; curved junctions as three pipes.

No.	Description of Article and Rate.	Per	Tenderer.	
<i>Leather—continued.</i>				
191	Bridle, in sides .. .. .	28/	side	121 Michaelis, Hallenstein, and Farquhar.
192	Cow, alum-tanned, white hide, shaved .. .. .	63/	full hide	148 Briscoe and Co. (Ltd.).
193	Cow, alum-tanned, white hide, shaved .. .. .	32/	side	108 John Edmond.
194	Cow, bag-hide, brown .. .. .	60/	full hide	"
195	Cow, bag-hide, brown .. .. .	24/	side	121 Michaelis, Hallenstein, and Farquhar.
196	Harness, black (sides not under 20 lb.) .. .. .	1/10	lb.	Ditto.
197	Hydraulic, oil-tanned .. .. .	1/11	"	108 John Edmond.
198	Kip, brown or black, not under 9 lb. per side .. .. .	2/3	"	121 Michaelis, Hallenstein, and Farquhar.
199	Pipe, hide .. .. .	1/8	"	Ditto.
200	Pump butts .. .. .	2/11	"	108 John Edmond.
201	Sole, approved quality (in sides not under 22 lb.) .. .. .	1/7	"	121 Michaelis, Hallenstein, and Farquhar.
202	Laces, belt, green hide, equal to sample .. .. .	3/3	"	Ditto.
203	Laces, belt, chrome-tanned, equal to sample .. .. .	3/3	"	"
<i>Lime—</i>				
204	White, ordinary .. .. .	/10*	bushel	95 Milburn Lime & Cement Co. (Ltd.).
205	Hydraulic .. .. .	1/8*	"	Ditto.
<i>Mattresses, wire-woven on wood frames—</i>				
206	6 ft. 2 in. by 2 ft. 3 in., 21½ to 23 gauge wires, with six-ply strands at every 6 in. across .. .. .	10/3	each	65 W. Nees & Sons (Ltd.).
207	Ditto, with cable edges .. .. .	13/6	"	"
208	Ditto, with cable edges and patent non-sag .. .. .	16/	"	"
<i>Measures, oil, XXX tin, with lip and rims—</i>				
209	1 pint .. .. .	1/	"	98 Farra Bros.
210	1 quart .. .. .	1/3	"	"
211	2 quarts .. .. .	1/9	"	"
212	1 gallon .. .. .	2/3	"	"
213	2 gallons .. .. .	3/	"	"
214	Nails, wire, lead-headed, 2½ in. .. .. .	21/6	cwt.	92 J. and T. Christie.
<i>Oil-bottles, XXX tin, any shape required—</i>				
215	½ gallon .. .. .	15/	doz.	98 Farra Bros.
216	1 gallon .. .. .	21/	"	"
219	Plaiding, to sample .. .. .	1/	lineal yard	140 Bing, Harris and Co. (Ltd.).
<i>Plugs and washers, brass—</i>				
<i>Round—</i>				
220	1½ in. .. .. .	6/11	doz.	181 A. and T. Burt (Ltd.).
221	1¾ in. .. .. .	7/6	"	"
222	2 in. .. .. .	8/5	"	"
223	2½ in. .. .. .	11/11	"	"
<i>Square—</i>				
224	1½ in. .. .. .	7/	"	152 G. Methven & Co. (Ltd.).
225	1¾ in. .. .. .	8/	"	"
226	2 in. .. .. .	9/6	"	"
227	2½ in. .. .. .	14/	"	"
<i>Ridging, galvanized-iron, 22 gauge, with 2 in. lead edges in addition—</i>				
228	16 in. .. .. .	/6	ft.	181 A. and T. Burt (Ltd.).
229	18 in. .. .. .	/6½	"	"
230	20 in. .. .. .	/7¾	"	"
231	24 in. .. .. .	/8½	"	"

\* 2d. each allowed for bags returned in good order.



No.	Description of Article and Rate.	Per	Tenderer.
	Ridging, galvanized-iron, 24 gauge, with 2 in. lead edges in addition—		
232	16 in. . . . .	/5½ ft.	181 A. and T. Burt (Ltd.).
233	18 in. . . . .	/5¾ "	"
234	20 in. . . . .	/6½ "	"
235	24 in. . . . .	/7¼ "	"
	Spouting, ridging and downpipe, at per cent. discount from New Zealand galvanized-spouting list—		
236	22 gauge . . . . .	36¼ per cent.	148 Briscoe and Co. (Ltd.).
237	24 gauge . . . . .	51 "	181 A. and T. Burt (Ltd.).
238	Fittings, 22 gauge . . . . .	36¼ "	148 Briscoe and Co. (Ltd.).
239	Fittings, 24 gauge . . . . .	46 "	181 A. and T. Burt (Ltd.).
	Stove-piping, black—		
244	5 in., 16 gauge . . . . .	1/1 ft.	108 John Edmond.
245	6 in., 16 gauge . . . . .	1/2 "	"
	Stove-piping, galvanized—		
246	5 in., 20 gauge . . . . .	/9 "	92 J. and T. Christie.
247	6 in., 20 gauge . . . . .	/10 "	"
	Stove-piping, elbows, black, 1 ft. each way from point—		
248	5 in., 16 gauge . . . . .	2/8½ each	181 A. and T. Burt (Ltd.).
249	6 in., 16 gauge . . . . .	3/1 "	"
	Stove-piping, elbows, galvanized, 1 ft. each way from point—		
250	5 in., 20 gauge . . . . .	2/4½ "	"
251	6 in. 20 gauge . . . . .	2/9½ "	"
	Tanks, iron, square, with manhole and cover, galvanized (imported)—		
252	200 gallons . . . . .	80/ "	108 John Edmond.
253	400 gallons . . . . .	109/ "	"
	Tanks, iron, galvanized, corrugated, round, 24-gauge sides, 22-gauge bottom, with cover, waste-pipe 1 in., brass tap, and wash-out plug at bottom—		
254	400 gallons . . . . .	47/6 "	92 J. and T. Christie.
255	600 gallons . . . . .	65/ "	"
256	800 gallons . . . . .	95/ "	98 Farra Bros.
	Tents, strong, double-seamed, with ropes, grommets, and beackets complete—		
	Calico—		
257	8 ft. x 10 ft. . . . .	19/3 "	202 Sargood, Son, and Ewen (Ltd.).
258	10 ft. x 12 ft. . . . .	25/9 "	61 A. Thompson & Sons.
	White duck, 8 oz.—		
259	8 ft. x 10 ft. . . . .	25/3 "	202 Sargood, Son, and Ewen (Ltd.).
260	10 ft. x 12 ft. . . . .	34/3 "	Ditto.
	Tent-flies, strong, double-seamed and roped inside hem—		
	Calico—		
261	10 ft. x 12 ft. . . . .	9/6 "	"
262	12 ft. x 14 ft. . . . .	13/6 "	"
263	14 ft. x 16 ft. . . . .	17/6 "	61 A. Thompson & Sons.

No.	Description of Article and Rate.	Per	Tenderer.
	Tent-flies, strong, double-seamed, &c.— <i>continued.</i>		
	White duck, 8 oz.—		
264	10 ft. x 12 ft. .. .. . 14/	each	202 Sargood, Son, and Ewen (Ltd.).
265	12 ft. x 14 ft. .. .. . 20/6	"	Ditto.
266	14 ft. x 16 ft. .. .. . 26/9	"	"
	Unions, hose, brass—		
267	$\frac{3}{8}$ in. .. .. . /5	ft.	152 G. Methven and Co. (Ltd.).
269	$\frac{5}{8}$ in. .. .. . /9	"	Ditto.
274	$1\frac{1}{4}$ in. .. .. . 6/	"	"
275	2 in. .. .. . 7/	"	"
	Valves, globe, wheel-top, flanged ends, gun-metal, extra strong, A. and T. Burt (Limited)—		
306	$2\frac{1}{2}$ in. .. .. . 45/8	"	181 A. and T. Burt (Ltd.).
307	3 in. .. .. . 62/6	"	"
	Valves, bib, wheel-top, male or female, gun-metal, with union for hose, A. and T. Burt (Limited)—		
308	$\frac{1}{2}$ in. .. .. . 2/9	"	"
309	$\frac{3}{4}$ in. .. .. . 4/7	"	"
310	1 in. .. .. . 7/2	"	"
311	$1\frac{1}{2}$ in. .. .. . 22/6	"	"
312	2 in. .. .. . 65/	"	"
	Ventilators, torpedo, galvanized iron—		
313	For 3 in. pipe .. .. . 2/6	"	92 J. and T. Christie.
314	For 4 in. pipe .. .. . 3/6	"	"
315	For 6 in. pipe .. .. . 5/	"	"
316	For 8 in. pipe .. .. . 8/	"	181 A. and T. Burt (Ltd.).
317	For 10 in. pipe .. .. . 10/6	"	98 Farra Bros.
318	For 12 in. pipe .. .. . 12/6	"	"

## NEW ZEALAND GALVANIZED-IRON SPOUTING LIST.

O.G. spouting .. .. .	4 in.	$4\frac{1}{2}$ in.	5 in.	6 in.
	4d.	$4\frac{1}{2}$ d.	5d.	6d.
Half-round spouting .. .. .	3 in.	$3\frac{1}{2}$ in.	4 in.	$4\frac{1}{2}$ in.
	$2\frac{3}{4}$ d.	$3\frac{1}{4}$ d.	$3\frac{3}{4}$ d.	$4\frac{1}{4}$ d.
Downpipe .. .. .	$1\frac{1}{2}$ in.	2 in.	$2\frac{1}{2}$ in.	3 in.
	$3\frac{1}{2}$ d.	$3\frac{3}{4}$ d.	$4\frac{1}{4}$ d.	5d.
Ridging .. .. .	12 in.	14 in.	16 in.	18 in.
(Lead edging extra.) .. .. .	5d.	$5\frac{1}{2}$ d.	$6\frac{1}{2}$ d.	$7\frac{1}{2}$ d.
Heads .. .. .	40/ per doz.	O.G. brackets .. .. .	7/ per doz.	
Shoes .. .. .	22/ "	Half-round brackets .. .. .	3/6 "	
Angles .. .. .	30/ "	Tubes .. .. .	6/ per gross.	
Ridging-clips .. .. .	6/ "	Spikes .. .. .	12/ "	

1st September, 1905.

This cancels all previous lists.

ACCEPTED TENDER-RATES FOR STORES REQUIRED FOR THE NEW ZEALAND GOVERNMENT  
RAILWAYS FROM 1st APRIL, 1914, TO 31st MARCH, 1917.

TO BE SUPPLIED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF CONTRACT (No. 22) SIGNED BY THE  
GENERAL MANAGER OF THE NEW ZEALAND RAILWAYS AND DATED 1st APRIL, 1913,

AT INVERCARGILL.

No.	Description of Article and Rate.	Per	Tenderer.
	Acid (delivered at Dunedin)—		
1	Fluoric .. .. .	6/	lb. 15 Kempthorne, Prosser, and Co. (Ltd.).
2	Muriatic, in $\frac{1}{2}$ gal. glass bottles .. .. .	/4 $\frac{1}{2}$	„ Ditto.
3	Muriatic, in 3 gal. jars .. .. .	/3 $\frac{1}{2}$	„ „
4	Nitric, in $\frac{1}{2}$ gal. glass bottles .. .. .	/10	„ „
5	Nitric, in 3 gal. jars .. .. .	/9	„ „
6	Sulphuric, in $\frac{1}{2}$ gal. glass bottles .. .. .	/4	„ „
7	Sulphuric, in 3 gal. jars .. .. .	/2 $\frac{1}{2}$	„ „
	Alum (delivered at Dunedin)—		
30	Lump .. .. .	/2	„ „
31	Powdered .. .. .	/2	„ „
32	Aluminium, ingot .. .. .	1/2 $\frac{1}{2}$	„ 184 A. and T. Burt (Ltd.).
33	Ammonia, liquid, .880, in $\frac{1}{2}$ gal. glass bottles (delivered at Dunedin)	/8	„ 15 Kempthorne, Prosser, and Co. (Ltd.).
34	Ammonia, liquid, .880, in 3 gal. jars (delivered at Dunedin)	/6 $\frac{1}{2}$	„ Ditto.
35	Antimony, Steadman, Crowther, and Co. .. .. .	/7 $\frac{1}{2}$	„ 184 A. and T. Burt (Ltd.).
	Anvils, smiths', London pattern, over 1 cwt.—		
41	Peter Wright and Sons' .. .. .	42/6	cwt. 177 Thomson, Bridger, and Co. (Ltd.).
42	Wilkinson's .. .. .	33/6	„ 86 New Zealand Hard- ware Company (Ltd.).
	Augers, screw, double twist, eyed, Scotch pattern, Gilpin's, Plate I, No. 8—		
45	$\frac{3}{8}$ in. to $\frac{1}{2}$ in. .. .. .	13/9	doz. Ditto.
48	$\frac{9}{16}$ in. .. .. .	14/9	„ „
49	$\frac{5}{8}$ in. .. .. .	15/	„ „
51	$\frac{3}{4}$ in. .. .. .	15/6	„ „
53	$\frac{7}{8}$ in. .. .. .	19/6	„ „
55	1 in. .. .. .	23/6	„ „
57	1 $\frac{1}{8}$ in. .. .. .	25/6	„ „
58	1 $\frac{1}{4}$ in. .. .. .	29/6	„ „
59	1 $\frac{3}{8}$ in. .. .. .	33/6	„ „
60	1 $\frac{1}{2}$ in. .. .. .	35/6	„ „
61	1 $\frac{5}{8}$ in. .. .. .	38/6	„ „
62	1 $\frac{3}{4}$ in. .. .. .	44/6	„ „
64	2 in. .. .. .	52/6	„ „
	Augers, screw, double twist, eyed, Scotch pattern, A. Mathieson and Sons', No. 1120—		
43	$\frac{1}{4}$ in. to $\frac{3}{8}$ in. .. .. .	15/6	„ 109 John Edmond.
46	$\frac{7}{16}$ in. and $\frac{1}{2}$ in. .. .. .	15/9	„ „
48	$\frac{9}{16}$ in. and $\frac{5}{8}$ in. .. .. .	19/6	„ „
51	$\frac{3}{4}$ in. .. .. .	23/6	„ „
52	$\frac{13}{16}$ in. .. .. .	24/	„ „
53	$\frac{7}{8}$ in. .. .. .	26/	„ „
54	$\frac{15}{16}$ in. and 1 in. .. .. .	27/	„ „
56	1 $\frac{1}{16}$ in. .. .. .	27/6	„ „
	Augers, single twist, without screw, eyed, L'Hommedieu and Tracy's—		
95	$\frac{1}{2}$ in. .. .. .	45/	„ 149 Briscoe and Co. (Ltd.).
96	$\frac{5}{8}$ in. .. .. .	55/	„ „

No.	Description of Article and Rate.	Per	Tenderer.
	Augers, single twist, without screw, eyed, L'Hommedieu and Tracy's— <i>continued.</i>		
97	$\frac{3}{4}$ in. . . . .	60/	doz.
98	$\frac{7}{8}$ in. . . . .	65/	"
99	1 in. . . . .	70/	"
100	$1\frac{1}{8}$ in. . . . .	82/	"
101	$1\frac{1}{4}$ in. . . . .	90/	"
102	$1\frac{3}{8}$ in. . . . .	95/6	"
103	$1\frac{1}{2}$ in. . . . .	114/	"
104	$1\frac{5}{8}$ in. . . . .	127/	"
105	$1\frac{3}{4}$ in. . . . .	143/	"
106	$1\frac{7}{8}$ in. . . . .	160/	"
107	2 in. . . . .	190/	"
108	$2\frac{1}{8}$ in. . . . .	266/	"
109	$2\frac{1}{4}$ in. . . . .	335/	"
110	$2\frac{3}{8}$ in. . . . .	399/	"
111	$2\frac{1}{2}$ in. . . . .	495/	"
112	$2\frac{5}{8}$ in. . . . .	500/	"
113	$2\frac{3}{4}$ in. . . . .	645/	"
114	$2\frac{7}{8}$ in. . . . .	676/	"
115	3 in. . . . .	682/	"
	Axes, American pattern, wedge, handled—		
123	Spear and Jackson's No. D1000—		
	3 lb. . . . .	3/	each
	$3\frac{1}{2}$ lb. . . . .	4/	"
	4 lb. . . . .	4/6	"
	$4\frac{1}{2}$ lb. . . . .	4/9	"
	5 lb. . . . .	5/	"
125	Sharp's—		
	$3\frac{1}{2}$ lb. . . . .	4/	"
	4 lb. . . . .	4/	"
	$4\frac{1}{2}$ lb. . . . .	4/	"
	Axes, Tasmanian pattern, handled—		
126	Brades' "Championship" No. 1565—		
	4 lb. . . . .	4/	"
	$4\frac{1}{2}$ lb. . . . .	4/	"
	5 lb. . . . .	4/	"
128	Collins's—		
	4 lb. . . . .	3/9	"
	$4\frac{1}{2}$ lb. . . . .	3/9	"
	5 lb. . . . .	3/9	"
	Barrow-wheels, spindles, and gudgeons, wrought iron (delivered at Dunedin)—		
129	14 in. diam., $1\frac{1}{2}$ in. x $\frac{3}{8}$ in. tire . . . . .	52/	doz.
130	16 in. diam., $1\frac{1}{2}$ in. x $\frac{3}{8}$ in. tire . . . . .	55/	"
131	18 in. diam., $1\frac{1}{2}$ in. x $\frac{3}{8}$ in. tire . . . . .	61/	"
132	14 in. diam., $\frac{3}{4}$ in. round tire . . . . .	55/	"
133	16 in. diam., $\frac{3}{4}$ in. round tire . . . . .	61/	"
134	18 in. diam., $\frac{3}{4}$ in. round tire . . . . .	67/	"
135	Basins, hand, stamped iron, "Anglo," 15 in., without plug and washer	1/3	each
136	Basins for washstands, stamped iron, enamelled, "Anglo," 16 in., with brass plug and washer	3/9	"
	Baths, enamelled white, with plug, chain, washer, and overflow, 6 ft. long, full width—		
137	With feet, rolled edge—		
	Cast iron . . . . .	117/6	"
	Galvanized . . . . .	57/6	"

No.	Description of Article and Rate.	Per	Tenderer.
Baths, enamelled white, &c.— <i>continued.</i>			
138	Without feet—		
	Cast iron .. .. .	115/	each 109 John Edmond.
	Galvanized .. .. .	57/6	184 A. and T. Burt (Ltd.).
Beater-picks, platemayer's, steel both ends, oval eye, Brades', to sample—			
141	6 lb. .. .. .	2/5	109 John Edmond.
142	7 lb. .. .. .	2/8	" "
143	Beeswax .. .. .	1/4	132 Broad, Small, and Co.
144	Bells, station, handled, 8 in. .. .. .	17/3	each 184 A. and T. Burt (Ltd.).
Bellows, moulders', hand, extra nailed—			
145	9 in. .. .. .	2/6	109 John Edmond.
146	10 in. .. .. .	3/	" "
147	12 in. .. .. .	3/6	" "
Belting, camel-hair, "Camel" brand, F. Reddaway and Co.'s—			
149	3 in. .. .. .	/8½	ft. 132 Broad, Small, and Co.
151	4 in. .. .. .	1/5	" "
152	5 in. .. .. .	1/9	" "
154	6 in. .. .. .	2/1	" "
Belting, Dick's original "Balata"—			
158	1½ in., 3-ply .. .. .	/5	109 John Edmond.
159	2½ in., 3-ply .. .. .	/7½	" "
160	3 in., 3-ply .. .. .	/9	" "
161	3½ in., 4-ply .. .. .	1/3	" "
162	4 in., 4-ply .. .. .	1/5	" "
163	5 in., 4-ply .. .. .	1/9	" "
164	5½ in., 4-ply .. .. .	2/1	" "
165	6 in., 6-ply .. .. .	3/4	" "
166	7 in., 6-ply .. .. .	4/2	" "
167	8 in., 6-ply .. .. .	5/	" "
168	9 in., 6-ply .. .. .	5/8	" "
Benzine, Pratt's—			
	Heavy .. .. .	1/8	gal. 222 Vacuum Oil Co. (Ltd.).
	Light .. .. .	1/9½	" "
170	Benzoline, Pratt's .. .. .	2/2½	" "
Bits, brace, bright, twist-nose, Swiss, gimlet or cobra, Boker's—			
171	Size, ¼ in., No. 4 .. .. .	1/9	doz. 215 Smith & Laing (Ltd.).
172	Size, ⅜ in., No. 6 .. .. .	1/9	" "
173	Size, ½ in., No. 8 .. .. .	1/9	" "
174	Size, ⅝ in., No. 10 .. .. .	1/9	" "
175	Size, ¾ in., No. 12 .. .. .	1/10	" "
176	Size, 7/8 in., No. 14 .. .. .	1/10	" "
177	Size, 1 in., No. 16 .. .. .	1/10	" "
Bits, brace, screw, auger, double-twist, bright, Scotch pattern—			
A. Mathieson and Sons, No. 115—			
178	¼ in. to ½ in. .. .. .	13/6	" 86 New Zealand Hardware Co. (Ltd.).
179	9/16 in. .. .. .	14/6	" Ditto.
180	5/8 in. .. .. .	16/	" "
181	11/16 in. .. .. .	17/	" "
182	¾ in. .. .. .	18/	" "
184	7/8 in. .. .. .	19/	" "
185	15/16 in. .. .. .	20/	" "
186	1 in. .. .. .	21/6	" 177 Thomson, Bridger, and Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.					
	Bits, brace, screw, auger, double-twist, bright, Scotch pattern— <i>continued</i> .							
	William Gilpin and Co., No. 6—							
187	1 1/8 in. .. .. .	28/	doz.					
188	1 1/4 in... .. .	30/	"					
189	1 3/8 in. .. .. .	32/	"					
190	1 1/2 in. .. .. .	35/6	"					
	Bits, brace, screw, auger, double twist, bright, concave mouth, Gilpin's or Gedge's pattern, William Gilpin and Co., No. 2—							
191	1/2 in. to 1/2 in. .. .. .	11/	"					
192	5/16 in. .. .. .	12/3	"					
193	3/8 in. .. .. .	14/	"					
194	7/16 in. .. .. .	16/	"					
195	1/2 in. .. .. .	16/	"					
196	5/8 in. .. .. .	16/3	"					
197	3/4 in. .. .. .	18/	"					
198	7/8 in. .. .. .	19/	"					
199	1 in. .. .. .	19/9	"					
200	1 1/8 in. .. .. .	24/6	"					
201	1 1/4 in. .. .. .	26/6	"					
202	1 3/8 in. .. .. .	30/6	"					
203	1 1/2 in. .. .. .	33/6	"					
	Blocks, rope-pulley, wrought iron, with hooks, London pattern, Holt and Willett—							
227	1 sheave .. .. .	1/1	in. diam. of sheave					
228	2 sheave .. .. .	1/8	ditto					
229	3 sheave .. .. .	2/6	"					
	Boilers, copper, any gauge, capacity 14 gallons—							
230	Brazed .. .. .	1/2 1/2	lb.					
231	Riveted .. .. .	1/7	"					
<p><b>BOLTS AND NUTS (Whitworth Standard Threads and Sizes).</b>  <i>Black, Cup or Countersunk Heads, Square Necks, and Square Nuts.</i>                      Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.</p>								
Length from under Head to Point, except Countersunk-headed Bolts, which are measured over all.		Per Gross.				Per Cwt.		
		Diameter.				Diameter.		
		1/2"	5/16"	3/8"	7/16"	1/2" & 5/16"	3/4" & 11/16"	1/2" to 1 1/4"
234	2 in. and under .. .. .	4/3	5/2	6/8	7/11	31/6	27/	21/6
	2 1/8 in. to 3 in. inclusive	Advancing		8/5	9/8	28/6	25/	21/
		5d. and 7d.		Per Cwt.				
	Above 3 in. to 4 1/2 in. inclusive	per gross per	30/	28/9	27/6	24/	21/	
	Above 4 1/2 in. to 6 in. inclusive	1/2 in. or frac-	28/6	27/6	25/3	23/	20/6	
Above 6 in. to 9 in. inclusive	tion of 1/2 in.	23/6	22/6	23/3	21/6	19/9		
Above 9 in. .. .. .	over 2 in. long	—	—	20/6	20/	19/6		
Extra for hexagon nuts—								
	Per gross .. .. .	1/	1/	1/6	1/6	—	—	—
	Per cwt. .. .. .	—	—	4/	4/	2/9	2/	1/6

No.	Description of Article and Rate.	Per	Tenderer.	
<b>BOLTS AND NUTS.</b> <i>Black, Hexagon Heads, Round Necks, and Hexagon Nuts.</i> Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.				
	Length from under Head to Point.	Per Gross. Diameter.	Per Cwt. Diameter.	
		$\frac{1}{4}$ "   $\frac{5}{16}$ "   $\frac{3}{8}$ "   $\frac{7}{16}$ "	$\frac{1}{2}$ " & $\frac{9}{16}$ "   $\frac{5}{8}$ " & $\frac{11}{16}$ "   $\frac{3}{4}$ " to $1\frac{1}{4}$ "	
239	2 in. and under .. ..	5/10   6/4   8/9   8/9	34/3   28/   24/6	109 John Edmond.
	2½ in. to 3 in. inclusive	Advancing 4½d. & 6½d.	9/6   10/   32/   26/   23/6	"
	Above 3 in. to 4½ in. inclusive	per gross per	Per Cwt. 32/6   31/6   29/   25/   22/	"
	Above 4½ in. to 6 in. inclusive	½ in. or frac-	30/6   29/6   27/   24/   21/	"
	Above 6 in. to 9 in. inclusive	tion of ½ in.	27/6   25/6   25/6   22/9   20/6	"
	Above 9 in. ..	over 2 in.	23/   21/6   20/6   19/6   18/6	"
		long		
<b>BOLT-ENDS (Whitworth Standard Threads and Sizes).</b> Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.				
	Diameter.	$\frac{3}{8}$ "   $\frac{7}{16}$ "   $\frac{1}{2}$ "   $\frac{5}{8}$ "   $\frac{3}{4}$ " to $1\frac{1}{4}$ "	$1\frac{1}{2}$ " & $1\frac{1}{2}$ "   $1\frac{5}{8}$ " & $1\frac{3}{4}$ "   $1\frac{7}{8}$ " & 2"	Per
246	With square nuts	21/6   20/6   19/6   19/   19/   19/   19/   19/	cwt.	109 John Edmond.
247	With hexagon nuts	23/   22/6   22/   20/6   20/   20/   20/   20/	"	"
Bolts—				
252	Galvanized, mushroom head (gutter), Guest, Keen, and Nettlefolds, per cent. discount off list, Art. No. 86	40	per cent.	177 Thomson, Bridger, and Co. (Ltd.).
253	Socket, all brass.. ..	/3¼	in.	109 John Edmond.
254	Socket, brass, with iron shoot, T. Sanders (Limited), No. 7628	/2½	"	215 Smith & Laing (Ltd.).
255	Tower or socket, iron, japanned .. ..	/0¼	"	177 Thomson, Bridger, and Co. (Ltd.).
257	Boots, gum, full length, without felt lining, North British Rubber Company	23/4	pair	146 Hayward Bros. and Co. (Ltd.).
259	Boots, gum, knee, without felt lining, North British Rubber Company	15/8	"	Ditto.
Borax—				
260	Lump .. ..	/3	lb.	109 John Edmond.
261	Powdered .. ..	/3	"	"
262	Boxes, cash, 4-lever lock, 2 keys .. ..	1/	in.	177 Thomson, Bridger, and Co. (Limited).
265	Braces, carpenters', with ratchet, 10 in., Spear and Jackson's No. D268	6/6	each	215 Smith & Laing (Ltd.).
267	Braces, carpenters', without ratchet, 10 in., A. Mathieson and Sons' No. 510	3/6	"	109 John Edmond.
Braces, engineers', ratchet—				
273	12 in., A. Mathieson and Sons' No. 3S and No. 3SS ..	13/	"	177 Thomson, Bridger, and Co. (Ltd.).
A. Mathieson and Sons' Nos. 3 and 4—				
287	14 in. .. ..	12/6	"	109 John Edmond.
288	16 in. .. ..	14/6	"	"
289	18 in. .. ..	16/9	"	"

No.	Description of Article and Rate.	Per.	Tenderer.
	Brackets for shelves, wrought steel, japanned— John Harper and Co.'s pattern No. 128, or other maker of equal quality and strength, to be approved by Department—		
299	8 in. x 6 in. .. .. .	2/6	doz. 177 Thomson, Bridger, and Co. (Ltd.).
300	10 in. x 8 in. .. .. .	3/3	„ Ditto.
301	12 in. x 10 in. .. .. .	4/9	„ „
302	Brads, flooring, wire .. .. .	1/1 $\frac{3}{4}$	lb. 132 Broad, Small, and Co.
	Brass rod—		
303	$\frac{1}{4}$ in. and over .. .. .	1/10 $\frac{1}{2}$	„ 149 Briscoe & Co. (Ltd.).
304	Coiled, soft, suitable for rivets, $\frac{3}{8}$ in. .. .. .	1/	„ „
	Brass sheet—48 in. x 24 in. or 52 in. x 26 in., 72 in. x 24 in.—		
306	11 to 18 gauge .. .. .	1/	„ „
307	20 gauge .. .. .	1/1	„ „
308	22 gauge .. .. .	1/1	„ „
309	24 gauge .. .. .	1/1 $\frac{1}{2}$	„ „
310	26 gauge .. .. .	1/2	„ „
311	28 gauge .. .. .	1/2 $\frac{1}{2}$	„ „
	Brass tubing, solid-drawn, seamless—		
312	$\frac{3}{8}$ in. x 16 gauge .. .. .	1/6	„ „
313	$\frac{1}{2}$ in. x 16 gauge .. .. .	1/6	„ „
314	$\frac{5}{8}$ in. x 14 gauge .. .. .	1/5	„ „
315	$\frac{5}{8}$ in. x 16 gauge .. .. .	1/5	„ „
316	$\frac{3}{4}$ in. x 14 gauge .. .. .	1/3	„ „
317	$\frac{3}{4}$ in. x 16 gauge .. .. .	1/3	„ „
318	$\frac{7}{8}$ in. x 14 gauge .. .. .	1/2	„ „
319	$\frac{7}{8}$ in. x 16 gauge .. .. .	1/2	„ „
320	1 in. x 14 gauge .. .. .	1/2	„ „
321	1 $\frac{1}{8}$ in. x 14 gauge .. .. .	1/2	„ „
322	1 $\frac{1}{4}$ in. x 12 gauge .. .. .	1/4 $\frac{1}{2}$	„ 184 A. and T. Burt (Ltd.).
323	1 $\frac{1}{4}$ in. x 14 gauge .. .. .	1/4 $\frac{1}{2}$	„ „
	Brass-cased tubing, polished and lacquered—		
324	$\frac{3}{8}$ in. diam. .. .. .	2/2 $\frac{1}{2}$	ft. 215 Smith & Laing (Ltd.).
325	$\frac{1}{2}$ in. diam. .. .. .	2/2 $\frac{3}{4}$	„ „
326	$\frac{5}{8}$ in. diam. .. .. .	/3	„ „
327	$\frac{3}{4}$ in. diam. .. .. .	/4	„ „
328	$\frac{7}{8}$ in. diam. .. .. .	/5	„ „
329	1 in. diam. .. .. .	/6	„ „
330	1 $\frac{1}{4}$ in. diam. .. .. .	/7	„ 149 Briscoe and Co. (Ltd.).
331	1 $\frac{1}{2}$ in. diam. .. .. .	1/2	„ „
332	Bricks, bath .. .. .	2/2	doz. „
334	Brushes, damping, Thomson's patent, 4 in. .. .. .	17/6	„ 109 John Edmond.
	Brushes, fitches, bevelled lining, G. B. Kent and Sons K12—		
335	$\frac{1}{4}$ in. .. .. .	3/9	„ 135 Andrew Lees.
336	$\frac{1}{2}$ in. .. .. .	5/4	„ „
	Brushes, fitches, flat lining—		
339	$\frac{1}{4}$ in., Helmet No. 1038, No. 5 .. .. .	2/	„ „
340	$\frac{1}{2}$ in., Helmet No. 1038, No. 7 .. .. .	3/	„ „
341	$\frac{3}{4}$ in., Helmet No. 1038, No. 10 .. .. .	5/	„ „
342	1 in., Helmet No. 1038, No. 16 .. .. .	9/	„ „
	Bunting, to sample—		
392	Green .. .. .	6 $\frac{3}{4}$	lineal yard 139 Bing, Harris, and Co. (Ltd.).
393	Red .. .. .	6 $\frac{3}{4}$	„ Ditto.
394	White .. .. .	6 $\frac{3}{4}$	„ „
398	Canvas, extra, all long flax, No. 1, 24 in. .. .. .	1/7 $\frac{1}{4}$	„ „



No.	Description of Article and Rate.	Per	Tenderer.
401	Cement, Portland, English* .. .. . 13/5	barrel	149 Briscoe and Co. (Ltd.).
	Cement, "Smooth-on"—		
402	Elastic, 5 lb. tins .. .. . 1/4	lb.	184 A. and T. Burt (Ltd.).
403	Iron, 5 lb. tins .. .. . 1/4	"	"
	Chain, crane, 15 per cent. over Admiralty or Lloyd's test (proof certificate to be furnished if required), Hingley's Best Best or equal quality—		
404	$\frac{5}{8}$ in. .. .. . 31/6	cwt.	109 John Edmond.
405	$\frac{3}{4}$ in. .. .. . 31/6	"	"
406	$\frac{7}{8}$ in. .. .. . 30/6	"	"
407	1 in. .. .. . 30/6	"	"
	Chain, proved, short link, self colour, Admiralty or Lloyd's test (proof certificate to be furnished if required), J. G. Walker and Son's Best (delivered at Dunedin)—		
408	$\frac{3}{16}$ in. .. .. . 42/6	"	237 J. Chambers and Son (Ltd.).
409	$\frac{1}{4}$ in. .. .. . 34/	"	Ditto.
410	$\frac{5}{16}$ in. .. .. . 32/	"	"
411	$\frac{3}{8}$ in. .. .. . 30/	"	"
412	$\frac{1}{2}$ in. .. .. . 25/	"	"
413	$\frac{5}{8}$ in. .. .. . 23/6	"	"
414	$\frac{3}{4}$ in. .. .. . 23/6	"	"
415	$\frac{7}{8}$ in. .. .. . 23/6	"	"
416	1 in. .. .. . 23/6	"	"
	Chain—		
418	Chandelier, brass, heavy, to sample .. .. . 3/9	doz. yards	215 Smith & Laing (Ltd.).
419	Jack, brass, double link, 12 gauge .. .. . 5/6	"	"
421	Jack, brass, single link, 12 gauge .. .. . 4/10	"	109 John Edmond.
422	Jack, brass, single link, 14 gauge .. .. . 3/3	"	"
425	Jack, iron, single link, 12 gauge .. .. . /10	"	"
426	Jack, iron, single link, 14 gauge .. .. . /9	"	"
428	Twisted, short link, japped, to sample .. .. . 7/	"	"
	Chairs, office—		
430	"Douglas," oak, woven seat, iron rods .. .. . 12/6	each	215 Smith & Laing Ltd.).
431	"Florence," oak, woven seat .. .. . 11/6	"	"
	Chalk—		
432	Lump, free from dust .. .. . 7/3	cwt.	109 John Edmond.
	Delivered at Dunedin—		
433	French, lump .. .. . /9	lb.	15 Kempthorne, Prosser, and Co. (Ltd.).
434	French, powered .. .. . /3	"	Ditto.
	Chisels, cast steel, registered, carpenters', ash-handled, with two bright iron ferrules,— Robert Sorby and Sons, No. 0800—		
435	$\frac{1}{2}$ in. .. .. . 11/	doz.	86 New Zealand Hardware Company (Ltd.).
436	$\frac{3}{4}$ in. .. .. . 12/	"	Ditto.
437	1 in. .. .. . 15/6	"	"
438	1 $\frac{1}{4}$ in. .. .. . 18/	"	"
439	1 $\frac{1}{2}$ in. .. .. . 20/	"	"
	A. Mathieson and Son, No. 1321 $\frac{1}{2}$ —		
440	1 $\frac{3}{4}$ in. .. .. . 23/11	"	109 John Edmond.
441	2 in. .. .. . 27/11	"	"

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.
	Chisels, cast steel, registered, carpenters', bevelled, ash-handled, with two bright iron ferrules, A. Mathieson and Son—		
442	$\frac{1}{2}$ in. . . . .	19/ doz.	109 John Edmond.
443	$\frac{3}{4}$ in. . . . .	20/6 "	"
444	1 in. . . . .	25/ "	"
445	$1\frac{1}{2}$ in. . . . .	30/ "	"
446	$1\frac{1}{2}$ in. . . . .	33/ "	"
447	$1\frac{3}{4}$ in. . . . .	36/ "	"
448	2 in. . . . .	39/6 "	"
	Chisels, cast steel, paring, long, thin, round ash or beech handled, ferruled,—		
	A. Mathieson and Son's No. 1324—		
449	$\frac{1}{4}$ in. . . . .	9/11 "	"
450	$\frac{1}{2}$ in. . . . .	10/11 "	"
	W. Marple and Son's No. 510—		
451	$\frac{3}{4}$ in. . . . .	12/6 "	177 Thomson, Bridger and Co. (Ltd.).
452	1 in. . . . .	13/6 "	Ditto.
453	$1\frac{1}{4}$ in. . . . .	19/ "	"
454	A. Mathieson and Son's No. 1324, $1\frac{1}{2}$ in. . . . .	24/8 "	109 John Edmond.
	Chisels, cast steel, paring, long, thin, bevelled, round ash or beech handled, ferruled, A. Mathieson and Son's No. 1326—		
455	$\frac{1}{4}$ in. . . . .	15/8 "	"
456	$\frac{1}{2}$ in. . . . .	16/8 "	"
457	$\frac{3}{4}$ in. . . . .	18/8 "	"
458	1 in. . . . .	21/6 "	"
459	$1\frac{1}{2}$ in. . . . .	29/2 "	"
460	$1\frac{1}{2}$ in. . . . .	33/6 "	"
461	Cloths, glass, to sample . . . . .	8/ "	43 Ross and Glendining (Ltd.).

COACH-SCREWS.

*Black, Square Heads, Ordinary Sharp Points.*

Guest, Keen, and Nettlefolds (Limited) "Globe and Lion" Brand.

Length from under Head to Point.	Per Gross.				Per Cwt.								
	Diameter.				Diameter.								
	$\frac{1}{4}$ "	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$\frac{1}{2}$ " to $1\frac{1}{2}$ "						
2 in. and under . . . . .	4/3	5/1	6/9	6/9	32/6	27/6	23/6	109 John Edmond.					
2 $\frac{1}{8}$ in. to 3 in. inclusive	Advancing		7/6	7/6	33/	28/6	23/6	"					
464	Above 3 in. to 4 $\frac{1}{2}$ in. inclusive	5d. and 7d.	Per Cwt.		30/	28/	23/6	"					
		per gross per	34/6	30/									
		Above 4 $\frac{1}{2}$ in. to 6 in. inclusive	$\frac{1}{2}$ in. or frac-	29/6					27/6	27/6	27/	23/6	"
		Above 6 in. . . . .	tion of $\frac{1}{2}$ in. over 2 in. long	27/6					25/6	25/6	25/	23/6	"
468	Coal-scuttles, Waterloo scoop, 18 in. 24 gauge, japanned after made	3/	each	132 Broad, Small, and Co.									
473	Cocks, brass, H.P. bib, screwed, New Zealand pattern, with hose union, $\frac{1}{2}$ in.	1/9	"	215 Smith & Laing (Ltd.).									

No.	Description of Article and Rate.	Per	Tenderer.	
479	Cocks, brass, H.P. bib, screwed, New Zealand pattern, without hose union, $\frac{1}{2}$ in. .. .. .	1/4	each	215 Smith and Laing (Ltd.).
	Cocks, brass, H.P. water, stop, New Zealand pattern, male or female ends as required, with threads to suit iron pipes—			
488	$1\frac{1}{2}$ in. .. .. .	12/6	"	"
489	$1\frac{1}{2}$ in. .. .. .	16/6	"	"
490	2 in. .. .. .	25/	"	"
	Cocks, gun-metal, steam, plug, screwed, male or female ends as required, rough (delivered at Dunedin)—			
494	$\frac{1}{4}$ in. .. .. .	2/	"	237 J. Chambers and Son (Ltd.).
495	$\frac{1}{2}$ in. .. .. .	2/4	"	Ditto.
496	$\frac{3}{4}$ in. .. .. .	3/6	"	"
497	1 in. .. .. .	5/	"	"
	Cocks, brass, draw-off or racking, screwed—			
505	$\frac{1}{2}$ in. .. .. .	1/9	"	184 A. and T. Burt (Ltd.).
506	$\frac{3}{4}$ in. .. .. .	2/4	"	"
507	1 in. .. .. .	3/5	"	"
	Cooking-utensils—			
	Fry-pans, steel, tinned, with tubular handle—			
508	9 in. across bottom .. .. .	/9	"	86 New Zealand Hardware Company (Ltd.).
509	10 in. across bottom .. .. .	/11	"	Ditto.
510	12 in. across bottom .. .. .	1/2	"	"
	Kettles, cast-iron, tinned, fixed handles, A. Kenrick and Sons (Limited)—			
511	6 pints .. .. .	4/10	"	"
512	8 pints .. .. .	6/1	"	"
513	10 pints .. .. .	7/2	"	"
514	12 pints .. .. .	8/3	"	149 Briscoe and Co. (Ltd.).
515	14 pints .. .. .	9/4	"	"
516	16 pints .. .. .	10/6	"	"
	Saucepans, cast-iron, tinned, with bright covers, A. Kenrick and Sons (Limited)—			
517	4 pints .. .. .	2/3	"	132 Broad, Small, and Co.
518	6 pints .. .. .	3/	"	"
519	8 pints .. .. .	3/5	"	149 Briscoe and Co. (Ltd.).
520	10 pints .. .. .	3/10	"	"
521	12 pints .. .. .	4/6	"	"
	Saucepans, cast-iron, tinned, with front handles and bright covers, A. Kenrick and Sons (Limited)—			
522	14 pints .. .. .	5/9	"	"
523	16 pints .. .. .	6/1	"	"
524	20 pints .. .. .	6/10	"	109 John Edmond.
	Copper pipe, solid drawn, seamless—			
525	$\frac{1}{4}$ in. to $\frac{1}{2}$ in. x 16 gauge .. .. .	1/5	lb.	149 Briscoe and Co. (Ltd.).
526	$\frac{5}{8}$ in. to $\frac{3}{4}$ in. x 14 gauge .. .. .	1/2	"	184 A. and T. Burt (Ltd.).
527	$\frac{7}{8}$ in. to 1 in. x 12 gauge .. .. .	1/1	"	149 Briscoe and Co. (Ltd.).
528	$1\frac{1}{8}$ in. to $1\frac{1}{4}$ in. x 12 gauge .. .. .	1/1	"	"
529	$1\frac{1}{4}$ in. to $1\frac{3}{8}$ in. x 10 gauge .. .. .	1/1	"	"
530	$1\frac{1}{2}$ in. to 2 in. x 10 gauge .. .. .	1/0 $\frac{1}{2}$	"	"
531	$2\frac{1}{4}$ in. to $2\frac{3}{4}$ in. x 10 gauge .. .. .	1/1 $\frac{1}{2}$	"	184 A. and T. Burt (Ltd.).
532	3 in. to $3\frac{1}{2}$ in. x 9 gauge .. .. .	1/1 $\frac{1}{2}$	"	"

No.	Description of Article and Rate.	Per	Tenderer.
	Copper-pipe, solid-drawn, seamless— <i>continued</i> .		
533	3 $\frac{3}{4}$ in. to 4 $\frac{1}{2}$ in. x 8 gauge .. .. .	1/1 $\frac{1}{2}$ lb.	182 A. and T. Burt (Ltd.).
534	4 $\frac{3}{4}$ in. to 5 in. x 8 gauge .. .. .	1/1 $\frac{1}{2}$ ..	"
535	4 $\frac{3}{4}$ in. to 5 in. x 6 gauge .. .. .	1/1 $\frac{1}{2}$ ..	"
551	Cord, piping, to sample .. .. .	/11 ..	109 John Edmond.
555	Diamonds, glaziers', for plate glass, A. Shaw and Son ..	18/ each	135 Andrew Lees.
562	Diamonds, glaziers', for sheet glass, A. Shaw and Son ..	7/6 ..	"
	Drills, morse twist, for carpenters' braces, for boring hard wood, Cleveland Twist Drill Company—		
581	$\frac{1}{4}$ in. .. .. .	3/8 doz.	109 John Edmond.
582	$\frac{5}{16}$ in. .. .. .	4/1 ..	"
583	$\frac{3}{8}$ in. .. .. .	4/8 ..	"
584	$\frac{7}{16}$ in. .. .. .	5/9 ..	"
585	$\frac{1}{2}$ in. .. .. .	6/10 ..	"
586	$\frac{9}{16}$ in. .. .. .	7/10 ..	"
587	$\frac{5}{8}$ in. .. .. .	8/3 ..	"
588	$\frac{3}{4}$ in. .. .. .	9/2 ..	"
589	$\frac{13}{16}$ in. .. .. .	10/2 ..	"
590	$\frac{7}{8}$ in. .. .. .	10/5 ..	"
591	1 in. .. .. .	11/5 ..	"
592	Dryers, patent, Alexander, Fergusson, and Co., Best (No. 650)	23/6 cwt.	135 Andrew Lees.
599	Dryers, terebine, Lewis Berger and Son (Limited) ..	7/3 gal.	132 Broad, Small, and Co.
	Dusters—		
609	Feather, equal to sample in size and quality ..	2/ each	109 John Edmond.
610	Turkish, to sample .. .. .	4/2 doz.	206 Sargood, Son, & Ewen, (Ltd.).
612	Emery-cloth, all numbers, Oakey's "Genuine" ..	28/ ream	215 Smith & Laing (Ltd.).
614	Emery-powder, Oakey's "Genuine" .. .. .	/3 $\frac{1}{2}$ lb.	177 Thomson, Bridger, and Co. (Ltd.).
	Explosives—		
615	Detonators, dynamite, No. 3A .. .. .	/5 100	149 Briscoe and Co. (Ltd.).
616	Detonators, gelignite, No. 6 .. .. .	4/ ..	"
617	Detonators, rackarock, No. 6 .. .. .	4/ ..	"
618	Detonators, rackarock, No. 8 .. .. .	6/ ..	"
619	Dynamite, Nobel's .. .. .	1/2 lb.	"
620	Dynamite-warmers, Nobel's large .. .. .	12/6 each	"
621	Dynamite-warmers, Nobel's, small .. .. .	9/6 ..	"
622	Fuse, Bickford's "Blue-jacket," in 24 ft. coils ..	/6 $\frac{1}{4}$ coil	"
623	Fuse, Bickford's double tape, No. 9, 24 ft. coils ..	/8 $\frac{1}{4}$ ..	"
624	Fuse, Nobel's "Red Sump," No. 4A, in 24 ft. coils ..	/6 $\frac{1}{4}$ ..	"
625	Fuse, Nobel's "Thistle," white rubber, felted, No. 101, 24 ft. coils	/8 $\frac{1}{4}$ ..	"
626	Gelatine, blasting, Nobel's .. .. .	1/5 $\frac{3}{4}$ lb.	"
627	Gelatine, dynamite, Nobel's .. .. .	1/6 ..	"
628	Gelignite .. .. .	1/2 ..	"
629	Pliers, cap and fuse, Nobel's .. .. .	4/6 each	"
630	Pliers, cap and fuse, Wren's patent safety .. .. .	/6 ..	"
631	Powder, blasting, Kynoch Limited .. .. .	/6 $\frac{7}{8}$ lb.	"
632	Powder, compressed pellet .. .. .	/7 $\frac{3}{4}$ ..	"
633	Rackarock, No. 1 .. .. .	/9 $\frac{1}{4}$ ..	"
634	Rackarock, No. 2 .. .. .	/9 $\frac{1}{4}$ ..	"
635	Rackarock-oil, No. 1 .. .. .	/9 $\frac{1}{4}$ ..	"
636	Rackarock-oil, No. 2 .. .. .	/9 $\frac{1}{4}$ ..	"
637	Rackarock dipping-cans, with strainers .. .. .	5/6 each	"
638	Rendrock .. .. .	/8 $\frac{3}{4}$ lb.	"
639	Rendrock-oil .. .. .	/8 $\frac{3}{4}$ ..	"
640	Felt, roofing, red-edged, 25 yards to bolt .. .. .	6/9 bolt	86 New Zealand Hardware Company (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.	
641	Fenders, medium quality, to sample .. ..	2/6	ft.	177 Thomson, Bridger, and Co. (Ltd.).
	Figures, steel, Boker's No. 941— <sup>N</sup> / <sub>4</sub>			
643	$\frac{1}{4}$ in. .. ..	2/6	set	Ditto.
644	$\frac{3}{8}$ in. .. ..	4/6	"	"
659	Files, hand-saw, Stubs's, per cent. discount off list No. 1 Files and rasps, all descriptions, full standard weight, at per cent. discount from Sheffield list confirmed by manufacturers, 28th February, 1889—	1 $\frac{1}{4}$	per cent.	149 Briscoe and Co. (Ltd.).
660	Cammell, Laird, and Co.'s "Cyclops" .. ..	55	"	"
663	Nicholson's Canadian .. ..	60	"	"
670	Firebricks, "Glenboig," standard size .. ..	295/	1,000	"
672	Fire-clay, British .. ..	6/	cwt.	24 P. McSkimming & Son.
673	Fire-irons, steel, bright, plain heads, to sample .. ..	7/	set	109 John Edmond.
674	Gas-pipe, compo., $\frac{3}{8}$ in. to 1 in. diameter .. ..	/3	lb.	184 A. and T. Burt (Ltd.).
	Gas-chimneys, best fireproof, "Inca" brand—			
680	6 in. .. ..	2/3*	doz.	100 Welsbach Light Com- pany (Ltd.).
681	8 in. .. ..	2/6*	"	Ditto.
682	9 in. .. ..	3/*	"	"
683	10 in. .. ..	3/6*	"	"
684	Gas-mantles, incandescent, ordinary upright, Plaisetty, "Empire" brand	3/5	"	46 H. G. Teagle (Ltd.).
685	Gas-mantle supports, upright .. ..	/2	"	"
686	Gasoline, Pratt's .. ..	3/9	gal.	222 Vacuum Oil Co. (Ltd.).
	Glass, plate, British (any size or template required)—			
687	Polished, $\frac{3}{16}$ in. thick .. ..	1/7	sq. ft.	135 Andrew Lees.
688	Polished, $\frac{1}{4}$ in. thick .. ..	1/7	"	"
	Rough			
689	$\frac{1}{8}$ in. thick .. ..	/5 $\frac{1}{2}$	"	"
690	$\frac{3}{16}$ in. thick .. ..	/5 $\frac{1}{2}$	"	"
691	$\frac{1}{4}$ in. .. ..	/6	"	"
	Rough, mill-rolled—			
694	$\frac{1}{8}$ in. thick .. ..	/6	"	"
695	$\frac{3}{16}$ in. thick .. ..	/6	"	"
696	$\frac{1}{4}$ in. thick .. ..	/6	"	"
699	Fluted .. ..	/6	"	"
	Glass, sheet, British, second quality—			
700	16 oz. .. ..	/3 $\frac{1}{2}$	"	"
701	21 oz. .. ..	/7 $\frac{1}{2}$	"	"
702	26 oz. .. ..	/10	"	"
	Glass, sheet, British—			
705	Blue (to show green) .. ..	/11	"	"
706	Coloured all through .. ..	/5 $\frac{1}{2}$	"	"
707	Coloured, flashed .. ..	/5 $\frac{1}{2}$	"	"
708	Ground, 26 oz. .. ..	/5 $\frac{1}{2}$	"	"
710	Glass-paper, Oakey's "Flexible," all numbers. . . .	14/6	ream	"
	Glasses, gauge, plain, specially selected quality, fused ends, suitable for working-pressure of 250 lb. per square inch—			
	"Unific"—			
711	$\frac{5}{8}$ in. x 9 in. .. ..	3/10	doz.	184 A. and T. Burt (Ltd.).
712	$\frac{5}{8}$ in. x 10 in. .. ..	4/3	"	"
	"Eureka"—			
713	$\frac{5}{8}$ in. x 11 in. .. ..	4/4	"	109 John Edmond.
714	$\frac{5}{8}$ in. x 12 in. .. ..	4/4	"	"
715	$\frac{5}{8}$ in. x 14 in. .. ..	5/	"	"

\* Plus 5 per cent.

No.	Description of Article and Rate.	Per	Tenderer.
	Glasses, gauge, plain, &c.— <i>continued.</i>		
	“Eureka”— <i>continued.</i>		
716	$\frac{5}{8}$ in. x 16 in. .. .. .	5/4 doz.	109 John Edmond.
717	$\frac{3}{4}$ in. x 4 in. .. .. .	3/4 ”	”
718	$\frac{3}{4}$ in. x 12 in. .. .. .	5/ ”	”
719	$\frac{3}{4}$ in. x 14 in. .. .. .	5/4 ”	”
720	$\frac{3}{4}$ in. x 16 in. .. .. .	6/6 ”	”
	Glasses, bevel edge, white—		
721	4 in. diameter .. .. .	4/6 ”	149 Briscoe and Co. (Ltd.).
722	4 $\frac{1}{2}$ in., diameter .. .. .	5/ ”	”
723	5 in. diameter .. .. .	5/6 ”	”
	Glasses, shell, red—		
727	4 $\frac{1}{2}$ in. diameter .. .. .	11/ ”	”
728	6 in. diameter .. .. .	14/6 ”	”
729	8 in. diameter .. .. .	21/ ”	”
	Glasses, shell, white		
730	4 $\frac{1}{2}$ in. diameter .. .. .	7/6 ”	”
731	6 in. diameter .. .. .	12/ ”	”
732	8 in. diameter .. .. .	14/6 ”	”
	Gold-leaf, pale or deep, in books of 25 leaves—		
733	Not transfer .. .. .	1/ book	135 Andrew Lees.
734	Transfer .. .. .	1/2 ”	”
735	Grates, register, fine-cast, blacked .. .. .	/5 in. width	132 Broad, Small, and Co.
736	Grates, register, fine-cast, ground front .. .. .	/9 ”	”
	Grindstones, Newcastle-on-Tyne—		
737	24 in. diameter .. .. .	7/ each	”
738	30 in. diameter .. .. .	10/6 ”	”
739	36 in. diameter .. .. .	19/6 ”	”
740	42 in. diameter .. .. .	43/ ”	109 John Edmond.
741	48 in. diameter .. .. .	65/ ”	”
742	54 in. diameter .. .. .	112/6 ”	”
	Grindstones, spindles for, Kenrick's No. 1—		
745	15 $\frac{1}{2}$ in. .. .. .	2/2 set	”
746	17 in. .. .. .	2/6 ”	215 Smith & Laing (Ltd.).
747	20 in. .. .. .	3/6 ”	”
748	Gum-arabic, dry .. .. .	/7 lb.	109 John Edmond.
749	Gum, core, yellow, to sample .. .. .	25/ cwt.	124 Michaelis, Hallenstein, and Farquhar.
755	Hammers, claw, carpenters', adze-eye, handled, Spear and Jackson's No. D73—		
	1 $\frac{1}{2}$ lb. head .. .. .	20/ doz.	177 Thomson, Bridger, and Co. (Ltd.).
	1 $\frac{1}{2}$ lb. head .. .. .	22/ ”	Ditto.
	Hammers—		
758	Engineers' hand, all steel .. .. .	/6 $\frac{1}{2}$ lb.	215 Smith & Laing (Ltd.).
759	Sledge, steel, ball head .. .. .	/4 $\frac{1}{2}$ ”	86 New Zealand Hardware Company (Ltd.).
760	Sledge, double face .. .. .	/4 $\frac{1}{4}$ ”	149 Briscoe and Co. (Ltd.).
761	Sledge, straight or cross pein .. .. .	/4 $\frac{1}{4}$ ”	”
762	Smiths' hand, ball head .. .. .	/7 $\frac{1}{2}$ ”	”
763	Smiths' hand, cross pein .. .. .	/7 ”	”
	Handles—		
764	Adze, hickory .. .. .	11/5 doz.	109 John Edmond.
765	Axe, hickory .. .. .	10/ ”	177 Thomson, Bridger, and Co. (Ltd.).
766	Broom .. .. .	1/8 ”	86 New Zealand Hardware Company (Ltd.).
767	D for spade or shovel .. .. .	8/6 ”	215 Smith & Laing (Ltd.).

No.	Description of Article and Rate.	Per	Tenderee.
<i>Handles—continued.</i>			
768	File, ferruled .. .. .	1/ doz.	86 New Zealand Hardware Company (Ltd.).
769	Hand, adze-eye, for claw-hammers, hickory, 14 in. ..	2/6 "	Ditto.
	Hand-hammer, hickory, to sample—		
770	16 in. .. .. .	2/6 "	215 Smith & Laing (Ltd.).
771	18 in. .. .. .	2/6 "	"
772	20 in. .. .. .	3/6 "	"
773	22 in. .. .. .	4/6 "	"
774	24 in. .. .. .	5/6 "	"
775	Hay-fork, American .. .. .	6/3 "	109 John Edmond.
776	Hoe, American .. .. .	5/2 "	"
777	Hoe, plantation, American .. .. .	7/6 "	"
778	Mop, ferruled .. .. .	4/ "	215 Smith & Laing (Ltd.).
779	Pick, hickory .. .. .	10/3 "	149 Briscoe and Co. (Ltd.).
780	Rake .. .. .	6/ "	109 John Edmond.
781	Scythe, American, with patent fastenings .. .. .	29/6 "	"
782	Shovel, long, American .. .. .	9/6 "	215 Smith & Laing (Ltd.).
	Sledge-hammer, hickory—		
783	26 in. .. .. .	6/3 "	109 John Edmond.
784	28 in. .. .. .	6/3 "	"
785	30 in. .. .. .	7/ "	"
786	34 in. .. .. .	7/6 "	177 Thomson, Bridger, and Co. (Ltd.).
787	36 in. .. .. .	8/ "	Ditto.
788	Tomahawk, hickory, 14 in. .. .. .	3/2 "	109 John Edmond.
789	Tomahawk, hickory, 16 in. .. .. .	4/ "	215 Smith & Laing (Ltd.).
	Hasps and staples on plate, heavy, japanned—		
790	1½ in. hasp .. .. .	1/ "	109 John Edmond.
791	2 in. hasp .. .. .	1/6 "	"
792	2½ in. hasp .. .. .	2/6 "	"
793	3 in. hasp .. .. .	2/9 "	"
794	3½ in. hasp .. .. .	4/ "	"
	Heaters, patent smokeless, nickel finish—		
795	100 c.p., capacity 12 hours .. .. .	17/ each	222 Vacuum Oil Co. (Ltd.).
796	200 c.p., capacity 9 hours .. .. .	18/6 "	"
797	Wicks for ditto .. .. .	/5 "	"
	Hinges—		
	Back-flap, wrought steel, solid joint—		
798	1½ in. .. .. .	1/6 doz. pair	86 New Zealand Hardware Company (Ltd.).
799	1¾ in. .. .. .	1/8 "	Ditto.
800	2 in. .. .. .	2/2 "	109 John Edmond.
801	2¼ in. .. .. .	3/3 "	149 Briscoe and Co. (Ltd.).
802	2½ in. .. .. .	4/ "	177 Thomson, Bridger, and Co. (Ltd.).
803	3 in. .. .. .	6/ "	86 New Zealand Hardware Company (Ltd.).
	Butt, brass, solid joint, brass pin, J. Cartland and Sons, No. 5150—		
804	1 in. x ⅝ in. .. .. .	3/ "	132 Broad, Small, and Co.
805	1½ in. x ⅞ in. .. .. .	3/6 "	"
806	2 in. x 1⅛ in. .. .. .	5/ "	"
807	2½ in. x 1⅜ in. .. .. .	7/6 "	"
808	3 in. x 1⅝ in. .. .. .	11/ "	"
809	3½ in. x 2 in. .. .. .	18/ "	"
810	4 in. x 2⅜ in. .. .. .	24/ "	"

No.	Description of Article and Rate.	Per	Tenderer.
<b>Hinges—continued.</b>			
Butt, iron—			
811	2 in. . . . .	1/6 doz. pair	109 John Edmond.
812	2½ in. . . . .	1/10 "	"
813	3 in. . . . .	2/10 "	"
814	3½ in. . . . .	3/2 "	"
815	4 in. . . . .	4/2 "	"
816	4½ in. . . . .	6/3 "	"
817	5 in. . . . .	7/9 "	"
818	6 in. . . . .	9/9 "	"
Butt, wrought steel—			
819	2 in. . . . .	/10 "	86 New Zealand Hardware Company (Ltd.).
820	2½ in. . . . .	1/ "	Ditto.
821	3 in. . . . .	1/4 "	177 Thomson, Bridger, and Co. (Ltd.).
822	3½ in. . . . .	2/ "	Ditto.
823	4 in. . . . .	2/10 "	"
824	4½ in. . . . .	4/3 "	147 Briscoe and Co. (Ltd.).
825	5 in. . . . .	5/3 "	"
826	6 in. . . . .	9/ "	"
Chest, iron—			
827	6 in. . . . .	2/ "	215 Smith & Laing (Ltd.).
828	8 in. . . . .	3/2 "	"
829	10 in. . . . .	4/4 "	"
830	12 in. . . . .	5/9 "	"
831	14 in. . . . .	7/6 "	"
832	16 in. . . . .	9/ "	"
T, japanned—			
833	6 in. . . . .	2/2 "	149 Briscoe and Co. (Ltd.).
834	8 in. . . . .	2/7 "	"
835	10 in. . . . .	3/1 "	"
836	12 in. . . . .	3/8 "	"
837	14 in. . . . .	4/7 "	"
838	16 in. . . . .	6/1 "	"
839	18 in. . . . .	6/10 "	"
840	20 in. . . . .	9/6 "	177 Thomson, Bridger, and Co. (Ltd.).
841	Tees, Scotch, wrought iron . . . . .	/3 lb.	215 Smith & Laing (Ltd.).
<b>Hoes—</b>			
842	American, 6 in., handled . . . . .	1/5 each	177 Thomson, Bridger, and Co. (Ltd.).
843	Dutch, 6 in., handled . . . . .	/11 "	132 Broad, Small, and Co.
844	Dutch, 8 in., handled . . . . .	1/1 "	"
845	Mackinnon, 9 in., handled . . . . .	2/2 "	109 John Edmond.
846	Mackinnon, 12 in., handled . . . . .	2/6 "	"
847	Holland, green, for blinds, to sample, 36 in. wide* . . . . .	/9½ sq. yard	139 Bing, Harris, and Co. (Ltd.).
<b>Hooks—</b>			
848	Bag, double claw . . . . .	1/2 each	109 John Edmond.
849	Case, to sample . . . . .	1/6 "	"
850	Cup, brass, shouldered, per cent. discount off Nettlefolds' list, Art. No. 375 . . . . .	35 per cent.	"
851	Hat-and-coat, bronzed, to sample . . . . .	2/10 doz.	149 Briscoe and Co. (Ltd.).
852	Hat-and-coat, wrought wire, japanned, Nettlefolds' "Victor," No. 52, Art. 1000, with screws for fixing . . . . .	1/9 "	86 New Zealand Hardware Company (Ltd.).

\* Other widths as per tender.



No.	Description of Article and Rate.	Per	Tenderer.			
<i>Hooks—continued.</i>						
853	Hat-and-coat, wrought wire, japanned, Nettlefolds' "Baskerville," Art. 1002, with screws for fixing	1/8	doz.	109 John Edmond.		
854	Reaping, solid back, size No. 4, Hutton's "BY" ..	14/6	,,	86 New Zealand Hardware Company (Ltd.).		
855	Screw, brass, per cent. discount off Nettlefolds' list, Art. No. 500	30	per cent.	177 Thomson, Bridger, and Co. (Ltd.).		
856	Screw, iron, per cent. discount off Nettlefolds' list, Art. No. 400	55	,,	215 Smith & Laing (Ltd.).		
<i>Hooks and eyes, cabin, brass—</i>						
857	3 in. .. .. .	6/6	doz.	,,		
858	3½ in. .. .. .	7/	,,	,,		
859	4 in. .. .. .	7/6	,,	,,		
860	5 in. .. .. .	8/6	,,	,,		
861	6 in. .. .. .	10/	,,	,,		
<i>Hooks and eyes, cupboard, brass—</i>						
862	1½ in. .. .. .	1/	,,	109 John Edmond.		
863	2 in. .. .. .	1/2	,,	,,		
864	2½ in. .. .. .	1/8	,,	,,		
865	Hose, canvas, best close-woven, 2½ in. diameter—A. W. Martin's "Bon Accord"	/8½	ft.	245 Indiarubber, Gutta-percha, & Telegraph Works Company (Ltd.).		
<i>Hose, delivery, indiarubber, vulcanized—</i>						
<i>Perdriau Rubber Company.</i>						
866	¾ in. x 1-ply .. .. .	O. /2½	A.B. /3	Red. —	,,	78 Perdriau Rubber Company (Ltd.).
867	½ in. x 3-ply .. .. .	—	/5¼	—	,,	Ditto.
868	½ in. x 6-ply (air) .. .. .	—	—	/9	,,	,,
869	¾ in. x 3-ply .. .. .	—	/6¾	—	,,	,,
870	¾ in. x 6-ply (air) .. .. .	—	—	1/2½	,,	,,
871	1 in. x 6-ply .. .. .	—	1/1¼	—	,,	,,
872	1¼ in. x 6-ply .. .. .	1/	—	—	,,	,,
873	1½ in. x 6-ply .. .. .	1/2	1/8	—	,,	,,
874	2 in. x 6-ply .. .. .	1/8	2/3	—	,,	,,
<i>Hose, delivery, indiarubber, armoured or sphincter-grip, in 30 ft. and 60 ft. lengths—</i>						
<i>Perdriau Rubber Company's "Red" quality—</i>						
875	½ in. x 3-ply (air) .. .. .	—	/7½	—	,,	,,
<i>Dunlop Rubber Company's "Dunlop" quality—</i>						
876	¾ in. x 3-ply (air) .. .. .	—	/8¾	—	,,	60 Dunlop Rubber Company (Ltd.).
877	¾ in. x 4-ply (air) .. .. .	—	/9¾	—	,,	Ditto.
878	1 in. x 4-ply .. .. .	—	1/0½	—	,,	,,
879	1½ in. x 5-ply .. .. .	—	1/10¾	—	,,	,,
<i>Perdriau Rubber Company's "Red" quality—</i>						
880	1¾ in. x 5-ply .. .. .	—	2/7	—	,,	78 Perdriau Rubber Company (Ltd.).
881	2 in. x 5-ply .. .. .	—	3/	—	,,	Ditto.
<i>Hose, delivery, indiarubber, close steel armoured, high-pressure, 1½ in. x 6-ply—</i>						
887	Perdriau Rubber Company's "Red" quality ..	—	2/6	—	,,	,,
<i>Hose, delivery, indiarubber, armoured, for hot water and steam, to resist 250 lb. pressure—</i>						
<i>Perdriau Rubber Company's "Red" quality—</i>						
888	½ in. x 5-ply .. .. .	—	/11	—	,,	,,
889	1½ in. x 6-ply .. .. .	—	2/6	—	,,	,,

No.	Description of Article and Rate.	Per	Tenderer.																																																	
890 891 892 893 894	Hose, suction, indiarubber, wire-embedded, smooth bore, 30 ft. lengths— Dunlop Rubber Company's "Dunlop" quality— 1½ in. x 3-ply .. .. . 1/5 1¾ in. x 3-ply .. .. . 1/8 2 in. x 5-ply .. .. . 2/3 2¼ in. x 5-ply .. .. . 2/5 2½ in. x 5-ply .. .. . 2/7	ft. ," ," ," ,"	60 Dunlop Rubber Com- pany (Ltd.). Ditto. ," ," ,"																																																	
900	Indiarubber, sheet, white, vulcanized, Perdriau Rubber Company's "Special" quality	2/	lb. 78 Perdriau Rubber Com (Ltd.).																																																	
906	Indiarubber insertion, sheet, white, vulcanized, Perdriau Rubber Company's cloth insertion, No. 3 quality	1/1	," Ditto.																																																	
909 910	Iron, bar, angle, trade lengths— Equal, R.H. Crown or equal quality .. .. 228/4 Unequal, R.H. Crown or equal quality .. .. 228/4	ton ,"	109 John Edmond. ,"																																																	
<i>Extra prices per ton to be added to the tender-rates for angle-iron, items Nos. 909 and 910, for the following sizes:—</i>																																																				
<table border="1"> <tr> <td>Small sizes—</td> <td>¼ in.</td> <td>⅜ in.</td> <td>½ in.</td> <td>⅝ in.</td> <td>1 in.</td> <td>1½ in.</td> <td>1½ in. and up.</td> </tr> <tr> <td>⅜ in. thick x</td> <td>80/</td> <td>40/</td> <td>40/</td> <td>40/</td> <td>40/</td> <td>30/</td> <td>30/</td> </tr> <tr> <td>⅝ in. thick x</td> <td>70/</td> <td>30/</td> <td>30/</td> <td>30/</td> <td>20/</td> <td>20/</td> <td>20/</td> </tr> </table> <p>Large sizes (ordinary thickness): 4½ in., 10/; 5 in., 20/; 5½ in., 30/; 6 in., 60/.</p>				Small sizes—	¼ in.	⅜ in.	½ in.	⅝ in.	1 in.	1½ in.	1½ in. and up.	⅜ in. thick x	80/	40/	40/	40/	40/	30/	30/	⅝ in. thick x	70/	30/	30/	30/	20/	20/	20/																									
Small sizes—	¼ in.	⅜ in.	½ in.	⅝ in.	1 in.	1½ in.	1½ in. and up.																																													
⅜ in. thick x	80/	40/	40/	40/	40/	30/	30/																																													
⅝ in. thick x	70/	30/	30/	30/	20/	20/	20/																																													
912	Iron, bar, flat, trade lengths, R.H. Crown or equal quality*	219/	ton 149 Briscoe and Co. (Ltd.).																																																	
<i>Extra prices per ton to be added to the tender-rate for flat iron, item No. 912, for the following sizes:—</i>																																																				
<table border="1"> <tr> <td></td> <td>¼ in.</td> <td>⅜ in.</td> <td>½ in.</td> <td>⅝ in.</td> <td>¾ in.</td> <td>1 in.</td> </tr> <tr> <td>⅜ in. broad .. x</td> <td>—</td> <td>—</td> <td>20/</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>½ in. broad .. x</td> <td>—</td> <td>30/</td> <td>20/</td> <td>30/</td> <td>20/</td> <td>—</td> </tr> <tr> <td>⅝ in. broad .. x</td> <td>—</td> <td>30/</td> <td>20/</td> <td>30/</td> <td>20/</td> <td>—</td> </tr> <tr> <td>¾ in. broad .. x</td> <td>—</td> <td>20/</td> <td>10/</td> <td>30/</td> <td>20/</td> <td>—</td> </tr> <tr> <td>1 in. broad .. x</td> <td>—</td> <td>20/</td> <td>10/</td> <td>—</td> <td>20/</td> <td>—</td> </tr> <tr> <td>1 in. broad and upwards .. x</td> <td>—</td> <td>10/</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </table> <p>Extra widths, ordinary thickness: Over 6 in. to 7 in., 40/; over 7 in. to 8 in., 40/; over 8 in. to 12 in., 40/.</p> <p>Heavy flats: 6 in. and over x 1½ in. and over, 10/; 4 in. to 5 in. x 2 in. to 2½ in. and over, 10/.</p>					¼ in.	⅜ in.	½ in.	⅝ in.	¾ in.	1 in.	⅜ in. broad .. x	—	—	20/	—	—	—	½ in. broad .. x	—	30/	20/	30/	20/	—	⅝ in. broad .. x	—	30/	20/	30/	20/	—	¾ in. broad .. x	—	20/	10/	30/	20/	—	1 in. broad .. x	—	20/	10/	—	20/	—	1 in. broad and upwards .. x	—	10/	—	—	—	—
	¼ in.	⅜ in.	½ in.	⅝ in.	¾ in.	1 in.																																														
⅜ in. broad .. x	—	—	20/	—	—	—																																														
½ in. broad .. x	—	30/	20/	30/	20/	—																																														
⅝ in. broad .. x	—	30/	20/	30/	20/	—																																														
¾ in. broad .. x	—	20/	10/	30/	20/	—																																														
1 in. broad .. x	—	20/	10/	—	20/	—																																														
1 in. broad and upwards .. x	—	10/	—	—	—	—																																														
914	Iron, bar, round and square, trade lengths, R.H. Crown or equal quality*	219/	ton 149 Briscoe and Co. (Ltd.).																																																	
<i>Extra prices per ton to be added to the tender-rates for round and square iron, item No. 914, for the following sizes:—</i>																																																				
<p>Small sizes: ⅜ in., 30/; ½ in., 15/; ⅝ in., 10/; ¾ in., 5/; 1 in., 2/6.</p> <p>Large sizes: 1½ in., 2/6; 2 in., 2/6; 2½ in., 5/; 3 in., 10/; 4 in., 10/; 4½ in., 20/; 5 in., 30/; 5½ in., 40/; 6 in., 40/; 6½ in., 40/; 7 in., 40/.</p>																																																				

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.																																								
917	Iron, bar, tee, trade lengths, equal, R.H. Crown or equal quality 259/ <i>Extra prices per ton to be added to the tender-rate for tee iron, item No. 917, for the following sizes:—</i> Small sizes— <table border="1" style="display: inline-table; vertical-align: top;"> <tr> <td></td> <td>½ in.</td> <td>⅝ in.</td> <td>¾ in.</td> <td>⅞ in.</td> <td>1 in.</td> <td>1¼ in.</td> <td>1½ in. &amp; up</td> </tr> <tr> <td>⅜ in. thick.. x</td> <td>50/</td> <td>50/</td> <td>50/</td> <td>40/</td> <td>30/</td> <td>30/</td> <td>30/</td> </tr> <tr> <td>⅝ in. thick x</td> <td>20/</td> <td>20/</td> <td>20/</td> <td>20/</td> <td>15/</td> <td>15/</td> <td>15/</td> </tr> <tr> <td>¾ in. thick x</td> <td>—</td> <td>—</td> <td>15/</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>⅞ in. thick x</td> <td>—</td> <td>—</td> <td>—</td> <td>15/</td> <td>—</td> <td>—</td> <td>—</td> </tr> </table> Large sizes (ordinary thickness): 4½ in., 7/6; 5 in., 7/6; 5½ in., 7/6; 6 in., 7/6.		½ in.	⅝ in.	¾ in.	⅞ in.	1 in.	1¼ in.	1½ in. & up	⅜ in. thick.. x	50/	50/	50/	40/	30/	30/	30/	⅝ in. thick x	20/	20/	20/	20/	15/	15/	15/	¾ in. thick x	—	—	15/	—	—	—	—	⅞ in. thick x	—	—	—	15/	—	—	—	ton	149 Briscoe & Co. (Ltd.).
	½ in.	⅝ in.	¾ in.	⅞ in.	1 in.	1¼ in.	1½ in. & up																																				
⅜ in. thick.. x	50/	50/	50/	40/	30/	30/	30/																																				
⅝ in. thick x	20/	20/	20/	20/	15/	15/	15/																																				
¾ in. thick x	—	—	15/	—	—	—	—																																				
⅞ in. thick x	—	—	—	15/	—	—	—																																				
955	Iron, sheet, galvanized, plain— 11 to 20 gauge, under 8 ft. long .. .. .	347/6	ton	132 Broad, Small, and Co.																																							
956	22 gauge, under 8 ft. long .. .. .	357/6	"	"																																							
957	24 gauge, under 8 ft. long .. .. .	357/6	"	"																																							
958	26 gauge, under 8 ft. long .. .. .	387/6	"	"																																							
960	Iron, sheet, galvanized, corrugated, roofing— 5 ft. to 8 ft. lengths— 24 gauge, Blackwall or Redcliffe .. .. .	367/6	"	132 Broad, Small and Co.																																							
961	26 gauge, Neath's AB 1st quality .. .. .	389/	"	149 Briscoe and Co. (Ltd.).																																							
963	9 ft. lengths— 24 gauge, Baldwin's Phoenix Crown .. .. .	375/	"	184 A. and T. Burt (Ltd.).																																							
964	26 gauge, Neath's AB 1st quality .. .. .	399/	"	149 Briscoe and Co. (Ltd.).																																							
966	10 ft. lengths— 24 gauge, Baldwin's Phoenix Crown .. .. .	375/	"	184 A. and T. Burt (Ltd.).																																							
967	26 gauge, Neath's AB 1st quality .. .. .	409/	"	149 Briscoe and Co. (Ltd.)																																							
970	Iron tubes (wrought) and fittings, at per cent. discount from list dated 1st September, 1907— Stewart and Lloyd's— Iron water-tubes, galvanized* .. .. .	63	per cent.	184 A. and T. Burt (Ltd.).																																							
971	Iron water-fittings, galvanized* .. .. .	63	"	"																																							
972	Iron steam-tubes, red* .. .. .	56	"	"																																							
973	Iron steam-tube fittings, red* .. .. .	56	"	"																																							
974	Scottish Tube Company (Limited)†— Iron gas-tubes, black* .. .. .	71¼	"	149 Briscoe and Co (Ltd.).																																							
975	Iron gas-fittings, black* .. .. .	72½	"	"																																							
986	Jacks, bottle, Holt and Willett— 2 tons .. .. .	7/3	each	"																																							
987	5 tons .. .. .	12/3	"	"																																							
988	8 tons .. .. .	15/3	"	"																																							
989	Keys, blank— Cupboard-lock .. .. .	2/6	doz.	215 Smith & Laing (Ltd.).																																							
990	Drawer-lock .. .. .	2/6	"	"																																							
991	Night latch .. .. .	3/	"	109 John Edmond.																																							
992	Railway-car, to sample .. .. .	11/10	"	"																																							
993	Rim lock .. .. .	4/6	"	"																																							
995	Knives, putty, clip point, pliable blade (Helmet brand) .. .. .	7/	"	135 Andrew Lees.																																							
996	4 in. .. .. .	7/	"	"																																							
997	4½ in. .. .. .	7/	"	"																																							
998	5 in. .. .. .	8/	"	"																																							
999	Knives, putty, clip point, stiff blade (Helmet brand)— 4 in. .. .. .	7/	"	"																																							
1000	4½ in. .. .. .	7/	"	"																																							
	5 in. .. .. .	8/	"	"																																							

\* All iron tubes and fittings must bear the distinguishing brand of the makers.  
 † Brands—John Marshall and Sons or Wilson's Union and Tube Company.

No.	Description of Article and Rate.	Per	Tenderer.
	Knobs, drawer, wood (cedar or mahogany)—		
1001	1½ in. . . . .	1/3	doz.
1002	2 in. . . . .	1/9	doz.
1003	2½ in. . . . .	2/6	doz.
	Knobs and spindles—		
	H. and T. Vaughan's No. 551, for Vaughan's No. 232 mortise locks—		
1005	6 in. . . . .	9/	doz.
1006	7 in. . . . .	9/6	doz.
	H. and T. Vaughan's No. 551, for Vaughan's No. 60 rim locks—		
1007	6 in. . . . .	9/	doz.
1008	7 in. . . . .	9/6	doz.
1013	Lamps, bracket, Miller's "Rochester" No. 2, complete with all fittings	10/3	each
1014	Lamps, hanging, Miller's "Rochester" No. 2, harped, with tin shade, and complete with all fittings	10/9	doz.
1015	Lamps, table, Miller's "Rochester" No. 2, with chimney and shade complete	10/9	doz.
1016	Lamp-fonts, Miller's "Rochester" No. 1, complete with wick and chimney	7/5	doz.
1017	Lamp-fonts, Miller's "Rochester" No. 2, complete with wick and chimney	9/	doz.
	Lamp-burners—		
1023	For ½ in. colza-wicks . . . . .	2/8	doz.
1024	For ⅝ in. colza-wicks . . . . .	2/10	doz.
1025	For ¾ in. colza-wicks . . . . .	3/	doz.
1026	For ⅞ in. colza-wicks . . . . .	3/5	doz.
1027	For 1 in. colza-wicks . . . . .	3/8	doz.
1028	For 1¼ in. colza-wicks . . . . .	3/10	doz.
1029	For 1½ in. colza-wicks . . . . .	4/2	doz.
1030	For 1¾ in. colza-wicks . . . . .	5/2	doz.
1031	For 2 in. colza-wicks . . . . .	6/5	doz.
	Lamp-chimneys, best fireproof—		
1032	"Acme" No. 1 . . . . .	5/6	doz.
1033	"Acme" No. 2 . . . . .	6/8	doz.
1034	Lamp-chimneys for car-lamps, to blue-print 1186 . . . . .	6/6	doz.
	Lamp-feeder (or bottle-top) screws—		
1035	⅝ in. . . . .	1/10	doz.
1036	¾ in. . . . .	1/11	doz.
1037	1 in. . . . .	2/2	doz.
1038	1¼ in. . . . .	3/1	doz.
1039	1½ in. . . . .	3/11	doz.
1040	2 in. . . . .	7/4	doz.
1041	Lamp-wick ball . . . . .	1/1	lb.
	Lamp-wicks, circular—		
1061	For Miller's No. 1 "Rochester" lamps . . . . .	1/1	doz.
1062	For Miller's No. 2 "Rochester" lamps . . . . .	1/11	doz.
1063	For No. 1 "Union" lamps . . . . .	1/1	doz.
1064	For No. 2 "Union" lamps . . . . .	2/2	doz.
	Lanterns, hurricane, Deitz—		
1069	"Victor," tinned steel . . . . .	2/4	doz.
1071	Globes, white, for "Victor" . . . . .	5/2	doz.

No.	Description of Article and Rate.	Per	Tenderer.
	Latches—		
1085	Gate, Kenrick's No. 1, 4 in. .. ..	4/5	doz. 109 John Edmond.
1086	Gate, Kenrick's No. 1, 6 in. .. ..	7/9	”
	Latches, night, rim—		
1089	Kenrick's No. 500, 3 keys .. ..	4/5	each 149 Briscoe and Co. (Ltd.).
1090	H. and T. Vaughan's No. 07, 3 keys .. ..	4/10	” 177 Thomson, Bridger, and Co. (Ltd.).
1091	H. and T. Vaughan's No. 09, 3 keys .. ..	5/6	” Ditto.
1092	Latches, Norfolk, japanned, No. 3 .. ..	/5	” 86 New Zealand Hardware Company (Ltd.).
1093	Lead bends, all sizes .. ..	36/	cwt. 184 A. and T. Burt (Ltd.).
1094	Lead pipe, solid-drawn, seamless, all sizes .. ..	26/	”
1095	Lead sheet, 3 lb. to 8 lb. per square foot .. ..	25/9	” 149 Briscoe and Co. (Ltd.).
	Lead—		
1097	Black, Nixey's .. ..	6/10	gross blocks 109 John Edmond.
1099	Red, dry, genuine, warranted, to specification* .. ..	27/6	cwt. 135 Andrew Lees.
1100	White, dry, genuine, warranted, to specification* .. ..	30/6	” 109 John Edmond.
	Leather, buffalo-skins, English, genuine hand-buffed (1st cut), dark green, size 50 square feet and over, S. E. Norris, and Co., Shadwell, London—		
	F.o.b., London .. ..	1/1	sq. ft. 113 North Company (Ltd.).
	F.o.r., New Zealand .. ..	1/2 $\frac{3}{4}$	”
	Leather—		
1107	Hydraulic, oil-tanned .. ..	2/	lb. 109 John Edmond.
1109	Pump butts, English, hydraulic .. ..	3/	”
1110	Sole, English, in bends not under 17 lb. each .. ..	2/6	” 124 Michaelis, Hallenstein, and Farquhar.
	Letters, alphabet, steel, Boker's—		
1111	$\frac{1}{8}$ in. .. ..	7/6	set 177 Thomson, Bridger, and Co. (Ltd.).
1112	$\frac{1}{4}$ in. .. ..	8/	” Ditto.
	Levels, spirit, ebony, brass-plated top and tipped bottom, John Rabone and Sons' No. 1800—		
1115	6 in. .. ..	1/3	each 109 John Edmond.
	Levels, spirit, side views, brass-plated top and tipped bottom, John Rabone and Sons' No. 1330—		
1116	10 in. .. ..	2/2	” 149 Briscoe and Co. (Ltd.).
1117	12 in. .. ..	2/6	”
1118	18 in. .. ..	4/3	”
	Levels, spirit, side views, with plumb, brass-plated top and tipped bottom, John Rabone and Sons' No. 1350—		
1119	12 in. .. ..	3/3	”
1120	18 in. .. ..	5/3	”
	Levels, spirit, with plumb, patent adjustable, mahogany stock, brass-lipped side views, full brass tipped, John Rabone and Sons' No. 107—		
1121	24 in. .. ..	6/9	”
1122	30 in. .. ..	7/6	”
	Linoleum, Nairn's—		
1123	Inlaid, for cars, varnished back, to sample in pattern and quality .. ..	4/8	sq. yd. 139 Bing, Harris, and Co. (Ltd.).
1124	Plain brown, varnished back, equal to sample .. ..	3/5	” Ditto.
	Locks, box, brass—		
1125	2 in., 3-lever .. ..	16/	doz. 215 Smith & Laing (Ltd.).
1126	2 $\frac{1}{2}$ in., 3-lever .. ..	18/	”
1127	3 in., 3-lever .. ..	18/	”
1128	Hobbs's 2 $\frac{1}{2}$ in., 2 keys .. ..	4/3	each 149 Briscoe and Co. (Ltd.).
1129	Hobbs's 3 in., 2 keys .. ..	4/9	”

\* See Conditions of Contract for specification.

No.	Description of Article and Rate.	Per	Tenderer.
	Locks, box, iron—		
1130	2½ in. .. .. .	7/ doz.	132 Andrew Lees.
1131	3 in. .. .. .	7/ ..	..
1132	3½ in. .. .. .	7/6 ..	..
1133	4 in. .. .. .	7/6 ..	..
	Locks, cupboard, brass—		
1134	2 in., 3-lever .. .. .	10/ ..	215 Smith & Laing (Ltd.).
1135	2½ in., 3-lever .. .. .	15/ ..	..
1136	3 in., 3-lever .. .. .	15/ ..	..
	Locks, cupboard, iron—		
1137	3 in. .. .. .	4/6 ..	149 Briscoe and Co. (Ltd.).
1138	3½ in. .. .. .	4/9 ..	..
1139	4 in. .. .. .	5/3 ..	..
	Locks, desk, brass—		
1140	Hobbs's 2½ in., 2 keys .. .. .	4/6 each	215 Smith & Laing (Ltd.).
1141	Hobbs's 3 in., 2 keys .. .. .	5/6 ..	..
	Locks, till, brass—		
1142	2 in., 3-lever .. .. .	16/6 doz.	109 John Edmond.
1143	2½ in., 3-lever .. .. .	16/9 ..	..
1144	3 in., 3-lever .. .. .	17/6 ..	..
1145	Hobbs's 2½ in., 2 keys .. .. .	4/ each	215 Smith & Laing (Ltd.).
1146	Hobbs's 3 in., 2 keys .. .. .	4/6 ..	..
	Locks, mortise, H. and T. Vaughan's No. 232, with Mace's ebony furniture, with brass roses—		
1147	5 in. .. .. .	4/6 ..	..
1148	6 in. .. .. .	4/6 ..	..
	Locks, rim, H. and T. Vaughan's No. 60, 2-bolt—		
1149	6 in. .. .. .	3/4 ..	149 Briscoe and Co. (Ltd.).
1150	7 in. .. .. .	4/6 ..	215 Smith & Laing (Ltd.).
	Locks, pad, brass, Hobbs's, patent—		
1151	2½ in. .. .. .	8/6 ..	..
1152	3 in. .. .. .	11/ ..	..
	Locks, pad, galvanized, brass springs—		
1153	2½ in., 2-keyed .. .. .	12/ doz.	215 Smith & Laing (Ltd.).
1154	3 in., 2-keyed .. .. .	17/6 ..	109 John Edmond.
1156	Roberts's 4-lever, 3 in., to sample .. .. .	5/3 each	..
	Locks, pad, japanned, 2-keyed—		
1157	2½ in. .. .. .	10/6 doz.	215 Smith & Laing (Ltd.).
1158	3 in. .. .. .	10/6 ..	..
1161	Locks, pan, bronze or gun-metal case, 2 keys, D. K. Miller's "Champion," No. 1, 2½ in.	2/4 each	177 Thomson, Bridger, and Co. (Ltd.).
	Lock-staples for H. and T. Vaughan's No. 60 rim locks—		
1166	For 6 in. locks .. .. .	5/8 doz.	109 John Edmond.
1167	For 7 in. locks .. .. .	6/5 ..	..
	Mallets, Tinman's, boxwood, handled—		
1168	2½ in. .. .. .	14/6 ..	184 A. and T. Burt (Ltd.).
1169	2¾ in. .. .. .	15/6 ..	..
1170	3 in. .. .. .	18/ ..	..
1174	Marline, tarred, Belfast Ropework Company's or equal quality	/9 lb.	177 Thomson, Bridger, and Co. (Ltd.).
1175	Matting, coconut-fibre .. .. .	1/9 sq. yard	109 John Edmond.
	Mattocks, grubbing, short or long cutter—		
1177	W. Edwards and Son (Limited), No. E 405—		
	4 lb. .. .. .	2/5 each	..
	5 lb. .. .. .	2/7 ..	..
	5½ lb. .. .. .	2/9 ..	..
1181	W. G. Birkenshaw and Co.'s—		
	4 lb. .. .. .	2/ ..	149 Briscoe and Co. (Ltd.).
	5 lb. .. .. .	2/ ..	..

No.	Description of Article and Rate.	Per	Tenderer.
1188	Mops, white wool, 16 oz., with spike..	10/5	doz. 149 Briscoe and Co. (Ltd.)
1190	Mugs, enamelled, seamless, "Anglo," or equal quality, ½ pint	3/9	" 132 Broad, Small, and Co.
1191	Muntz-metal, rod, for riveting, 3-crown, P. H. Muntz and Co.	/11	lb. 184 A. and T. Burt (Ltd.).
	Nails, clout, best wrought, flat head, black—		
1192	½ in. .. .. .	/9	" 149 Briscoe and Co. (Ltd.).
1193	⅝ in. .. .. .	/9	" "
1194	¾ in. and ⅞ in. .. .. .	/7½	" "
1195	1 in. and 1⅓ in. .. .. .	/6¼	" "
1196	1¼ in. to 2 in. .. .. .	/5	" "
1202	Nails, clout, countersunk, strong, at per cent. discount off list No. 2	23¾	per cent. 177 Thomson, Bridger and and Co. (Ltd.).
	Nails, finishing—		
1204	½ in. .. .. .	/6¼	lb. Ditto.
1205	⅝ in. .. .. .	/5½	" "
1206	¾ in. .. .. .	/4½	" "
1207	⅞ in. .. .. .	/4	" "
1208	1 in. .. .. .	/4	" "
1209	1¼ in. .. .. .	/3½	" "
1210	1½ in. .. .. .	/4	" "
1211	1¾ in. .. .. .	/4	" "
1212	2 in. .. .. .	/4	" "
1213	2½ in. .. .. .	/4	" "
1214	Nails, patent wrought, per cent. discount off list No. 3	8	per cent. "
	Nails, wire, diamond head, or rose head, as required—		
1215	1 in. x 15 gauge .. .. .	18/5	cwt. 109 John Edmond.
1216	1¼ in. x 14 gauge .. .. .	17/10	" "
1217	1½ in. x 13 gauge .. .. .	16/5	" 149 Briscoe and Co. (Ltd.).
1218	2 in. x 12 gauge .. .. .	15/5	" "
1219	2¼ in. x 11 gauge .. .. .	14/8	" "
1220	2½ in. x 10 gauge .. .. .	14/2	" "
1221	3 in. x 9 gauge .. .. .	13/5	" "
1222	3½ in. x 6 and 7 gauge .. .. .	12/8	" "
1223	4 in. x 6 gauge .. .. .	12/8	" "
1224	5 in. x 5 gauge .. .. .	12/8	" "
1225	6 in. x 4 gauge .. .. .	12/8	" "
1226	Nails, wire, Evenden's spring-head, galvanized ..	1/2	gross 132 Broad, Small, and Co.
1228	Netting, wire, galvanized after manufacture, any width or mesh, at per cent. discount off list No. 4	47½	per cent. "

NUTS (Whitworth's Standard Threads and Sizes).

Iron, Black, Machine-made.

Guest, Keen, and Nettlefolds (Limited), "Globe and Lion" Brand.

Size.	Per Gross.				Per Cwt.										
	¼ in.	⅜ in.	½ in.	⅞ in.	½ in.	⅝ in.	¾ to 1¼ in.	1½ in.	1⅞ in.	2 in.	1¼ in.	1⅞ in.		2 in.	
1237	Square, untapped	1/11/4	1/9	2/6	20/	19/6	21/	21/	21/6	23/	23/	26/	26/	109 John Edmond.	
1238	Square, tapped	1/6	1/9	—	—	27/	25/6	25/6	24/6	25/	—	—	—	"	
1239	Hexagon, un- tapped	2/	2/2	3/4	3/9	28/6	26/	25/	25/	25/	25/	25/6	26/6	26/6	"
1240	Hexagon, tapped	2/6	2/10	4/	4/8	31/	28/6	28/6	29/6	30/6	30/6	32/6	33/6	33/6	"

No.	Description of Article and Rate.	Per	Tenderer.																										
NUTS (Whitworth's Standard Threads and Sizes)— <i>continued.</i> <i>Iron, Black, Machine-made.</i> Horton and Son (Limited), Darlaston, "Alma" Brand.																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2" style="width: 15%;">Size.</th> <th colspan="4">Per Gross.</th> <th colspan="8">Per Cwt.</th> </tr> <tr> <th><math>\frac{1}{8}</math> in.</th> <th><math>\frac{9}{16}</math> in.</th> <th><math>\frac{3}{8}</math> in.</th> <th><math>\frac{7}{16}</math> in.</th> <th><math>\frac{1}{2}</math> in.</th> <th><math>\frac{5}{8}</math> in.</th> <th><math>\frac{3}{4}</math> to <math>1\frac{1}{4}</math> in.</th> <th><math>1\frac{3}{8}</math> in.</th> <th><math>1\frac{1}{2}</math> in.</th> <th><math>1\frac{5}{8}</math> in.</th> <th><math>1\frac{3}{4}</math> in.</th> <th><math>1\frac{7}{8}</math> in.</th> <th>2 in.</th> </tr> </thead> </table>				Size.	Per Gross.				Per Cwt.								$\frac{1}{8}$ in.	$\frac{9}{16}$ in.	$\frac{3}{8}$ in.	$\frac{7}{16}$ in.	$\frac{1}{2}$ in.	$\frac{5}{8}$ in.	$\frac{3}{4}$ to $1\frac{1}{4}$ in.	$1\frac{3}{8}$ in.	$1\frac{1}{2}$ in.	$1\frac{5}{8}$ in.	$1\frac{3}{4}$ in.	$1\frac{7}{8}$ in.	2 in.
Size.	Per Gross.				Per Cwt.																								
	$\frac{1}{8}$ in.	$\frac{9}{16}$ in.	$\frac{3}{8}$ in.	$\frac{7}{16}$ in.	$\frac{1}{2}$ in.	$\frac{5}{8}$ in.	$\frac{3}{4}$ to $1\frac{1}{4}$ in.	$1\frac{3}{8}$ in.	$1\frac{1}{2}$ in.	$1\frac{5}{8}$ in.	$1\frac{3}{4}$ in.	$1\frac{7}{8}$ in.	2 in.																
1242	Square, tapped..	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">—</td> <td style="width: 15%;">—</td> <td style="width: 15%;">1/9</td> <td style="width: 15%;">3/</td> <td style="width: 15%;">—</td> <td style="width: 15%;">—</td> <td style="width: 15%;">—</td> <td style="width: 15%;">—</td> <td style="width: 15%;">—</td> <td style="width: 15%;">—</td> <td style="width: 15%;">26/</td> <td style="width: 15%;">26/</td> <td style="width: 15%;">26/</td> <td style="width: 15%;">26/</td> </tr> </table>	—	—	1/9	3/	—	—	—	—	—	—	26/	26/	26/	26/	132 Broad, Small, and Co.												
—	—	1/9	3/	—	—	—	—	—	—	26/	26/	26/	26/																
<i>Iron, Hexagon, Engineers.</i>																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Finished bright.</th> <th><math>\frac{3}{8}</math> in.</th> <th><math>\frac{1}{2}</math> in.</th> <th><math>\frac{5}{8}</math> in.</th> <th><math>\frac{3}{4}</math> in.</th> <th><math>\frac{7}{8}</math> in.</th> <th>1 in.</th> <th><math>1\frac{1}{8}</math> in.</th> <th><math>1\frac{1}{4}</math> in.</th> </tr> </thead> </table>				Finished bright.	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{5}{8}$ in.	$\frac{3}{4}$ in.	$\frac{7}{8}$ in.	1 in.	$1\frac{1}{8}$ in.	$1\frac{1}{4}$ in.																	
Finished bright.	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{5}{8}$ in.	$\frac{3}{4}$ in.	$\frac{7}{8}$ in.	1 in.	$1\frac{1}{8}$ in.	$1\frac{1}{4}$ in.																					
1261	Guest, Keen, and Nettlefolds (Limited)—	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">15/</td> <td style="width: 15%;">17/</td> <td style="width: 15%;">21/</td> <td style="width: 15%;">29/</td> <td style="width: 15%;">39/</td> <td style="width: 15%;">56/</td> <td style="width: 15%;">75/</td> <td style="width: 15%;">99/</td> <td style="width: 15%;">gross</td> </tr> </table>	15/	17/	21/	29/	39/	56/	75/	99/	gross	109 John Edmond.																	
15/	17/	21/	29/	39/	56/	75/	99/	gross																					
1264	Oakum .. .. .	35/6	cwt. "																										
1265	Oil, gas-engine, cylinder— Tangye's (delivered at Dunedin) .. .. .	4/	gal. 237 J. Chambers and Son (Ltd.).																										
1267	Oil, kerosene, 150° Fahr., in Abel's closed tester (White Rose)	/10 $\frac{1}{2}$	" 222 Vacuum Oil Company (Ltd.).																										
Oil-feeders, common—																													
1272	1 pint .. .. .	11/	doz. 149 Briscoe and Co. (Ltd.).																										
1273	2 pints .. .. .	14/6	" 132 Broad, Small, and Co.																										
1274	$\frac{1}{2}$ pint, spring bottom, A. Mathieson and Son's leak-proof	7/6	" 109 John Edmond.																										
Oil-feeders, Braime's standard Admiralty pattern, "O" type, with interchangeable copper spouts (delivered at Dunedin)—																													
1275	$\frac{1}{2}$ pint, No. 09 .. .. .	25/3	" 237 J. Chambers and Son (Ltd.).																										
1276	1 pint, No. 011 .. .. .	35/6	" Ditto.																										
1277	$1\frac{1}{2}$ pint, No. 012 .. .. .	41/6	" "																										
1278	1 pint, with large valve and spout outlet for thick oil ..	42/	" "																										
1279	$1\frac{1}{2}$ pint, with large valve and spout outlet for thick oil ..	48/	" "																										
Oil-feeders, spare copper spouts for above (Braime's)—																													
1280	6 in. .. .. .	3/6	" "																										
1281	8 in. .. .. .	5/	" "																										
1282	10 in. .. .. .	7/	" "																										
1283	12 in. .. .. .	7/11	" "																										
Oil-feeders, spare copper spouts for Kaye's patent seamless oil-cans—																													
1289	6 in. .. .. .	5/2	" 109 John Edmond.																										
1290	8 in. .. .. .	6/8	" "																										
1291	10 in. .. .. .	8/10	" "																										
1292	12 in. .. .. .	10/3	" "																										
Oil-slips—																													
1302	Turkey-stone .. .. .	2/	lb. 215 Smith & Laing (Ltd.).																										
1303	Washita-stone .. .. .	2/5	" 109 John Edmonds.																										



No.	Description of Article and Rate.	Per	Tenderer.
1304	Oil-stones— Turkey .. .. .	1/2 lb.	177 Thomson, Bridger, and Co. (Ltd.).
1305	Washita .. .. .	1/	215 Smith & Laing (Ltd.).
1312	Packing, any size or thickness, The North British Rubber Company— Asbestos cloth sheeting, metallic .. .. .	/11	146 Hayward Bros. and Co. (Ltd.).
1313	Asbestos millboard .. .. .	$\frac{2-1}{10}$	Ditto.
1314	Asbestos metallic tape .. .. .	$\frac{11-9}{10}$	..
1315	Asbestos rolled cloth .. .. .	/11	..
1316	Asbestos yarn, plaited .. .. .	$\frac{8-2}{4}$	..
1317	Asbestos yarn, twisted .. .. .	$\frac{8-2}{2}$	..
1318	Harris's spiral piston-packing, No. 1 quality, round ..	$1\frac{1}{2}$	..
1327	Packing, any size— "Peerless," American, genuine .. .. .	3/1	245 The India rubber, Gutta-percha, and Telegraph Works Company (Ltd.).
1328	Tuck's genuine, round — $\frac{1}{4}$ in. .. .. . $\frac{3}{8}$ in. and upwards .. .. .	$1\frac{1}{9}$ $1\frac{1}{5}$	Ditto. ..
1331	Patent jointing-sheets, $\frac{1}{16}$ in. to $\frac{1}{8}$ in. thick— Klingerit, genuine, delivered at Dunedin .. .. .	4/	237 J. Chambers and Son (Ltd.).
1333	Permanite, genuine .. .. .	3/4	184 A. and T. Burt (Ltd.).
1334	Rainbow, American, genuine (delivered at Dunedin) ..	3/2	237 J. Chambers and Son (Ltd.).
PAINT.			
1336	Paint, "Bon Accord"— For inside work, various colours .. .. .	11/2 gal.	149 Briscoe and Co. (Ltd.).
1337	For outside work, various colours .. .. .	11/2	..
1338	For roofs, red .. .. .	8/6	215 Smith & Laing (Ltd.).
1339	Tinting-colours, any shade .. .. .	1/5 pint	109 John Edmond.
1340	Paint, Lewis Berger and Sons (Limited)— Gloss white, for outside work, No. 601 .. .. .	11/9 gal.	132 Broad, Small, and Co.
1341	Varnal, for inside work, various colours .. .. .	11/6	..
1342	Varnal, for tinting, various colours .. .. .	11/6	..
1343	Paint, gold bronze, in 1 oz. packets, Gerstendorfer Bros., "Our Favourite" brand	5/6 lb.	135 Andrew Lees.
1344	Paint, gold powder, in 1 oz. packets, Fletcher and Co.'s light shade	5/6	..
1346	Paint, Pullman-car colour, ground in gold size, to sample shade, Berger's No. 692	1/2	132 Broad, Small, and Co.
1348	Paint, Alexander, Fergusson, and Co.'s "Elephant" brand— Oxide of iron, bright red, in oil .. .. .	23/6 cwt.	135 Andrew Lees.
1349	Paint, Lewis Berger and Son's (Limited)— Oxide of iron, red, dry, No. 2 .. .. .	12/6	132 Broad, Small, and Co.

No.	Description of Article and Rate.	Per	Tenderer.
<i>PAINT—continued.</i>			
1358	Paint, Jenson and Nicholson's fine, best quality— Oxide of iron, bright red, in oil .. .. .	23/6 cwt.	135 Andrew Lees.
1359	Paint, special signal red, ground in varnish, Lewis Berger and Son (Limited)	21/2 gal.	132 Broad, Small, and Co.
<b>PAINTS.</b>			
Paints, Alexander, Fergusson, and Co.'s "Elephant" brand, as under—			
1360	Black, in oil .. .. .	/2½ lb.	135 Andrew Lees.
1362	Black, ivory, drop, dry (in tins) .. .. .	/2 "	"
1363	Black, lamp, dry (in 1 lb. paper packets) .. .. .	/2¼ "	"
1364	Black, vegetable (in 1 lb. paper packets) .. .. .	/9 "	"
1365	Blue, Prussian, dry (in tins) .. .. .	1/ "	215 Smith & Laing (Ltd.).
1366	Blue, ultramarine, dry, in 1 lb. packets .. .. .	/8 "	"
1372	Green, bronze, dry (in tins) .. .. .	/3 "	135 Andrew Lees.
1373	Green, Brunswick, dry, all shades (in tins) .. .. .	/2½ "	215 Smith & Laing (Ltd.).
1374	Green, Brunswick, in oil, all shades .. .. .	/4 "	"
1375	Ochre, Italian, in oil .. .. .	37/ cwt.	135 Andrew Lees.
1376	Ochre, Oxford, in oil .. .. .	37/ "	"
1380	Purple, brown, dry (in tins) .. .. .	/2 lb.	215 Smith & Laing (Ltd.).
1382	Red, Indian, dry, p., m., and d., to sample .. .. .	25/ cwt.	135 Andrew Lees.
1383	Red, Venetian, in oil .. .. .	/2½ lb.	"
1384	Sienna, burnt, in oil, "special" .. .. .	/5½ "	"
1385	Sienna, raw, in oil, "special" .. .. .	/5 "	"
1386	Umber, burnt, in oil, "special" .. .. .	/4 "	"
1387	Umber, raw, in oil, "special" .. .. .	/4 "	"
1390	Zinc-white, in oil, "Snow-white," genuine .. .. .	40/ cwt.	215 Smith & Laing (Ltd.).
Paints, Lewis Berger and Son (Limited), as under—			
1392	Black, ivory, drop, in oil, No. 301 .. .. .	/5 lb.	132 Broad, Small, and Co.
1398	Brown, Vandyke, in oil, No. 302 .. .. .	/5 "	"
1399	Brown, Vandyke, in water, No. 500 .. .. .	/3½ "	"
1400	Chrome, lemon, dry, No. 404 .. .. .	/8¼ "	"
1401	Chrome, middle, dry, No. 403 .. .. .	/8¼ "	"
1402	Chrome, orange, dry, No. 402 .. .. .	/8¼ "	"
1409	Ochre, red, dry, No. 412 .. .. .	/1½ "	"
1410	Ochre, yellow, dry, No. 408 .. .. .	/1½ "	"
1411	Ochre, yellow, in oil, No. 304 .. .. .	/3 "	"
1413	Red, Chinese, dry, No. 414 .. .. .	/6 "	"
1420	Vermilion, English, genuine, dry, deep, No. 10010 .. .. .	3/3 "	"
1421	Vermilion, English, genuine, pale, No. 10005 .. .. .	3/3 "	"
Pans—			
1522	Ash, for 36 in. register-grates .. .. .	3/8 each	109 John Edmond.
1523	Ash, for 38 in. register-grates .. .. .	3/8 "	"
1528	Patent filling-up—Lewis Berger and Son (Limited) .. .. .	25/ cwt.	132 Broad, Small, and Co.
1538	Patent knotting—Lewis Berger and Son (Limited) .. .. .	12/ gal.	"
Pickaxes, platelayers', point and chisel ends, bright, and japanned, Brades'—			
1550	6 lb. .. .. .	24/8 doz.	109 John Edmond.
1551	6½ lb. .. .. .	26/10 "	"
1552	7 lb. .. .. .	28/8 "	"

No.	Description of Article and Rate.	Per	Tenderer.																
<b>PINS, COTTER, SPLIT, BRIGHT.</b>																			
Guest, Keen, and Nettlefolds (Limited), Art. No. 595.																			
	Nominal Diameter.	Length in Inches.														Per			
		1 in.	1¼ in.	1½ in.	1¾ in.	2 in.	2¼ in.	2½ in.	2¾ in.	3 in.	3¼ in.	3½ in.	3¾ in.	4 in.	4½ in.	5 in.	5½ in.	6 in.	
1565	⅛ in.	/4	/4¼	/5	/6	/7	/7½	/8	/9	/10	—	—	—	—	—	—	—	—	gross
1566	⅜ in.	/4	/4¼	/5	/6	/7	/7½	/8	/9	/10	—	—	—	—	—	—	—	—	”
1567	½ in.	/5½	/6	/6¾	/7½	/8½	/9	/10	/10½	/11	1/	1/1	1/2	1/3	—	—	—	—	”
1568	⅝ in.	/6½	/6¾	/7½	/8½	/9¼	/10	/10¼	/11½	1/	1/1	1/2	1/3	1/4	—	—	—	—	”
1569	¾ in.	/7¼	/8	/9	/10	/11	/11½	1/	1/1	1/2½	1/3	1/4	1/5	1/7	—	—	—	—	”
1570	⅞ in.	/9½	/11	1/	1/1½	1/3	1/4	1/5	1/6	1/7½	1/8½	1/10	2/	2/1	2/4	—	—	—	”
1571	1 in.	/11	1/	1/2	1/3½	1/5	1/6	1/8	1/9	1/11	2/	2/2	2/3	2/6	2/11	3/	—	—	”
1572	⅞ in.	1/2	1/3	1/6	1/7½	1/11	2/	2/4	2/5	2/8	2/9	3/1	3/2	3/5	3/8	4/	—	—	”
1573	⅝ in.	—	—	2/9	3/	3/3	3/6	3/8	3/11	4/3	4/5	4/9	5/	5/4	5/10	6/4	6/7	—	”
1574	⅜ in.	—	—	—	—	3/6	3/11	4/4	4/8	5/	5/4	5/6	5/9	6/2	6/7	7/	7/6	—	”
1575	7/16 in.	—	—	—	—	—	—	4/10	5/4	5/11	6/3	6/6	6/7	7/	7/6	8/	8/4	8/9	”
1576	½ in.	—	—	—	—	—	—	6/8	—	8/2	—	9/2	—	11/	12/6	14/	18/	19/6	”
1589	Pins— Gimp, japanned, black .. .. .										/6			lb.	177 Thomson, Bridger, and Co. (Ltd.).				
1591	Panel, copper .. .. .										1/10			”	109 John Edmond.				
1592	Panel, iron .. .. .										/4			”	215 Smith & Laing (Ltd.).				
1599	Plaster-of-paris, in 7 lb. tins .. .. .										1/3			tin	”				
1605	Plumbago, Morgan's— No. 1 quality, to sample .. .. .										28/			cwt.	184 A. and T. Burt (Ltd.).				
1606	No. D quality, to sample .. .. .										22/			”	”				
1607	Polish, knife, Oakey's “Solarene”—										/6			tin	109 John Edmond.				
1616	½ pint tins .. .. .										4/			doz. tins	66 N. Guthridge (Ltd.).				
1617	1 pint tins .. .. .										7/			”	”				
1618	Polishing-cloths, “Redio”— Green .. .. .										4/			doz.	43 Ross and Glendining (Ltd.).				
1619	Yellow .. .. .										2/9			”	40 L. G. Porter.				
1620	Potash (delivered at Dunedin)— American, in tins .. .. .										/8			lb.	15 Kempthorne, Prosser, and Co. (Ltd.).				
1621	Bichromate .. .. .										/6½			”	Ditto.				
1622	Prussiate of, yellow .. .. .										/11			”	”				
1624	Pumice-stone composition blocks, any grain, “Eureka”										6/			doz. blocks	135 Andrew Lees.				
1625	Pumice-stone— Lump .. .. .										/3			lb.	”				
1626	Ground fine .. .. .										/2½			”	”				
1627	Ground coarse .. .. .										/2½			”	”				
1628	Pumps, hand, Douglas's patent— Fig. 1, No. 3 .. .. .										14/6			each	109 John Edmond.				
1629	Fig. 1, No. 4 .. .. .										15/9			”	”				
1630	Fig. 1, No. 5 .. .. .										19/			”	177 Thomson, Bridger, and Co. (Ltd.).				
1631	Fig. 1, No. 6 .. .. .										21/11			”	109 John Edmond.				

109 John Edmond.

No.	Description of Article and Rate.	Per	Tenderer.	
	Pumps, hand, Douglas's patent, "side-eared," suction and force, with air-barrel and cock—			
1636	Fig. 156, No. 3 .. .. .	47/6	each	132 Broad, Small, and Co.
1637	Fig. 156, No. 4 .. .. .	49/	"	177 Thomson, Bridger, and Co. (Ltd.).
1639	Fig. 156, No. 6 .. .. .	72/6	"	132 Broad, Small, and Co.
	Putty, pure linseed-oil, Alexander, Fergusson, and Co.—			
1652	In 14 lb. bladders .. .. .	16/	cwt.	135 Andrew Lees.
1653	In 14 lb. tins .. .. .	16/	"	"
	Rakes, iron or steel, strong, handled—			
1662	12-tooth .. .. .	1/2	each	132 Broad, Small, and Co.
1663	14-tooth .. .. .	1/3	"	"
1664	16-tooth .. .. .	1/4½	"	"
1666	Resin, fine amber .. .. .	17/6	cwt.	149 Briscoe and Co. (Ltd.).
	Rings, flush, brass—			
1675	1 in. .. .. .	3/9	doz.	109 John Edmond.
1676	1¼ in. .. .. .	4/	"	"
1677	1½ in. .. .. .	4/5	"	"
	Rings, screw, brassed—			
1678	1 in. .. .. .	4/10	gross	109 John Edmond.
1679	1¼ in. .. .. .	8/6	"	149 Briscoe and Co. (Ltd.).
1683	Rings, tinned, tarpaulin, 1 in. internal diameter, No. 8 gauge	3/3	"	109 John Edmond.
1685	Rivets, copper .. .. .	1/4½	lb.	"
1686	Rivets, copper, and washers.. .. .	1/3½	"	149 Briscoe and Co. (Ltd.).
	Rivets, steel, mild, pan and round head—			
1692	¼ in. diameter .. .. .	22/	cwt.	109 John Edmond.
1693	⅜ in. diameter .. .. .	20/	"	149 Briscoe and Co. (Ltd.).
1694	½ in. diameter .. .. .	17/3	"	109 John Edmond.
1695	⅝ in. diameter .. .. .	17/3	"	"
1696	¾ in. diameter .. .. .	16/9	"	149 Briscoe and Co. (Ltd.).
1697	⅞ in. diameter .. .. .	16/6	"	"
1698	1 in. diameter .. .. .	15/9	"	109 John Edmond.
1699	Rivets, tinmen's, tinned, at per cent. discount off list No. 8	35	per cent.	177 Thomson, Bridger, and Co. (Ltd.).
	Rules, boxwood, John Rabone and Sons'—			
1710	2 ft., four-fold, 1½ in. wide, No. 1185 .. .. .	1/3	each	215 Smith & Laing (Ltd.).
1711	3 ft., four-fold, 1½ in. wide, No. 1185 .. .. .	1/6	"	"
	Rules, boxwood, John Rabone and Sons', brass-bound on inside and outside edges—			
1712	2 ft., four-fold, 1⅝ in. wide, No. 1115 .. .. .	2/5	"	149 Briscoe and Co. (Ltd.).
1713	2 ft., four-fold, 1¾ in., wide, No. 1116 .. .. .	2/7	"	"
1714	3 ft., four-fold, 1⅝ in. wide, No. 1115 .. .. .	3/1	"	"
1715	3 ft., four-fold, 1¾ in. wide, No. 1116 .. .. .	3/7	"	"
1716	Sal-ammoniac, lump .. .. .	/7	lb.	184 A. and T. Burt (Ltd.).
1717	Sal-ammoniac, powdered .. .. .	/6	"	"
1718	Salt, coarse, delivered at Dunedin .. .. .	4/6	cwt.	15 Kempthorne, Prosser, and Co. (Ltd.).
1720	Saltpetre, delivered at Dunedin .. .. .	/4½	lb.	Ditto.
	Saws, band, Spear and Jackson's (Limited)—			
1721	½ in. .. .. .	/5	ft.	109 John Edmond.
1722	⅝ in. .. .. .	/5	"	"
1723	¾ in. .. .. .	/5	"	"
1724	⅞ in. .. .. .	/5	"	"
1725	1 in. .. .. .	/5	"	"

No.	Description of Article and Rate.	Per	Tenderer.	
1734	Saws, hand, crosscut, straight back— H. Disston and Sons' No. 7, 26 in. . . . .	4/9	each	132 Broad, Small, and Co.
1748	Saws, hand, panel, straight back— H. Disston and Sons' No. 7— 22 in. . . . .	4/9	"	177 Thomson, Bridger, and Co. (Ltd.).
	24 in. . . . .	5/	"	Ditto.
1762	Saws, hand, rip, straight back— H. Disston and Sons' No. 7, 28 in. . . . .	5/8	"	132 Broad, Small, and Co.
1808	Saws, crosscut, one-man, with ordinary and supplementary handle— H. Disston and Sons— Tenon— 3 ft. . . . .	5/10	"	109 John Edmond.
	3½ ft. . . . .	6/7	"	"
	4 ft. . . . .	7/7	"	"
	4½ ft. . . . .	8/11	"	"
1809	Great American 3 ft. . . . .	6/3	"	132 Broad, Small, and Co.
	3½ ft. . . . .	6/9	"	"
	4 ft. . . . .	7/6	"	"
1835	Saws, circular, solid teeth, for wood, at per cent discount off list No. 9, Spear and Jackson	55	per cent.	109 John Edmond.
1841	Saws, mitre-box, H. Disston and Sons' No. 4— 24 in. . . . .	8/6	each	"
	26 in. . . . .	8/10	"	"
1844	Saws, hack, for metal, solid back, complete with twelve blades, Griffin's No. 30— 8 in. . . . .	3/	"	184 A. and T. Burt (Ltd.).
	10 in. . . . .	3/6	"	"
	12 in. . . . .	4/	"	132 Broad, Small, and Co.
1850	Saws, hack, for metal, extending back, complete, to hold 8 in to 12 in. blades, Griffin's—	3/8	"	109 John Edmond.
1856	Saw-blades for metal hack-saws, Griffin's, for No. 30 saws— 8 in. . . . .	1/5	doz.	187 A. and T. Burt (Ltd.).
	10 in. . . . .	1/6	"	"
	12 in. . . . .	1/7	"	"
	Scissors, Sheffield make, C. Johnson's (delivered at Dunedin)— Office, 6 in. . . . .	14/6	"	161 James Park and Co.
1865	Office, 8 in. . . . .	21/	"	"
1866	Screws, Guest, Keen, and Nettlefolds, at per cent. discount off Guest, Keen, and Nettlefolds' trade list— Brass, wood, countersunk head, Art. No. 2 . . . . .	40	per cent.	86 New Zealand Hardware Company (Ltd.).
1867	Brass, wood, round head, Art. No. 2A . . . . .	30	"	149 Briscoe and Co. (Ltd.).
1868	Iron, wood, countersunk head, Art. No. 1 . . . . .	60	"	132 Broad, Small, and Co.
1869	Iron, wood, round head, Art. No. 1A . . . . .	60	"	"
1870	Iron metal-thread, countersunk head, Art. No. 100 . . . . .	31¼	"	109 John Edmond.
1871	Iron metal-thread, round head, Art. No. 101 . . . . .	31¼	"	"
1872	Screw-eyes, Guest, Keen, and Nettlefolds, at per cent. dis- count off Guest, Keen, and Nettlefolds' trade list— Brass, Art. No. 501 . . . . .	22½	"	"
1873	Iron, Art. 420 . . . . .	50	"	"

No.	Description of Article and Rate.	Per	Tenderer.
1876	Scrim, No. 2, 72 in. wide .. .. .	/5 $\frac{3}{4}$	lineal yard
	Scythe-blades, solid crown back, 36 in.—		
1880	W. Tyzack, Sons, and Turner's "Elephant" brand ..	36/	doz.
1881	W. A. Tyzack and Co.'s "Horseman" brand ..	36/	"
	Scythe-stones—		
1883	Carborundum, round, 10 in. .. .. .	8/	"
1884	"Waterloo" .. .. .	3/6	"
1885	Shellac .. .. .	1/1	lb.
	Shovels, all steel, round mouth, 28 in. riveted D handles—		
1889	A. and F. Parkes and Co.'s "Wheel" brand, No. 614—		
	No. 2 .. .. .	36/	doz.
	No. 3 .. .. .	43/	"
	No. 4 .. .. .	43/	"
	Shovels, all steel, square mouth, 28 in. riveted D handles—		
1895	A. and F. Parkes and Co.'s "Wheel" brand, No. 612—		
	No. 2 .. .. .	35/6	"
	No. 3 .. .. .	37/6	"
1896	C. T. Skelton and Co.'s No. 601c—		
	No. 4 .. .. .	39/	"
	No. 5 .. .. .	39/	"
	No. 6 .. .. .	39/	"
	No. 7 .. .. .	40/	"
	No. 8 .. .. .	40/	"
	Shovels, all steel, round mouth, 48 in. or 50 in. long handles—		
1904	A. and F. Parkes and Co.'s "Wheel" brand, No. 614—		
	No. 2 .. .. .	36/	"
	No. 3 .. .. .	38/9	"
	Shovels, hand, all steel—		
1910	C. T. Skelton and Co.'s No. 7, No. 0, 6 in. wide ..	8/3	"
1911	C. T. Skelton and Co.'s No. 7, No. 1, 7 in. wide ..	9/	"
	Sinks, cast iron, with plug, chain, gratings, and overflow—		
1912	Enamelled, 24 in., outside measurement .. .. .	22/5	each
1913	Enamelled, 30 in., outside measurement .. .. .	26/11	"
1914	Galvanized, 24 in., outside measurement .. .. .	18/	"
1915	Galvanized, 30 in., outside measurement .. .. .	19/	"
	Sinks, glazed stoneware, white, with plug, chain, gratings, and overflow—		
1916	24 in. .. .. .	28/6	"
1917	30 in. .. .. .	35/6	"
1918	Sinks, stamped steel, enamelled, complete, 30 in. ..	17/	"
1920	Slashers, double edge, Gilpin's No. 704—		
	10 in. blade .. .. .	59/	doz.
	12 in. blade .. .. .	68/	"
	Snips, tinsmith's, J. Cousins—		
1929	8 in., straight .. .. .	1/6	each
1930	10 in., bent .. .. .	2/6	"
	straight .. .. .	1/9	"
1931	12 in., bent .. .. .	3/	"
	straight .. .. .	2/6	"
1932	14 in., straight .. .. .	3/6	"
	Soap, cleaning, in tablets—		
1933	"Bon Ami" .. .. .	56/9	gross tablets
1934	"Sapolio" .. .. .	60/	"



No.	Description of Article and Rate.	11/3	Per	Tenderer.																																																	
1976	Steel, bar, angle, trade lengths, equal, Siemens-Martin or basic	11/3	cwt.	149 Briscoe and Co. (Ltd.).																																																	
1977	Steel, bar, angle, trade lengths, unequal, Siemens-Martin, or basic	12/	,,	109 John Edmond.																																																	
<p><i>Extra prices per cwt.</i> to be added to the tender-rates for angle steel, items Nos. 1976 and 1977, for the following sizes, as per tenders:—</p>																																																					
<p>Small sizes—</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;"></td> <td style="width:10%; text-align:center">1/4 in.</td> <td style="width:10%; text-align:center">3/8 in.</td> <td style="width:10%; text-align:center">1/2 in.</td> <td style="width:10%; text-align:center">5/8 in.</td> <td style="width:10%; text-align:center">1 in.</td> <td style="width:10%; text-align:center">1 1/4 in.</td> <td style="width:10%; text-align:center">1 1/2 in. and up.</td> </tr> <tr> <td>1/8 in. thick .. x</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>3/16 in. thick .. x</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>1/4 in. thick .. x</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5/16 in. thick .. x</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table> <p>Large sizes (ordinary thickness): 4 1/2 in....., 5 in....., 5 1/2 in....., 6 in.....</p>						1/4 in.	3/8 in.	1/2 in.	5/8 in.	1 in.	1 1/4 in.	1 1/2 in. and up.	1/8 in. thick .. x								3/16 in. thick .. x								1/4 in. thick .. x								5/16 in. thick .. x																
	1/4 in.	3/8 in.	1/2 in.	5/8 in.	1 in.	1 1/4 in.	1 1/2 in. and up.																																														
1/8 in. thick .. x																																																					
3/16 in. thick .. x																																																					
1/4 in. thick .. x																																																					
5/16 in. thick .. x																																																					
1978	Steel, bar, flat, trade lengths, Siemens-Martin or basic	11/5	cwt.	109 John Edmond.																																																	
<p><i>Extra prices per cwt.</i> to be added to the tender-rate for flat steel, item No. 1978, for the following sizes:—</p>																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;"></td> <td style="width:10%; text-align:center">1/4 in.</td> <td style="width:10%; text-align:center">3/8 in.</td> <td style="width:10%; text-align:center">1/2 in.</td> <td style="width:10%; text-align:center">5/8 in.</td> <td style="width:10%; text-align:center">3/4 in.</td> <td style="width:10%; text-align:center">7/8 in.</td> </tr> <tr> <td>3/8 in. broad .. .. x</td> <td>6/</td> <td>4/6</td> <td>3/</td> <td>1/6</td> <td>1/6</td> <td>1/</td> </tr> <tr> <td>1/2 in. broad .. .. x</td> <td>3/</td> <td>2/6</td> <td>1/6</td> <td>1/6</td> <td>1/</td> <td>1/</td> </tr> <tr> <td>5/8 in. broad .. .. x</td> <td>3/</td> <td>2/6</td> <td>1/6</td> <td>1/6</td> <td>1/</td> <td>—</td> </tr> <tr> <td>3/4 in. broad .. .. x</td> <td>2/6</td> <td>1/6</td> <td>1/</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>7/8 in. broad .. .. x</td> <td>2/6</td> <td>1/6</td> <td>1/</td> <td>—</td> <td>—</td> <td>—</td> </tr> <tr> <td>1 in. broad and upwards .. x</td> <td>2/</td> <td>1/</td> <td>—</td> <td>—</td> <td>—</td> <td>—</td> </tr> </table> <p>Extra widths (ordinary thickness): Over 6 in. to 7 in., 1/; over 7 in. to 8 in., 2/; over 8 in. to 12 in., 4/.</p> <p>Heavy flats: 6 in. and over x 1 1/2 in. and over, 1/; 4 in. to 5 in. x 2 in. to 2 1/2 in. and over, 2/.</p>						1/4 in.	3/8 in.	1/2 in.	5/8 in.	3/4 in.	7/8 in.	3/8 in. broad .. .. x	6/	4/6	3/	1/6	1/6	1/	1/2 in. broad .. .. x	3/	2/6	1/6	1/6	1/	1/	5/8 in. broad .. .. x	3/	2/6	1/6	1/6	1/	—	3/4 in. broad .. .. x	2/6	1/6	1/	—	—	—	7/8 in. broad .. .. x	2/6	1/6	1/	—	—	—	1 in. broad and upwards .. x	2/	1/	—	—	—	—
	1/4 in.	3/8 in.	1/2 in.	5/8 in.	3/4 in.	7/8 in.																																															
3/8 in. broad .. .. x	6/	4/6	3/	1/6	1/6	1/																																															
1/2 in. broad .. .. x	3/	2/6	1/6	1/6	1/	1/																																															
5/8 in. broad .. .. x	3/	2/6	1/6	1/6	1/	—																																															
3/4 in. broad .. .. x	2/6	1/6	1/	—	—	—																																															
7/8 in. broad .. .. x	2/6	1/6	1/	—	—	—																																															
1 in. broad and upwards .. x	2/	1/	—	—	—	—																																															
Steel, bar, hexagon, trade lengths, Siemens-Martin, or basic—																																																					
1979	0.449 across flats .. .. .	14/9	cwt.	149 Briscoe and Co. (Ltd.).																																																	
1980	0.525 across flats .. .. .	14/9	,,	,,																																																	
1981	0.601 across flat .. .. .	14/9	,,	,,																																																	
1982	0.709 across flat .. .. .	14/9	,,	,,																																																	
1983	0.820 to 2.413 across flats .. .. .	14/9	,,	,,																																																	
1984	Steel, bar, round, trade lengths, Siemens-Martin or basic, 1/2 in. to 3 in. diameter	11/5	,,	109 John Edmond.																																																	
<p><i>Extra prices per cwt.</i> to be added to the tender-rate for round steel, item No. 1984, for the following sizes:—</p>																																																					
<p>Small sizes: 3/16 in., 3/6; 1/4 in., 2/6; 5/16 in., 1/6; 3/8 in., 1/; 7/16 in., /6. Large sizes: 3 1/8 in., /6; 3 1/4 in., 1/; 3 1/2 in., 1/; 3 3/4 in., 1/; 4 in., 2/; 4 1/2 in., 3/; 5 in., 4/; 5 1/2 in., 4/; 6 in., 4/.</p>																																																					
1985	Steel, bar, square, trade lengths, Siemens-Martin or basic, 1/2 in. to 3 in. diameter	11/5	,,	,,																																																	
<p><i>Extra prices per cwt.</i> to be added to the tender rate for square steel, item No. 1985, for the following sizes:—</p>																																																					
<p>Small sizes: 1/4 in., 2/6; 5/16 in., 1/6; 3/8 in., 1/; 7/16 in., /6. Large sizes: 3 1/8 in., /6; 3 1/4 in., 1/; 3 1/2 in., 1/; 3 3/4 in., 1/; 4 in., 2/.</p>																																																					
1986	Steel, bar, tee, trade lengths, equal, Siemens-Martin or basic	12/6	,,	,,																																																	
1987	Steel, bar, tee, trade lengths, unequal, Siemens-Martin or basic	12/6	,,	,,																																																	
<p><i>Extra prices per cwt.</i> to be added to the tender-rates for tee steel, items Nos. 1986 and 1987, for the following sizes:—</p>																																																					
<p>Small sizes—</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;"></td> <td style="width:10%; text-align:center">1/4 in.</td> <td style="width:10%; text-align:center">3/8 in.</td> <td style="width:10%; text-align:center">1/2 in.</td> <td style="width:10%; text-align:center">5/8 in.</td> <td style="width:10%; text-align:center">1 in.</td> <td style="width:10%; text-align:center">1 1/4 in.</td> <td style="width:10%; text-align:center">1 1/2 in. and up.</td> </tr> <tr> <td>1/8 in. thick .. x</td> <td>4/</td> <td>2/</td> <td>2/</td> <td>2/</td> <td>2/</td> <td>1/6</td> <td>1/6</td> </tr> <tr> <td>3/16 in. thick .. x</td> <td>3/6</td> <td>1/6</td> <td>1/6</td> <td>1/6</td> <td>1/6</td> <td>1/</td> <td>1/</td> </tr> </table> <p>Large sizes (ordinary thickness): 4 1/4 in., /6; 5 in., 1/; 5 1/2 in., 2/; 6 in., 2/.</p>						1/4 in.	3/8 in.	1/2 in.	5/8 in.	1 in.	1 1/4 in.	1 1/2 in. and up.	1/8 in. thick .. x	4/	2/	2/	2/	2/	1/6	1/6	3/16 in. thick .. x	3/6	1/6	1/6	1/6	1/6	1/	1/																									
	1/4 in.	3/8 in.	1/2 in.	5/8 in.	1 in.	1 1/4 in.	1 1/2 in. and up.																																														
1/8 in. thick .. x	4/	2/	2/	2/	2/	1/6	1/6																																														
3/16 in. thick .. x	3/6	1/6	1/6	1/6	1/6	1/	1/																																														



No.	Description of Article and Rate.	Per	Tenderer.
1988	Steel, bar, round, trade lengths, Bessemer, $\frac{1}{2}$ in. to 3 in. diameter <i>Extra prices per cwt. to be added to the tender rate for round Bessemer steel, item No. 1988, for the following sizes:—</i> Small sizes: $\frac{3}{8}$ in., 1/; $\frac{7}{16}$ in. /6. Large sizes: $3\frac{1}{8}$ in., /6; $3\frac{1}{4}$ in., 1/; $3\frac{1}{2}$ in., 1/; $3\frac{3}{4}$ in., 1/; 4 in., 2/; $4\frac{1}{2}$ in., 3/; 5 in., 4/; $5\frac{1}{2}$ in., 4/; 6 in., 4/.	13/6 cwt.	109 John Edmond.
	Steel, cast, bars, all sizes, for tools, John Henry Andrew and Co. (Limited), Sheffield, "Best Best," Toledo—		
1990	Flat .. .. .	62/	149 Briscoe and Co. (Ltd.).
	Square .. .. .	58/	" "
	Round .. .. .	58/	" "
	Hexagon .. .. .	62/	" "
	Octagon .. .. .	58/	" "
	Oval .. .. .	58/	" "
1994	Steel, double shear, best warranted, John Henry Andrew and Co. (Limited)	54/	" "
	Steel, plate, Siemens-Martin or basic—		
1997	$\frac{1}{8}$ in. thick .. .. .	12/8	" "
1998	$\frac{3}{16}$ in. thick .. .. .	11/6	" "
1999	$\frac{1}{4}$ in. thick .. .. .	10/9	" "
2000	Over $\frac{1}{4}$ in. thick .. .. .	12/	" "
2001	Steel, plough-plate, 6 ft. x 12 in., any thickness, John Henry Andrew and Co. (Limited), Sheffield	20/	109 John Edmond.
	Steel, sheet, plain, galvanized, under 8 ft. long—		
2002	11 to 20 gauge .. .. .	18/5	" "
2003	22 gauge .. .. .	18/11	" "
	6 ft and 8 ft. only x 24 in., 30 in., 36 in. wide—		
2004	24 gauge .. .. .	19/	184 A. and T. Burt (Ltd.).
2005	26 gauge .. .. .	20/6	" "
	Steel, sheet, plain, tinned, 6 ft. long x 20 in., 24 in., and 36 in. wide—		
2006	11 to 20 gauge .. .. .	36/	" "
2007	22 gauge .. .. .	38/	" "
2008	24 gauge .. .. .	38/	" "
2009	26 gauge .. .. .	40/6	" "
	Steel-wool for rubbing down or smoothing varnish—		
2020	No. 0 .. .. .	2/6	135 Andrew Lees.
2021	No. 1 .. .. .	2/6	" "
	Stoves, as under—		
2022	"Dover" (Bonny Bridge), No. 6 .. .. .	41/	215 Smith & Laing (Ltd.).
2023	"Dover" (Caledonia), No. 7 .. .. .	56/	109 John Edmond.
	"Dumpy"—		
2026	No. 1 .. .. .	11/9	" "
2027	No. 2 .. .. .	14/9	" "
2028	No. 3 .. .. .	15/	" "
2029	No. 4 .. .. .	17/	" "
	"Dumpy" (improved)—		
2030	No. 4 .. .. .	27/	" "
2031	No. 6 .. .. .	33/9	" "
2032	No. 8 .. .. .	40/	" "
2033	"Queen," No. 6.. .. .	19/6	86 New Zealand Hardware Company (Ltd.).
	Tacks, blued, in nominal 1,000 trade packets—		
2036	$\frac{3}{8}$ in. .. .. .	/1 $\frac{1}{2}$	109 John Edmond.
2037	$\frac{1}{2}$ in. .. .. .	/1 $\frac{3}{4}$	" "
2038	$\frac{5}{8}$ in. .. .. .	/2	" "

No.	Description of Article and Rate.	Per	Tenderer.
2039	Tacks, clout, bright, wire— Sadler's .. .. .	/3½ lb.	177 Thomson, Bridger, and Co. (Ltd.).
2040	Guest, Keen, and Nettlefolds' .. .. .	/3½ "	Ditto.
2041	Tacks, clout, tinned-wire— Sadler's .. .. .	/4½ "	"
2042	Guest, Keen, and Nettlefolds' .. .. .	/4½ "	"
2043	Tacks, copper .. .. .	1/3 "	132 Broad, Small, and Co.
2044	Tacks, Swedish, for upholsterers, in packets— 4 oz. .. .. .	/2 packet	109 John Edmond.
2045	6 oz. .. .. .	/2 "	"
2046	Tacks, tinned, in nominal 1,000 trade packets ½ in. .. .. .	/2½ "	135 Andrew Lees.
2047	⅝ in. .. .. .	/2½ "	"
2048	¾ in. .. .. .	/2½ "	109 John Edmond.
2049	Tape, scrimming, in hanks of 18 yards .. .. .	1/0½ doz. hanks	206 Sargood, Son, and Ewen (Ltd.).
2052	Tapes, measuring, ⅝ in. wide, in case with flush handle— Rabone's "Rigida," No. 391— 33 ft. .. .. .	5/ each	109 John Edmond.
	66 ft. .. .. .	7/8 "	"
2053	Rabone's metallic, No. 401— 33 ft. .. .. .	4/10 "	"
	66 ft. .. .. .	6/6 "	177 Thomson, Bridger, and Co. (Ltd.).
2056	Tapes, measuring, ⅝ in. wide, without case— Rabone's "Rigida," No. 392— 33 ft. .. .. .	2/7 "	109 John Edmond.
	66 ft. .. .. .	4/9 "	"
2057	Rabone's metallic, No. 404— 33 ft. .. .. .	2/4 "	"
	66 ft. .. .. .	4/4 "	"
2061	Tapes, measuring, all steel, marked on both sides (feet and inches and links), in case with flush handle— ⅝ in. wide, Rabone's, No. 415— 33 ft. .. .. .	8/ "	"
	66 ft. .. .. .	15/9 "	"
2062	½ in. wide, Rabone's, No. 418— 33 ft. .. .. .	10/ "	"
	66 ft. .. .. .	19/6 "	"
2063	⅝ in. wide, Rabone's, No. 421— 33 ft. .. .. .	16/ "	"
	66 ft. .. .. .	29/ "	"
2067	Tapes, measuring, all steel, marked on both sides (feet and inches and links), without case— ⅝ in. wide, Rabone's, No. 415— 33 ft. .. .. .	6/3 "	"
	66 ft. .. .. .	12/6 "	"
2068	½ in. wide, Rabone's, No. 418— 33 ft. .. .. .	9/3 "	"
	66 ft. .. .. .	18/ "	"
2069	⅝ in. wide, Rabone's, No. 421— 33 ft. .. .. .	11/5 "	"
	66 ft. .. .. .	23/ "	"
2070	Tar, Stockholm .. .. .	1/9 gal.	132 Broad, Small, and Co.
2076	Thread, linen, machine, Knox's, all colours, on reels— No. 25 .. .. .	4/7 doz. reels	139 Bing, Harris, and Co. (Ltd.).
2077	No. 30 .. .. .	4/11 "	Ditto.
2078	No. 50 .. .. .	7/ "	"
2080	Tin plate, best charcoal, XXX, 14 in. x 20 in. .. .. .	35/ box	149 Briscoe and Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
2082	Tomahawks, American pattern, handled, Brades' ..	2/6	each
2083	Towelling, Turkish, brown, to sample .. ..	/9 <sup>7</sup> / <sub>8</sub>	yard
Tue-irons, with pipes complete—			
2087	14 in. .. .. .	17/	each
2088	16 in. .. .. .	20/	"
2089	18 in. .. .. .	23/	"
Twine, roping, Barbour's No. 2—			
2098	3-ply .. .. .	1/9	lb.
2099	5-ply .. .. .	1/9	"
2100	Twine, sailmakers', best seaming, Barbour's No. 1, 3-ply	1/11	"
2101	Twine, tufting or upholsterers', Barbour's No. 2 ..	1/11 <sup>3</sup> / <sub>4</sub>	"
Valves, Globe, wheel-top, female ends, gun-metal, extra strong, angle, Roe, Stephens, and Co.—			
2111	<sup>3</sup> / <sub>8</sub> in. .. .. .	2/1	each
2112	<sup>1</sup> / <sub>2</sub> in. .. .. .	2/8	"
2113	<sup>3</sup> / <sub>4</sub> in. .. .. .	3/7	"
2114	1 in. .. .. .	4/9	"
2115	1 <sup>1</sup> / <sub>4</sub> in. .. .. .	7/5	"
2116	1 <sup>1</sup> / <sub>2</sub> in. .. .. .	10/4	"
2118	2 in. .. .. .	14/4	"
2120	2 <sup>1</sup> / <sub>2</sub> in. .. .. .	30/	"
2122	3 in. .. .. .	42/3	"
Valves, Globe, wheel-top, female ends, gun-metal, extra strong, straight, United Brass Founders and Engineers' (Limited), Brass Seat Valve, No. 5 (delivered at Dunedin)—			
2123	<sup>3</sup> / <sub>8</sub> in. .. .. .	2/1	"
2124	<sup>1</sup> / <sub>2</sub> in. .. .. .	3/3	"
2125	<sup>3</sup> / <sub>4</sub> in. .. .. .	4/9	"
2126	1 in. .. .. .	6/9	"
2127	1 <sup>1</sup> / <sub>4</sub> in. .. .. .	9/3	"
2128	1 <sup>1</sup> / <sub>2</sub> in. .. .. .	12/	"
2130	2 in. .. .. .	16/9	"
2132	2 <sup>1</sup> / <sub>2</sub> in. .. .. .	30/	"
2134	3 in. .. .. .	50/	"
Valves, Globe, wheel-top, flanged ends, gun-metal, extra strong, United Brass Founders and Engineers' (Limited), No. 9 (delivered at Dunedin)—			
2135	<sup>1</sup> / <sub>2</sub> in. .. .. .	6/	"
2136	<sup>3</sup> / <sub>4</sub> in. .. .. .	9/	"
2137	1 in. .. .. .	12/6	"
2138	1 <sup>1</sup> / <sub>4</sub> in. .. .. .	17/6	"
2139	1 <sup>1</sup> / <sub>2</sub> in. .. .. .	22/6	"
2141	2 in. .. .. .	32/6	"
2142	2 <sup>1</sup> / <sub>2</sub> in. .. .. .	52/6	"
2143	3 in. .. .. .	72/6	"
Valves, Peets, wheel-top, gun-metal—			
2149	<sup>1</sup> / <sub>2</sub> in. .. .. .	2/8	"
2150	<sup>3</sup> / <sub>4</sub> in. .. .. .	3/8	"
2151	1 in. .. .. .	5/1	"
2152	1 <sup>1</sup> / <sub>4</sub> in. .. .. .	7/2	"
2153	1 <sup>1</sup> / <sub>2</sub> in. .. .. .	10/2	"

215 Smith & Laing (Ltd.).  
139 Bing, Harris, and Co. (Ltd.).

177 Thomson, Bridger, and Co. (Ltd.).

109 John Edmond.

"

43 Ross and Glendining (Ltd.).

Ditto.

"

"

184 A. and T. Burt (Ltd.).

"

"

"

"

"

"

"

"

237 J. Chambers and Son (Ltd.).

Ditto.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

No.	Description of Article and Rate.	Per	Tenderer.
	Valves, Peets, wheel-top, gun-metal— <i>continued.</i>		
2154	2 in. .. .. . 15/4	each	184 A. and T. Burt (Ltd.).
2155	2½ in. .. .. . 36/	"	"
2156	3 in. .. .. . 44/	"	"
	Vices, bench, parallel, with steel fittings—		
2158	C. and J. Hampton's Model 21—		
	4 in. jaws .. .. . 16/	"	177 Thomson, Bridger, and Co. (Ltd.).
	5 in. jaws .. .. . 26/	"	Ditto.
	Vices, bench, parallel, instantaneous grip—		
2164	C. and J. Hampton's "Record," Model 22, 5¼ in. jaws	43/	"
2165	J. Parkinson and Son's "Perfect," 4¼ in. jaws ..	36/	"
2174	Vices, bench, staple, solid box and pin, best warranted, black, Gilpin's No. 935 .. .. .	/5½	lb.
2179	Vices, staple, best warranted, black—solid boxes and pins for—Isaac Nash .. .. .	/5	"
2180	Washers, copper, any size .. .. .	1/5½	"
2181	Washers, iron, black, circular, to fit bolts ¼ in. to 1¼ in. diameter—		
	Heavy .. .. . 18/10	cwt.	149 Briscoe and Co. (Ltd.).
	Light .. .. . 28/	"	132 Broad, Small, and Co.
2192	Washers, lead, any size and gauge .. .. .	/6	lb.
	Webbing, chair, to sample—		
2202	1½ in. wide .. .. .	/8¾	doz. yards
2203	2 in. wide .. .. .	/11½	"
2204	Whiting .. .. .	5/6	cwt.
	Window-fittings—		
2205	Axle-pulleys, brass-faced, with iron wheel .. .. .	4/8	doz.
	Blind-cord, equal to sample—		
2206	Green .. .. .	4/	gross yds.
2207	White .. .. .	4/	"
	Blind-rollers, Hartshorn's, spring, complete with brackets and screws—		
2208	1 in. diameter x 36 in. long .. .. .	7/6	doz.
2209	1¼ in. diameter x 36 in. long .. .. .	7/9	"
2210	1¼ in. diameter x 42 in. long .. .. .	12/	"
2211	1¼ in. diameter x 48 in. long .. .. .	12/6	"
	Sash-fasteners, polished brass, T. Sanders (Limited)—		
2212	No. 4948 .. .. .	19/6	"
2213	No. 5824, x 3 in. .. .. .	18/6	"
2214	Sash-lifts, hook, polished brass, T. Sanders (Limited), No. 5300 .. .. .	3/8	"
	Sash-lifts, recessed, polished brass, T. Sanders (Ltd.)—		
2215	No. 5120, x 2½ in. .. .. .	3/4	"
2216	No. 5120, x 3 in. .. .. .	4/2	"
2217	No. 5120, x 3½ in. .. .. .	5/9	"
2218	Sash-lifts, ring, polished brass, T. Sanders (Limited), No. 5811 .. .. .	2/	"
2219	Sash-line, Belfast Ropeworks Company, to sample ..	2/2	lb.
2220	Sash-weights, iron, all sizes .. .. .	8/3	cwt.
	Wire, brass—		
2221	6 to 20 gauge, inclusive .. .. .	/11	lb.
2222	21 gauge .. .. .	/11	"
2223	22 gauge .. .. .	/11½	"

No.	Description of Article and Rate.	Per	Tenderer.
<i>Wire, brass—continued.</i>			
2224	24 gauge .. .. .	/11 $\frac{3}{4}$	lb. 109 John Edmond.
2225	26 gauge .. .. .	1/0 $\frac{1}{2}$	" "
<i>Wire, copper—</i>			
2227	6 to 20 gauge inclusive .. .. .	1/1 $\frac{1}{2}$	" 149 Briscoe and Co. (Ltd.).
2228	21 gauge .. .. .	1/2 $\frac{1}{2}$	" "
2229	22 gauge .. .. .	1/2 $\frac{1}{2}$	" "
2230	24 gauge .. .. .	1/3	" "
2231	26 gauge .. .. .	1/3	" "
<i>Wire, binding, galvanized or tinned—</i>			
2233	12 gauge .. .. .	/2 $\frac{1}{2}$	" 109 John Edmond.
2234	14 gauge .. .. .	/2 $\frac{1}{2}$	" "
2235	16 gauge .. .. .	/2 $\frac{1}{2}$	" "
2236	18 gauge .. .. .	/2 $\frac{1}{2}$	" 149 Briscoe and Co. (Ltd.).
2237	20 gauge .. .. .	/3	" 109 John Edmond.
<i>Wire, fencing, galvanized, Dorman, Long, and Co.—</i>			
2238	Nos. 6 to 8 gauge, inclusive* .. .. .	12/3	cwt. 132 Broad, Small, and Co.
2239	No. 9 gauge* .. .. .	12/9	" "
2240	No. 10 gauge* .. .. .	13/3	" "
2241	No. 12 gauge* .. .. .	13/9	" "
<i>Wire, fencing, iron, black, Dorman, Long, and Co.—</i>			
2242	Nos. 6 to 8 gauge, inclusive* .. .. .	202/6	ton "
2243	No. 9 gauge* .. .. .	212/6	" "
2244	No. 10 gauge* .. .. .	222/6	" "
<i>Wire, fencing, steel, black, Dorman, Long, and Co.—</i>			
2245	Nos. 6 to 8 gauge, inclusive* .. .. .	202/6	" "
2246	No. 9 gauge* .. .. .	212/6	" "
2247	No. 10 gauge* .. .. .	222/6	" "
2250	Wire, fencing, galvanized, barbed, two strands of 12 gauge, 4-point barbs 6 in. apart, round both wires, Dominion Iron and Steel Company, Canadian	260/	" 109 John Edmond.
<i>Wire, iron, bright—</i>			
2251	12 gauge .. .. .	/2	lb. 149 Briscoe and Co. (Ltd.).
2252	14 gauge .. .. .	/2	" "
2253	16 gauge .. .. .	/2	" "
2254	18 gauge .. .. .	/2 $\frac{1}{4}$	" 109 John Edmond.
2255	20 gauge .. .. .	/2 $\frac{1}{4}$	" "
<i>Wire, steel, bright, hardened for springs—</i>			
2256	Up to 6 gauge .. .. .	/5 $\frac{1}{4}$	" 184 A. and T. Burt (Ltd.).
2257	8 gauge .. .. .	/6 $\frac{1}{2}$	" "
2258	10 gauge .. .. .	/6 $\frac{3}{4}$	" "
2259	12 gauge .. .. .	/6 $\frac{3}{4}$	" "
2260	14 gauge .. .. .	/7 $\frac{1}{4}$	" "
2261	16 gauge .. .. .	/7 $\frac{3}{4}$	" "
2262	18 gauge .. .. .	/7 $\frac{3}{4}$	" "
2263	Wrenches, pipe, "Trimo," No. 14 (delivered at Dunedin)	4/3	each 237 J. Chambers and Son (Ltd.).
<i>Zinc, sheet—</i>			
2264	No. 7 gauge .. .. .	38/11	cwt. 109 John Edmond.
2265	No. 8 gauge and up .. .. .	37/6	" 177 Thomson, Bridger, and Co. (Ltd.).
<i>Perforated—</i>			
2266	7 ft. x 36 in. .. .. .	3/6	sheet Ditto.
2267	8 ft. x 36 in. .. .. .	4/2	" 109 John Edmond.
2268	7 ft. x 36 in., No. 15, $\frac{1}{16}$ in. hole .. .. .	8/3	" "
2269	7 ft. x 36 in., No. 12, $\frac{1}{8}$ in. hole .. .. .	5/6	" "
2270	8 ft. x 36 in., No. 12, $\frac{1}{8}$ in. hole .. .. .	6/8	" "

\* See Conditions of Contract for specification.

PRICE-LISTS REFERRED TO IN ANNEXED SCHEDULE.

No. 1.

*Files, Hand-saw: Stubs's, Lancashire.*

Blunt, No. 203, or Taper, No. 204.

Size.							Bastard. Price per Dozen.	Smooth. Price per Dozen.
							s. d.	s. d.
3 in.	..	..	..	..	..	..	2 9	3 6
3½ in.	..	..	..	..	..	..	3 0	4 0
4 in.	..	..	..	..	..	..	3 6	4 6
4½ in.	..	..	..	..	..	..	3 10	5 0
5 in.	..	..	..	..	..	..	4 6	6 0
5½ in.	..	..	..	..	..	..	5 0	6 6
6 in.	..	..	..	..	..	..	5 6	7 0
6½ in.	..	..	..	..	..	..	6 6	8 0
7 in.	..	..	..	..	..	..	7 0	9 0
7½ in.	..	..	..	..	..	..	8 0	10 6
8 in.	..	..	..	..	..	..	10 0	12 0

No. 2.

*Nails, Clout, countersunk.*

Lengths .. .. .	¾"	1"	1¼"	1½"	1¾"	2"	2¼"	2½"	3"	3½"	4"
Price per cwt. .. .. .	91/0	61/0	53/0	47/0	42/6	39/0	37/0	36/0	34/0	34/0	34/0

No. 3.

*Nails, Patent, wrought.*

Size .. .. .	1" x 5	1¼" x 6	1½" x 7	1¾" x 8	2" x 10	2¼" x 12	2½" x 17	
Price per cwt. .. .. .	55/0	38/0	36/0	34/6	32/3	30/9	28/3	
Size .. .. .	2¾" x 20	3"	3½"	4"	4½"	5"	6"	7"
Price per cwt. .. .. .	27/6	27/6	23/6	23/0	22/6	22/0	22/0	22/0

No. 4.

*Netting, Wire, galvanized after manufacture.*

At per Roll of 50 Yards.

Mesh.	Gauge.	12 in. wide.	18 in. wide.	24 in. wide.	30 in. wide.	36 in. wide.	42 in. wide.	48 in. wide.	60 in. wide.	72 in. wide.	108 in. wide.	
½ in.	..	22	14/6	20/11	27/2	33/2	39/9	46/5	53/0	66/4	79/6	..
"	..	20	17/7	25/3	32/10	40/0	48/0	56/0	64/0	80/0	96/0	..
"	..	19	23/6	33/7	43/9	53/4	64/0	74/8	85/4	106/8	128/0	..
⅝ in.	..	22	11/0	15/9	20/6	25/0	30/0	35/0	40/0	50/0	60/0	..
"	..	20	13/8	19/7	25/4	31/0	37/2	43/4	49/6	62/0	74/4	..
"	..	19	18/9	26/9	34/10	42/6	51/0	59/6	68/0	85/0	102/0	..
¾ in.	..	20	9/3	13/2	16/10	20/6	24/0	28/0	32/0	40/0	48/0	..
"	..	19	11/10	17/0	21/6	26/4	30/9	35/11	41/0	51/4	61/6	..
"	..	18	16/1	23/1	29/5	35/10	42/0	49/0	56/0	70/0	84/0	..
1 in.	..	20	7/5	10/7	13/5	16/5	19/2	22/4	25/6	31/11	38/4	..
"	..	19	8/10	12/8	16/1	19/8	23/0	26/10	30/8	38/4	46/0	..
"	..	18	10/9	15/5	19/7	23/11	28/0	32/8	37/4	46/8	56/0	..
"	..	17	14/5	20/8	26/3	32/0	37/6	43/9	50/0	62/6	..	..
"	..	16	19/3	27/8	35/2	43/0	50/3	58/8	67/0	..	..	..

Made up to 96 in. wide.

Made up to 84 in. wide.



No. 5.

*Pins, Taper, Steel, solid.*

Diameter.	Lengths and Prices per Gross.																
	1"	1½"	1¾"	1½"	2"	2¼"	2½"	2¾"	3"	3¼"	3½"	3¾"	4"	4½"	5"	5½"	6"
$\frac{3}{16}$ in.	3/0	3/3	3/9	4/0	4/6	5/0	5/9	6/0	6/6	..	..	..	..	..	..	..	..
$\frac{1}{4}$ in.	3/6	4/3	5/0	5/6	6/3	6/9	7/6	8/0	8/9	9/3	10/0	10/9	11/3	..	..	..	..
$\frac{5}{16}$ in.	4/6	5/3	6/0	6/9	7/6	8/0	8/9	9/6	10/3	11/0	11/6	12/3	13/3	14/9	16/3	..	..
$\frac{3}{8}$ in.	..	6/6	7/3	8/0	9/0	9/9	10/9	11/6	12/3	13/3	14/0	15/0	15/9	17/6	19/3	20/9	22/6
$\frac{7}{16}$ in.	..	..	9/6	10/6	12/0	13/0	14/3	15/6	16/6	17/6	18/9	20/0	21/6	24/0	26/6	29/6	32/0
$\frac{1}{2}$ in.	..	..	..	..	15/3	17/0	18/9	20/6	22/3	23/9	25/6	27/3	29/0	32/3	35/9	39/0	42/6

No. 6.

*Pins, Taper, Steel, Split.*

Diameter.	Lengths and Prices per Gross.																
	1"	1½"	1¾"	1½"	2"	2¼"	2½"	2¾"	3"	3¼"	3½"	3¾"	4"	4½"	5"	5½"	6"
$\frac{3}{16}$ in.	3/6	4/0	4/6	5/0	5/6	6/3	6/9	7/6	8/0	..	..	..	..	..	..	..	..
$\frac{1}{4}$ in.	4/3	5/0	6/0	6/6	7/3	8/0	8/9	9/6	10/3	10/9	11/6	12/3	13/0	14/6	16/0	..	..
$\frac{5}{16}$ in.	..	..	8/0	8/9	9/6	10/3	11/0	11/9	12/6	13/6	14/3	15/0	16/0	17/9	19/6	..	..
$\frac{3}{8}$ in.	..	..	10/3	11/0	12/0	12/9	13/6	14/6	15/3	16/3	17/0	18/0	18/9	20/6	22/0	23/9	25/6
$\frac{7}{16}$ in.	..	..	..	..	15/0	16/3	17/9	19/0	20/3	21/9	23/0	24/6	25/3	28/6	31/6	35/6	38/9
$\frac{1}{2}$ in.	..	..	..	..	..	..	..	..	27/3	29/3	31/0	33/0	35/3	39/0	44/0	48/0	52/9

No. 7.

*Rivets, Coopers', Iron, Flat Head.*

Weight per nominal thousand	3 lb.	4 lb.	5 lb.	6 lb.	7 lb.	8 lb.	9 lb.	10 lb.	12 lb.	14 lb.	16 lb. and up.
Price per cwt.	46/8	46/8	44/4	44/4	39/8	39/8	39/8	37/4	37/4	37/4	35/0

No. 8.

*Rivets, Tinmen's, Tinned.*

Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Price per nominal thousand	0/6½	0/70	0/7½	0/8	0/8½	0/9¼	0/10	1/0	1/1	1/4	1/7	1/9	2/3	2/9	3/2	3/6	4/0	5/0
Price per lb.	2/2	1/5	1/3	1/0½	0/110	0/10½	0/10	0/9	0/8½	0/8	0/7½	0/7	0/6¾	0/6½	0/6¼	0/6	0/6	0/6



No. 9.

Saws, Circular, Solid Teeth, for Wood.

Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.	Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.
4	$\frac{3}{4}$	18	4/6	0/3	46	2	7	240/0	21/0
6	$\frac{3}{4}$	17	7/0	0/6	48	2	7	270/0	24/0
8	$\frac{7}{8}$	17	9/6	0/9	50	2	6	380/0	27/0
10	1	15	13/0	0/9	52	2	6	420/0	30/0
12	1	14	16/0	1/3	54	2	6	480/0	35/0
14	$1\frac{1}{8}$	14	20/0	1/6	56	2	6	570/0	40/0
16	$1\frac{1}{8}$	13	24/0	1/9	58	2	6	620/0	45/0
18	$1\frac{1}{4}$	12	30/0	2/0	60	2	5	680/0	50/0
20	$1\frac{5}{16}$	12	36/0	2/6	62	$2\frac{1}{4}$	5	760/0	55/0
22	$1\frac{5}{16}$	11	42/0	3/0	64	$2\frac{1}{4}$	5	860/0	60/0
24	$1\frac{3}{8}$	10	48/0	3/6	66	$2\frac{1}{4}$	5	980/0	65/0
26	$1\frac{3}{8}$	10	56/0	4/0	68	$2\frac{1}{4}$	5	1,100/0	70/0
28	$1\frac{1}{2}$	9	66/0	4/6	70	$2\frac{1}{4}$	4	1,250/0	80/0
30	$1\frac{1}{2}$	9	76/0	5/0	72	$2\frac{1}{4}$	4	1,400/0	90/0
32	$1\frac{3}{8}$	9	88/0	6/0	74	$2\frac{1}{4}$	4	1,600/0	100/0
34	$1\frac{3}{8}$	8	104/0	7/0	76	$2\frac{1}{4}$	4	1,820/0	120/0
36	$1\frac{3}{8}$	8	120/0	8/6	78	$2\frac{1}{4}$	4	2,100/0	140/0
38	$1\frac{3}{8}$	8	145/0	10/0	80	$2\frac{1}{4}$	4	2,220/0	145/0
40	2	8	160/0	12/0	82	$2\frac{1}{4}$	4	2,340/0	150/0
42	2	7	180/0	15/0	84	$2\frac{1}{4}$	4	2,460/0	160/0
44	2	7	215/0	18/0					

STORES TO BE MANUFACTURED IN NEW ZEALAND.

TO BE SUPPLIED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF CONTRACT (No. 22) SIGNED BY THE GENERAL MANAGER OF THE NEW ZEALAND RAILWAYS, AND DATED 1ST APRIL, 1913,

AT INVERCARGILL.

No.	Description of Article and Rate.	Per	Tenderer.
1	Baths, galvanized, with plug, chain, washer, and overflow, 6 ft. long, full width, 22 B.W.G., with feet	38/6	each 183 A. and T. Burt (Ltd.).
2	Ditto, without feet .. .. .	24/6	14 Sheehan and Brown.
	Belting, leather (of the very best leather), leather-laced and copper-riveted at joints—		
	Single—		
4	1 in. .. .. .	/3 $\frac{7}{8}$	ft. 147 Briscoe and Co. (Ltd.).
5	$1\frac{1}{2}$ in. .. .. .	/5 $\frac{3}{4}$	183 A. and T. Burt (Ltd.).
6	2 in. .. .. .	/7 $\frac{3}{4}$	183 A. and T. Burt (Ltd.).
7	$2\frac{1}{2}$ in. .. .. .	/10 $\frac{1}{4}$	183 A. and T. Burt (Ltd.).
8	3 in. .. .. .	1/1	183 A. and T. Burt (Ltd.).
9	$3\frac{1}{2}$ in. .. .. .	1/5 $\frac{1}{4}$	183 A. and T. Burt (Ltd.).
10	4 in. .. .. .	1/8 $\frac{1}{2}$	183 A. and T. Burt (Ltd.).
11	$4\frac{1}{2}$ in. .. .. .	2/	183 A. and T. Burt (Ltd.).
12	5 in. .. .. .	2/3	183 A. and T. Burt (Ltd.).
13	6 in. .. .. .	2/8 $\frac{1}{2}$	147 Briscoe and Co. (Ltd.).
14	8 in. .. .. .	3/11 $\frac{1}{4}$	147 Briscoe and Co. (Ltd.).

No.	Description of Article and Rate.	Per	Tenderer.
	<i>Belting, &amp;c.—continued.</i>		
	Double—		
15	4 in. . . . .	3/3 ft.	147 Briscoe and Co. (Ltd.).
16	5 in. . . . .	4/4 "	"
17	6 in. . . . .	5/0 $\frac{1}{2}$ "	"
18	8 in. . . . .	6/6 $\frac{1}{4}$ "	"
19	9 in. . . . .	7/10 $\frac{3}{4}$ "	"
20	10 in. . . . .	8/9 "	"
21	12 in. . . . .	12/4 $\frac{1}{2}$ "	"
	<i>Bricks, red (on railway-trucks, Wingatui)—</i>		
24	Ordinary, hard burnt . . . . .	40/ 1,000	99 C. and W. Gore.
25	Hand-pressed . . . . .	80/ "	"
	<i>Brushes—</i>		
	<i>Moulders', spring-steel wire—</i>		
26	1 $\frac{1}{2}$ in. across back . . . . .	10/ doz.	42 Bunting and Co. (Ltd.).
27	2 in. across back . . . . .	15/ "	"
28	3 in. across back . . . . .	21/ "	"
29	Damping, hair, 4 in. . . . .	10/9 "	"
	<i>Fitches, bevelled lining—</i>		
32	$\frac{3}{4}$ in. . . . .	6/8 "	"
33	1 in. . . . .	7/10 "	"
	<i>Fitches, round—</i>		
38	$\frac{1}{4}$ in. . . . .	2/6 "	"
39	$\frac{1}{2}$ in. . . . .	5/6 "	"
40	$\frac{3}{4}$ in. . . . .	13/3 "	"
41	1 in. . . . .	18/6 "	"
	<i>Paint, 1-knot, C.W.B., best quality, grey middles—</i>		
42	4/0 . . . . .	64/9 "	"
43	6/0 . . . . .	69/9 "	"
44	8/0 . . . . .	89/9 "	"
	<i>Paint, flat, ground, oval, C.W.B., best quality, grey middles—</i>		
45	4/0 . . . . .	64/9 "	"
46	6/0 . . . . .	69/9 "	"
47	8/0 . . . . .	89/9 "	"
	<i>Sash-tools, forked, string-bound, best-quality bristles—</i>		
48	No. 1 . . . . .	3/2 "	"
49	No. 2 . . . . .	3/9 "	"
50	No. 3 . . . . .	4/11 "	"
51	No. 4 . . . . .	6/3 "	"
52	No. 5 . . . . .	8/7 "	"
53	No. 6 . . . . .	11/4 "	"
54	No. 7 . . . . .	14/10 "	"
55	No. 8 . . . . .	18/7 "	"
56	No. 9 . . . . .	21/4 "	"
57	No. 10 . . . . .	29/8 "	"
58	No. 11 . . . . .	34/4 "	"
59	No. 12 . . . . .	39/ "	"
	<i>Sash-tools, pressed ferrule, best-quality bristles—</i>		
60	No. 4 . . . . .	2/3 "	"
61	No. 6 . . . . .	2/10 "	"
62	No. 8 . . . . .	3/9 "	"
63	No. 10 . . . . .	5/ "	"
64	No. 12 . . . . .	7/ "	"

No.	Description of Article and Rate.	Per	Tenderer.
<i>Brushes—continued.</i>			
Stencil, tin-bound, for decorators—			
65	No. 6 .. .. .	13/1	doz. 42 Bunting & Co. (Ltd.).
66	No. 8 .. .. .	16/2	„ „
67	No. 10 .. .. .	25/10	„ „
68	No. 12 .. .. .	39/	„ „
Stencil, tin-bound, for ink or water—			
69	No. 6 .. .. .	4/9	„ „
70	No. 8 .. .. .	7/7	„ „
71	No. 10 .. .. .	12/4	„ „
72	No. 12 .. .. .	23/5	„ „
73	Stencil, for tarpaulins, to sample .. .. .	65/	„ „
Stock, 3-knot, unground, C.W.B., best quality, grey middles—			
74	6/0 .. .. .	81/2	„ „
75	7/0 .. .. .	101/5	„ „
Varnish, flat, oval-bevelled, C.W.B., best selected white bristles—			
76	2/0 .. .. .	21/2	„ „
77	3/0 .. .. .	31/3	„ „
78	4/0 .. .. .	45/3	„ „
79	5/0 .. .. .	56/3	„ „
Varnish, 1-knot, bevelled, C.W.B., best selected white bristles—			
80	2/0 .. .. .	42/2	„ „
81	3/0 .. .. .	53/10	„ „
82	4/0 .. .. .	60/2	„ „
83	5/0 .. .. .	64/9	„ „
Weatherboard, brass-bound, best quality grey bristles—			
84	4 in. .. .. .	50/9	„ „
85	5 in. .. .. .	78/10	„ „
Whitewash, tin-bound, lacquered ferrule, mixed middles, white bristles outside—			
86	5 in. .. .. .	23/3	„ „
87	6 in. .. .. .	29/3	„ „
88	7 in. .. .. .	38/	„ „
<i>Buckets—</i>			
Iron, 26 gauge, strapped, seamed, and riveted, galvanized after being made—			
89	13 in. .. .. .	27/6	„ 147 Briscoe and Co. (Ltd.).
90	14 in. .. .. .	32/6	„ „
91	15 in. .. .. .	37/6	„ „
Iron, Contractors, heavy-strapped, seamed, and riveted, double-hooped, 22 gauge, with heavy lugs, galvanized after being made, to sample—			
92	13 in. .. .. .	47/	„ 131 Broad, Small, and Co.
93	14 in. .. .. .	50/	„ „
94	15 in. .. .. .	54/6	„ 147 Briscoe and Co. (Ltd.).
<i>Cans—</i>			
95	Water, oak-japanned, 2 gallons .. .. .	5/2	each 252 John Edmond.
96	Water, galvanized, 2 gallons .. .. .	3/8	„ 131 Broad, Small, and Co.
97	Watering, galvanized, with rose, 10 quarts .. .. .	4/	„ 14 Sheehan and Brown.
98	Cement, Portland, Milburn* .. .. .	3/11	cwt. 96 Milburn Lime and Cement Company (Ltd.).

\* Cement must be in accordance with the latest British standard specification.

No.	Description of Article and Rate.	Per	Tenderer.	
	Closet-pans, galvanized—			
99	Large size, to sample .. .. .	6/	each	183 A. and T. Burt (Ltd.).
100	Small size, to sample .. .. .	3/	"	"
102	Coal-scuttles, Waterloo scoop, 18 in. by 24 gauge, galvanized after being made	4/2	"	252 John Edmond.
	Cocks, brass, H.P., bib, screwed, New Zealand pattern (delivered at Dunedin)—			
	With hose union—			
104	$\frac{3}{4}$ in. .. .. .	2/9	"	236 J. Chambers and Son (Ltd.).
105	1 in. .. .. .	4/	"	Ditto.
106	$1\frac{1}{4}$ in. .. .. .	9/	"	"
107	$1\frac{1}{2}$ in. .. .. .	17/6	"	"
	Without hose union—			
110	$\frac{3}{4}$ in. .. .. .	2/4	"	"
111	1 in. .. .. .	3/6	"	"
112	$1\frac{1}{4}$ in. .. .. .	8/	"	"
113	$1\frac{1}{2}$ in. .. .. .	14/6	"	"
	Cocks, brass, H.P. water, stop, New Zealand pattern, male or female ends, as required, with threads to suit iron pipes (delivered at Dunedin)—			
115	$\frac{1}{2}$ in. .. .. .	1/5	"	"
116	$\frac{3}{4}$ in. .. .. .	2/5	"	"
117	1 in. .. .. .	3/10	"	"
	Cocks, brass, range, complete screwed, brass lever (delivered at Dunedin)—			
121	$\frac{1}{2}$ in. .. .. .	1/6	"	"
122	$\frac{3}{4}$ in. .. .. .	2/4	"	"
123	1 in. .. .. .	3/4	"	"
	Cocks, gun-metal, steam, plug—			
	Bib, screwed, male or female ends as required—			
128	$\frac{1}{4}$ in. .. .. .	2/	"	183 A. and T. Burt (Ltd.).
129	$\frac{1}{2}$ in. .. .. .	3/3	"	"
130	$\frac{3}{4}$ in. .. .. .	7/	"	"
131	1 in. .. .. .	12/	"	"
	Flanged at one end or both ends, rough—			
132	$\frac{1}{2}$ in. .. .. .	20/	"	"
133	$\frac{3}{4}$ in. .. .. .	24/	"	"
134	1 in. .. .. .	30/	"	"
	Cocks, ball, H.P., full way, including copper ball (extra strong) and lever complete—			
138	$\frac{1}{2}$ in. .. .. .	2/8	"	"
139	$\frac{3}{4}$ in. .. .. .	3/9	"	"
140	1 in. .. .. .	5/6	"	"
141	2 in. .. .. .	39/	"	"
	Drain-pipes, stoneware, double-glazed, socketed*—			
142	3 in. .. .. .	/5	ft.	51 T. Todd & Sons (Ltd.).
143	4 in. .. .. .	/6	"	"
144	6 in. .. .. .	/7 $\frac{1}{2}$	"	"
145	9 in. .. .. .	1/2 $\frac{1}{2}$	"	"
146	12 in. .. .. .	1/10	"	"
147	15 in. .. .. .	2/5	"	"
148	18 in. .. .. .	3/9	"	"

\* NOTE.—Double junctions, square or V, to be charged as three pipes; single junctions, square or V, elbows, and heads as two pipes.

No.	Description of Article and Rate.	Per	Tenderer.
	Drain-pipes, stoneware, double-glazed, straight (without socket)—		
149	3 in. . . . .	/3 ft.	51 T. Todd and Sons (Ltd.).
150	4 in. . . . .	/4 "	"
151	6 in. . . . .	/6 "	"
152	9 in. . . . .	1/ "	"
	Drain-tiles, red, field—		
153	4 in. . . . .	15/ 100	"
154	6 in. . . . .	25/ "	"
155	9 in. . . . .	55/ 100 ft.	"
156	Fire-bricks, standard size, Benhar . . . . .	160/ 1,000	25 P. McSkimming & Sons.
157	Fire-clay, Benhar . . . . .	4/ cwt.	"
158	Flannel, scouring, to sample, English . . . . .	/7½ yard	202 Sargood, Son, and Ewen-(Ltd.).
	Funnels, tin—		
159	½ pint . . . . .	/4½ each	131 Broad, Small, and Co.
160	1 pint . . . . .	/6 "	"
161	1 quart . . . . .	/7½ "	"
162	2 quart . . . . .	1/6 "	"
163	3 quart . . . . .	2/3 "	252 John Edmond.
164	Glue, best quality, New Zealand Glue Company's . . . . .	/7¼ lb.	"
165	Glycerine, delivered at Dunedin . . . . .	/10½ "	16 Kempthorne, Prosser, and Co. (Ltd.).
	Hose-pipe, best chrome-tanned leather, copper-riveted, to be provided with 1½ in. by 9 in. gusset piece let in at end—		
168	4 in. diameter . . . . .	5/8 ft.	147 Briscoe and Co. (Ltd.).
169	6 in. diameter . . . . .	7/10 "	"
170	7 in. diameter . . . . .	8/9 "	"
171	8 in. diameter . . . . .	10/1½ "	"
172	9 in. diameter . . . . .	11/10½ "	"
173	12 in. diameter . . . . .	17/3 "	252 John Edmond.
	Jacks, timber, double-claw, A. and G. Price (Limited) . . . . .		
187	4 tons . . . . .	149/6 each	"
188	6 tons . . . . .	159/6 "	"
	Leather—		
189	Basil-skins, best saddlers (20 lb. per doz., minimum) unstrained . . . . .	14/6 doz.	147 Briscoe and Co. (Ltd.).
190	Belt, approved quality, in backs . . . . .	3/1 lb.	"
191	Bridle, in sides . . . . .	30/ side	123 Michaelis, Hallenstein, and Farquhar.
192	Cow, alum-tanned, white hide, shaved . . . . .	65/ full hide	252 John Edmond.
193	Cow, alum-tanned, white hide, shaved . . . . .	32/6 side	"
194	Cow, bag-hide, brown . . . . .	61/ full hide	"
195	Cow, bag-hide, brown . . . . .	25/ side	123 Michaelis, Hallenstein, and Farquhar.
196	Harness, black (sides not under 20 lb.) . . . . .	1/11 lb.	Ditto.
197	Hydraulic, oil-tanned . . . . .	2/ "	252 John Edmond.
198	Kip, brown or black, not under 9 lb. per side . . . . .	2/4 "	123 Michaelis, Hallenstein, and Farquhar.
199	Pipe, hide . . . . .	1/9 "	Ditto.
200	Pump butts . . . . .	3/ "	252 John Edmond.
201	Sole, approved quality (in sides not under 22 lb.) . . . . .	1/8 "	123 Michaelis, Hallenstein, and Farquhar.
202	Laces, belt, green hide, equal to sample . . . . .	3/4 "	Ditto.
203	Laces, belt, chrome-tanned, equal to sample . . . . .	3/4 "	"

No.	Description of Article and Rate.	Per	Tenderer.	
	Lime—			
204	White, ordinary .. .. .	1/	bushel	131 Broad, Small, and Co.
205	Hydraulic .. .. .	1/6	"	"
206	Mattresses, wire-woven on wood frames, 6 ft. 2 in. by 2 ft. 3 in., 21½ gauge wires, with six-ply strands at every wire 6 in. across, Johnson's	11/	each	"
207	Ditto, with cable edges .. .. .	12/	"	"
208	Ditto, with cable edges, guaranteed non-sag, treble woven	18/3	"	252 John Edmond.
	Measures, oil, XXX tin, with lip and rims—			
209	1 pint .. .. .	1/3	"	"
210	1 quart .. .. .	1/7	"	"
211	2 quarts .. .. .	2/2	"	"
212	1 gallon .. .. .	2/10	"	"
213	2 gallons .. .. .	3/9	"	"
214	Nails, wire, lead-headed, 2½ in., Lino Roofing Nail Company	22/9	cwt.	147 Briscoe and Co. (Ltd.).
	Oil-bottles, XXX tin, any shape required—			
215	½ gallon .. .. .	7/6	doz.	14 Sheehan and Brown.
216	1 gallon .. .. .	9/	"	"
217	Paint, hæmatite, any colour (Thames) .. .. .	12/3	cwt.	147 Briscoe and Co. (Ltd.).
219	Plaiding, to sample .. .. .	1/	lineal yard	140 Bing, Harris, and Co. (Ltd.).
	Plugs and washers, brass, round—			
220	1½ in. .. .. .	6/11	doz.	183 A. and T. Burt (Ltd.).
221	1¾ in. .. .. .	7/6	"	"
222	2 in. .. .. .	8/5	"	"
223	2½ in. .. .. .	11/11	"	"
	Plugs and washers, brass, square (delivered at Dunedin)—			
224	1½ in. .. .. .	7/	"	236 J. Chambers and Son (Ltd.).
225	1¾ in. .. .. .	8/	"	Ditto.
226	2 in. .. .. .	9/6	"	"
227	2½ in. .. .. .	14/	"	"
	Ridging, galvanized-iron, with 2 in. lead edges—			
	22 gauge—			
228	16 in. .. .. .	/6½	ft.	183 A. and T. Burt (Ltd.).
229	18 in. .. .. .	/7	"	"
230	20 in. .. .. .	/8½	"	"
231	24 in. .. .. .	/9	"	"
	24 gauge—			
232	16 in. .. .. .	/6	"	"
233	18 in. .. .. .	/6½	"	"
234	20 in. .. .. .	/7	"	"
235	24 in. .. .. .	/7½	"	"
	Spouting, ridging and downpipe, at per cent. discount from New Zealand galvanized-spouting list—			
236	22 gauge .. .. .	33½	per cent.	147 Briscoe and Co. (Ltd.).
237	24 gauge .. .. .	47½	"	183 A. and T. Burt (Ltd.).
238	Fittings, 22 gauge .. .. .	33½	"	147 Briscoe and Co. (Ltd.).
239	Fittings, 24 gauge .. .. .	42½	"	183 A. and T. Burt (Ltd.).
	Stove-piping, black—			
244	5 in., 16 gauge .. .. .	1/3	ft.	252 John Edmond.
245	6 in., 16 gauge .. .. .	1/4	"	"
	Stove-piping, galvanized—			
246	5 in., 20 gauge .. .. .	/11	"	183 A. and T. Burt (Ltd.).
247	6 in., 20 gauge .. .. .	1/	"	"

No.	Description of Article and Rate.	Per	Tenderer.	
248	Stove-piping, elbows, black, 1 ft. each way from point— 5 in., 16 gauge .. .. .	3/4	each	252 John Edmond.
249	6 in., 16 gauge .. .. .	3/6	"	"
	Stove-piping, elbows, galvanized, 1 ft. each way from point—			
250	5 in., 20 gauge .. .. .	3/	"	183 A. and T. Burt (Ltd.).
251	6 in., 20 gauge .. .. .	3/6	"	"
	Tanks, iron, square, with man-hole and cover, galvanized—			
252	200 gallons (imported) .. .. .	85/	"	252 John Edmond.
253	400 gallons (imported) .. .. .	116/	"	"
	Tanks, iron, galvanized, corrugated, round, 24-gauge sides, 22-gauge bottom, with cover, waste-pipe 1 in., brass tap, and wash-out plug at bottom—			
254	400 gallons .. .. .	50/	"	14 Sheehan and Brown.
255	600 gallons .. .. .	65/	"	131 Broad, Small, and Co.
256	800 gallons .. .. .	80/	"	14 Sheehan and Brown.
	Tents, strong, double-seamed, with ropes, grommets, and beackets complete—			
	Calico—			
257	8 ft. x 10 ft. .. .. .	19/3	"	202 Sargood, Son, and Ewen (Ltd.).
258	10 ft. x 12 ft. .. .. .	26/3	"	Ditto.
	White duck, 8 oz.—			
259	8 ft. x 10 ft. .. .. .	25/3	"	"
260	10 ft. x 12 ft. .. .. .	34/3	"	"
	Tent-flies, strong, double-seamed and roped inside hem—			
	Calico—			
261	10 ft. x 12 ft. .. .. .	9/6	"	"
262	12 ft. x 14 ft. .. .. .	13/6	"	"
263	14 ft. x 16 ft. .. .. .	18/	"	"
	White duck, 8 oz.			
264	10 ft. x 12 ft. .. .. .	14/	"	"
265	12 ft. x 14 ft. .. .. .	20/6	"	"
266	14 ft. x 16 ft. .. .. .	26/9	"	"
	Unions, hose, brass (delivered at Dunedin)—			
267	$\frac{3}{8}$ in. .. .. .	/5	ft.	236 J. Chambers and Son (Ltd.).
268	$\frac{1}{2}$ in. .. .. .	/9	"	Ditto.
269	$\frac{5}{8}$ in. .. .. .	/9	"	"
270	$\frac{3}{4}$ in. .. .. .	1/2	"	"
271	1 in. .. .. .	1/9	"	"
272	$1\frac{1}{4}$ in. .. .. .	3/4	"	"
273	$1\frac{1}{2}$ in. .. .. .	4/9	"	"
274	$1\frac{3}{4}$ in. .. .. .	6/	"	"
275	2 in. .. .. .	7/	"	"
	Valves, bib, wheel-top, male or female, gun-metal, with union for hose—			
308	$\frac{1}{2}$ in. .. .. .	2/9	each	183 A. and T. Burt (Ltd.).
309	$\frac{3}{4}$ in. .. .. .	4/7	"	"
310	1 in. .. .. .	7/2	"	"
311	$1\frac{1}{2}$ in. .. .. .	22/6	"	"
312	2 in. .. .. .	65/	"	"
	Ventilators, torpedo, galvanized iron—			
313	For 3 in. pipe .. .. .	2/10	"	"
314	For 4 in. pipe .. .. .	4/6	"	"
315	For 6 in. pipe .. .. .	6/9	"	"
316	For 8 in. pipe .. .. .	8/	"	"
317	For 10 in. pipe .. .. .	12/11	"	252 John Edmond.
318	For 12 in. pipe .. .. .	17/2	"	"

## NEW ZEALAND GALVANIZED-IRON SPOUTING LIST.

O.G. spouting	..	..	..	..	..	4 in.	4½ in.	5 in.	6 in.
						4d.	4½d.	5d.	6d.
Half-round spouting	..	..	3 in.	3½ in.	4 in.	4½ in.	5 in.	6 in.	
			2¾d.	3¼d.	3¾d.	4¼d.	4¾d.	5¾d.	5¾d.
Downpipe	..	..	..	1½ in.	2 in.	2½ in.	3 in.	4 in.	
				3½d.	3¾d.	4¼d.	5d.	6¼d.	
Ridging	..	..	..	12 in.	14 in.	16 in.	18 in.	20 in.	
(Lead edging extra.)	..	..	..	5d.	5¾d.	6½d.	7¼d.	8d.	
Heads	..	..	..	40/- per doz.	O.G. brackets	..	..	7/- per doz.	
Shoes	..	..	..	22/-	Half-round brackets	..	..	3/6	
Angles	..	..	..	30/-	Tubes	..	..	6/- per gross.	
Ridging-clips	..	..	..	6/-	Spikes	..	..	14/-	

1st September, 1905.

This cancels all previous lists.

By Authority: JOHN MACKAY, Government Printer, Wellington.