



SUPPLEMENT
TO THE
NEW ZEALAND GAZETTE
OF

THURSDAY, 20 JANUARY 1977

Published by Authority

WELLINGTON: FRIDAY, 21 JANUARY 1977

TARIFF DECISION LIST No. 189

TARIFF DECISION LIST No. 189—continued
 APPROVALS—continued

Tariff Item No.	Goods	Rates of Duty			Part II Ref.	List No.	Effective	
		Normal	B.P.	Other Pref.			From	To
38.19.297	Morton opacifiers:	Free	Free	Free	10.8			
	E153					189	1/11/76	30/9/83
	E284					189	1/11/76	30/9/83
	E288					189	1/11/76	30/9/83
	E295					189	1/11/76	30/9/83
	E300					189	1/11/76	30/9/83
	E305					189	1/11/76	30/9/83
	E308					189	1/11/76	30/9/83
38.19.297	Shell VPI 260F, VPI 280 and VPI 280F ..	Free	Free	Free	10.2	189	1/7/74	30/6/83
39.01.022	Crodalam 14.01000 adhesive	Free	Free			189	1/12/76	30/9/79
39.02.022	A.C.S. Resin	Free	Free			189	1/11/76	30/9/79
39.02.032	Vydax AR, 5100, 550, AR525	Free	Free			189	1/9/76	30/9/79
39.02.072	Polypropylene pipe, grade GCE III ..	Free	Free			189	15/10/76	31/12/77
39.02.115	Polymerisation surface worked strips, double coated, when declared by a manufacturer that it will be used to make cable clips and cable support hooks	Free	Free			189	15/10/76	30/9/83
39.02.172	Propafilm C	Free	Free			189	15/10/76	30/9/83
39.07.396	Proplene pipe fittings	Free	Free	Free	10.2	189	1/9/76	31/12/77
40.08.011 } 40.08.021 }	Heel grip material, whether or not coated with an adhesive, when declared by a manufacturer for use by him only in making heels for footwear	Free	Free	Free	10.8	189	26/11/76	30/9/83
40.08.021	Squeegee strip of rubber or polyurethane when declared by an importer that it will be sold by him only for use with screen printing machines	Free	Free	Free	10.2	189	26/11/76	30/9/83
40.09.011	Hoses, under 12.7 mm ($\frac{1}{2}$ in.) diameter with liners of nylon or teflon, peculiar to use with DeVilbiss paint heaters	Free	Free			189	26/11/76	30/9/83
40.09.011	Three braid heavy duty glass cord, Steam hose, 19.05 mm ($\frac{3}{4}$ in.) and 31.75 mm (1 $\frac{1}{4}$ in.) diameter	Free	Free			189	26/11/76	30/9/83
40.10.005	Habasit S1, S2, A2 transmission belting and FBG-20 conveyor belting	Free	Free			189	1/9/76	30/9/79
40.14.008	Sponge rubber gaskets, non-toxic	Free	Free	Free	10.2	189	1/11/76	30/9/80
40.14.008	Walkers Hypak seals	Free	Free	Free	10.2	189	1/10/76	30/9/79
51.01.109	Yarns of man-made fibre, continuous, viz: bouclette knot yarn, 64% triacetate, 18% polyester, 18% polyamide, not bulked, stretched or texturised, not put up for retail sale, weighing more than 150 grams per 9000 metres, with a c.i.f. value of not less than \$8.50 per kg when declared by a manufacturer that the yarn will not comprise more than 25% of the resultant knitted fabric ..	Free	Free	Free	10.8	189	1/11/76	30/6/78
51.01.129	Yarns of man-made fibre, continuous, viz: bouclette loop yarn, 68% acetate, 32% polyamide, not bulked, stretched or texturised, not put up for retail sale, weighing more than 150 grams per 9000 metres, with a c.i.f. value of not less than \$11 per kg, when declared by a manufacturer that the yarn will not comprise more than 25% of the resultant knitted fabric	Free	Free	Free	10.8	189	1/11/76	30/6/78
53.11.071 } 53.11.079 }	Aluminised cloth, when declared by a manufacturer for use by him only in making fire brigade protective uniforms	Free	Free	Free	10.8	189	1/10/76	31/8/77

TARIFF DECISION LIST No. 189—continued
APPROVALS—continued

Tariff Item No.	Goods	Rates of Duty			Part II Ref.	List No.	Effective	
		Normal	B.P.	Other Pref.			From	To*
56.05.009	Yarns of man-made fibre, discontinuous, viz; 88% polyester, 12% cotton knot yarn, 50% polyester/38% polyacrylic/4% viscose, 8% silk knot yarn, not bulked, stretched, or texturised, not put up for retail sale, weighing more than 200 grams but not more than 300 grams per 9000 metres, with a c.i.f. value of not less than \$7.60 per kg, when declared by a manufacturer that the yarn will not comprise more than 25% of the resultant knitted fabric	Free	Free	Free	10.8	189	1/11/76	30/6/78
56.05.012	Yarns of man-made fibre, discontinuous, viz; 85% man-made fibre, 15% fine animal hair, weighing more than 220 grams but not more than 260 grams per 9000 metres, with a c.i.f. value of not less than \$8.50 per kg, when declared by a manufacturer that the yarn will not comprise more than 25% of the resultant knitted fabric	Free	Free	Free	10.8	189	1/11/76	30/6/78
58.04	Fabrics (excluding fabrics containing sheep's or lambs' wool or fine animal hair, and fabrics assembled by sewing, gumming or otherwise), which because of the presence of discontinuous fibres in the selvage only are classified as fabrics containing discontinuous fibres	<i>The rates of duty to which the fabrics would be liable under Part I of the Tariff but for the presence of discontinuous fibres in the selvage</i>			10.2	189	1/9/76	31/5/83
59.03.011	Spunbonded and spunlaced fabrics, being 100% polyester, when declared by a manufacturer that they will be used by him only in making plastic coated, covered or laminated fabrics	Free	Free		..	189	1/9/76	30/9/80
64.02	Start-Rite Inneraze shoes, children's sizes 5 (small) to 7 (large) when declared by an importer that they will only be sold on medical prescription	Free	Free		23.6	189	1/1/77	30/9/83
68.16.009	Osro Green Cones abrasive polishing compounds	Free	Free	Free	10.2	189	1/7/76	30/9/83
68.16.009	Sinto-Lorco abrasive polishing compounds ..	Free	Free	Free	10.8	189	1/8/76	30/9/83
69.02.001	Jumbo super duty fireclay bricks	Free	Free	Free	10.2	189	1/10/76	30/6/79
70.10.001	Opal glass bottles	Free	Free	Aul Free	..	189	1/7/74	30/9/78
73.15.049	Alloy steel, in bars and rods, bright-drawn, of the following types:	Free	Free	Free	10.8			
	(a) free-cutting					189	1/1/77	31/3/78
	(b) lead-bearing					189	1/1/77	31/3/78
	(c) carbon steel					189	1/1/77	31/3/78
73.17.012	Tubes and pipes of cast iron, centrifugally cast, of a nominal internal diameter not exceeding 152.4 mm (6 in.), peculiar to use in sulphuric acid plants	5%	5%	Aul Free Can. 5% CPC 5% DC 5%	10.2	189	1/7/75	30/9/78
74.19.069	Brass refrigerant distributors	Free	Free	Free	10.2	189	1/11/76	30/9/83
76.07.000	A.M. quick disconnect coupler	Free	Free	Free	10.2	189	1/9/76	30/9/78
83.08.000	Vibraflex high pressure refrigerant vibration eliminators	Free	Free	Free	10.2	189	1/9/76	30/9/78

TARIFF DECISION LIST No. 189—continued

APPROVALS—continued

Tariff Item No.	Goods	Rates of Duty			Part II Ref.	List No.	Effective	
		Normal	B.P.	Other Pref.			From	To*
84.06.127	Water cooled engines, as may be approved: .. Approved: Nissan diesel model: U.D.V. 8/6 Perkins model: 6/354 H6/354, HT6/354 Heavy duty 4/236 (lowline), having a capacity of 50 s.h.p. at 1800 r.p.m. .. TV8/510 Volvo Penta models: MD 17C/110S	Free	Free	Aul Free	..	189	20/12/74	30/9/81
84.11.051	Broomwade portable compressors, models CAIS and CAISS	Free	Free	Free	10.2	189	1/7/76	30/6/83
84.11.081	Cooling fans and hubs being parts (excluding parts of general use) of Cummins diesel engines	Free	Free		..	189	1/6/76	30/9/79
84.19.059	Clipser clip closing appliance	Free	Free	Free	10.2	189	1/9/76	30/9/83
84.19.059	Siat carton sealing machines	Free	Free	Free	10.2	189	1/10/76	30/9/83
84.21.009	Graco extruder pump units	Free	Free	Free	10.2	189	1/10/76	30/6/83
83.34.009	Machinery, apparatus and accessories for type-founding or type-setting; machinery other than the machine-tools of heading No. 84.45, 84.46, or 84.47, for preparing or working printing blocks, plates or cylinders; printing type, impressed flongs and matrices, printing blocks, plates, and cylinders; blocks, plates, cylinders, and lithographic stones prepared for printing purposes (e.g. planed, grained or polished): Other	Free	Free	Free	10.2	189	1/10/76	30/9/83
84.45.029	Elu AS70 single spindle copy router	Free	Free	Free	10.2	189	1/10/76	30/9/83
84.45.029	Elu Sal 54 copy router	Free	Free	Free	10.2	189	1/10/76	30/9/83
84.54.021	Kirk Rudy model 310 mini-mailer	Free	Free		..	189	1/11/76	30/9/83
84.59.148	Boiler cleaning machines	Free	Free	Free	10.2	189	1/10/76	30/9/83
84.59.148	Universal, automatic lapping and polishing machine for metallurgical, geological and medical specimens	Free	Free	Free	10.2	189	1/11/76	30/9/83
84.59.148	Volumetric and gravimetric dry chemical feeders	Free	Free	Free	10.2	189	1/7/74	30/9/83
84.63.011	Will Burt continuous gear driven stoker transmission gears and parts (excluding parts of general use)	Free	Free	Free	10.2	189	1/8/76	30/9/83
84.65.009	Redeema expander rollers	Free	Free	Free	10.2	189	1/11/76	30/9/83
85.12.019	Threaded terminal conductor pins	Free	Free	Free	10.2	189	1/7/74	30/9/83
85.17.009	Taplin type D55 line fault indicator	Free	Free	Free	10.2	189	1/11/76	30/9/83
85.19.002	Square 'D' foot switches type AW	Free	Free	Free	10.2	189	1/10/76	30/9/83
85.19.009	Component parts for manufacture of Reyrolle type IMS, 11 000 volt oil switches	Free	Free	Free	10.8	189	1/10/76	30/9/83
85.19.009	Square 'D' class 9001 Neoprene Pendant control station types: B62 B63 B65 B67 B69	Free	Free	Free	10.2	189	1/10/76	30/9/83
85.19.059	Dupar arm and roller operated limit switches	Free	Free	Free	10.2	189	1/11/76	30/9/83
85.19.059	Dupar geared limit switches	Free	Free	Free	10.2	189	1/11/76	30/9/83
90.24.011	Barber Colman constant volume regulators, peculiar to use in high velocity ventilating and air conditioning systems	Free	Free		..	189	1/12/76	30/11/80
90.24.011	Simmer control, model KVL102, peculiar to use in the manufacture of electric ranges	Free	Free		..	189	1/1/77	30/6/78

TARIFF DECISION LIST No. 189—continued

APPROVALS—continued

Tariff Item No.	Goods	Rates of Duty			Part II Ref.	List No.	Effective	
		Normal	B.P.	Other Pref.			From	To*
90.28.009	Comark:	Free	Free	Free	10.2			
	analogue electronic thermometers					189	9/9/76	30/9/80
	digital thermometers					189	9/9/76	30/9/80
	incremental indicators					189	9/9/76	30/9/80
	portable tachometers models 2101 and 2102					189	9/9/76	30/9/80
	resistance meters					189	9/9/76	30/9/80
90.29.000	Potentiometric chart recorder	Free	Free	Free	10.2	189	1/10/76	30/9/83
92.12.028	Audio alignment tape, peculiar to use in testing and alignment of audio and video tape recorders	Free	Free	Free	10.2	189	1/10/76	30/6/82

*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least six weeks prior to the date of expiry.

MISCELLANEOUS

Determination:

84.47.031	Wood turning lathes, under 17.78 cm (7 in.) centre height, 35.56 cm (14 in.) swing over bed, 101.6 cm (40 in.) between centres, but not including automatic or semi-automatic lathes	45%	45%	Aul 25% Can 25% CPC 25% DC 25%	..	189	1/12/76	..
-----------	--	-----	-----	---	----	-----	---------	----

Decisions cancelled:

27.10.909	Cutting... approved:			
	Approved:							
	Caltex...230	130
	Cutting...12 hours	18
	Mobilmet...35	18
	Nu-Clear	18
	Prosol 48	143
	Prosol 66	30
34.05.029	Mirror... approved:			
	Approved:							
	M.G.M. 8
38.19.297	Mixtures...meat products
39.02.032	Vydax...AR525	179
40.08.021	Heel...footwear	180
59.03.011	Spunbonded...fabric	179
73.15.049	Alloy steel...Cut P.B.	144
84.34.009	Machinery...polished:			
	Other...coating	104
84.47.031	Wood turning lathes...lathes	130
Deter'n								
90.24.011	Simmer...ranges	164
90.27.009	Revolution...stroboscopes:			
	Other	179

Dated at Wellington this 20th day of January 1977.

J. A. KEAN, Comptroller of Customs.