



SUPPLEMENT

TO THE

NEW ZEALAND GAZETTE

OF

THURSDAY, 3 FEBRUARY 1983

Published by Authority

WELLINGTON: FRIDAY, 4 FEBRUARY 1983

TARIFF DECISION LISTS Nos. 604 and 605

TARIFF DECISION LIST No. 604

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

DETERMINATIONS

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Concession Code	Effective	
			Normal	Pref.			From	To*
HO	08.10.001	Passionfruit, not containing added sugar	Free	Free	15	906223J	1/83	6/83
HO	08.10.009	Papaya pulp, not containing added sugar	Free	Free	15	906222L	1/83	6/83
HO	20.07.037	Passionfruit juice in bulk containers, and not containing added sugar	Free	Free	15	906221B	1/83	6/83
HO	20.07.058	Passionfruit juice, in other containers and containing added sugar	Free	Free	15	205089H	4/79	6/83
HO	20.07.078	Passionfruit juice in other containers, not containing added sugar	Free	Free	15	906220D	1/83	6/83
AK	21.07.019	Powdered clouding agent, LN6534	Free	Free	15	920462J	12/82	3/86
AK	29.07.009	Dichlorophene	Free	Free	15	920446G	9/82	9/85
HO	29.35.009	Amiloride hydrochloride N Amidino 3, 5 Diamino 6, Chloropyrazine carboxamide hydrochloride	Free	Free	15	906209C	11/82	12/84
	30.03.031)	Medicaments						
	30.03.039)							
CH	34.02.000	Lignocaine hydrochloride solution 4% Products, as may be approved, when imported in bulk and not being soaps or containing soap APPROVED:	Free	Free	25	909439D	11/82	3/86
AK		Tergitol 15.S.9, butyl cellosolve and water	Free	Free	15	920461L	12/82	3/86
CH	35.06.000	Loctite superflex 593, 594, and 595	Free	Free	15	909323A	9/82	9/85
AK	37.08.009	Chemical products, as may be approved, for use in processing industrial films and printing papers, CR166B, CR613B, CR643B, CR642B, and CR618B	Free	Free	15	920458L	10/82	9/85
AK	38.11.029	Nalco 7620	Free	Free	15	920445J	9/82	9/85
CH	38.19.079	Silicone denture lining material	Free	Free	99	909429G	10/82	9/85
HO	39.01.211	Baycoll 22	Free	Free	..	207528J	7/82	12/84
HO	39.01.211	Bayderm bottom SM5	Free	Free	..	207530L	7/82	12/84
HO	39.01.211	Casamid 360 epoxy hardener	Free	Free	..	207523H	7/82	12/84
HO	39.01.211	Casathanes ET 503, ET 202, and 1500	Free	Free	..	207527L	7/82	7/83
AK	39.01.211	Diccolastic A5	Free	Free	..	920457B	10/82	9/85
CH	39.01.211	Polyurethane elastomer, for making polyurethane sole units for footwear	Free	Free	..	909387H	8/82	9/85
CH	39.01.211	Tyrfil, a soft urethane rubber which fills tyres instead of air	Free	Free	..	909415G	7/82	6/85
CH	39.01.261	MC801 nylon rod	Free	Free	..	909417C	1/83	3/86
AK	39.01.261	Sustamid nylon rod	Free	Free	..	920463G	10/82	9/85
CH	39.01.291	Thin wall autoclavable nylon tubing	Free	Free	..	909431J	7/82	6/85
AK	39.01.341	Polyester strips, for use in finishing dental fillings	Free	Free	..	920455F	10/82	9/85
CH	39.01.351	Self-adhesive vinyl material, reflective and non-reflective, for use in making road safety signs	Free	Free	15	909414J	7/82	6/85
AK	39.01.389)	Silastic surgical sheeting	Free	Free	..	920454H	10/82	9/85
	39.02.391)							
AK	39.02.211	Derakane vinyl ester resin	Free	Free	..	920450E	10/82	9/85
AK	39.02.211	Stahl Armstrong acrylic, urethane and butadiene resin dispersions ranges, RA, RB, RI, and RU, for use in making leather goods	Free	Free	..	920444L	10/82	9/85
AK	39.02.241	Acetal rod	Free	Free	..	920464E	10/82	9/85
AK	39.02.241	PVC welding rod, diameters 1 mm to 6 mm	Free	Free	..	920489L	10/82	6/85
AK	39.02.241	Solid UPVC rod, when declared for use in making chemically resistant components for water treatment	Free	Free	..	920448C	10/82	9/85
CH	39.02.271	Aeroquip teflon hydraulic hose, externally braided with stainless steel wire	Free	Free	..	909412B	7/82	6/83
HO	39.02.291	Celloseal, polycell wadding with PVDC facing, French trade name, type 326	Free	Free	10	207500J	7/82	12/84
AK	39.02.331	3M weatherstrip tape	Free	Free	..	920443B	9/82	9/85
AK	39.02.391	Vinyl sheeting, of minimum width of 1800 mm, when declared for use only in making waterbeds	Free	Free	..	920447E	10/82	9/85
CH	39.02.501	Corflute polypropylene sheet	Free	Free	..	909410F	7/82	6/85
AK	39.02.501	Polystyrene sheeting, when declared for use only in making packaging material	Free	Free	..	920466A	10/82	9/85
AK	39.02.501	PVC sheeting, 100% rayon flocked, when declared for use only in making children's clothing	Free	Free	..	920453K	10/82	9/85
AK	39.02.501	Rigid PVC plate and sheet, 3 mm to 20 mm, when declared for use only in making laboratory and industrial components	Free	Free	..	920465C	10/82	9/85
AK	39.02.501	Sekisui rigid polished PVC sheet	Free	Free	..	920486F	10/82	6/85
AK	39.02.519	Plain, unworked, rigid, PVC sheet and plate, thicknesses 1 mm to 60 mm	Free	Free	15	920492L	10/82	6/85
AK	39.02.519	Plain, unworked, ultra high molecular weight polyethylene sheet, thicknesses from 1 mm to 60 mm	Free	Free	15	920490D	10/82	6/85
AK	39.03.179	Cellulose acetate, in rolls 250 mm x 25 mm x 38 mm, for use in making tags for boot and shoe laces	Free	Free	15	920467K	8/82	9/85
AK	39.07.301	Lay flat perforated irrigation tubing	Free	Free	..	920452A	10/82	9/85
AK	39.07.301	Pattern cards and card strips, for use with knitting machines	Free	Free	..	920468H	10/82	9/85
CH	39.07.391	Fish meal bags for packing of fish meals	Free	Free	99	909437H	9/82	9/85
CH	39.07.479	Touch Joint plastic tube fittings, for coupling pneumatic tubing and equipment	Free	Free	99	909430L	10/82	9/85
CH	39.07.599	Ames Tissue-Tek filing cabinets	Free	Free	99	909409B	10/82	9/85
CH	39.07.599	Brush connectors made from vulcanised rag and paper	Free	Free	15	909408D	7/82	6/85

TARIFF DECISION LIST No. 604—continued

DETERMINATIONS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con-cession Code	Effective	
			Normal	Pref.			From	To*
HO	39.07.599	Plastic buckles with a c.i.f. value of \$0.40 cents or more, when declared for use in making fashion belts only	Free	Free	15	207484C	7/82	12/83
HO	40.14.049	OKD, Zenflex and Mercer flexible rubber expansion joints, including tyre cord and hard steel wire as integral parts	Free	Free	99	207372C	1/82	12/84
AK	44.28.009	End grain balsa wood, in strip form, bevelled, when declared by an importer that it will be sold by him, only to manufacturers for use by them, in making fibreglass boats	Free	Free	15	920440D	9/82	9/85
CH	48.01.129	Very board, when declared for use in printing	Free	Free	99	909428J	7/82	6/85
AK	48.07.151	Sensitised paper, for use in telecommunications, transmitter, receiver, or automatic data processing machines	Free	Free	..	920441F	9/82	9/85
	59.04.001	Fishing lines, including trawl lines and net twines, as may be approved; APPROVED:	Free	Free
HO		Fishing lines and twines, under 4 mm in diameter and flat braided netting twine from 4 mm in diameter but under 8 mm in diameter, suited for use in the repair of fishing netting, when declared by an importer that they will be sold by him, only to commercial fishermen for use in repairing nets made of identical materials	Free	Free	..	207436C	6/80	6/85
AK	59.16.009	Leder, rappilon and raptex nylon transmission belts	Free	Free	99	920469F	10/82	9/85
AK	60.01.022)	Fabric, polyamide 87%, elasthan 13%, with a lining of cotton	Free	Free	15	920440H	9/82	9/85
AK	60.01.028)	42%, polyamide 33% and viskose 25%, when declared for use in making snow ski garments	Free	Free
AK	69.09.009	Alumina porcelain ball mill linings	Free	Free	99	920473D	12/82	3/86
AK	69.09.009	Porcelain lining blocks	Free	Free	99	920475L	12/82	3/86
AK	73.40.069	Cipes and vent pins, for use in making tyre moulds	Free	Free	15	920451C	10/82	9/85
AK	73.40.069	Magnetic planning boards, colour coded	Free	Free	99	920470K	9/82	9/85
CH	74.03.031	Copper wire, 0.81 mm, for making thermocouple extension cable	Free	Free	..	909426B	9/82	9/85
CH	74.10.000	Copper wire, 16 strand, 0.184 mm, for making thermocouple extension cable	Free	Free	15	909425D	9/82	9/85
DN	76.06.000	Aluminium tube in bar lengths to metric bore sizes and wall thicknesses, peculiar for use in making compressed air cylinders for industrial automation, sizes 32 mm × 2.0 mm, 40 mm × 2.5 mm, 50 mm × 2.5 mm, 63 mm × 2.5 mm and 80 mm × 2.5 mm	Free	Free	15	202981C	10/81	12/83
AK	82.02.011	Hardened and tempered carbon steel saw blanks, toothed with centre hole, for use in making tungsten carbide tipped sawblades	Free	Free	15	920471H	12/82	3/86
HO	84.40.029	Cissell laundry spotting boards	Free	Free	10	207502E	10/82	12/83
HO	84.45.009	Toshima lapping machine, model W-1000	Free	Free	10	207486K	11/82	12/83
CH	84.58.000	Mars changegiving coin mechanism, for incorporating into soft drink vending machines	Free	Free	10	909421A	10/82	9/85
CH	84.59.059	Hand rollers, for dry transfer laminating	Free	Free	10	909420C	6/82	6/85
CH	84.59.059	Shaw Almex conveyor belt repair and splicing press, air bag operated	Free	Free	10	909419K	9/82	9/85
CH	84.59.059	Stamping foil repair device, for patching of unstamped spots on surface stampings and raised motives	Free	Free	10	909418A	7/82	6/85
CH	84.63.029	Nylatron nylon sheaves	Free	Free	10	909438F	1/83	3/86
	85.03.001	Primary cells and primary batteries of kinds approved by the Minister APPROVED: Eveready;	Free	Free
		NOTE: Eveready batteries may also be identified by the addition of the letters "X, BP or BP-2". These letters should be ignored.						
AK		Alkaline button type, Nos. 192 and 193				920467J	12/82	3/86
		Silver oxide button types, Nos. 317, 319, 320, 329, 363, 370, 376, and 379				920477G	12/82	3/86
HO	85.19.009	ASEA isolating load making and breaking switches, types AEKD and AEMKD	Free	Free	10	207499A	11/82	12/83
CH	85.19.059	150/1/2 and 150/11/1 brass contacts	Free	Free	10	909433E	11/82	3/86
HO	85.23	Cables, thermocouple and compensating EXCLUDING:						
		PVC insulated or sheathed, with or without additional protection	Free	Free	..	206801L	10/82	6/86
DN	85.23.021	Heavily PVC insulated multi-strand, extra flexible, single core cables, with tinned conductor of copper, maximum 750 V, for installations where atmospheric contamination exists, sizes from 2.5 mm ² to 150 mm ²	Free	Free	..	205373L	6/81	9/85
CH	98.03.019	Fibre tip pens, for use on industrial chart recorders	Free	Free	10	909416E	9/82	9/85

*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

MISCELLANEOUS

Decisions Cancelled:

	30.03.031)	Medicaments						
	30.03.039)							
AK		D.Q.V.K. ... granules	920220L
HO	38.11.011	Asuntol ... W.P.	105022C
HO	38.11.029	Plictran 50W	105088F
HO	38.11.031	Maneb ... enriched	105151C
HO	38.11.031	Morocide ... W.P.	105159J

TARIFF DECISION LIST No. 604—continued
MISCELLANEOUS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con-cession Code	Effective	
			Normal	Pref.			From	To*
						107782B
HO	40.14.049	'OKD' ... parts			
	59.04.001	Fishing ... approved; APPROVED:				202288F
HO		Fishing ... materials	201763G
HO	73.20.021	Hydrocuplin ... filling	202981C
DN	76.06.000	Aluminium ... 3 mm			
HO	84.61.021	Components ... viz.:				202549D
		Burst ... 3775				202550H
		Schrader ... valve	113015D
HO	84.61.021	Superior ... cylinders	201027F
HO	84.61.021	Tartarini ... only	900791B
HO	84.61.021	Valves ... parts						
HO	85.23	Cables ... compensating				206501L
		EXCLUDED:	205373L
		P.V.C. ... protection			
DN	85.23.021	Heavily ... 150 mm ²						

Dated at Wellington this Wellington this 3rd day of February 1983.

P. J. McKONE, Comptroller of Customs.

TARIFF DECISION LIST No. 605

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)
DETERMINATIONS

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con-cession Code	Effective	
			Normal	Pref.			From	To*
HO	68.04.011 Deter'n	Grinding wheels and discs, cutting off wheels (other than diamond or Borzane wheels) of both vitrified and resinoid bond (1) Solid wheels, straight, recessed, tapered or relieved with diameters of 75 mm to 305 mm and exceeding 3 mm but not exceeding 55 mm in thickness EXCLUDING: (a) Thick discs, nut inserted type only, being grinding wheels from 254 mm (10 in.) in diameter, and from 25.40 mm in thickness (b) Ceramic grinding wheels (c) Type 12 dished grinding wheels, 152.40 mm diameter 19.05 mm thick x 25.40 mm bore with 80.96 mm back, and 12.70 mm rim (2) Reinforced cutting off wheels up to and including 356 mm in diameter (3) Depressed centre wheels up to and including 230 mm in diameter (4) Cup wheels up to 165 mm in diameter EXCLUDING: (a) Type 6 straight cup with an overall thickness (dimension T) exceeding 75 mm, or with a wall thickness (dimension W) of 6 mm or less (b) Type 11 tapered or flaring cup with diameter exceeding 150 mm or overall thickness (dimension T) exceeding 63 mm	25	Aul Free Can 15 DC 15 Pac Free		207384G	12/82	
						207385E	12/82	
						207386C	12/82	
						207387A	12/82	

MISCELLANEOUS

Decisions Cancelled:

HO	68.04.011 Deter'n	Grinding ... bond (1) Solid ... thickness (2) Reinforced ... diameter (3) Depressed ... diameter (4) Cup ... diameter EXCLUDING: (a) Type ... less (b) Type ... 63 mm	206911D
			108902B
			108903L
			108904J

Dated at Wellington this Wellington this 3rd day of February 1983.

P. J. McKONE, Comptroller of Customs.