



# SUPPLEMENT

TO THE

# NEW ZEALAND GAZETTE

OF

WEDNESDAY, 30 MARCH 1983

*Published by Authority*

---

---

WELLINGTON: WEDNESDAY, 6 APRIL 1983

---

---

## TARIFF DECISION LIST

Nos. 617, 618, and 619

## TARIFF DECISION LIST No. 617

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

## APPROVALS

| Port | Tariff Item No. | Goods  | Rates of Duty |          | Part II Ref. | Con-cession Code | Effective |       |
|------|-----------------|--|---------------|----------|--------------|------------------|-----------|-------|
|      |                 |  | Normal        | Pref.    |              |                  | From      | To*   |
| AK   | 25.07.000       | Polestar 200P, for making interior paints  | Free          | Free     | 15           | 921349L          | 12/82     | 3/86  |
| AK   | 29.24.009       | Alacsan 7 LUF, for use in making cosmetic and toiletry preparations  | Free          | Free     | 15           | 921342C          | 11/82     | 3/85  |
| AK   | 29.24.009       | Avitex ML, for use in making cosmetics and toiletry preparations   | Free          | Free     | 15           | 921341E          | 11/82     | 3/85  |
| AK   | 32.09.001       | Thixotrophy adjusting gel  | Free          | Free     | 15           | 921323G          | 2/83      | 3/86  |
| CH   | 34.03.019       | Nutra-pH instrument milk lubricant   | Free          | Free     | 99           | 909533A          | 8/82      | 9/85  |
| AK   | 38.11.031       | Bravo flowable and Bravo W-75  | Free          | Free     | 15           | 919511E          | 7/78      | 6/84  |
| AK   | 38.19.079       | Chemical products and preparations etc   |               |          |              |                  |           |       |
|      |                 | Antimussol WLN liquid-antifoam preparation, 9750 Glycerine di-ether, insoluble in water and 5% aromatic polyglycol ether   | Free          | Free     | 15           | 921344K          | 12/82     | 3/86  |
| HO   | 39.01.271       | Tufnol tubes of paper and fabric base  | Free          | Free     | 15           | 207864D          | 7/82      | 6/88  |
| AK   | 39.01.368       | Surface sensitized and treated folcrex polyester drafting and photocopying film  | Free          | Free     | 15           | 921350D          | 12/82     | 3/86  |
| CH   | 39.02.201       | Dental acrylic powder resin  | Free          | Free     | 15           | 909535H          | 7/82      | 6/85  |
| CH   | 39.02.211       | Dental acrylic liquid resin  | Free          | Free     | ..           | 909534K          | 7/82      | 6/85  |
| AK   | 39.02.241       | U.H.M.W. (Ultra high molecular weight) polyethylene profile extrusions   | Free          | Free     | ..           | 921343A          | 11/82     | 3/85  |
| AK   | 39.02.391       | Cineflex draper shade matt white PVC sheeting, 0.2540 mm thick x 1.8 metres wide, when declared for making or repairing projection screens   | Free          | Free     | ..           | 921183H          | 2/83      | 3/86  |
| AK   | 39.02.419       | Cineflex draper shade grey unsupported PVC projection material 0.2540 mm thick x 3.0 metres wide, when declared for making or repairing projection screens   | Free          | Free     | 15           | 921184F          | 2/83      | 3/86  |
| AK   | 39.02.501       | PVC cutting board, for use as a cutting base for clicking knives   | Free          | Free     | ..           | 920737G          | 9/82      | 9/86  |
| HO   | 39.07.599       | Cyclac, Litac, and Nokalon, trawl floats, 203 mm to 300 mm diameter, when declared for sale only to commercial fishermen   | Free          | Free     | 99           | 207821L          | 7/82      | 3/86  |
| AK   | 59.03.001       | Typar polypropylene fabric, for making upholstery for furniture  | Free          | Free     | ..           | 921339C          | 12/82     | 3/85  |
| HO   | 59.08.002       | Laminated taffeta  | Free          | Free     | ..           | 207868G          | 7/82      | 9/89  |
| AK   | 73.20.011       | Klambon series LP pipe couplings   | 5             | Aul Free | ..           | 921322J          | 2/83      | 3/86  |
| AK   | 73.40.069       | Byrne and Davidson roller door parts, numbers 126, 7017, 2742, 150, 6134, 6135, and 5227   | Free          | Free     | 99           | 921320B          | 10/82     | 3/86  |
| AK   | 76.16.059       | Tapered aluminium mandrels, for use in making tubular fibreglass blanks  | Free          | Free     | 99           | 921333D          | 12/82     | 3/86  |
| AK   | 83.01.011       | Lowe and Fletcher locks, models A/V2-14/3H/L03, A/BAT5/11/2-/GRV, A/BAT5/12/2-/GRV, A/BAT3/11/2B/— and A/BHTW/01/0/—   | Free          | Free     | ..           | 921365B          | 3/83      | 6/85  |
|      | 84.06.021       | Watercooled engines, as may be approved; APPROVED:   | Free          | Free     | ..           |                  |           |       |
| HO   |                 | BMW D190Z diesel inboard sterndrive marine engine  |               |          |              | 207863F          | 1/83      | 9/86  |
| AK   | 84.10.029       | Hydraulic gear oil pumps EXCLUDING:  | Free          | Free     | 10           | 921345H          | 12/82     | 3/86  |
|      |                 | Pumps with a displacement of 3 cm <sup>3</sup> /rev and over   |               |          |              |                  |           |       |
| AK   | 84.11.061       | Component parts, as may be approved, for making industrial centrifugal fans  | Free          | Free     | ..           | 920765B          | 2/83      | 3/86  |
| DN   | 84.15.009       | Thermo King RDC30, refrigeration units, when declared that they are to be fitted to containers for re-export   | Free          | Free     | 10           | 912752G          | 11/82     | 12/83 |
| AK   | 84.18.031       | Lipshaw pathological fume-x-pellers and erlab captair closed-system fume hoods   | Free          | Free     | 10           | 921358K          | 12/82     | 3/86  |
| AK   | 84.22.009       | Automatic withdrawal units for plastic moulding machines   | Free          | Free     | 10           | 921353J          | 3/82      | 6/86  |
| HO   | 84.23.021       | Self-propelled excavators, excluding buckets having an S.A.E. rated capacity below 1.53m <sup>3</sup>  | Free          | Free     | 10           | 207874A          | 4/82      | 9/84  |
| CH   | 84.23.079       | Cutting edges for Caterpillar D8, D9, and D10 bulldozers   | Free          | Free     | 10           | 909546C          | 11/82     | 3/86  |
| HO   | 84.45.009       | Gravograph engraving machinery   | Free          | Free     | 10           | 207867J          | 11/82     | 3/84  |
| HO   | 84.45.009       | Omega mitre saws   | Free          | Free     | 10           | 207866L          | 10/82     | 9/85  |
| HO   | 84.47.009       | Losser wood working machines; cross cut and champfering machine, model AA200   | Free          | Free     | 10           | 207862H          | 11/82     | 12/84 |
| CH   | 84.47.009       | Sicar panel dimension saws, model SP3000, SP2500, and SP1300, having a sawblade diameter of 400 mm   | Free          | Free     | 10           | 909541B          | 12/82     | 3/86  |
| CH   | 84.47.009       | Sicar universal 7-operations multi-purpose, machines having a thickness capacity of 350 mm and over, incorporating models 350S 1700/7, 2000/7, 2200/7, 1700/E, 2000/E, and 2200/E  | Free          | Free     | 10           | 909542L          | 12/82     | 3/86  |
| CH   | 84.59.009       | Semi-automatic cup making machine  | Free          | Free     | 10           | 909543J          | 12/82     | 3/86  |
| AK   | 84.59.059       | Plastic extruding, thermo-forming, vacuum moulding or foaming machines   | Free          | Free     | 10           | 921359H          | 3/83      | 6/86  |
| HO   | 84.63.029       | Speed reducers, excluding the following:   | Free          | Free     | 10           | 207871G          | 7/82      | 6/84  |
|      |                 | (1) Worm gear reducers   |               |          |              |                  |           |       |
|      |                 | (a) Single reduction with shaft centres 209.5 mm or less   |               |          |              |                  |           |       |
|      |                 | (b) Multi-reduction, where the final stage worm reduction has shaft centres 209.5 mm or less   |               |          |              |                  |           |       |
|      |                 | (2) Types, other than worm gear, with an output torque of 3300NM or less rated at 1500 r.p.m. input  |               |          |              |                  |           |       |
| AK   | 84.65.009       | Air loc machine tool and machinery mounts, types Wedgemount and Jacmount   | Free          | Free     | 10           | 921354G          | 11/82     | 3/86  |
| HO   | 85.15.059       | Tuner/adaptors, for use with video cassette recorders, when imported;  | Free          | Free     | 31           | 205833C          | 7/81      | 12/83 |
|      |                 | (1) by a school, college or university for use by that school, college or university and not for resale; or  |               |          |              |                  |           |       |
|      |                 | (2) by an importer, when declared that they are being imported for sale only to a school, college or university and will not be sold or otherwise disposed of without payment of duty otherwise payable under the Customs Tariff |               |          |              |                  |           |       |

## TARIFF DECISION LIST No. 617—continued

## APPROVALS—continued

| Port | Tariff Item No. | Goods  | Rates of Duty |       | Part II Ref. | Concession Code | Effective |       |
|------|-----------------|--|---------------|-------|--------------|-----------------|-----------|-------|
|      |                 |  | Normal        | Pref. |              |                 | From      | To*   |
| AK   | 85.19.009       | S and C Alduti-Rupters, minirupters and cypoxylated interrupters, 4.8 kV through 34.5 kV, 600 or 1200 amp continuous and interrupting capacity   | Free          | Free  | 10           | 921352L         | 12/82     | 3/86  |
| CH   | 85.19.055       | Omega plugs, jacks, sockets, and accessories for making up thermocouples   | Free          | Free  | 10           | 909544G         | 12/82     | 3/86  |
| HO   | 85.22.019       | Video timers, when imported:<br>(1) by a school, college or university for use by that school, college or university and not for resale; or<br>(2) by an importer, when declared that they are being imported for sale only to schools, colleges or universities, and that the said equipment will remain the property of the school, college or university and will not be sold or otherwise disposed of without payment of duty otherwise payable under the Customs Tariff | Free          | Free  | 31           | 206809F         | 8/82      | 12/85 |
| AK   | 90.10.029       | Chromapro slide duplicator and optional accessories  | Free          | Free  | 99           | 921340G         | 11/82     | 3/85  |
| DN   | 90.28.009       | Meyer sentinel bottle inspectors   | Free          | Free  | 99           | 912757H         | 7/80      | 6/83  |
| AK   | 93.07.079       | Rimless cartridge cases for making ED cab tips   | Free          | Free  | 15           | 921346F         | 11/82     | 10/85 |
| AK   | 97.07.009       | Ruby eyes, vinyl skirts, jigs, and plastic trolling boards, peculiar to use in making tuna trolling gear, for use by commercial fishermen  | Free          | Free  | 99           | 921338E         | 3/83      | 9/84  |
|      | 98.03.029       | Fountain pens, drawing types, as may be approved   | Free          | Free  | 99           | 206681F         | 9/82      | 9/84  |
| CH   |                 | APPROVED:<br>Standardgraph Stano pens  |               |       |              |                 |           |       |

\*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

## MISCELLANEOUS

## Decisions Cancelled:

|    |           |  |    |    |    |         |    |    |
|----|-----------|--|----|----|----|---------|----|----|
| AK | 38.11.031 | Bravo ... W-75   | .. | .. | .. | 105121A | .. | .. |
| AK | 39.07.599 | Melon ... mats   | .. | .. | .. | 920142E | .. | .. |
| AK | 48.07.151 | Coated ... paper   | .. | .. | .. | 917225E | .. | .. |
| HO | 59.08.002 | Laminated taffeta  | .. | .. | .. | 207735D | .. | .. |
| AK | 83.01.011 | Lowe ... models;<br>V2HF0203 ... T44W31                    | .. | .. | .. | 205349H | .. | .. |
| AK | 84.10.029 | Hydraulic ... pumps<br>EXCLUDING:<br>Pumps ... over        | .. | .. | .. | 908882C | .. | .. |
| HO | 84.11.031 | Component ... XAS 80                                       | .. | .. | .. | 111081A | .. | .. |
| HO | 84.11.031 | Component ... 82.5 l/s                                     | .. | .. | .. | 111082K | .. | .. |
| HO | 84.11.031 | Vehicle ... outfits;<br>EXCLUDING:<br>Those ... 1949)      | .. | .. | .. | 111085D | .. | .. |
| AK | 84.17.009 | Churchill ... machines                                     | .. | .. | .. | 111238E | .. | .. |
| AK | 84.17.009 | Kato-Riki ... controllers                                  | .. | .. | .. | 200336J | .. | .. |
| AK | 84.17.009 | R.A. Stevens ... machines<br>Type 2300                     | .. | .. | .. | 111302L | .. | .. |
| AK | 84.22.009 | Automatic ... devices<br>Harmo                             | .. | .. | .. | 111780H | .. | .. |
| AK | 84.22.009 | Nisshin ... Seiki  | .. | .. | .. | 922890L | .. | .. |
| AK | 84.22.009 | Manual ... textiles  | .. | .. | .. | 919269H | .. | .. |
| HO | 84.23.021 | Self ... portion   | .. | .. | .. | 111855C | .. | .. |
| CH | 84.23.079 | Pacal ... bulldozers                                       | .. | .. | .. | 919997H | .. | .. |
| AK | 84.59.059 | Plastic ... therewith                                      | .. | .. | .. | 112769B | .. | .. |
| DN | 84.59.059 | Tape ... shells  | .. | .. | .. | 112827C | .. | .. |
| HO | 85.22.019 | Video ... imported:<br>(1) by ... or<br>(2) by ... Tariff. | .. | .. | .. | 206809F | .. | .. |
| DN | 90.28.009 | Meyer ... inspectors                                       | .. | .. | .. | 204602E | .. | .. |
| AK | 97.07.009 | Tuna ... fishermen   | .. | .. | .. | 115620K | .. | .. |

Dated at Wellington this 30th day of March 1983.

P. J. McKONE, Comptroller of Customs.

## TARIFF DECISION LIST No. 618

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

## DETERMINATIONS

| Port | Tariff Item No. | Goods   | Rates of Duty |                                       | Part II Ref. | Concession Code | Effective |     |
|------|-----------------|---|---------------|---------------------------------------|--------------|-----------------|-----------|-----|
|      |                 |   | Normal        | Pref.                                 |              |                 | From      | To* |
| HO   | 73.11.051       | Y shaped, mild, hot rolled steel (Y bar)<br>Deter'n | 25            | Aul 15<br>Can 15<br>DC 15<br>Pac Free | ..           | 207738J         | 2/83      | ..  |

Dated at Wellington this 30th day of March 1983.

P. J. McKONE, Comptroller of Customs.

## TARIFF DECISION LIST No. 619

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)  
DETERMINATIONS

| Port | Tariff Item No.      | Goods  | Rates of Duty |   | Part II Ref. | Concession Code | Effective |       |
|------|----------------------|--|---------------|---|--------------|-----------------|-----------|-------|
|      |                      |  | Normal        | Pref.                                   |              |                 | From      | To*   |
| HO   | 29.16.015<br>Deter'n | 2, 4-dichlorophenoxyacetic acid and its esters<br>2, 4, 5-trichlorophenoxyacetic acid and its ester<br>2, 4-dichlorophenoxyacetate | 35            | Aul 20<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207768L         | 1/83      | 12/83 |
| HO   | 29.16.015<br>Deter'n | 2, 4-dichlorophenoxyacetic acid and its esters<br>2, 4, 5-trichlorophenoxyacetic acid and its ester<br>2, 4-dichlorophenoxyacetate | 35            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207769J         | 1/84      | 12/84 |
| HO   | 29.16.015<br>Deter'n | 2, 4-dichlorophenoxyacetic acid and its esters<br>2, 4, 5-trichlorophenoxyacetic acid and its ester<br>2, 4-dichlorophenoxyacetate | 35            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207770B         | 1/85      | 12/85 |
| HO   | 29.16.015<br>Deter'n | 2, 4-dichlorophenoxyacetic acid and its esters<br>2, 4, 5-trichlorophenoxyacetic acid and its ester<br>2, 4-dichlorophenoxyacetate | 35            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207771L         | 1/86      | 12/86 |
| HO   | 29.16.015<br>Deter'n | 2, 4-dichlorophenoxyacetic acid and its esters<br>2, 4, 5-trichlorophenoxyacetic acid and its ester<br>2, 4-dichlorophenoxyacetate | 35            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207772J         | 1/87      | ..    |
| HO   | 51.01.014<br>Deter'n | Continuous filament dyed textured polyester yarns, in the 70-700 decitex range   | 10            | Aul Free<br>Can 5<br>Pac Free           | ..           | 207775C         | 1/83      | ..    |
| HO   | 51.01.014<br>Deter'n | Continuous filament textured acetate and triacetate yarns, in the 100-3000 decitex range   | 10            | Aul Free<br>Can 5<br>Pac Free           | ..           | 207774E         | 1/83      | ..    |
| HO   | 51.01.014<br>Deter'n | Continuous filament textured nylon yarns, in the 45-700 decitex range  | 10            | Aul Free<br>Can 5<br>Pac Free           | ..           | 207773G         | 1/83      | ..    |
| HO   | 59.16.001<br>Deter'n | Conveyor and elevator belts and belting, except belts and belting wholly of textile  | 45            | Aul 20<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207776A         | 1/83      | 12/83 |
| HO   | 59.16.001<br>Deter'n | Conveyor and elevator belts and belting, except belts and belting wholly of textile  | 45            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207777K         | 1/84      | 12/84 |
| HO   | 59.16.001<br>Deter'n | Conveyor and elevator belts and belting, except belts and belting wholly of textile  | 45            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207778H         | 1/85      | 12/85 |
| HO   | 59.16.001<br>Deter'n | Conveyor and elevator belts and belting, except belts and belting wholly of textile  | 45            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207779F         | 1/86      | 12/86 |
| HO   | 59.16.001<br>Deter'n | Conveyor and elevator belts and belting, except belts and belting wholly of textile  | 45            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207780K         | 1/87      | ..    |
| HO   | 73.20.051<br>Deter'n | Plate cut pipe flanges, E dine;<br>BS 10 1969<br>ASA (BS 1560)<br>BS 4504 (1969)   | 20            | Aul 5<br>Can 10<br>DC 10<br>Pac Free    | ..           | 207782F         | 1/83      | 12/83 |
| HO   | 73.20.051<br>Deter'n | Plate cut pipe flanges, E dine;<br>BS 10 1969<br>ASA (BS 1560)<br>BS 4504 (1969)   | 20            | Aul Free<br>Can 10<br>DC 10<br>Pac Free | ..           | 207783D         | 1/84      | ..    |
| HO   | 74.11.001<br>Deter'n | Expanded metal 0.4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh  | 35            | Aul 20<br>Can 25<br>DC 20<br>Pac Free   | ..           | 207784B         | 1/83      | 12/83 |
| HO   | 74.11.001<br>Deter'n | Expanded metal 0.4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh  | 35            | Aul 15<br>Can 25<br>DC 20<br>Pac Free   | ..           | 207785L         | 1/84      | 12/84 |
| HO   | 74.11.001<br>Deter'n | Expanded metal 0.4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh  | 35            | Aul 10<br>Can 25<br>DC 20<br>Pac Free   | ..           | 207786J         | 1/85      | 12/85 |
| HO   | 74.11.001<br>Deter'n | Expanded metal 0.4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh  | 35            | Aul 5<br>Can 25<br>DC 20<br>Pac Free    | ..           | 207787G         | 1/86      | 12/86 |
| HO   | 74.11.001<br>Deter'n | Expanded metal 0.4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh  | 35            | Aul Free<br>Can 25<br>DC 20<br>Pac Free | ..           | 207788E         | 1/87      | ..    |
| HO   | 76.16.031<br>Deter'n | Expanded metal from 0.4 mm to 4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh, but not anodised         | 35            | Aul 20<br>Can 25<br>DC 20<br>Pac Free   | ..           | 207789C         | 1/83      | 12/83 |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods  | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|--|---------------|---|--------------|------------------|-----------|-------|
|      |                      |  | Normal        | Pref.                                   |              |                  | From      | To*   |
| HO   | 76.16.031<br>Deter'n | Expanded metal from 0.4 mm to 4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh, but not anodised   | 35            | Aul 15<br>Can 25<br>DC 20<br>Pac Free   | ..           | 207790G          | 1/84      | 12/84 |
| HO   | 76.16.031<br>Deter'n | Expanded metal from 0.4 mm to 4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh, but not anodised   | 35            | Aul 10<br>Can 25<br>DC 20<br>Pac Free   | ..           | 207791E          | 1/85      | 12/85 |
| HO   | 76.16.031<br>Deter'n | Expanded metal from 0.4 mm to 4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh, but not anodised   | 35            | Aul 5<br>Can 25<br>DC 20<br>Pac Free    | ..           | 207792C          | 1/86      | 12/86 |
| HO   | 76.16.031<br>Deter'n | Expanded metal from 0.4 mm to 4 mm thickness, from 1 mm S.W.M. to 38 mm S.W.M., including flattened mesh, but not anodised   | 35            | Aul Free<br>Can 25<br>DC 20<br>Pac Free | ..           | 207793A          | 1/87      | ..    |
| HO   | 82.02.021<br>Deter'n | Carbon steel metal cutting bandsaw blade (excluding high speed solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) in;<br>(i) hard edge flexible back, or<br>(ii) hard edge tempered (i.e. toughened) back types, in any length, and of the following dimensions;<br>(a) in widths between 6.35 mm (1/4 in.) and 31.75 mm (1 1/4 in.) inclusive and,<br>(b) with pitchers between 3 and 32 teeth per 25.40 mm (1 in.) excluding scalloped teeth | 30            | Aul 15<br>Can 20<br>DC 20<br>Pac Free   | ..           | 207798B          | 1/83      | 12/83 |
| HO   | 82.02.021<br>Deter'n | Carbon steel metal cutting bandsaw blade (excluding high speed solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) in;<br>(i) hard edge flexible back, or<br>(ii) hard edge tempered (i.e. toughened) back types, in any length, and of the following dimensions;<br>(a) in widths between 6.35 mm (1/4 in.) and 31.75 mm (1 1/4 in.) inclusive and,<br>(b) with pitchers between 3 and 32 teeth per 25.40 mm (1 in.) excluding scalloped teeth | 30            | Aul 10<br>Can 20<br>DC 20<br>Pac Free   | ..           | 207799L          | 1/84      | 12/84 |
| HO   | 82.02.021<br>Deter'n | Carbon steel metal cutting bandsaw blade (excluding high speed solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) in;<br>(i) hard edge flexible back, or<br>(ii) hard edge tempered (i.e. toughened) back types, in any length, and of the following dimensions;<br>(a) in widths between 6.35 mm (1/4 in.) and 31.75 mm (1 1/4 in.) inclusive and,<br>(b) with pitchers between 3 and 32 teeth per 25.40 mm (1 in.) excluding scalloped teeth | 30            | Aul 5<br>Can 20<br>DC 20<br>Pac Free    | ..           | 207800H          | 1/85      | 12/85 |
| HO   | 82.02.021<br>Deter'n | Carbon steel metal cutting bandsaw blade (excluding high speed solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) in;<br>(i) hard edge flexible back, or<br>(ii) hard edge tempered (i.e. toughened) back types, in any length, and of the following dimensions;<br>(a) in widths between 6.35 mm (1/4 in.) and 31.75 mm (1 1/4 in.) inclusive and,<br>(b) with pitchers between 3 and 32 teeth per 25.40 mm (1 in.) excluding scalloped teeth | 30            | Aul Free<br>Can 20<br>DC 20<br>Pac Free | ..           | 207801F          | 1/86      | ..    |
| HO   | 82.02.021<br>Deter'n | Circular saw blades;<br>(1) tungsten carbide tipped<br>(2) solid tooth from 305 mm (12 in.) to 610 mm (24 in.) diameter, designed for cutting timber   | 30            | Aul 15<br>Can 20<br>DC 20<br>Pac Free   | ..           | 207802D          | 1/83      | 12/83 |
| HO   | 82.02.021<br>Deter'n | Circular saw blades;<br>(1) tungsten carbide tipped<br>(2) solid tooth from 305 mm (12 in.) to 610 mm (24 in.) diameter, designed for cutting timber   | 30            | Aul 10<br>Can 20<br>DC 20<br>Pac Free   | ..           | 207803B          | 1/84      | 12/84 |
| HO   | 82.02.021<br>Deter'n | Circular saw blades;<br>(1) tungsten carbide tipped<br>(2) solid tooth from 305 mm (12 in.) to 610 mm (24 in.) diameter, designed for cutting timber   | 30            | Aul 5<br>Can 20<br>DC 20<br>Pac Free    | ..           | 207804L          | 1/85      | 12/85 |
| HO   | 82.02.021<br>Deter'n | Circular saw blades;<br>(1) tungsten carbide tipped<br>(2) solid tooth from 305 mm (12 in.) to 610 mm (24 in.) diameter, designed for cutting timber   | 30            | Aul Free<br>Can 20<br>DC 20<br>Pac Free | ..           | 207805J          | 1/86      | ..    |
| HO   | 82.02.021<br>Deter'n | Gang saw blades for wood sawing  | 30            | Aul 15<br>Can 20<br>DC 20<br>Pac Free   | ..           | 207794K          | 1/83      | 12/83 |
| HO   | 82.02.021<br>Deter'n | Gang saw blades for wood sawing  | 30            | Aul 10<br>Can 20<br>DC 20<br>Pac Free   | ..           | 207795H          | 1/84      | 12/84 |
| HO   | 82.02.021<br>Deter'n | Gang saw blades for wood sawing  | 30            | Aul 5<br>Can 20<br>DC 20<br>Pac Free    | ..           | 207796F          | 1/85      | 12/85 |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods   | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|---|---------------|---|--------------|------------------|-----------|-------|
|      |                      |   | Normal        | Pref.                                   |              |                  | From      | To*   |
| HO   | 82.02.021<br>Deter'n | Gang saw blades for wood sawing   | 30            | Aul Free<br>Can 20<br>DC 20<br>Pac Free | ..           | 207797D          | 1/86      | ..    |
| HO   | 82.04.011<br>Deter'n | Screwdrivers, non-ratchet, having straight fixed blades or detachable bits measuring from 31.75 mm to 381 mm (1 1/4 in. to 15 in.) both inclusive, with shanks measuring from 3.63 mm to 11.11 mm (1/7 in. to 7/16 in.) both inclusive, and sets comprising any of the foregoing;<br>EXCLUDING:<br>(1) Screwdrivers of beryllium copper<br>(2) Blades and blanks, when declared by a manufacturer for use by him only in making screwdrivers<br>(3) Hexagonal head screwdrivers for Allen screws<br>(4) Valve core screwdrivers<br>(NOTE: The blade/bit length is to be measured between the point where the shank meets the handle and the tip of the working edge. Thickness is to be taken in the case of circular shanks as the diameter, and in the case of square and hexagonal shanks the length of a cross-sectional side). | 17.5          | Aul 2<br>Can 10<br>Pac Free             | ..           | 207806G          | 1/83      | 12/83 |
| HO   | 82.04.011<br>Deter'n | Screwdrivers, non-ratchet, having straight fixed blades or detachable bits measuring from 31.75 mm to 381 mm (1 1/4 in. to 15 in.) both inclusive, with shanks measuring from 3.63 mm to 11.11 mm (1/7 in. to 7/16 in.) both inclusive, and sets comprising any of the foregoing;<br>EXCLUDING:<br>(1) Screwdrivers of beryllium copper<br>(2) Blades and blanks, when declared by a manufacturer for use by him only in making screwdrivers<br>(3) Hexagonal head screwdrivers for Allen screws<br>(4) Valve core screwdrivers<br>(NOTE: The blade/bit length is to be measured between the point where the shank meets the handle and the tip of the working edge. Thickness is to be taken in the case of circular shanks as the diameter, and in the case of square and hexagonal shanks the length of a cross-sectional side). | 17.5          | Aul Free<br>Can 10<br>Pac Free          | ..           | 207807E          | 1/84      | ..    |
| HO   | 84.23.011<br>Deter'n | Front end loaders, whether or not assembled, as defined by SAE Standard SAE J1057a (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 16,000 kg as measured to SAE Standard J732c<br>This measurement shall be applied to these loaders equipped to the normal standard specifications as offered for sale excluding tyre ballast  | 35            | Aul 20<br>Can 25<br>Pac Free            | ..           | 207808C          | 1/83      | 12/83 |
| HO   | 84.23.011<br>Deter'n | Front end loaders, whether or not assembled, as defined by SAE Standard SAE J1057a (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 16,000 kg as measured to SAE Standard J732c<br>This measurement shall be applied to these loaders equipped to the normal standard specifications as offered for sale excluding tyre ballast  | 35            | Aul 15<br>Can 25<br>Pac Free            | ..           | 207809A          | 1/84      | 12/84 |
| HO   | 84.23.011<br>Deter'n | Front end loaders, whether or not assembled, as defined by SAE Standard SAE J1057a (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 16,000 kg as measured to SAE Standard J732c<br>This measurement shall be applied to these loaders equipped to the normal standard specifications as offered for sale excluding tyre ballast  | 35            | Aul 10<br>Can 25<br>Pac Free            | ..           | 207810E          | 1/85      | 12/85 |
| HO   | 84.23.011<br>Deter'n | Front end loaders, whether or not assembled, as defined by SAE Standard SAE J1057a (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 16,000 kg as measured to SAE Standard J732c<br>This measurement shall be applied to these loaders equipped to the normal standard specifications as offered for sale excluding tyre ballast  | 35            | Aul 5<br>Can 25<br>Pac Free             | ..           | 207811C          | 1/86      | 12/86 |
| HO   | 84.23.011<br>Deter'n | Front end loaders, whether or not assembled, as defined by SAE Standard SAE J1057a (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 16,000 kg as measured to SAE Standard J732c<br>This measurement shall be applied to these loaders equipped to the normal standard specifications as offered for sale excluding tyre ballast  | 35            | Aul Free<br>Can 25<br>Pac Free          | ..           | 207812A          | 1/87      | ..    |
| HO   | 84.25.011<br>Deter'n | Haymaking tedders, whether or not assembled, including multifunctional type machines  | 20            | Aul 15<br>DC 15<br>Pac Free             | ..           | 207813K          | 1/83      | 12/83 |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods  | Rates of Duty |   | Part II Ref. | Concession Code | Effective |       |
|------|----------------------|--|---------------|---|--------------|-----------------|-----------|-------|
|      |                      |  | Normal        | Pref.                                   |              |                 | From      | To*   |
| HO   | 84.25.011<br>Deter'n | Haymaking tedders, whether or not assembled, including multifunctional type machines   | 20            | Aul 10<br>DC 15<br>Pac Free             | ..           | 207814H         | 1/84      | 12/84 |
| HO   | 84.25.011<br>Deter'n | Haymaking tedders, whether or not assembled, including multifunctional type machines   | 20            | Aul 5<br>DC 15<br>Pac Free              | ..           | 207815F         | 1/85      | 12/85 |
| HO   | 84.25.011<br>Deter'n | Haymaking tedders, whether or not assembled, including multifunctional type machines   | 20            | Aul Free<br>DC 15<br>Pac Free           | ..           | 207816D         | 1/86      | ..    |
| HO   | 84.25.061<br>Deter'n | Seed and grain cleaning, winnowing, sorting and grading machines   | 20            | Aul 15<br>DC 15<br>Pac Free             | ..           | 207817B         | 1/83      | 12/83 |
| HO   | 84.25.061<br>Deter'n | Seed and grain cleaning, winnowing, sorting and grading machines   | 20            | Aul 10<br>DC 15<br>Pac Free             | ..           | 207818L         | 1/84      | 12/84 |
| HO   | 84.25.061<br>Deter'n | Seed and grain cleaning, winnowing, sorting and grading machines   | 20            | Aul 5<br>DC 15<br>Pac Free              | ..           | 207819J         | 1/85      | 12/85 |
| HO   | 84.25.061<br>Deter'n | Seed and grain cleaning, winnowing, sorting and grading machines   | 20            | Aul Free<br>DC 15<br>Pac Free           | ..           | 207820B         | 1/86      | ..    |
| HO   | 84.28.031<br>Deter'n | Rearing and laying poultry keeping units or batteries, including individual machines, peculiar for use in feeding, watering and egg collection; and poultry brooders | 20            | Aul 15<br>DC 15<br>Pac Free             | ..           | 207822J         | 1/83      | 12/83 |
| HO   | 84.28.031<br>Deter'n | Rearing and laying poultry keeping units or batteries, including individual machines, peculiar for use in feeding, watering and egg collection; and poultry brooders | 20            | Aul 10<br>DC 15<br>Pac Free             | ..           | 207823G         | 1/84      | 12/84 |
| HO   | 84.28.031<br>Deter'n | Rearing and laying poultry keeping units or batteries, including individual machines, peculiar for use in feeding, watering and egg collection; and poultry brooders | 20            | Aul 5<br>DC 15<br>Pac Free              | ..           | 207824E         | 1/85      | 12/85 |
| HO   | 84.28.031<br>Deter'n | Rearing and laying poultry keeping units or batteries, including individual machines, peculiar for use in feeding, watering and egg collection; and poultry brooders | 20            | Aul Free<br>DC 15<br>Pac Free           | ..           | 207825C         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Bar, tube, rod and profile bending machines NOT exceeding the following capacities; bar; 60.3 mm × 8 mm tube; 150 mm rod; 22.22 mm                                   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207826A         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Bar, tube, rod and profile bending machines NOT exceeding the following capacities; bar; 60.3 mm × 8 mm tube; 150 mm rod; 22.22 mm                                   | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207827K         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Bar, tube, rod and profile bending machines NOT exceeding the following capacities; bar; 60.3 mm × 8 mm tube; 150 mm rod; 22.22 mm                                   | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207828H         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Bar, tube, rod and profile bending machines NOT exceeding the following capacities; bar; 60.3 mm × 8 mm tube; 150 mm rod; 22.22 mm                                   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207829F         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Box and plan folders, hand operated  | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207830K         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Box and plan folders, hand operated  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207831H         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Box and plan folders, hand operated  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207832F         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Box and plan folders, hand operated  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207833D         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Buffing and contact grinding machines, not exceeding 304.8 mm wheel diameter and 508 mm belt width   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207834B         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Buffing and contact grinding machines, not exceeding 304.8 mm wheel diameter and 508 mm belt width   | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207835L         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Buffing and contact grinding machines, not exceeding 304.8 mm wheel diameter and 508 mm belt width   | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207836J         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Buffing and contact grinding machines, not exceeding 304.8 mm wheel diameter and 508 mm belt width   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207837G         | 1/86      | ..    |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods   | Rates of Duty |   | Part II Ref. | Concession Code | Effective |       |
|------|----------------------|---|---------------|---|--------------|-----------------|-----------|-------|
|      |                      |   | Normal        | Pref.                                   |              |                 | From      | To*   |
| HO   | 84.45.001<br>Deter'n | Chain saw sharpeners  | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207838E         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Chain saw sharpeners  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207839C         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Chain saw sharpeners  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207840G         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Chain saw sharpeners  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207841E         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207842C         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207843A         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207844K         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207845H         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Drill presses, wall mounting, radial type not exceeding 22.22 capacity in mild steel. (Multi-purpose or composite machines, incorporating this function fall within this Determination.)  | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207846F         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Drill presses, wall mounting, radial type not exceeding 22.22 capacity in mild steel. (Multi-purpose or composite machines, incorporating this function fall within this Determination.)  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207847D         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Drill presses, wall mounting, radial type not exceeding 22.22 capacity in mild steel. (Multi-purpose or composite machines, incorporating this function fall within this Determination.)  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207848B         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Drill presses, wall mounting, radial type not exceeding 22.22 capacity in mild steel. (Multi-purpose or composite machines, incorporating this function fall within this Determination.)  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207849L         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Grinders, bench, not exceeding 407 mm wheel diameter and pedestal not exceeding 457.2 mm wheel diameter excluding valve refacing machines   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207850D         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Grinders, bench, not exceeding 407 mm wheel diameter and pedestal not exceeding 457.2 mm wheel diameter excluding valve refacing machines   | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207851B         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Grinders, bench, not exceeding 407 mm wheel diameter and pedestal not exceeding 457.2 mm wheel diameter excluding valve refacing machines   | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207852L         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Grinders, bench, not exceeding 407 mm wheel diameter and pedestal not exceeding 457.2 mm wheel diameter excluding valve refacing machines   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207853J         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Machinery, peculiar for use in making and repairing exhaust systems and other products made from metal tubing, not exceeding the following capacity; swaging, 19 mm-76 mm expanding, 25 mm-76 mm; bending, 19 mm-76 mm; and forming bends of 60 mm-140 mm radii<br>EXCLUDING:<br>numerically controlled machine tools | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207854G         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Machinery, peculiar for use in making and repairing exhaust systems and other products made from metal tubing, not exceeding the following capacity; swaging, 19 mm-76 mm expanding, 25 mm-76 mm; bending, 19 mm-76 mm; and forming bends of 60 mm-140 mm radii<br>EXCLUDING:<br>numerically controlled machine tools | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207855E         | 1/84      | 12/84 |



TARIFF DECISION LIST No. 619—continued  
DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods   | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|---|---------------|---|--------------|------------------|-----------|-------|
|      |                      |   | Normal        | Pref.                                   |              |                  | From      | To*   |
| HO   | 84.45.001<br>Deter'n | Machinery, peculiar for use in making and repairing exhaust systems and other products made from metal tubing, not exceeding the following capacity;<br>swaging, 19 mm–76 mm<br>expanding, 25 mm–76 mm;<br>bending, 19 mm–76 mm; and<br>forming bends of 60 mm–140 mm radii<br>EXCLUDING:<br>numerically controlled machine tools   | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207856C          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Machinery, peculiar for use in making and repairing exhaust systems and other products made from metal tubing, not exceeding the following capacity;<br>swaging, 19 mm–76 mm<br>expanding, 25 mm–76 mm;<br>bending, 19 mm–76 mm; and<br>forming bends of 60 mm–140 mm radii<br>EXCLUDING:<br>numerically controlled machine tools   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207857A          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Metal circular saws, hand operated, with blades not exceeding 1016 mm diameter  | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207858K          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Metal circular saws, hand operated, with blades not exceeding 1016 mm diameter  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207859H          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Metal circular saws, hand operated, with blades not exceeding 1016 mm diameter  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207860A          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Metal circular saws, hand operated, with blades not exceeding 1016 mm diameter  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207861K          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Metal hacksaws, with a rated square material cutting capacity up to and including 250 mm  | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207878D          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Metal hacksaws, with a rated square material cutting capacity up to and including 250 mm  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207879B          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Metal hacksaws, with a rated square material cutting capacity up to and including 250 mm  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207880F          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Metal hacksaws, with a rated square material cutting capacity up to and including 250 mm  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207881D          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Metalworking guillotines and shears, excluding;<br>(1) 762 mm power operated guillotines especially suited for use in the photo-processing and engraving grade for cutting zinc, magnesium and copper sheets<br>(2) Reinforced steel bar cropping machines, with capacity exceeding 20 mm<br>(3) Types with a cut of 105 mm or less | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207882B          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Metalworking guillotines and shears, excluding;<br>(1) 762 mm power operated guillotines especially suited for use in the photo-processing and engraving grade for cutting zinc, magnesium and copper sheets<br>(2) Reinforced steel bar cropping machines, with capacity exceeding 20 mm<br>(3) Types with a cut of 105 mm or less | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207883L          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Metalworking guillotines and shears, excluding;<br>(1) 762 mm power operated guillotines especially suited for use in the photo-processing and engraving grade for cutting zinc, magnesium and copper sheets<br>(2) Reinforced steel bar cropping machines, with capacity exceeding 20 mm<br>(3) Types with a cut of 105 mm or less | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207884J          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Metalworking guillotines and shears, excluding;<br>(1) 762 mm power operated guillotines especially suited for use in the photo-processing and engraving grade for cutting zinc, magnesium and copper sheets<br>(2) Reinforced steel bar cropping machines, with capacity exceeding 20 mm<br>(3) Types with a cut of 105 mm or less | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207885G          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Microtome knife blade sharpener   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207886E          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Microtome knife blade sharpener   | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207887C          | 1/84      | 12/84 |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods  | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|--|---------------|---|--------------|------------------|-----------|-------|
|      |                      |  | Normal        | Pref.                                   |              |                  | From      | To*   |
| HO   | 84.45.001<br>Deter'n | Microtome knife blade sharpener  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207888A          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Microtome knife blade sharpener  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207889K          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Plate rolls and press brakes (including coil cradle straighteners)                 | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207890C          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Plate rolls and press brakes (including coil cradle straighteners)                 | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207891A          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Plate rolls and press brakes (including coil cradle straighteners)                 | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207892K          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Plate rolls and press brakes (including coil cradle straighteners)                 | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207893H          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Presses, hydraulic   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207894F          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Presses, hydraulic   | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207895D          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Presses, hydraulic   | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207896B          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Presses, hydraulic   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207897L          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Presses, mechanical, power operated, and other, not exceeding 30.5 tonnes capacity | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207898J          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Presses, mechanical, power operated, and other, not exceeding 30.5 tonnes capacity | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207899G          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Presses, mechanical, power operated, and other, not exceeding 30.5 tonnes capacity | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207900D          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Presses, mechanical, power operated, and other, not exceeding 30.5 tonnes capacity | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207901B          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Punch, crop, and rivet presses, not exceeding 3.05 tonnes capacity                 | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207902L          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Punch, crop, and rivet presses, not exceeding 3.05 tonnes capacity                 | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207903J          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Punch, crop, and rivet presses, not exceeding 3.05 tonnes capacity                 | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207904G          | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Punch, crop, and rivet presses, not exceeding 3.05 tonnes capacity                 | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207905E          | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Rod reinforcing steel cutters, not exceeding 20 mm mild steel capacity             | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207906C          | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Rod reinforcing steel cutters, not exceeding 20 mm mild steel capacity             | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207907A          | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Rod reinforcing steel cutters, not exceeding 20 mm mild steel capacity             | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207908K          | 1/85      | 12/85 |

TARIFF DECISION LIST No. 619—continued  
DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods   | Rates of Duty |   | Part II Ref. | Concession Code | Effective |       |
|------|----------------------|---|---------------|---|--------------|-----------------|-----------|-------|
|      |                      |   | Normal        | Pref.                                   |              |                 | From      | To*   |
| HO   | 84.45.001<br>Deter'n | Rod reinforcing steel cutters, not exceeding 20 mm mild steel capacity  | 40            | Aul Free<br>Can 25<br>DC 25             | ..           | 207909H         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Roll forming machines, including continuous spouting and continuous ridging machines  | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25   | ..           | 207911K         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Roll forming machines, including continuous spouting and continuous ridging machines  | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25   | ..           | 207912H         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Roll forming machines, including continuous spouting and continuous ridging machines  | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25    | ..           | 207913F         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Roll forming machines, including continuous spouting and continuous ridging machines  | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25 | ..           | 207914D         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Shearing, punching, and notching machines, hand and hydraulically operated  | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25   | ..           | 207916L         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Shearing, punching, and notching machines, hand and hydraulically operated  | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25   | ..           | 207917J         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Shearing, punching, and notching machines, hand and hydraulically operated  | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25    | ..           | 207918G         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Shearing, punching, and notching machines, hand and hydraulically operated  | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25 | ..           | 207919E         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Sheet metal folding machines  | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25   | ..           | 207920J         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Sheet metal folding machines  | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25   | ..           | 207921G         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Sheet metal folding machines  | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25    | ..           | 207922E         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Sheet metal folding machines  | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25 | ..           | 207923C         | 1/86      | ..    |
| HO   | 84.45.001<br>Deter'n | Sheet metal rollers, hand operated, not exceeding 1220 mm × 76.2 mm × 1.6 mm capacity   | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25   | ..           | 207924A         | 1/83      | 12/83 |
| HO   | 84.45.001<br>Deter'n | Sheet metal rollers, hand operated, not exceeding 1220 mm × 76.2 mm × 1.6 mm capacity   | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25   | ..           | 207925K         | 1/84      | 12/84 |
| HO   | 84.45.001<br>Deter'n | Sheet metal rollers, hand operated, not exceeding 1220 mm × 76.2 mm × 1.6 mm capacity   | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25    | ..           | 207926H         | 1/85      | 12/85 |
| HO   | 84.45.001<br>Deter'n | Sheet metal rollers, hand operated, not exceeding 1220 mm × 76.2 mm × 1.6 mm capacity   | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25 | ..           | 207927F         | 1/86      | ..    |
| HO   | 84.47.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.) | 40            | Pac Free<br>Aul 20<br>Can 25<br>DC 25   | ..           | 207928D         | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.) | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25   | ..           | 207929B         | 1/84      | 12/84 |
| HO   | 84.47.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.) | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25   | ..           | 207930F         | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.) | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25    | ..           | 207931D         | 1/86      | 12/86 |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods   | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|---|---------------|---|--------------|------------------|-----------|-------|
|      |                      |   | Normal        | Pref.   |              |                  | From      | To*   |
| HO   | 84.47.001<br>Deter'n | Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.) | 40            | Aul Free<br>Can 25<br>DC 25                         | ..           | 207932B          | 1/87      | ..    |
| HO   | 84.47.001<br>Deter'n | Plastic granulators not exceeding 22.37 kW (30 h.p.) capacity   | 40            | Pac Free<br>Aul 20<br>Can 25<br>DC 25               | ..           | 207961F          | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Plastic granulators not exceeding 22.37 kW (30 h.p.) capacity   | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25               | ..           | 207962D          | 1/84      | 12/84 |
| HO   | 84.47.001<br>Deter'n | Plastic granulators not exceeding 22.37 kW (30 h.p.) capacity   | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25               | ..           | 207963B          | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Plastic granulators not exceeding 22.37 kW (30 h.p.) capacity   | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25                | ..           | 207964L          | 1/86      | 12/86 |
| HO   | 84.47.001<br>Deter'n | Plastic granulators not exceeding 22.37 kW (30 h.p.) capacity   | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25             | ..           | 207965J          | 1/87      | ..    |
| HO   | 84.47.001<br>Deter'n | Surface planers, buzzers or jointers with blade not exceeding 310 mm  | 40            | Pac Free<br>Aul 20<br>Can 25<br>DC 25               | ..           | 207933L          | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Surface planers, buzzers or jointers with blade not exceeding 310 mm  | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25               | ..           | 207934J          | 1/84      | 12/84 |
| HO   | 84.47.001<br>Deter'n | Surface planers, buzzers or jointers with blade not exceeding 310 mm  | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25               | ..           | 207935G          | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Surface planers, buzzers or jointers with blade not exceeding 310 mm  | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25                | ..           | 207936E          | 1/86      | 12/86 |
| HO   | 84.47.001<br>Deter'n | Surface planers, buzzers or jointers with blade not exceeding 310 mm  | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25             | ..           | 207937C          | 1/87      | ..    |
| HO   | 84.47.001<br>Deter'n | Thicknessers, with a capacity up to and including 330 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Pac Free<br>Aul 20<br>Can 25<br>DC 25               | ..           | 207938A          | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Thicknessers, with a capacity up to and including 330 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25               | ..           | 207939K          | 1/84      | 12/84 |
| HO   | 84.47.001<br>Deter'n | Thicknessers, with a capacity up to and including 330 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25               | ..           | 207940C          | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Thicknessers, with a capacity up to and including 330 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25                | ..           | 207941A          | 1/86      | 12/86 |
| HO   | 84.47.001<br>Deter'n | Thicknessers, with a capacity up to and including 330 mm. (Multi-purpose or composite machines incorporating this function fall within this Determination.)   | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25             | ..           | 207942K          | 1/87      | ..    |
| HO   | 84.47.001<br>Deter'n | Woodturning lathes, for operation with tools held by the hand or semi-automatic (but not including fully automatic)   | 40            | Pac Free<br>Aul 20<br>Can 25<br>DC 25               | ..           | 207943H          | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Woodturning lathes, for operation with tools held by the hand or semi-automatic (but not including fully automatic)   | 40            | Pac Free<br>Aul 15<br>Can 25<br>DC 25               | ..           | 207944F          | 1/84      | 12/84 |
| HO   | 84.47.001<br>Deter'n | Woodturning lathes, for operation with tools held by the hand or semi-automatic (but not including fully automatic)   | 40            | Pac Free<br>Aul 10<br>Can 25<br>DC 25               | ..           | 207945D          | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Woodturning lathes, for operation with tools held by the hand or semi-automatic (but not including fully automatic)   | 40            | Pac Free<br>Aul 5<br>Can 25<br>DC 25                | ..           | 207946B          | 1/86      | 12/86 |
| HO   | 84.47.001<br>Deter'n | Woodturning lathes, for operation with tools held by the hand or semi-automatic (but not including fully automatic)   | 40            | Pac Free<br>Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207947L          | 1/87      | ..    |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods  | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|--|---------------|---|--------------|------------------|-----------|-------|
|      |                      |  | Normal        | Pref.                                   |              |                  | From      | To*   |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery:<br>Belt sanding machines (other than portable), with a belt width not exceeding 160 mm  | 40            | Aul 20<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207951J          | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery:<br>Belt sanding machines (other than portable), with a belt width not exceeding 160 mm  | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207952G          | 1/84      | 12/84 |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery:<br>Belt sanding machines (other than portable), with a belt width not exceeding 160 mm  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207953E          | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery:<br>Belt sanding machines (other than portable), with a belt width not exceeding 160 mm  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207954C          | 1/86      | 12/86 |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery:<br>Belt sanding machines (other than portable), with a belt width not exceeding 160 mm  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207955A          | 1/87      | ..    |
| HO   | 84.47.001<br>Deter'n | Woodworking Machinery;<br>End-matching machines  | 40            | Aul 20<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207956K          | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Woodworking Machinery;<br>End-matching machines  | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207957H          | 1/84      | 12/84 |
| HO   | 84.47.001<br>Deter'n | Woodworking Machinery;<br>End-matching machines  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207958F          | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Woodworking Machinery;<br>End-matching machines  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207959D          | 1/86      | 12/86 |
| HO   | 84.47.001<br>Deter'n | Woodworking Machinery;<br>End-matching machines  | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207960H          | 1/87      | ..    |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery;<br>Automatic firewood saws<br>Bandsaws with throat capacity not exceeding 535 mm (21 in.)<br>Box nailing machines<br>Breast benches<br>Circular breakdown saws<br>Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding 360 mm<br>Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500 mm (20 in.)<br>Docking saws<br>Dovetailing machines with single spindle and manual feed<br>Drill presses, wall mounting, radial type not exceeding 22.2 mm capacity in mild steel<br>Horizontal dowel boring machines, not exceeding 25 mm capacity in mild steel<br>Log cut-off swing saws<br>Post peelers<br>Post pointers<br>Precision veneer trimming saws<br>Radial arm saws, overhead crosscut saws, trenching machines, and mitreing machines, with a blade diameter not exceeding 360 mm<br>Splitting saws<br>Tenoning machines, single spindle<br>Veneer presses manually operated, single daylight, for cold pressing;<br>Vertical breakdown saws<br>Wood debarking machines, Rosser head not exceeding 1425 mm (56 in.) diameter and ring type not exceeding 1020 mm (40 in.) diameter | 40            | Aul 20<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207966G          | 1/83      | 12/83 |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery;<br>Automatic firewood saws<br>Bandsaws with throat capacity not exceeding 535 mm (21 in.)<br>Box nailing machines<br>Breast benches<br>Circular breakdown saws<br>Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding 360 mm<br>Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500 mm (20 in.)<br>Docking saws<br>Dovetailing machines with single spindle and manual feed<br>Drill presses, wall mounting, radial type not exceeding 22.2 mm capacity in mild steel   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207967E          | 1/84      | 12/84 |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods  | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|--|---------------|---|--------------|------------------|-----------|-------|
|      |                      |  | Normal        | Pref.                                   |              |                  | From      | To*   |
| HO   | 84.47.001<br>Deter'n | Horizontal dowel boring machines, not exceeding 25 mm capacity in mild steel<br>Log cut-off swing saws<br>Post peelers<br>Post pointers<br>Precision veneer trimming saws<br>Radial arm saws, overhead crosscut saws, trenching machines, and mitreing machines, with a blade diameter not exceeding 360 mm<br>Splitting saws<br>Tenoning machines, single spindle<br>Veneer presses manually operated, single daylight, for cold pressing;<br>Vertical breakdown saws<br>Wood debarking machines, Rosser head not exceeding 1425 mm (56 in.) diameter and ring type not exceeding 1020 mm (40 in.) diameter<br>Woodworking machinery;<br>Automatic firewood saws<br>Bandsaws with throat capacity not exceeding 535 mm (21 in.)<br>Box nailing machines<br>Breast benches<br>Circular breakdown saws<br>Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding 360 mm<br>Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500 mm (20 in.)<br>Docking saws<br>Dovetailing machines with single spindle and manual feed<br>Drill presses, wall mounting, radial type not exceeding 22.2 mm capacity in mild steel<br>Horizontal dowel boring machines, not exceeding 25 mm capacity in mild steel<br>Log cut-off swing saws<br>Post peelers<br>Post pointers<br>Precision veneer trimming saws<br>Radial arm saws, overhead crosscut saws, trenching machines, and mitreing machines, with a blade diameter not exceeding 360 mm<br>Splitting saws<br>Tenoning machines, single spindle<br>Veneer presses manually operated, single daylight, for cold pressing;<br>Vertical breakdown saws<br>Wood debarking machines, Rosser head not exceeding 1425 mm (56 in.) diameter and ring type not exceeding 1020 mm (40 in.) diameter | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207968C          | 1/85      | 12/85 |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery;<br>Automatic firewood saws<br>Bandsaws with throat capacity not exceeding 535 mm (21 in.)<br>Box nailing machines<br>Breast benches<br>Circular breakdown saws<br>Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding 360 mm<br>Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500 mm (20 in.)<br>Docking saws<br>Dovetailing machines with single spindle and manual feed<br>Drill presses, wall mounting, radial type not exceeding 22.2 mm capacity in mild steel<br>Horizontal dowel boring machines, not exceeding 25 mm capacity in mild steel<br>Log cut-off swing saws<br>Post peelers<br>Post pointers<br>Precision veneer trimming saws<br>Radial arm saws, overhead crosscut saws, trenching machines, and mitreing machines, with a blade diameter not exceeding 360 mm<br>Splitting saws<br>Tenoning machines, single spindle<br>Veneer presses manually operated, single daylight, for cold pressing;<br>Vertical breakdown saws<br>Wood debarking machines, Rosser head not exceeding 1425 mm (56 in.) diameter and ring type not exceeding 1020 mm (40 in.) diameter   | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207969A          | 1/86      | 12/86 |
| HO   | 84.47.001<br>Deter'n | Woodworking machinery;<br>Automatic firewood saws<br>Bandsaws with throat capacity not exceeding 535 mm (21 in.)<br>Box nailing machines<br>Breast benches<br>Circular breakdown saws<br>Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding 360 mm<br>Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500 mm (20 in.)<br>Docking saws<br>Dovetailing machines with single spindle and manual feed<br>Drill presses, wall mounting, radial type not exceeding 22.2 mm capacity in mild steel<br>Horizontal dowel boring machines, not exceeding 25 mm capacity in mild steel<br>Log cut-off swing saws<br>Post peelers<br>Post pointers<br>Precision veneer trimming saws<br>Radial arm saws, overhead crosscut saws, trenching machines, and mitreing machines, with a blade diameter not exceeding 360 mm<br>Splitting saws<br>Tenoning machines, single spindle<br>Veneer presses manually operated, single daylight, for cold pressing;<br>Vertical breakdown saws<br>Wood debarking machines, Rosser head not exceeding 1425 mm (56 in.) diameter and ring type not exceeding 1020 mm (40 in.) diameter   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207970E          | 1/87      | ..    |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods   | Rates of Duty |   | Part II Ref. | Concession Code | Effective |       |
|------|----------------------|---|---------------|---|--------------|-----------------|-----------|-------|
|      |                      |   | Normal        | Pref.                                   |              |                 | From      | To*   |
|      |                      | Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500 mm (20 in.)<br>Docking saws<br>Dovetailing machines with single spindle and manual feed<br>Drill presses, wall mounting, radial type not exceeding 22.2 mm capacity in mild steel<br>Horizontal dowel boring machines, not exceeding 25 mm capacity in mild steel<br>Log cut-off swing saws<br>Post peelers<br>Post pointers<br>Precision veneer trimming saws<br>Radial arm saws, overhead crosscut saws, trenching machines, and mitreing machines, with a blade diameter not exceeding 360 mm<br>Splitting saws<br>Tenoning machines, single spindle<br>Veneer presses manually operated, single daylight, for cold pressing;<br>Vertical breakdown saws<br>Wood debarking machines, Rosser head not exceeding 1425 mm (56 in.) diameter and ring type not exceeding 1020 mm (40 in.) diameter |               |   |              |                 |           |       |
| HO   | 84.48.001<br>Deter'n | Accessories and parts of drill presses, bench or floor mounting column type, up to and including 42 mm capacities in mild steel   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | 10           | 207977B         | 1/83      | ..    |
| HO   | 84.50.001<br>Deter'n | (1) Equipment and attachments designed to be normally held in the hand, using oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating and surface-tempering, including blowpipes, torches, hand-held pieces and cutting attachments; and<br>(2) Nozzles and tips used with oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating and surface-tempering, suitable for use with hand-held and/or mechanised equipment   | 40            | Aul 20<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207972A         | 1/83      | 12/83 |
| HO   | 84.50.001<br>Deter'n | (1) Equipment and attachments designed to be normally held in the hand, using oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating and surface-tempering, including blowpipes, torches, hand-held pieces and cutting attachments; and<br>(2) Nozzles and tips used with oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating and surface-tempering, suitable for use with hand-held and/or mechanised equipment   | 40            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207973K         | 1/84      | 12/84 |
| HO   | 84.50.001<br>Deter'n | (1) Equipment and attachments designed to be normally held in the hand, using oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating and surface-tempering, including blowpipes, torches, hand-held pieces, and cutting attachments; and<br>(2) Nozzles and tips used with oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating and surface-tempering, suitable for use with hand-held and/or mechanised equipment  | 40            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207974H         | 1/85      | 12/85 |
| HO   | 84.50.001<br>Deter'n | (1) Equipment and attachments designed to be normally held in the hand, using oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating, and surface-tempering, including blowpipes, torches, hand-held pieces, and cutting attachments; and<br>(2) Nozzles and tips used with oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating, and surface-tempering, suitable for use with hand-held and/or mechanised equipment  | 40            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207975F         | 1/86      | 12/86 |
| HO   | 84.50.001<br>Deter'n | (1) Equipment and attachments designed to be normally held in the hand, using oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating, and surface-tempering, including blowpipes, torches, hand-held pieces and cutting attachments; and<br>(2) Nozzles and tips used with oxygen and a fuel gas for the purpose of welding, brazing, cutting, heating, and surface-tempering, suitable for use with hand-held and/or mechanised equipment   | 40            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207976D         | 1/87      | ..    |
| HO   | 85.01.021<br>Deter'n | Power and distribution transformers having a rated input voltage exceeding 240 volt, but not exceeding 220,000 volts with a capacity of 1 kVA to 100 MVA, excluding transformers subject to concessionary entry under Part II of the Tariff   | 35            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207978L         | 1/83      | 12/83 |
| HO   | 85.01.021<br>Deter'n | Power and distribution transformers having a rated input voltage exceeding 240 volt, but not exceeding 220,000 volts with a capacity of 1 kVA to 100 MVA, excluding transformers subject to concessionary entry under Part II of the Tariff   | 35            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207979J         | 1/84      | 12/84 |
| HO   | 85.01.021<br>Deter'n | Power and distribution transformers having a rated input voltage exceeding 240 volt, but not exceeding 220,000 volts with a capacity of 1 kVA to 100 MVA, excluding transformers subject to concessionary entry under Part II of the Tariff   | 35            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207980B         | 1/85      | 12/85 |

## TARIFF DECISION LIST No. 619—continued

## DETERMINATIONS—continued

| Port | Tariff Item No.                     | Goods  | Rates of Duty |  | Part II Ref. | Concession Code | Effective |       |
|------|-------------------------------------|--|---------------|--|--------------|-----------------|-----------|-------|
|      |                                     |  | Normal        | Pref.  |              |                 | From      | To*   |
| HO   | 85.01.021<br>Deter'n                | Power and distribution transformers having a rated input voltage exceeding 240 volt, but not exceeding 220,000 volts with a capacity of 1 kVA to 100 MVA, excluding transformers subject to concessionary entry under Part II of the Tariff  | 35            | Aul Free<br>Can 25<br>DC 25<br>Pac Free                    | ..           | 207981L         | 1/86      | ..    |
| HO   | 85.01.021<br>Deter'n                | Welding transformers, having an input voltage exceeding 240 volts and having a maximum welding output of 620 amps or less, peculiar for use in manual arc welding  | 35            | Aul 15<br>Can 25<br>DC 25<br>Pac Free                      | ..           | 207983G         | 1/83      | 12/83 |
| HO   | 85.01.021<br>Deter'n                | Welding transformers, having an input voltage exceeding 240 volts and having a maximum welding output of 620 amps or less, peculiar for use in manual arc welding  | 35            | Aul 10<br>Can 25<br>DC 25<br>Pac Free                      | ..           | 207984E         | 1/84      | 12/84 |
| HO   | 85.01.021<br>Deter'n                | Welding transformers, having an input voltage exceeding 240 volts and having a maximum welding output of 620 amps or less, peculiar for use in manual arc welding  | 35            | Aul 5<br>Can 25<br>DC 25<br>Pac Free                       | ..           | 207985C         | 1/85      | 12/85 |
| HO   | 85.01.021<br>Deter'n                | Welding transformers, having an input voltage exceeding 240 volts and having a maximum welding output of 620 amps or less, peculiar for use in manual arc welding  | 35            | Aul Free<br>Can 25<br>DC 25<br>Pac Free                    | ..           | 207986A         | 1/86      | ..    |
|      | 85.03.011)<br>85.03.012)<br>Deter'n | Primary cells and primary batteries of kinds (per doz cells) determined by the Minister;<br>Determined;<br>Cells of dimension contained in British Standard Specifications (per cell) 397/1976, designed R6, R14, R20, or their equivalent (e.g., E. 91, E. 93, E. 95, MN 1300, MN 1400 MN 1500), or batteries containing such cells<br>* Where alternative rates are shown the rate payable is that which returns the higher duty | 40<br>or *    | Aul 20<br>Can 25<br>or *<br>5c<br>per cell<br>plus<br>15   | ..           | 207987K         | 1/83      | 12/83 |
|      | 85.03.011)<br>85.03.012)<br>Deter'n | Primary cells and primary batteries of kinds (per doz cells) determined by the Minister;<br>Determined;<br>Cells of dimension contained in British Standard Specifications (per cell) 397/1976, designed R6, R14, R20, or their equivalent (e.g., E. 91, E. 93, E. 95, MN 1300, MN 1400 MN 1500), or batteries containing such cells<br>* Where alternative rates are shown the rate payable is that which returns the higher duty | 40<br>or *    | Aul 15<br>Can 25<br>or *<br>5c<br>per cell<br>plus<br>15   | ..           | 207988H         | 1/84      | 12/84 |
|      | 85.03.011)<br>85.03.012)<br>Deter'n | Primary cells and primary batteries of kinds (per doz cells) determined by the Minister;<br>Determined;<br>Cells of dimension contained in British Standard Specifications (per cell) 397/1976, designed R6, R14, R20, or their equivalent (e.g., E. 91, E. 93, E. 95, MN 1300, MN 1400 MN 1500), or batteries containing such cells<br>* Where alternative rates are shown the rate payable is that which returns the higher duty | 40<br>or *    | Aul 10<br>Can 25<br>or *<br>5c<br>per cell<br>plus<br>15   | ..           | 207989F         | 1/85      | 12/85 |
|      | 85.03.011)<br>85.03.012)<br>Deter'n | Primary cells and primary batteries of kinds (per doz cells) determined by the Minister;<br>Determined;<br>Cells of dimension contained in British Standard Specifications (per cell) 397/1976, designed R6, R14, R20, or their equivalent (e.g., E. 91, E. 93, E. 95, MN 1300, MN 1400 MN 1500), or batteries containing such cells<br>* Where alternative rates are shown the rate payable is that which returns the higher duty | 40<br>or *    | Aul 5<br>Can 25<br>or *<br>5c<br>per cell<br>plus<br>15    | ..           | 207990K         | 1/86      | 12/86 |
|      | 85.03.011)<br>85.03.012)<br>Deter'n | Primary cells and primary batteries of kinds (per doz cells) determined by the Minister;<br>Determined;<br>Cells of dimension contained in British Standard Specifications (per cell) 397/1976, designed R6, R14, R20, or their equivalent (e.g., E. 91, E. 93, E. 95, MN 1300, MN 1400 MN 1500), or batteries containing such cells<br>* Where alternative rates are shown the rate payable is that which returns the higher duty | 40<br>or *    | Aul Free<br>Can 25<br>or *<br>5c<br>per cell<br>plus<br>15 | ..           | 207991H         | 1/87      | ..    |
| HO   | 85.19.021<br>Deter'n                | Double vented expulsion type dropout fuses   | 35            | Aul 15<br>Can 25<br>DC 25<br>Pac Free                      | ..           | 207992F         | 1/83      | 12/83 |
| HO   | 85.19.021<br>Deter'n                | Double vented expulsion type dropout fuses   | 35            | Aul 10<br>Can 25<br>DC 25<br>Pac Free                      | ..           | 207993D         | 1/84      | 12/84 |
| HO   | 85.19.021<br>Deter'n                | Double vented expulsion type dropout fuses   | 35            | Aul 5<br>Can 25<br>DC 25<br>Pac Free                       | ..           | 207994B         | 1/85      | 12/85 |



TARIFF DECISION LIST No. 619—continued  
DETERMINATIONS—continued

| Port | Tariff Item No.      | Goods   | Rates of Duty |   | Part II Ref. | Con-cession Code | Effective |       |
|------|----------------------|---|---------------|---|--------------|------------------|-----------|-------|
|      |                      |   | Normal        | Pref.                                   |              |                  | From      | To*   |
| HO   | 85.19.021<br>Deter'n | Double vented expulsion type dropout fuses                                      | 35            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207995L          | 1/86      | ..    |
| HO   | 85.19.021<br>Deter'n | Fusible links 1-60 amps   | 35            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207996J          | 1/83      | 12/83 |
| HO   | 85.19.021<br>Deter'n | Fusible links 1-60 amps   | 35            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 207997G          | 1/84      | 12/84 |
| HO   | 85.19.021<br>Deter'n | Fusible links 1-60 amps   | 35            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 207998E          | 1/85      | 12/85 |
| HO   | 85.19.021<br>Deter'n | Fusible links 1-60 amps   | 35            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 207999C          | 1/86      | ..    |
| HO   | 85.19.021<br>Deter'n | 11 kV combination fuse arrestors  | 35            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 208001L          | 1/83      | 12/83 |
| HO   | 85.19.021<br>Deter'n | 11 kV combination fuse arrestors  | 35            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 208002J          | 1/84      | 12/84 |
| HO   | 85.19.021<br>Deter'n | 11 kV combination fuse arrestors  | 35            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 208003G          | 1/85      | 12/85 |
| HO   | 85.19.021<br>Deter'n | 11 kV combination fuse arrestors  | 35            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 208004E          | 1/86      | ..    |
| HO   | 85.19.021<br>Deter'n | High tension outdoor pole mounted expulsion type dropout fuses, 11 kV and 33 kV | 35            | Aul 15<br>Can 25<br>DC 25<br>Pac Free   | ..           | 208005C          | 1/83      | 12/83 |
| HO   | 85.19.021<br>Deter'n | High tension outdoor pole mounted expulsion type dropout fuses, 11 kV and 33 kV | 35            | Aul 10<br>Can 25<br>DC 25<br>Pac Free   | ..           | 208006A          | 1/84      | 12/84 |
| HO   | 85.19.021<br>Deter'n | High tension outdoor pole mounted expulsion type dropout fuses, 11 kV and 33 kV | 35            | Aul 5<br>Can 25<br>DC 25<br>Pac Free    | ..           | 208007K          | 1/85      | 12/85 |
| HO   | 85.19.021<br>Deter'n | High tension outdoor pole mounted expulsion type dropout fuses, 11 kV and 33 kV | 35            | Aul Free<br>Can 25<br>DC 25<br>Pac Free | ..           | 208008H          | 1/86      | ..    |

\*Determinations lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

## MISCELLANEOUS

## Decisions Cancelled:

|    |                      |   |    |    |    |                    |    |    |
|----|----------------------|---|----|----|----|--------------------|----|----|
| HO | 29.16.015<br>Deter'n | 2 ...dichlorophenoxyacetate   | .. | .. | .. | 100493L            | .. | .. |
| HO | 51.01.014<br>Deter'n | Continuous ... range  | .. | .. | .. | 205997F            | .. | .. |
| HO | 51.01.014<br>Deter'n | Continuous ... range  | .. | .. | .. | 205998D            | .. | .. |
| HO | 51.01.014<br>Deter'n | Continuous ... range  | .. | .. | .. | 205996H            | .. | .. |
| HO | 59.16.001<br>Deter'n | Conveyor ... textile  | .. | .. | .. | 201587A            | .. | .. |
| HO | 73.20.051<br>Deter'n | Plate ... (1969)  | .. | .. | .. | 200444F            | .. | .. |
| HO | 74.11.001<br>Deter'n | Expanded ... mesh   | .. | .. | .. | 109930C            | .. | .. |
| HO | 76.16.031<br>Deter'n | Expanded ... anodised   | .. | .. | .. | 110056E            | .. | .. |
| HO | 82.02.021<br>Deter'n | Carbon ... in;<br>(i) hard ... or<br>(ii) hard ... dimensions;<br>(a) in ... and,<br>(b) with ... teeth | .. | .. | .. | 204114G            | .. | .. |
| HO | 82.02.021<br>Deter'n | Circular ... blades;<br>(1) tungsten ... tipped<br>(2) solid ... timber                                 | .. | .. | .. | 110149J<br>110150B | .. | .. |

## TARIFF DECISION LIST No. 619—continued

## MISCELLANEOUS—continued

| Port | Tariff Item No. | Goods                               | Rates of Duty |       | Part II Ref. | Con-cession Code | Effective |     |
|------|-----------------|-------------------------------------|---------------|-------|--------------|------------------|-----------|-----|
|      |                 |                                     | Normal        | Pref. |              |                  | From      | To* |
| HO   | 82.02.021       | Gang ... sawing                     | ..            | ..    | ..           | 110151L          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 82.04.011       | Screwdrivers ... foregoing;         | ..            | ..    | ..           | 205756F          | ..        | ..  |
|      | Deter'n         | EXCLUDING:                          |               |       |              |                  |           |     |
|      |                 | (1) Screwdrivers ... copper         |               |       |              |                  |           |     |
|      |                 | (2) Blades ... screwdrivers         |               |       |              |                  |           |     |
|      |                 | (3) Hexagonal ... screws            |               |       |              |                  |           |     |
|      |                 | (4) Valve ... screwdrivers          |               |       |              |                  |           |     |
|      |                 | (NOTE: The ... side).               |               |       |              |                  | 7/80      | ..  |
| HO   | 84.23.011       | Front ... ballast                   | ..            | ..    | ..           | 205509A          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.25.011       | Haymaking ... machines              | ..            | ..    | ..           | 205948H          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.25.061       | Seed ... machines                   | ..            | ..    | ..           | 206143A          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.28.031       | Rearing ... brooders                | ..            | ..    | ..           | 205832E          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Bar ... 22.22 mm                    | ..            | ..    | ..           | 112055H          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Box ... operated                    | ..            | ..    | ..           | 112056F          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Buffing ... width                   | ..            | ..    | ..           | 112057D          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Chain ... sharpeners                | ..            | ..    | ..           | 112058B          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Drill ... Determination.)           | ..            | ..    | ..           | 206542J          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Drill ... Determination.)           | ..            | ..    | ..           | 206543G          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Grinders ... machines               | ..            | ..    | ..           | 202946E          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Machinery ... radii                 | ..            | ..    | ..           | 202256H          | ..        | ..  |
|      | Deter'n         | EXCLUDING:                          |               |       |              |                  |           |     |
|      |                 | numerically ... tools               |               |       |              |                  |           |     |
| HO   | 84.45.001       | Metal ... diameter                  | ..            | ..    | ..           | 203043J          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Metal ... 250 mm                    | ..            | ..    | ..           | 206187C          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Metalworking ... excluding;         | ..            | ..    | ..           | 112064G          | ..        | ..  |
|      | Deter'n         | (1) 76 mm ... sheets                |               |       |              |                  |           |     |
|      |                 | (2) Reinforced ... 20 mm            |               |       |              |                  |           |     |
|      |                 | (3) Types ... less                  |               |       |              |                  |           |     |
| HO   | 84.45.001       | Microtome ... sharpener             | ..            | ..    | ..           | 202115D          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Plate ... straighteners)            | ..            | ..    | ..           | 112067A          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Presses, hydraulic                  | ..            | ..    | ..           | 112068K          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Presses ... capacity                | ..            | ..    | ..           | 112069H          | ..        | ..  |
|      | Deter'n         | not exceeding 30.5 tonnes capacity  |               |       |              |                  |           |     |
| HO   | 84.45.001       | Punch ... capacity                  | ..            | ..    | ..           | 112070A          | ..        | ..  |
|      | Deter'n         | tonnes capacity                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Rod ... capacity                    | ..            | ..    | ..           | 112071K          | ..        | ..  |
|      | Deter'n         | 20 mm mild steel capacity           |               |       |              |                  |           |     |
| HO   | 84.45.001       | Roll ... machines                   | ..            | ..    | ..           | 112072H          | ..        | ..  |
|      | Deter'n         | and continuous ridging machines     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Shearing ... operated               | ..            | ..    | ..           | 112073F          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Sheet ... machines                  | ..            | ..    | ..           | 112074D          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.45.001       | Sheet ... capacity                  | ..            | ..    | ..           | 112075B          | ..        | ..  |
|      | Deter'n         | 1220 mm × 76.2 mm × 1.6 mm capacity |               |       |              |                  |           |     |
| HO   | 84.47.001       | Drill ... Determination.)           | ..            | ..    | ..           | 206541L          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.47.001       | Precision ... saws                  | ..            | ..    | ..           | 112305L          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.47.001       | Surface ... 310 mm                  | ..            | ..    | ..           | 206134B          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.47.001       | Thicknessers ... Determination.)    | ..            | ..    | ..           | 206540B          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.47.001       | Woodturning ... automatic)          | ..            | ..    | ..           | 206132F          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.47.001       | Woodworking ... 160 mm              | ..            | ..    | ..           | 206755C          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.47.001       | Woodworking Machinery;              | ..            | ..    | ..           | 202178B          | ..        | ..  |
|      | Deter'n         | Plastic ... capacity                |               |       |              | 202179L          | ..        | ..  |
|      |                 | End-matching machines               |               |       |              | 112304B          | ..        | ..  |
| HO   | 84.47.001       | Woodworking ... diameter            | ..            | ..    | ..           |                  | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.47.001       | Woodworking ... 360 mm              | ..            | ..    | ..           | 112304B          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.48.001       | Accessories ... steel               | ..            | ..    | ..           | 206040L          | ..        | ..  |
|      | Deter'n         |                                     |               |       |              |                  |           |     |
| HO   | 84.50.001       | (1) Equipment ... and               | ..            | ..    | ..           | 200377F          | ..        | ..  |
|      | Deter'n         | (2) Nozzles ... equipment           |               |       |              |                  |           |     |

TARIFF DECISION LIST No. 619—*continued*  
 MISCELLANEOUS—*continued*

| Port | Tariff<br>Item No.                  | Goods  | Rates of Duty |       | Part<br>II<br>Ref. | Con-<br>cession<br>Code | Effective |     |
|------|-------------------------------------|--|---------------|-------|--------------------|-------------------------|-----------|-----|
|      |                                     |  | Normal        | Pref. |                    |                         | From      | To* |
| HO   | 85.01.021<br>Deter'n                | Power ... Tariff                                       | ..            | ..    | ..                 | 202285A                 | ..        | ..  |
| HO   | 85.01.021<br>Deter'n                | Welding ... welding                                    | ..            | ..    | ..                 | 204626B                 | ..        | ..  |
| HO   | 85.03.011)<br>85.03.012)<br>Deter'n | Primary ... Minister;<br>Determined;<br>Cells ... duty | ..            | ..    | ..                 | 113442G                 | ..        | ..  |
| HO   | 85.19.021<br>Deter'n                | Double ... fuses                                       | ..            | ..    | ..                 | 202116B                 | ..        | ..  |
| HO   | 85.19.021<br>Deter'n                | Fusible ... amps                                       | ..            | ..    | ..                 | 202117L                 | ..        | ..  |
| HO   | 85.19.021<br>Deter'n                | 11 kV ... arrestors                                    | ..            | ..    | ..                 | 202118J                 | ..        | ..  |
| HO   | 85.19.021<br>Deter'n                | High ... 33 kV   | ..            | ..    | ..                 | 202119G                 | ..        | ..  |

Dated at Wellington this 30th day of March 1983.

P. J. MCKONE, Comptroller of Customs.

