

SUPPLEMENT

TO THE

NEW ZEALAND GAZETTE

OF

THURSDAY, 12 MAY 1983

Published by Authority

WELLINGTON: MONDAY, 16 MAY 1983

TARIFF DECISION LIST Nos. 625 and 626

TARIFF DECISION LIST No. 625

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

Approvals

		APPROVALS					
	Tariff		Rates o	f Duty	Part	Con-	Effective
Port	Item No.	Goods	Normal	Pref.	II Ref.	cession Code	From To*
AK HO HO	13.03.039 21.07.018 21.07.018	Meypradex 207 for use in making explosives Criticare N.N., when declared for sale to hospitals only Enfalac premature formula, when declared for sale to	Free Free Free	Free Free Free	15 99 99	921582E 208105K 208108D	3/83 9/85 2/83 9/84 2/83 9/84
HO AK	21.07.018 25.07.000 30.03.031)	hospitals only Moducal powder, when declared for sale to hospitals only Kaolin, when declared by a manufacturer, for use by him, only in making toiletry and cosmetic preparations Medicaments:	Free Free	Free Free	99 15	208107F 921573F	2/83 9/84 1/83 9/85
WN WN WN WN WN WN	30.03.039) 34.02.000	Aceprome injection, liquid in glass vials Electro-plus* A Honvan ampoules Honvan tablets Panalog Parvo vaccine, 10 and 50 dose vials Pexid tablets Products, as may be approved, when imported in bulk and not being	Free Free Free Free Free Free	Free Free Free Free Free Free	25 25 26 26	200728C 923221E 101273J 101274G 102797C 923210K 101780C	3/80 12/85 3/83 3/86 7/78 3/86 7/78 3/86 4/83 3/86 3/83 3/86 7/78 6/86
AK AK AK AK AK AK WN		soaps or containing soap; APPROVED: Armid H.T Laponite 2001-CP Methyl 12 Hydroxystearate Myracet 9-45 Myristal myristate Pationic I.S.L. P.E.G 300 P.E.G. 400 Dioleate, for use in making fire fighting compounds	Free Free Free Free Free Free Free	Free Free Free Free Free Free Free	15 15 15 15 15	921563J 921575B 921566C 921570A 921564G 921569H 921574D 902194K	1/83 9/85 1/83 9/85 1/83 9/85 1/83 9/85 1/83 9/85 1/83 9/85 1/83 9/85 1/83 3/86
AK AK AK WN WN	38.11.029 38.11.031 38.19.079	Polyglyceryl-2-Sesqiisostearate Polyquart H Standamul 141E Dy-Fly insecticidal bait Baysilone fungicide concentrate TPAC3022 Chemical products and preparations etc	Free Free Free Free Free	Free Free Free Free Free	99	921562L 921560D 921568K 923216J 923214B	1/83 9/85 1/83 9/85 1/83 9/85 1/83 12/85 1/83 12/85
WN WN	36.19.079	Catalyst C12-1 Desmodur PM53, when declared for use in making urethane	Free Free	Free Free	15 15	923201L 902218L	3/83 3/86 2/83 3/86
WN AK AK AK AK AK WN AK WN	39.01.211 39.01.211 39.02.205 39.02.209 39.02.211		Free Free Free Free Free Free Free Free	Free Free Free Free Free	15	923215L 921576L 921577J 921578G 921571K 921589B 902195H 921579E 902197D	1/83 12/85 1/83 9/85 1/83 9/85 1/83 9/85 1/83 9/85 7/82 3/83 8/82 6/85 1/83 9/85 10/82 9/85
но	39.02.281) 39.02.291)	paint coatings and building sealants Flame laminating grades of polyester foam	Free	Free	99	208096G	12/82 3/84
WN HO		Double sided slit adhesive tape 19 mm wide, slit 19 mm intervals on a continuous reel	Free Free		••	923202J 208090H	4/83 3/86 7/82 12/83
CH	39.02.519 39.07.441	Tru-core corrugated plastic sheet	Free Free	Free	15	909594C 902199L	1/83 3/86 1/83 3/86
НО	39.07.519	PVC shoulder pads, for use only in fixing shoulder straps on luggage	Free Free	Free	15 99	208113L 909604D	4/83 12/84 7/82 6/85
СН	39.07.549	polypropylene articles, autoclavable, when declared for use in hospitals		Free		•	
AK WN CH AK WN	39.07.599 39.07.599 39.07.599 39.07.599 40.09.001	Trawl floats, sanshins lilac, 27 cm and 30 cm diameter	Free Free Free Free Free	Free Free Free Free	99 99 15 15	921565E 902198B 909595A 921572H 902216D	1/83 3/86
WN WN	59.08.002 73.20.059	Acrylic coated nylon taffeta, when declared by a manufacturer for use only in making rainwear Chiksan swivel joints, for use in the oil drilling industry only	Free Free	Free	 99	923218E 902208C	11/82 9/85 1/83 3/86
WN	73.40.069	Brackets 9106 206-1, for panel support of VMG type switchgear cubicles	Free	Free	15	902200H	12/82 3/86
CH	73.40.069	combifiex type relay cubicles Cupro nickle tube	Free Free	Free	15	902202D 909606L	2/83 3/86
WN	/4.19.009	CMP termination kits	Free	Free	99	902203B	1/83 3/86

TARIFF DECISION LIST No. 625-continued

APPROVALS—continued

	T .	APPROVALS—continuea					Effective		
Port	Tariff Item No.	Goods	Rates of Duty		Part II	Con- cession			
			Normal	Pref.	Ref.	Code	From	To*	
AK	76.04.001		Free			921587F	1/83		
WN	83.01.011		Free	Г	;;	902196F	12/82		
CH	83.02.009	Continuous hinge, when declared for making folding doors and room dividers	Free	Free	15	909607J	1/83	3/86	
WN	84.09.000	Caterpillar model 825 compactor	Free	Free	10	900823D	7/81	9/84	
WN	84.09.000	Sakai SV90 road roller	Free	Free	10	923212F 909596K	4/83	3/86	
CH AK	84.10.029	Press weld air driven diaphragm pumps Stainless steel volume tubes, for volumetric fillers used	Free Free	Free Free	10 10	909396K 921591D	1/83 1/83	3/86 9/85	
AIS		in production line					•		
AK	84.22.009	Table top and slat band chain, 85 mm and under in width, steel, acetal, nylon or polypropylene	Free	Free	10	921555H	12/82	9/85	
ΑK	84.22.009	Transitube flexible spirally fed transfer elevators, for	Free	Free	10	921548E	12/82	9/85	
		loading machines used in the plastics, pharmaceutical, and chemical industries							
AK	84.22.009		Free	Free	10	921551E	12/82	9/85	
		planks and boards etc in the woodworking industry, and cartons,					•	•	
СН	84.45.009	cases and panels etc in general industries Stankoimport vertical milling machines, models 6P12 and	Free	Free	10	909611G	3/83	3/86	
CII	04.45.007	and 6P13					•	-	
AK	84.59.059	Glue blenders, designed for use in blending glue with wood flakes in making particle board	Free	Free	10	921595C	1/83	9/85	
AK	84.59.059	Nagema roller refiner, type 3 KF1/600, for use in the	Free	Free	10	921554K	12/82	9/85	
AK	84.59.059	preparation of printing inks Nagema roller refiners, types 8131-1841 and 9131-9141,	Free	Free	10	921553A	12/82	9/85	
		for use in the preparation of paints and printing inks	г.	-	10	0216670	10/00	0.00	
AK CH	84.59.059	Yarn splicing machines, for use in the carpet industry Hub City hydraulic pump drive, series 330	Free Free	Free Free	10 10	921557D 909603F	12/82 12/82	9/85 3/86	
DN	84.63.029		Free	Free		917481J	7/81		
	05.02.001	ventilators	Free						
	85.05.001	Primary cells and primary batteries of kinds approved by the Minister	1166		• •				
		APPROVEĎ:							
CH		Maxell photographic batteries, models: SR-44P, LR 44P, 4LR-44P				909153L	5/82	9/85	
		LR-03, AM-4						7/03	
WN	85.19.009	Automatic bilge pump float switches T.M.C. brand	Free	Free	10	902205J	11/82	3/84	
CH WN	85.19.009 85.19.059	HFW series relays Klippon rail mounted, terminal blocks	Free Free	Free Free	10 10	909614A 902206G	4/83 1/83	3/86 3/86	
****	85.23	Wires and cables, excluding winding wire and strip, insulated	Free			, 022000	1,03	5,00	
110		with;				2000201	7170	£ 10 A	
НО		Cotton, silk rayon, glass, enamel or any combination of these materials with asbestos and whether or not varnished				208030D	7/78	6/84	
HO	91.01.009	Watches, peculiar to use by blind persons	Free	Free	50	208102E	4/83	9/85	
НО	91.04.028	Clocks specifically designed for the hard-of-hearing,	Free	Free	50	208103C	4/83	3/85	
		the clocks will normally have, or have provision for a vibrator alarm, or be able to be activated by extraneous sounds,							
		or have an alarm system based on other than sound, e.g., light							
НО	91.04.039	flashes Clocks, braille	Free	Free	50	208104A	4/83	9/85	
HO	97.03.009		Free	Free		208015L	4/83	6/85	
		mechanisms, when declared by a manufacturer for use by him,					,	,	
		only in making model aircraft, model boats, and other toys REF NO. 30							
		NOTE TO PART II OF THE TARIFF CONCESSIONS							
		(1)– (3)				2067101	10/03		
		(4) INSTITUTIONS CONCERNED WITH THE BLIND AND OTHER PHYSICALLY OR MENTALLY HANDICAPPED PERSONS—				206718J	10/82	• •	
	. •	APPROVED INSTITUTIONS:							
НО		Accident Compensation Corporation					1/83		

^{*}Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

MISCELLANEOUS

Decis	ions Cancel	led:							
НО	39.02.391	Laminated tents					 206904A		
CH	39.07.549	Heat hospitals				٠,	 909346L		
ΑK	39.07.549	Polystyrene system					 921348B		
но	84.11.051	Thomas wobl					 111115 K		
WN	84.23.079	Caterpillar compactor					 900823D		
DN	84.63.029	Moulded ventilators					 917841J		
	85.03.001	Primary Minister							
		APPRÓVED:							
		Maxell models:							
CH		SR-44P 4LR-44P					909153L		
но	91.01.000	Watches persons	•				 115286G		
HO	91.04.019	Clocks flashes					 207389H		
НО	91.04.029	Clocks, braille					 115287E		
HO	97.03.009	Engines toys					 115582C		
HO	97.03.009	Futaba toys					 115584K		
							 	- -	

TARIFF DECISION LIST No. 626

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

DETERMINATIONS

n :	Tariff		Rates	of Duty	Part		Effec	ctive
Port	Item No.	Goods	Normal	Pref.	II Ref.	cession Code	From	To*
Ю	82.02.021 Deter'n	steel solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) for cutting meat, bone, metal and wood in (i) Hard edge flexible back; or (ii) Hard edge tempered (i.e., toughened) back types, in	30	Aul 15 Can 20 DC 20 Pac Free		208109В	1/83	12/8
		any length, and of the following dimensions: (a) in widths between 6.35 mm and 31.75 mm inclusive; and (b) with pitches between 3 and 32 teeth per 25.40 mm excluding scalloped teeth						
Ю	82.02.021 Deter'n	High carbon steel bandsaw blade (excluding high speed steel solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) for cutting meat, bone, metal and wood in (i) Hard edge flexible back; or	30	Aul 10 Can 20 DC 20 Pac Free	••	208110F	1/84	12/84
		(ii) Hard edge tempered (i.e., toughened) back types, in any length, and of the following dimensions: (a) in widths between 6.35 mm and 31.75 mm inclusive; and (b) with pitches between 3 and 32 teeth per 25.40 mm excluding scalloped teeth						
O	82.02.021 Deter'n	High carbon steel bandsaw blade (excluding high speed steel solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) for cutting meat, bone, metal and wood in (i) Hard edge flexible back; or	30	Aul 5 Can 20 DC 20 Pac Free	• •	208111D	1/85	12/85
		(ii) Hard edge tempered (i.e., toughened) back types, in any length, and of the following dimensions: (a) in widths between 6.35 mm and 31.75 mm inclusive; and (b) with pitches between 3 and 32 teeth per 25.40 mm excluding scalloped teeth						s.
	82.02.021 Deter'n			Aul Free Can 20 DC 20 Pac Free	• •	208112B	1/86	•
		(ii) Hard edge tempered (i.e., toughened) back types, in any length, and of the following dimensions: (a) in widths between 6.35 mm and 31.75 mm inclusive; and (b) with pitches between 3 and 32 teeth per 25.40 mm excluding scalloped teeth						
Ю	82.05.011 Deter'n	(1) Drills; (a) HSS and carbon/chrome/vanadium/tungsten steels, right hand helix;- (i) Straight shank Jobber length, double and single ended stub length and long series length 1 mm	35	Aul Free Can 25 DC 25	••	110174K	7/78	
		to 13 mm (3/4 in. to 1/2 in.) (ii) Straight shank long reach length 3 mm to 13 mm (1/8 in. to 1/2 in.) (iii) Reduce shank of any diameter including Blacksmith type 13 mm to 32 mm (33/64 in. to 1 1/4 in.)						
		(iv) Reduced shank of any diameter (metal and woodworking) with standard or dowelling bit point 6 mm to 13 mm (1/4 in. to 1/2 in.) (v) Straight shank (4 flute core type) 3 mm to 13 mm (1/8 in. to 1/2 in.)						
		(b) Tungsten carbide tipped twist from 2.381 mm (c) Drill sets, containing above type drills in diameter ranges; Straight shank; 1 mm to 13 mm 1/16 in. to 1/2 in.		•		110175H	7/78	•
		Reduced shank; 6 mm to 20 mm 1/4 in. to 3/4 in. (d) Tungsten carbide tipped masonry, drills straight				110176 F	7/78	
		also reduced shank of any shank diameter "short" or "long" overall lengths within diameter range; 3 mm to 32 mm; 1/8 in. to 1 1/4 in.				110177D	7/78	
		(e) Countersinks, single flute; 1/2 in. shank 15.5 mm to 19.5 mm (f) Reamers, Parallel Machine, Tungsten Carbide tipped, non-adjustable; straight shank, all sizes under 14.29 mm morse				110177B	7/78	•
		taper shank, all sizes over 14.29 mm (g) Router bits, with cutting or working faces of high speed steel or of tungsten carbide (h) Milling Cutters; Tungsten Carbide tipped circular other than				208119K 110180D	4/83	•
		Tungsten Carbide tipped, circular other than throw away tip type (i) Facing Cutters, Tungsten Carbide tipped, circular other than throw away tip type				110181B	7/78 7/78	•

TARIFF DECISION LIST No. 626—continued

		Determinations—continued						
Port	Tariff Item No.	Goods	Rates of Duty		Part II	Con- cession	Effec	tive
			Normal	Pref.	Ref.	Code	From	To*
		(j) Profile and Cutter Heads, Tungsten Carbide and HSS	,			110182L	7/78	
		Tipped for use with woodworking machines (k) Tool bits (pieces) high speed steel;				110183J	7/78	
		Square 3 mm to 16 mm, all lengths				1101033	1710	• •
		Round 3 mm to 13 mm, all lengths Bevel 13 mm to 26 mm, all lengths						
		Rectangular 4×10 mm to 12×20 m, all lengths						
		(2) Lathe tools (brazed on tips), Tungsten Carbide Tipped, standard pattern				110184G	7/78	• •
		(3) Knives-tungsten carbide tipped-steel				110185E	7/78	
		(4) Hand taps, carbon steel cut thread, right hand in the following thread forms and sizes;				110186C 110187A	7/78 7/78	
		B.S.W. 1/8 in. to 1 in. (excluding 9/32 in.,				11016/A	1/18	
		9/16 in., 13/16 in., 15/16 in.) U.N.F. 3/16 in. to 1 in. (excluding 7/32 in., 9/16 in.)						
		1.S.O. Coarse 3 mm \times 0.50 mm, 4 mm \times 0.70 mm,						
		5 mm × 0.8 mm, 6 mm × 1 mm, 8 mm × 1.25 mm,						
		10 mm ts 1.5 mm, 12 mm × 1.75mm, 16 mm × 2 mm, 20 mm × 2.5 mm, 24 mm × 3 mm						
		(5) Button Dies, Carbon steel, Circular split, 1 in, or 2 in,				110188 K	7/78	
		outside diameter, right hand, in the following thread forms and sizes;						
		B.S.W. 1/8 in. to 1 in.						
		U.N.F. 3/16 in. to 1 in. I.S.O. Coarse 3 mm \times 0.5 mm to 24 mm \times 3 mm						
		U.N.C. 1/4 in. to 1 in.						
		(6) Die nuts, Hexagon, Carbon Steel right hand,				110189H	7/78	
		in the following thread forms and sizes; B.S.W. 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in.;						
		1/2 in., 5/8 in., 7/8 in., 1 in., 1/8 in., 5/32 in., 3/4 in.						
		U.N.F. 3/16 in., 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 5/8 in., 3/4 in., 7/8 in., 1 in.						
		I.S.O. Coarse 3 mm \times 0.5 mm, 4 mm \times 0.07 mm,						
		5 mm × 0.8 mm, 6 mm × 1.00 mm, 8 mm × 1.25 mm, 10 mm × 1.50 mm, 12 mm × 1.75 mm, 16 mm × 2.00 mm.						
	•	$20 \text{ mm} \times 2.5 \text{ mm}, 24 \text{ mm} \times 3 \text{ mm}$						
		U.N.C. 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 5/8 in., 3/4 in.,						
		7/8 in., 1 in (7) Tap and die sets, button pattern, carbon steel, in the				204364F	7/78	
		following thread forms and sizes: (excluding sets which contain				2013011	7,70	• •
		13/16 in. outside diameter dies); B.S.W. 1/8 in. to 1 in.						
		U.N.F. 1/4 in. to 1 in.						
		I.S.O. Coarse 3 mm to 24 mm U.N.C. 1/4 in. to 1 in.						
		EXCLUDING:						
		"Cross" taps designed exclusively for use with cross wire					7/80	
		inserts, when declared that they will be so used					7/80	• •

^{*}Determinations lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

MISCELLANEOUS

Decisions Cancel								
82.02.021	Carbon in;					207798B		
Deter'n	(i) hard or			• •				
	(ii) hard dimensions; (a) in and,							
	(b) withteeth			• •				
82.02.021	Carbon in;		• •	• •		2077001		
Deter'n	(i) hard or		• •	• •	٠٠,	207799L		• •
Dotter in	(ii) hard dimensions		• •	• •	• •		• •	• •
	(a) in and,		• •	• •	• •		• •	• •
	(b) with teeth		• •	• •	• •		• •	• •
82.02.021	Carbon in;		• •	• •	• •	207800H	• •	• •
Deter'n	(i) hard or		• •	• • •		20780011	• •	
	(ii) hard dimensions	nsions	• •		• •		• •	• •
	(a) in and,						• •	• •
	(b) with teeth		• •		•			
82.02.021	Carbon in;			• •		207801F		
Deter'n	(i) hard or							• • •
	(ii) hard dimensions							
	(a) in and,							• •
02.05.011	(b) with teeth							
82.05.011	(1) Drills;							
Deter'n	(a)–(f)							
	(g) Router tipped					110179L		
	(h)–(k) (2)–(7)							
	EXCLUDING:							
	"Cross" used							

Dated at Wellington this 5th day of May 1983.

P. J. McKONE, Comptroller of Customs.

