

SUPPLEMENT

#### TO THE

# NEW ZEALAND GAZETTE

OF

# THURSDAY, 4 OCTOBER 1984

Published by Authority

WELLINGTON: FRIDAY, 5 OCTOBER 1984

# TARIFF DECISION LIST No. 723

# THE NEW ZEALAND GAZETTE

No. 18

#### TARIFF DECISION LIST No. 723

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

	Tariff		Rates	of Duty	Part	Con-	Effe	ctive
Port	I arin Item No.	Goods	Normal	Pref.	II Ref.	cession	From	To
DN	28.38.007	Aluminium sulphate, when declared for use in making pharmaceuticals	Free	Free	15	100393D	7/78	9/9
DN	29.24.009 30.03.031) 30.03.039)	Basacryl salt AN Medicaments	Free	Free	15	100503A	7/78	9/9
WN WN		Azium bolus Baycaron tablets	Free Free	Free Free		918152A 100735B	10/81	
WN WN		Benestermycin dry cow (Vet) Duphafral D3-1000 vials (vet)	Free Free	Free	26	102310B 204629G	7/78	9/8
WN WN		Infacol-C colic syrup Infacol wind drops	Free Free	Free Free	25	928814H 928813K	8/84 8/84	6/8
WN WN		Panquil, bottles S.T.D injection	Free Free	Free Free	25	928812A 101996B	8/84 7/78	9/8 9/8
WN WN		Norlestrín tablets Rubrafer improved	Free Free	Free Free	25	101650E	7/78 9/84	12/8
HO HO	33.04.029	Netazym—SW, enzymatic soaking agent for pre-tanning Essential oils viz X95	Free Free	Free Free	15	917078C	10/81 1/84	9/8
	34.02.000	Products, as may be approved, when imported in bulk and not being soaps or containing soap; APPROVED:						
DN DN		Bevaloid defoamers 1299 Colloid 211 and 211M	Free Free	Free Free	15	103621B 900456E	7/78 3/81	9/9
DN DN		Laventin CW Lutensol A.T.25	Free Free	Free Free	15	204400F 900663L	10/80 5/81	9/9 9/9
DN DN		Piurafio E5 Quadralan AT	Free Free	Free Free	15	104364B 104400B	7/78 7/78	9/9 9/9
DN DN		Triton CF 32, CF 54 Triton DF 16	Free Free	Free Free	15 15	104655B 104657J	7/78 7/78	9/9 9/9
DN DN		Triton DF 20 Triton N-57, N-128	Free Free	Free Free	15 15	104658G 104660J	7/78 7/78	9/9) 9/9)
DN DN	38.11.011	Triton QS-44 Monitor (60% meth anidophos)	Free Free	Free Free	15 15	104663C 105036C	7/78 6/79	9/9) 9/9)
DN	38.11.059 38.19.079	Bronidox L Chemical products and preparations etc.	Free	Free	15	105274J	10/79	
DN DN		BASF catalyst G1-11 BASF catalyst R3-11	Free Free	Free Free	15	105466L 105467J	7/78 7/78	9/9
DN DN		Dekol N Polglycerol oleate	Free Free	Free Free	15 15	105612D 105952B	7/78 7/78	9/92 9/92
WN DN		Vulcastab EFA Vultac 7, rubber vulcanising agent	Free Free	Free Free	15 15	928807E 918372J	6/84 9/81	9/80 9/92
DN WN	39.01.341 39.02.391	Metallised polyester/PVC laminated tape Multi-coloured registered printed PVC supported by a non	Free Free			920722J 928808C	7/82 6/84	9/9
		woven polyester backing 52" and 72" wide for use in the manufacture of table cloths						
AK	39.07.301	Cellulose Acetate sheets viz; 1 mm thick, non-fogging clear, of optical quality, with holes punched in each corner, for use in the manufacture of safety equipment viz; hooded	Free		•• !	928014G	4/84	3/8
WN	39.07.599	respirators, goggles and face shields Acrylic dosimetry pellets	Free	Free		928805J	7/84	
DN DN	41.10.000	Eyes artificial, when declared for use only in making soft toys Alene composition leatherboard, when declared by a manufacturer for use by him only in book-binding, as a lining for leather goods and as insoling for footwear	Free Free	Free Free		206818E 107847L	7/82 7/78	
но	42.01.000	Horse collars on condition they are for use solely in farming, horticulture or forestry	Free	Free	99	209825D	1/84	6/8
DN	44.28.009	Punks, when declared by a manufacturer for use by him only in making incense sticks	Free	Free	15	107906K	7/78	9/9
DN	48.07.049	making incense sucks Coated paperboard, weighing not less than $183 \text{ g/m}^2$ , consisting of a solid bleached base paperboard with a clay coating on one or two sides, each coating to be a minimum of 8 g/m <sup>2</sup> in either	Free	Free	99	206745F	9/82	9/9
DN	48.07.049	gloss or matt finish Coated paperboard, weighing not less than 183 g/m <sup>2</sup> , and not more than 500 g/m <sup>2</sup> , consisting of a composite paperboard base	Free	Free	<b>99</b>	206747B	9/82	9/9
		(made by sticking flat layers together with an adhesive) with a						. <del>.</del> .
DN	48.07.049	clay coating to be a, minimum of $8 \text{ g/m}^2$ on each side Coated art paper weighing not less than $183 \text{ g/m}^2$ , consisting of a base paper with a clay coating on one or two sides, each coating to be a minimum of $8 \text{ g/m}^2$ in either gloss or matt finish	Free	Aul Free	99	206746D	9/82	9/9
DN DN	48.07.151	Ademco dry mounting tissue	Free Free			108033E 108103K	7/78 6/79	
WN	48.07.151	Photographic dry mounting tissue Symax (elephantide bonded to Melinex) Bag sewing thread or yarn, when declared by a manufacturer for	Free Free Free	Ene	!	928772J 208188B	5/84	3/8
		Bag sewing thread or yarn, when declared by a manufacturer for use by him, only in making paper or cloth bags Eabrier on condition that they will only be used in the		Free			1/82 9/84	
	Chapters	Fabrics on condition that they will only be used in the manufacture of neckties	Free	Free	15	209827L	9/84	9/9
но	50-56 only 51.04.013	Conwed sod nets, types OB1665 and OT4035 of extruded polypropylene monofilament biaxially and uniaxially oriented for use in the growing of commercial grass turfs	Free	Free	99	209829G	6/84	6/8

#### OCTOBER

#### THE NEW ZEALAND GAZETTE

#### TARIFF DECISION LIST No. 723-continued

APPROVALS—continued

		Approvals—continued						
	Tariff	Conde	Rates o	f Duty	Part		Effec	tive
Port	Item No.	Goods	Normal	Pref.	II Ref.	cession Code	From	To*
N	59.03.001	Bonded fibre, being non-woven fabric composed of polyester continuous filament fibres, when declared; (1) by a manufacturer for use by him, only in making	Free		••	901751J	12/81	9/92
		footwear; or (2) by an importer for sale to a manufacturer for use by him				•		
0	59.08.002	only in making footwear Coated muslin, being woven polyethylene and/or rayon fabrics coated with liquid polyethylene, for use in making adhesive tapes	Free		••	209816E	6/84	6/88
N	59.12.029	Cotton backing cloth, adhesive coated, when declared: (1) by a manufacturer for use by him, only in making footwear; or (2) by an importer that it will be sold by him, only to a	Free	Free	15	917729 <b>K</b>	11/81	9/92
IO <sup>®</sup>	60.01	manufacturer for making footwear Fabrics narrowed at intervals, knitted or lockstitched, in the piece or cut singly, but not including fabrics pressed or end finished, on condition that they will be used in the	Free	Free	15	209828J	9/84	9/90
)N	64.05.000	manufacture of neckties Arc supports, when declared by an importer for supply only to	Free	Free	99	108859K	7/78	9/92
10	69.01	hospitals, chiropodists and doctors All goods of heading 69.01 but excluding the following: Goods having a maximum service rating below 1100°C (2100°F) NOTE: Any applications for products covered by the above exclusion must be supported by the following information; (a) maximum service temperature (b) chemical composition (c) modules of rupture (d) cold crushing strength	Free	Free	15	209823H	10/84	9/85
		<ul><li>(e) apparent porosity</li><li>(f) density</li><li>(g) thermal conductivity</li></ul>						
Ю	69.02	(h) full details of end use All goods of heading 69.02 but excluding the following: All refactory products having an alumina $(A1_20_3)$ content between 25% and 90% by weight NOTE: Any applications for products covered by the above exclusion must be supported by the following information; (a) maximum service temperature	Free	Free	15	209824F	10/84	9/85
		<ul> <li>(b) chemical composition</li> <li>(c) modules of rupture</li> <li>(d) cold crushing strength</li> <li>(e) apparent porosity</li> </ul>						
		(f) density (g) thermal conductivity						
N	69.09.002) 69.09.003) 69.09.019)	(h) full details of end use Filter cores, peculiar to use in refrigeration installations	Free	Free	. <b>99</b>	108990A	7/78	9/92
N		Counterfaces of porcelain and of porcelain and rubber	Free	Free	99	109002L	3/79	9/92
N	Section XV	Fittings, mountings and trimmings commonly used for making or repairing motor vehicles, as may be approved; APPROVED:	Free	Free	15	912905H	6/84	9/92
		Bonnet handles, plain or ornamental, which when lifted or turned, lock or unlock the bonnet Brackets for parcel racks Escutcheon plates Floorboard fasteners						
		Hand grips of metal, covered with vulcanite or similar material, commonly used on passenger service vehicles Handles, door, being parts of locksets Handles, door Handles, glass fitting Handles, seat						
		Handles, metal, bored or unbored Hooks, rope						
	· .	Mouldings, metal, being so shaped as to identify them as parts of motor vehicles, plated, polished or enamelled, but not drilled or otherwise worked Recess plates						
		Slide door fittings Van door holders, dovetails, door retaining catches, coat hooks, finished ends, trim fasteners, moulding fasteners, footman loops and striker plates Ventilators and air extractors for buses Window regulators or lifters EXCLUDING:						
	73.11.001	fittings for outward-opening caravan windows Sheet piling	Free	Free		109183C	7/78	9/92
N	73.20.059	Tongued and grooved flanges of steel, when declared by a manufacturer for use by him only in making refrigeration stop valves Bushes, insert, threaded externally and internally, or made	Free Free	Free		109465D 109583J	7/78	9/92 9/92
		from spirally wound wire to provide fastenings in soft metal and plastics						

## THE NEW ZEALAND GAZETTE

		a second and a second	·					
Deut	Tariff		Rates	of Duty	Part		1	tive
Port	Item No.	Goods	Normal	Pref.	II Ref.	cession Code	From	То
DN DN	74.03.031 76.04.001	Brass screwing wire commonly used in making footwear Pressure sensitive paper backed aluminium foil on condition	Free Free		•••	109847A 208727J	7/78 12/83	<b>9/9</b> 9/9
AK	76.06.000	that the goods are used solely in making labels Seam welded aluminium tube, with no visible seam apparent on outside surface, of O.D. 22.2 mm or 25.4 mm within tolerance of plus or minus .125 mm, with a wall thickness	Free	Free	15	928142J	4/84	3/9
AK	76.16.059	of 0.9 mm constant, in alloy 3008 Diecast aluminium manifolds and ends for use in connecting piping to machinery for fluid and gas reticulation	Free	Free	15	928202F	5/84	3/9
DN	83.15.009	Fabricated tubular flux-cored welding, or hard facing wires on spools	Free	Free	10	900462K	5/81	9/9
	84.06.021	Water cooled engines, as may be approved; APPROVED:	Free		••			آمناه
HO HO HO		MAN diesel engines Mercruiser stern drive engine model 145 DT Mercruiser stern drive engine model V6/185				209830L 209814J 209815G	1/81 5/84 5/84	
НО	84.11.051	in the manufacture of high pressure compressor pumps for use	Free	Free	10			6/8 12/8
DN		APV parafreeze plate freezers, peculiar to use in fast freezing packaged foods	Free	Free	10	207509B	1/83	9/9
AK	84.15.009	Component parts as may be approved for the manufacture of Taylor freezers model 168 Approved Part No.	Free	Free	15	928198D	5/84	6/91
		X30697 X24689 X30753						
AK AK	84.17.009 84.17.009	Air Froehlich brand glass tube heat exchangers Barometric spray condenser	Free Free	Free Free	10 10	928208E 928215H	6/84 6/83	3/92 3/91
AK AK	84.17.009 84.17.009	Closed circuit seal oil system Diesel distillation column reflux condenser	Free Free	Free Free	10 10	928218B 928217D	6/83 6/83	3/91
AK WN	84.17.009 84.17.009	Diphyl-diphyloxide condensor Laundry mizer, used in energy recovery system for industrial washing machines	Free Free	Free Free	10 10	928216F 928804L	6/83 7/84	3/91 3/87
DN HO DN	84.18.039 84.19.039 84.21.029	Russell Finex sieving and straining machines Wet gum labelling machines or applicators Speed-flo airless, spray units commander, Alaskan and	Free Free Free	Free Free Free	10 10 10	111450G 209831J 111711E	1/80 9/84 7/78	9/92 9/90 9/92
AK HO DN	84.22.009 84.22.009 84.22.009	powermastic units Bar stacker/interleaver, for packaging purposes Elephant electric chain blocks; model F100 Flake ice delivery system, peculiar to use with flake ice making	Free Free Free	Free Free Free	10 10 10	928206J 209817C 111773E	5/84 7/84 10/78	
DN WN HO	84.40.001 84.45.009 84.47.009	machinery Counterface, of sintered bronze Startrite model H250 horizontal band cut-off machine L'Invincible models SI12PS and SI12BPS sliding table sawbenches	Free Free Free 40	Free Free	10 10	111988F 928797D 202993G	5/80	
HO	84.48.001	The following parts and accessories for use in saw benches with a blade size of 400 mm or less: Arbor and collar assembly elevating assembly	40	Aul Free Can 25 DC 25 Pac Free	••	209837H	10/84	
		elevating screw and column assembly pinion elevating gears						
		arm and track block assemblies overarm and carriage assembly carriages—centre, overarm or tilting arbor type						
		saw guards saw tables mitre head						
		mitre gauge and/or assemblies extension table						
		fence and fence assemblies tilt assemblies trunnions—table front and rear				and An ang a		
AK	84.59.059	rails riving knives and splitters Marangom Bunny 2 tyre buffing machine	Free	Free	10	928209C	5/84	3/92
WN AK HO	84.59.059 84.61.021 85.01.001)	Pharmacia gradient mixer Gasmaster brand LPG low pressure regulator and couplings Submersible motors, on condition that they will be used solely	Free Free Free	Free Free	• •	928803B 928188G 209821A	7/84 <b>5/8</b> 4	9/86
	85.01.019)	in a submersible application, types; Aturia Costemaro Valerio				•		
		Grundfos Hitachi						
		Jung Little Giant						
		Myers Pioneer						
	85.03.001	Starite Primary cells and primary batteries of kinds approved by the Minister;	Free		•.•		•	
DN		APPROVED: Muirhead standard cells for the supply of standard voltages for reference purposes only				113407J	7/78	9/92

## THE NEW ZEALAND GAZETTE

APPROVALS--continued

		APPROVALScontinued						
			Rates	of Duty	Part	Con-	Effective	
Port	Tariff Item No.	Goods	Normal		II Ref.	cession Code	From	To*
но	85.10.019	Bend-a-light visual tool to be used in illuminating work areas	Free	Free	99	209842D	9/84	9/87
		that conventional lighting is unable to penetrate Component parts, as may be approved, for use in making coffee	Free	Free	15	928210G	11/83	9/91
		makers APPROVED:				•		
		A schedule of approved components is available from the Collector of Customs, Auckland						
НО	85.13.009	Data transmission modems, including group band modems, operating at speeds of 4800 bps, and above only—excluding those that have any multi speed capabilities below 4800 bps	Free	Free	10	209840H	9/84	9/89
НО	85.13.009	Facsimile machines when used in the communication of documents for business purposes	Free	Free	10	209843B	9/84	9/89
HO HO	85.13.009 85.13.009	Statistical multiplex Teleprinters	Free Free	Free Free	10 10	209839D 209841F	9/84 9/84	9/89 9/89
	85.17.000	Marine navigation beacons; Tideland maxilumina models;	Free	Free	iõ		1.0	-101
но		Types; ML140				209822K	7/84	9/88
	85.19.009	Components, as may be approved, peculiar for use in the making of "Westinghouse" type MS motor protectors APPROVED:	Free	Free	15	928211E		6/92
		A schedule of approved components is available from the Collector of Customs, Auckland						
	85.19.009 85.19.009	G.E.C. power protection relays	Free Free	Free Free	99 10	209834C	7/84	6/86
	85.19.011	(2) "National" sealed miniature relay, model NRH 12-V Thermal fuses, for use in high tension transformers of colour	Free	Free		113872D 901229L	7/78 9/81	9/92 9/92
	85.22.011	Pipe and cable locators, models 1306CAT, 1506 GENNY, GPR106,	Free	Free		209820C	7/84	9/89
		GPR 107, and GPR 404	Free	Free		209819K	3/84	
	85.23	Cables and wires having an operating capacity exceeding 33kV	Free			200670H		12/84
но	85.23 85.23	Hypalon or C.S.P. insulated electric wires, cable, and flexibles Silicone rubber covered wires and flexibles	Free Free			114194F 203004H	7/78	12/84 12/84
	85.23	Trailing cables conforming to New Zealand standard specifications 397 (B.S. 708/1950) or 444 (B.S. 116/1943), with individual	Free		•••	114198J		12/84
	05.22	core conductors having a nominal crossectional area exceeding 3.09 mm <sup>2</sup>	Erro			114100G	00	17/04
	85.23 85.23	T.R.S. cable Winding wire or winding strip of solid or built-up shapes, being insulated with lacquer or enamel to a maximum wall thickness of 0.25 mm and/or insulated with paper, cotton,	Free 5	Aul Free DC Free	••	114199G 206662K		12/84 12/84
но	85.23	glass or fibrous material applied helically Wires and cables, excluding winding wire and strip, insulated	Free					
		with: Cotton, silk rayon, glass, enamel or any combination of these materials with asbestos and whether or not varnished				208030D	7/78	12/84
•		Mineral Polytetrafluoroethylene (P.T.F.E.)				203037D 203038B		12/84 12/84
но	85.23	Wires, cables, and flexibles insulated with ethylene propylene	Free			203039L 114207A	7/78	12/84 12/84
пО	05.25	rubber and/or ethylene propylene rubber chorosulphonated polyethylene composite insulation	The		•••	1172015	1/18	12/04
но	84.23.001	Coaxial wire and cables, types; RG 213/U, RG 142B/U, RG 402/U and RG 214/U	Free	Free	10	900912E	7/81	12/84
НО	85.23.011	Winding wire 0280 mm diameter, insulated with polyestermide enamel when declared by a manufacturer for use by him, only	Free		••	203490F	7/80	12/84
но	85.23.011	in making brake solenoids for use in washing machines Wires, and cables, excluding winding wire and strip, insulated with ethylene-chloro-fluorethylene (E-CTFE)	Free		••	202752G	6/80	12/84
но	85.23.011) 85.23.021)	Power supply or line cord 2, 3 or 4 core, 10 to 35 amps, 110 to 250 volts, insulated (viny) or PVC), approved to UL fo USA or	Free		••	922895A	10/82	12/84
но	85.23.011)	CSA for Canada, with or without plugs or sockets Thermon heating cables	Free		••	114212H	7/78	12/84
	85.23.021) 85.23.021 85.23.021	Ambient heater cable ASEA PVC covered extra flexible cable type RKKR of 19 core $\times$ 1.5	Free Free		 	200174 <b>J</b> 114216L		12/84 12/84
но	85.23.021	mm <sup>2</sup> (0.002 sq in) Cables with specialised fittings attached, when declared by an	Free			114222E		12/84
	85.23.021 85.23.021	importer for use only with medical and scientific equipment Conductive thermoplastic screened microphone cable Dayflex electrical connections, for making anti-sag coiled,	Free Free		 	918326E 917772J	9/81 11/81	12/84 12/84
	85.23.021	electrical truck and trailer connections Elevator trailing cable, multi-core type	Free			114227F		12/84
HO HO	85.23.021 84.23.021	Fusible link cable Multi-contact highly flexible cable	Free Free		 	900913C 900571E	8/81 • 4/81	12/84 12/84
	85.23.021 85.23.021	Neoprene insulated tinned copper motor lead wire (CLN lead wire) Polyester lkaminated single core, silver plated copper wire 0.13 mm <sup>2</sup> (0.002 sq in) and PVC covered, single core tinned	Free Free			114243H 114246B	7/78	12/84 12/84
но		copper wire 0.28 mm <sup>2</sup> (0.0043 sq in)						

Decisions Cancelled:

#### THE NEW ZEALAND GAZETTE

#### TARIFF DECISION LIST No. 723-continued

APPROVALS-continued

				· · · · · · · · · · · · · · · · · · ·				
D	Tariff		Rates of Duty		Part	Con-	Effec	tive
Port	Item No.		Normal	Pref.	II Ref.	cession Code	From	То*
НО	85.23.021	Triangle radaflex welding cable	Free			901366A	2/82	12/84
НО	85.23.021	Wire, copper, constantan type PT 24/T, peculiar to use as thermocouple wire	Free		•••	114257H		12/84
AK	85.26.000	Fittings, wholly of insulating material other than glass or ceramic, for use in making electronic appliances and apparatus	Free	Free	15	928213A	10/83	9/91
НО	86.10.000		Free	Free	99	209818A	1/84	6/89
DN	90.10.029	Kodak colour negative translators, models 1-K, 2-K and 3, peculiar to use in colour print processing	Free	Free	99	201146J	7/78	
DN	90.10.029	Kodak video colour negative analysers models 1-K, 2-K and 3, peculiar to use in colour print processing	Free	Free	99	201147G	7/78	9/92
но	90.28.009	Computer Instruments Corporation, model 7700 P bubblers for density specific gravity and density compensated level	Free	Free	10	209833E	5/84	6/86
HO	92.11.018	Tape recorders, when imported;	Free	Free	31	209826B	9/84	6/90
		(1) By a school, college or university for use by that school,					.,	
		college or university and not for resale; or		· ·				
		(2) by an importer on condition that they are being imported	1					
		for sale only to schools, colleges or universities and that						
		the goods will remain the property of the school, college or university and will not be disposed of without payment of the						
		duty otherwise payable under the Customs Tariff						
DN	92.12.011	BASF magnetic film, P16 and P35, when declared by an importer for sale only to professional film or television studios	Free	Free	15	206789H	10/82	9/92
WN	94.02.009	Mecanaids mecabled	Free	Free	.99	928802D	7/84	3/87
HÔ		Button blanks of artificial plastic material	Free	Free		209838F	7/82	6/85
DN	98.05.019	Crayons, chromatic temperature indicating	Free	Free	99	206697B	9/82	9/92
DN	98.08.001	Ink ribbons for Albeko 102B machines, peculiar to use in the	Free	Free		115650A	6/79	9/92
	70.00.001	footwear industry				1100001	5,15	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

\*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

#### MISCELLANEOUS

30.03.031) Medicaments 30.03.039) WN Floxapen capsules 925287J . . ٠. . . WN WN Norlestrin tablets (CT) 101650E ۰. . . • • . . 918911B Rubrafer improved . . ۰. • • • • 201256B Section XI Fabrics ... neckties 59.08.002 Coated ... tapes 59.12.029 Cotton ... declared HO HO . . . . ۰. . . 206347G . . . . . . . . Cotton ... declared (CT) (1) by ... footwear; or (2) by ... footwear Knitted ... neckties 917729K DN . . . . . . . 60.01.022) 60.01.028) 60.05.053) HO 201648G . . ÷ . . . HO Fabrics ... neckties 2016813 ۰. . . . . 60.05.054) 60.05.179 204584C HO Fabrics... neckties • • . . . . Water ... approved; APPROVED: 84.06.021 . . . . MAN. ... engines 205208G но . . . . 84,19.039 Labelling machines 111524D HŌ . . ۰. . . . . . . . 84.23.079 85.01.001) ΗŎ Komatsu ... GD300A 208182C • • . . . . . . • • HÔ Submersible ... Grundfos . . . . . 209431C . . . . 85.01.019) 204952L HO 85,13.009 Data ... above ÷., • • . . 85,19.009 Spare ... use (CT) 113889J DN . . . . . . . . . . (NOTE: (CT) indicates concessions cancelled and re-issued in this list with extended end dates.)

Dated at Wellington this 4th day of October 1984.

P. J. MCKONE, Comptroller of Customs.