

## **SUPPLEMENT**

TO THE

# NEW ZEALAND GAZETTE

**OF** 

THURSDAY, 21 MARCH 1985

Published by Authority

WELLINGTON: WEDNESDAY, 27 MARCH 1985

TARIFF NOTICES

Tariff Notice No. 1985/318—Applications for Approval

NOTICE is hereby given that applications have been made to the Minister of Customs for concessionary entry of the following goods at the rates of Customs Duty shown:

Port	Appn.	Tariff	Goods	Rates	Rates of Duty	
	No.	Item		Normal	Pref.	II Ref.
K	32157	29.24.009	Tetra methyl ammonium chloride for	Free*	Free	15
K	32183	29.25.000	use in the making of synthetic resins Diuron (R) and Linuron (R) technical to be used as an active ingredient in	Free*	Free	15
λK	32270	34.02.000	the making of weedkillers Solopol W O used to scour dyeing	Free*	Free*	15
K	32271	34.02.000	machines used in textile dyeing Sultafon SAF used in Keir boiling of cotton and scouring agent used in	Free*	Free*	15
AK.	32182	38.11.029	dyeing process of textiles  Lannate (R) L insecticide for the control of insects, in cereals, pasture	Free*	Free*	15
WN	1832	38.11.031	and vegetable crops Daracide GR 849 used in slimicide in	Free*	Free*	15
K	32172	38.11.041	the pulp and paper industry Gleam (R) dry flowable weed killer -	Free*	Free*	15
ON	948	38.19.079	a broad spectrum herbide Industrial microbicide in bulk viz; Troysan Polyphase AF1 for use in the	Free*	Free	99
ON .	947	38.19.079	making of paints Paint additives viz; Troysol LWD and Troyso AFL in bulk for	Free*	Free	99
ON	946	38.19.079	the making of paint in N.Z Pigment and surface wetting agents for latex and oil based paints viz;	Free*	Free	99
AK.	32119	38.19.079	Troysol LAC and Troysol AFP in bulk for use in the making of paints in NZ Zerostat AT—an anti-static	Free*	Free	15
<b>K</b>	32201	39.02.205	preparation used in textile production Cycolac V520- acrylonitrite Butadiene styrene moulding compound with self-extinguishing properties	Free*	Free*	15
СН	544	39.02.241	to be used in the injection moulding of fittings Clear acrylic rod, 4½ diameter, used in forming models of proposed glass containers	Free		
<b>K</b>	31926	39.02.391	Lectrolite anti static fabric being electrically conductive, fully antistatic and anti bacterial. For use	Free		•••
WN	1820	39.07.308	in X-ray pads, operating pads, etc. Flexible hoses of varying diameters, made of polypropylene fabric, 316L stainless steel inner wire reinforced and galvanised steel outer wire	Free*	Free*	99
<b>K</b>	32211	39.07.599	reinforced. Lloyds approved valve balls of PVC to be used in conjunction with vent cowls to permit ventilation of tanks	Free*	Free*	15
CH	680	39.07.599	and compartments Plastic vent caps, types A, B and C, for use solely in the manufacture	Free*	Free*	15
AK.	32170	39.07.599	of Compostumblers Plastic whistle membrane for use in the making of Aldein inhalers	Free*	Free*	15
K	32199	40.13.001	Electricians gloves conforming to approved standard specifications;	Free*	Free*	99
.K	32146	40.14.022	APPROVED: American Society for tesing materials (ASTM) specifications D120/63 C-1 functional applicator heads for	Free*		
νŃ	1871	48.07.151	heads for fitting to bottles to allow application of liquids  Red top matrix sheet for use in	Free		••
/N	1676	59.03.001	making master moulds for rubber printing plates  Bostik web adhesive for bonding	Free		
K	32136	60.05.179	fabrics and non wovens Padded headlinings for use only in	Free*	Free*	15
K.	32195	70.19.009	making headwear Crystal decorative small wares on condition that the goods are for use	Free*	Free*	15
			in the making of household ornaments and imitation jewellery only			

## THE NEW ZEALAND GAZETTE

Tariff Notice No. 1985/318—Applications for Approval—continued

Port	Appn. No.	Tariff Item	Goods	Rates	Par	
Port			Goods	Normal	Pref.	Ref
AK	32155	73.18.009	Rectangular hollow sections, drawn	5%	Aul Free	99
			after welding to eliminate internal seam, in following sizes only:			
			68 mm × 68 mm × 4.7 mm wall thickness 56 mm × 56 mm × 3.6 mm wall thickness			
			on condition that the goods will be			
			used solely in the making of duro torque axle assemblies		Γ	1.5
CH	669	73.18.009	Stainless steel nipple tube, welded schedule 5 and schedule 10, conforming	5%	Free	- 15
СН	668	73.18.009	to ASTM A312 and A409 requirements Tubes and pipes of stainless steel,	5%	Free	15
υΠ	000	73.10.009	welded, types; Avesta alloys 253 MA	5 70		
ΑK	32262	73.21.000	and 254 SMO Fittings and fire rated doors for	Free*	Free*	99
ŴN	1859	73.22.009	Wilkinson chutes only Water pressure vessels for farm water	Free*	Free*	99
****	1037	13.22.009	supply WX—404 type holding tank			
AK	32231	73.32.029	volume of 66 gallons or 249.8 litres High strength friction grip bolts for	Free*	Free*	15
СН	677	74.03.001	incorporating into bridge bearing Unalloyed copper rod, 8 mm, 330	Free*	Free	99
			tonnes only	Free*	Free	15
AK	32159	81.04.019	Titanium expansion cone—a large type of pipe fitting connecting a	rice	Ticc	. 13
AK	32127	84.06.021	chlorine dioxide tank and pulp Mermaid marine engines:-	Free		
	32127	01.00.021	APPROVED:			
			Minuet 35 b.h.p @ 3500 r.p.m Meermin 45 b.h.p			
			3500 r.p.m Meteor 54 b.h.p			
			4800 r.p.m Merlin 70 b.h.p			
			4000 r.p.m			
			Melody 85 s.h.p 2600 r.p.m			
			Mariner 128 s.h.p 2600 r.p.m			
			Turbo-four 155 s.h.p			
			2600 r.p.m Mistral 175 s.h.p			
			2500 r.p.m Majestic 200 s.h.p			
			2500 r.p.m Monarch 230 s.h.p			
			2500 r.p.m			
			Turbo-plus 275 s.h.p 2500 r.p.m			
AK AK	32133 32250	84.06.021 84.06.079	Volvo penta marine engine model AQ151 Service and maintenance spare parts	Free Free*	Free*	10
			for mirrless Blackstone type engines	Free*	Free*	10
AK	32228	84.10.029	Albin RB series self priming rotary pumps for high temperatures			
WN	1817	84.10.029	Durco horisontal centrifugal pumps, 3 inch discharge and 4 inch suction,	Free*	Free*	10
			with acid resistant body and impellor,			
			electric motor direct driven for pumping 54% phosphoric acid to tanks/road			
			tankers. Flow rate of 46.3 m <sup>3</sup> /h and discharge pressure between 275			
NVN I	1016	94 10 000	kPa and 357 kPa	Free*	Free*	10
WN	1816	84.10.029	Galigher Ash Verticle Centrifugal Pumps 2 <sup>1</sup> / <sub>2</sub> inch, acid resistant	1100	1100	10
			body and impellor, electric motor, belt driven for pumping fluid slurries with			
			abrasive solids and/or corrisive solutions, pulps, acids and alkalies.			
			Made of cast iron or alloy and elastomer			
			lined and covered. Discharge pressure between 303 kPa and 376 kPa with flow			
AK	32168	84.15.001	rate from 24 m <sup>3</sup> /h to 36 m <sup>3</sup> /h Icemakers for use in the manufacture	Free*	Free*	10
			of domestic refrigerators			
AK WN	32202 1488	84.19.039 84.23.079	Horizontal flowpack wrapping machine Craclius Pixie air powered concrete	Free* Free*	Free* Free*	10 10
AK	32246	84.27.000	drilling machines Parts for the repair and maintenance	Free*	Free*	10
			of brown fruit juicing machinery			
AK	32167	84.36.009	Twisting machine for own use in the making of carpet yarn	Free*	Free	10

Tariff Notice No. 1985/318—Applications for Approval—continued

Port	Appn.	Tariff Item	Cont		Rates	of Duty	Part
	No.		Goods		Normal	Pref.	II Ref.
WN	1861	84.47.009	ERRE—ENNE models BD3P, BD1PE, BD1 Export, BD1P, BD1 Orion morticing machines and model AF1PE drilling and		Free*	Free	10
WN	1818	84.59.059	screwing machine A.P.V Bell Bryant agitators, type PTERO20/hydrofoil and type PTERO 16/45' PBT. Electric motor, gearbox		Free*	Free*	10
			driven for the agitation of contents of phosphoric acid tank to prevent settlement of suspended solids				
DN	945	84.59.059	Flo—Ted Vacuum bump press to condense coiled textile slivers from		Free*	Free*	10
DK	32200	84.59.059	cans to dense bumps for storage Plansifter for sifting of preselatinised maize starch		Free*	Free*	10
НО	065806	84.61.021	Asco direct acting in line solenoid valve, brass or stainless steel bodied, sizes 3 mm (1/8") and		Free		
НО	065802	84.61.021	6 mm (1/4") series 8320 Asco direct acting solenoid valves, brass or stainless steel bodied size 3 mm (1/8") to 13 mm (1/2")		Free		••
НО	065803	84.61.021	series 8300, 8302 and 8315 Asco high flow 3 way solenoid valve, brass bodied, sizes 10 mm (3/8") to 25 mm (1") series 8316		Free		• •
НО	065804	84.61.021	Asco high flow 4-way solenoid valves brass bodied, sizes 6 mm (1/4")		Free		
НО	065805	84.61.021	to 25 mm (1") series 8344 Asco series 8353 dust collector valves die cast aluminium bodies size 20 mm (3/4") to 40 mm (11/2")		Free		
AK	32154	84.61.021	Gate valves cast iron body size 5" (125 mm)				
НО	1435	84.61.021	Lovato Autogas multivalve for use in LPG installations on motor vehicles		Free		• •
WN	1819	85.01.031	Line output Transformers models: AT 2048/12 AT 2102/02 AT 2102/04 AT 2080/10 AT 2063/00				
AK	32138	85.01.041	Battery chargers, for national cordless power tools for recharging nickel cadmiun batteries		Free*	Free*	10
WN ·	1763	85.13.009	Component parts for use in the manufacture of A.F repeaters		Free*	Free*	15
AK	32266	85.15.249	Colorado electrio optics emergency transmitters models ET1 and D22A to be used in the making of medic—alert emergency		Free*	Free*	10
AK	.32161	85.19.059	Erico plug bonds for electrical switch connections in railway systems		Free*	Free*	10
CH	678	85.22.019	Avanter AWC 42080 low-noise amplifier module, for microwave signals from salellites		Free*	Free*	10
WN	1740	85.22.019	Plantronics starset and starset supra headsets for voice communication via telephone lines		Free*	Free*	10
AK	32153	90.28.009	Kachel limit valve switches to measure temperature accurately		Free*	Free	99
AK	32209	90.28.009	Moore range of "Mycro" process control systems and controllers		Free*	Free	10
AK	32145	92.13.009	Parts of Nagra professional tape recorders		Free*	Free*	99
WN	1787	93.07.059	.22 blanks used solely with CAP - CHUR tranquilliser rifles		Free*	Free*	99

The identification reference to the application number indicates the office to which any objections should be made.

H.O.—Comptroller of Customs, Private Bag, Wellington.
AK—Collector of Customs, Auckland.
CH—Collector of Customs, Christchurch.
DN—Collector of Customs, Dunedin.
WN—Collector of Customs, Dunedin.

Tariff Notice No. 1985/318—Applications for Approval—continued

Any person wishing to lodge an objection to the granting of these applications should do so in writing to the appropriate office as indicated by the identification reference on or before 18 April 1985. Submissions should include a reference to the identification reference, application number, Tariff item and description of goods concerned and be supported by information as to:

- (a) The range of equivalent goods manufactured locally;
- (b) The proportion of New Zealand and imported material used in manufacture;
- (c) Present and potential output; and
- (d) Details of factory cost in terms of materials, labour, overhead, etc.

Dated at Wellington this 21st day of March 1985.

P. J. McKONE, Comptroller of Customs.

#### Tariff Notice No. 1985/319—Applications for Variation of Approval

NOTICE is hereby given that applications have been made for variation of current approvals of the Minister of Customs as follows:

_	Appn. No.	Tariff Item No.	Goods	Rates	of Duty	Part	Con- cession Code	Eff	ective
Port				Normal	Pref.	II Ref.		From	To*
		68.06.009	CURRENT APPROVAL: Milzinger—Thum abrasive flad wheels on condition that they are solely for use in industrial metal finishing and polishing	Free	Free	99	928520C	9/84	12/86
WN	1922	68.06.009	trades REQUESTED APPROVAL: Abrasive flap wheels for use solely in an industrial application CURRENT APPROVAL:	Free	Free	99			
		73.13.079	Cold-rolled steel sheet EXCLUDING:	Free	Free	99	201949D	7/78	6/85
			Grade; Type; BS 1449 CR4 JIS 3141 SPCC-SD REQUESTED APPROVAL:						
НО	066145	73.13.079	Cold-rolled steel sheet EXCLUDING:	Free	Free	99			
			Grade; Type; BS 1449 CR4						
			JIS 3141 SPCC-SD ASTM A366						
		84.61.021	CURRENT APPROVAL: Compressed air filter regulators. Norgren models B10, B13, B38, R38, R40, R41,	Free		••	930358J	9/84	9/92
			R43, C81, 11-010, E2H, 11400, 11-818 REQUESTED APPROVAL:						
AK	32152	84.61.021	Compressed air regulators and filters; Norgren models B10, B11, B38, R10, R11, R38, R40, R41,	Free		<i></i>			

The identification reference to the application number indicates the offices to which any objections should be made.

H.O.—Comptroller of Customs, Private Bag, Wellington AK—Collector of Customs, Auckland WN—Collector of Customs, Wellington.

Any person wishing to lodge an objection to the granting of these applications should do so in writing to the above office on or before 18 April 1985. Submissions should include a reference to the identification reference, application number, Tariff item and description of goods concerned and be supported by information as to:

- (a) The range of equivalent goods manufactured locally;
- (b) The proportion of New Zealand and imported material used in manufacture;
- (c) Present and potential output; and
- (d) Details of factory cost in terms of materials, labour, overhead, etc.

Dated at Wellington this 21st day of March 1985.

P. J. McKONE, Comptroller of Customs.

### THE NEW ZEALAND GAZETTE

Tariff Notice No. 1985/321—Applications for Continuation of Approval

NOTICE is hereby given that applications have been made to the Minister of Customs for the continuation of the following concessions at the rates of Customs Duty shown:

Port	Appn.	Tariff	Goods		Rates	Par	
	No.	Item			Normal	Pref.	Re
ON 5	C2654	21.07.018	Liquid Smokez Nos. 6, 8, 5, 410		Free*	Free*	
-			Natural smoke flavour used in food industry				
N	C2655	34.02.000	Gafac ŘS—410 textile wetting agent		Free*	Free*	15
ON	C2663	37.01.001	NAPS and PAPS sensitized polyester colour film		Free*	Free*	99
ON ON	C2662 C2664	38.11.031 38.19.079	Bordeaux mixture fungicide Dodigen V3129 corrosion inhibitor		Free* Free*	Free* Free*	15 15
N	C2665	38.19.079	Genapol PMS used in the manufacture of shampoos and cleansers		Free*	Free*	15
ON ON	C2672 C2673	73.20.001 73.20.001	Conduit pipe and pipe fittings Welded steel conduit peculiar to use		Free 5	Aul Free	99
DN	C2667	76.02.001	in electrical wiring work Aluminium formed wire, type 110C-3		Free*	Free*	15
DN	C2651	76.04.001	in coil form Siluatrim aluminium foil 0-050 mm			Tice	13
			thick		Free		• • •
DN DN	C2677 C2668	82.09.011 84.59.059	Wiltshire staysharp knife blades Breda Sinclair brakes		Free* Free*	Free* Free*	99 10
DN	C2670	85.11	Mahines electric welding: EXCLUDING:		Free*	Free*	10
			(1) A.C. manual arc welding machines having a maximum welding output of				
			620 amps or less; (2) M.I.G. welding machines having a				
			welding output of 748 amps or less				
			at 60% duty cycle or 650 amps or less at 100% duty cycle				
			(3) T.I.G. welding machines having a welding output of 250 amps or less;	en e			
			(4) Resistance welding machines having a 50% duty cycle of 25 kVa or less;	· · · · · · · · · · · · · · · · · · ·			
			(5) Arc welding units (or systems). designes solely for mounting in a				
			vehicle and wholly dependent on that vehicle's engine as the power source;				
			(6) High frequency dielectric welding				
DN	C2658	85.11.009	equipment A.C. resistance welding systems		Free*	Free*	10
DN	C2449	85.14.001	Microphones when declared by a manufacturer only in making or		Free*	Free*	15
DN	C2674	85.19.049	repairing hearing aids Lampholders, pilot, (excluding		Free*	Free*	10
			ceramic types), when declared: (1) by a manufacturer for use by him,			•	
			only in making (nopt repairing) radios and television receivers communications				
			and other electronic equipment; or (2) by an importer that they wil be sold				
	•		by him, only to a manufacturer for use			•	
			by him, only in making (not repairing) radio and television receivers,	•			
			communications and other electronic equipment				
ON ON	C2675 C2673	85.19.055 85.19.059	Belling and Lee Terminals Teminals, when declared;		Free*	Free Free*	10 10
			(1) by a manufacturer for use by him only in making refrigerators, home				
			freezers, home laundry, dishwashing machines and fractional horsepower				
			electric motors; or				
			(2) by an importer for sale by him, only in making refrigerators, home freezers,				
			home laundry, dishwashing machines and fractional horsepower, electric motors	**************************************	•		
NC	C2604	90.17.019	Medical, dental, surgical and veterinary instruments and appliances		Free*	Free	99
			(including electro-medical apparatus and ophthalmic instruments):				
			Electro-medical apparatus;		4 4		
ON	C2676	90.28.009	Other Amprode instrument test equipment		Free*	Free	99
	•					igher rate of the Minister	
						ny case decide	

#### THE NEW ZEALAND GAZETTE

Tariff Notice No. 1985/321-Applications for Continuation of Approval-continued

The identification reference to the application number indicates the office to which any objections should be made.

DN-Collector of Customs, Dunedin.

Any person wishing to lodge an objection to the granting of these applications should do so in writing to the above office on or before 18th April 1985. Submissions should include a reference to the identification reference, application number, Tariff item and description of goods concerned and be supported by information as to:

- (a) The range of equivalent goods manufactured locally;
- (b) The proportion of New Zealand and imported material used in manufacture;
- (c) Present and potential output; and
- (d) Details of factory cost in terms of materials, labour, overhead, etc.

Dated at Wellington this 21st day of March 1985.

P. J. McKONE, Comptroller of Customs.

3

Tariff Notice No. 1985/320-Applications for Withdrawal of Approval

NOTICE is hereby given that applications have been made for the withdrawal of the following approvals of the Minister of Customs and for the future admission of the goods at substantive rates of duty:

	Annn	Tariff		Rates of Duty		Part	Con- cession Code	Effective	
Port Appn.	Item No.	Goods	Normal	Pref.	II Ref.	From		To*	
AK AK	32234 32132	84.22.009 84.24.031	Sky climber brand air hoists Northwest rotary tiller, model "D" with a tiller size from 374 cm to 624 cm, for tilling soil in preparation for planting, weed control	Free* Free*	Free* Free*	10 10	927788C 924685B	4/84 2/84	3/92 3/86
AK	31582	90.24.011	and cultivation Eagle liquid filled pressure guages with a diameter of 60 mm in a variety of calibrations	Free*			929058D	6/84	6/92

The identification reference to the application number indicates the office to which any objections should be made.

AK-Collector of Customs, Auckland.

Any person wishing to lodge an objection to the granting of these applications should do so in writing to the above office on or before 18th April 1985. Submissions should include a reference to the identification reference, application number, Tariff item and description of goods concerned.

Dated at Wellington this 21st day of March 1985.

P. J. McKONE, Comptroller of Customs.

3