

TO THE

# NEW ZEALAND GAZETTE

OF THURSDAY, 23 MAY 1985

Published by Authority

WELLINGTON: WEDNESDAY, 29 MAY 1985

# TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1985/6 AND NOTICES

# TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1985/6 Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.
- 2 SCHEDULE 3 and 4  $\underline{\text{will not}}$  be published in the Consolidated List of Decisions.
- 3 It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the <u>Gazette</u>.
- 4 Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month eg, 3/84 to 9/86 is 1/3/84 to 30/9/86.

Tariff Item		ates of ormal	Duty Pref.	Part II Ref.			Effectiv From T	
21.06.001	Fodder yeast and Tovula yeast		Free	Free	15	461011D		6/9
25.07.000 25.07.000	Attagel 36 Engelhard 100UP and 200UP RVM Attapulgus clays, when declared		Free Free	Free Free	15 99	931419K 461012B		9/9 6/9
Section VI	for use in refining used engine oils Chemicals, peculiar for use as catalysts, hardeners, accelerat or stabilisers, in the making of plastic materials, lubricatin oils and synthetic resin adhesives not including dibasic lead phthalate of tariff item 29.15.009 or lead stabilisers of tariff item 38.19.079		Free	Free	15	929337L	2/85	9/8
29.07.009 29.25.000	Aretit 98% technical Carboxy amide-function compounds, amide function compounds		Free Free	Free Free	15 15	931531E 461013L		9/9 6/9
29.26.000 Whole Item	of carbonic acid Carboximide-function compounds (including orthobenzoic- sulphimide and its salts) and imine-function compounds (includ hexamethylene-tetramine and trimethylene-trimitramine): Other Medicaments	ing	Free	Free	15	461014J	5/85	6/9
30.03.031)	Medicaments							
	Diamicron Droncit (Vet) tablets		Free Free	Free Free	25 26	430082D 430047F		6/8
	Ego pinetarsol		Free	Free	25	430109K	5/85	6/8
	Equitone Gentamicin injection		Free Free	Free Free	26 25	430042E 430110C		6/8
	Ivonec		Free	Free	26	430064F	4/85	6/
	Lasonil ointment Leucovorin		Free Free	Free Free	26 25	430067L 430111A		6/
	Metronidazole infusion		Free	Free	25	430112K	5/85	6/
	Natulan capsules 50mg Nitro bid ointment		Free Free	Free Free	25 25	430078F 430113H		6/
	Novocloxin capsules Oralject salurex		Free	Free	25	430108A		6/
	Ossitetra capsules		Free Free	Free Free	26 25	102772H 430107C		3/1 6/1
	Palfium tablets		Pree	Free	25		5/85	6/8
	Quiditard timed capsules Rivotril tablets		Free Free	Free Free	25 25	430115D 430105G	5/85 5/85	6/8
	Robacyl 5%		Free	Free	26	430046H	4/85	6/8
	(a) Rompun dry substance (b) Rompun solution		Free	Free	26	430045K	4/85	6/8
	Silbe asthma inhalant		Free	Free	26	430066B	4/85	6/8
	Tinavet Vanguard CPV (MLV)		Free Free	Free Free	26 26	430027A 430013A	4/85 4/85	6/1
	Vanguard DA2P + CPV		Free	Free	26	430014K	4/85	6/8
34.02.000	Products, as may be approved, when imported in bulk and not be soaps or containing soap;	ing						
	APPROVED:		Free	Enna	, ,	071474	7 /05	0//
	Dispersant HG Fedco Sco		Free	Free Free		931436K 931530G	3/85 2/85	9/9 3/9
	Humifen WT-27 Monamine ALX100S	1	Free Free	Free Free	15 15		3/85 3/85	9/9
	Wansa HS/80/P on condition that it will be used solely in the		Free	Free	15	931522F	5/84	6/9
	manufacture of Napisan Nansa HS 85/S		Free	Free	15	461018A	4/85	6/9
	Nonidet 620P and Nonidet 640P for bloat control in antifoaming		Free	Free	15	929328A	2/85	2/8
	applications Polymeric surfactant Abo		Free	Free	15	929327C	4/85	4/8
	Radiometer S4160 zero detergent (Enzymatic electrode		Free	Free	15	461019K	5/85	6/9
	detergent) Sandozin N and NW liquids		Free	Free	15	931532C	3/85	3/9
	Tinovetin B		Free	Free	15	931435A	3/85	9/9
	Triton GR5M, on condition that it is for use only in making patextile cleaning preparations	int	Free	Free	15	461020C	4/85	6/9
	Triton GR7M, on condition that it is for use only in making pa	int	Free	Free	15	461022K	4/85	6/9
	textile cleaning preparations Triton X45, X100, X102, X105, X107 and X155		Free	Free	15	461023H	5/85	6/9
	CMW orthopaedic bone cement		Free	Free	15	461024F	5/85	10/1
	Lock 'n' Pop cohesive compounds Electrostatic toners and developers, for use in copying		Free Free	Free Free	15 15		4/85 5/85	6/
30 11 020	machines		Eran	Free	1 6	931417C	3/05	9/9
	Basamid granular, (common name Dazomet) Kathon CG		Free Free	Free		461026B	3/85 5/85	6/9
	Kathon 886 MW metalworking fluid microbicide		Free	Free		461027L	5/85	6/9
	Kumulus S Dachtal W75		Free Free	Free Free		931429G 480505E	3/85 3/85	9/9
38.19.001	Britcem M, Doloram T40, Britram TC, Stercoram PC,		Free	Free	15	931435A	3/85	9/9
38.19.001	Radex 660, Radex 433 Refractory cements and mortars, viz;							
	Norton CA337		Free	Free		461028J	4/85	6/9
	Norton PA452 Norton TA102		Frce Free	Free Free	15	461029G 461030L	4/85 4/85	6/9
70 10 070	Norton VAll2		Free	Free		461031J	4/85	6/9
38.19.079	Chemical products and preparations etc. Borden alphaset catalyst TH1		Free	Free	15	931445J	3/85	9/9
	Chlorinated polyoletins CP-343-1 and CP-515-2		Free	Free	15	931544G	4/85	3/9
	Lankropast A3010 Nipasept		Free Free	Free Free		931428J 461032G	3/85 5/85	9/9 6/9
	Nipastat		Free	Free		461033E	5/85	6/9
	Ombrophob M liquid		Free	Free		931441F	3/85	9/9

Tariff Item	Description of Goods Rates of Normal	Duty Pref	Part II Ref.			Effectiv From T	
	Sandowyl salt on gran for use in textile dye baths	Free	Free		931541B	3/85	3/9
	Skydrol hydraulic fluid Titanium chelate	Free Free	Free Free		461034C 461035A	4/85 4/85	6/9 6/9
	Epikote 872 and Epikote 872 x .75	Free			929332K	3/85	3/8
39.01.261 39.01.291	Silastic (R) scleral sponge Silastic medical grade tubing on condition that it will be used	Free Free		• •	931540D 931539L	1/85 1/85	3/9 3/9
39.01.341	solely in clinical and laboratory environments						
39.01.368	Metallised biaxially orientated nylon film	Free Free	Free	15	461036K 461037H	5/85 5/85	6/9 6/9
	Metallised polyester film Polyethylene terephthalate film	Free Free	Free Free	99	460138F 461039D		6/9 6/9
39.01.369)			1100	1.5			
	Aqueous solution of an acrylic, acid copolymer viz: Dekol SN PVC welding rod, diameters 1mm to 6mm	Free Free		• •	929331A 461041F	3/85 5/85	3/8 6/9
39.02.241	Soft foam industrial ear plugs	Free	P		460140H	4/85	6/9
	Vibram EVA outer soling Biaxially oriented polypropylene film, co-extruded coated,	Free Free	Free	15	400537G 931681H		6/8
	metalised, opaque or clear, being of a thickness not exceeding 0.5mm and of a width not exceeding 20 cm						
	Flexa P.V.C vinyl laminate	Free	Free	99	931533A	4/85	3/9
39.02.378	Metallised, linear low density polyethylene film, for use as vintage cheese wrappers	Free	Free	15	461043B	4/85	6/9
39.02.378	PVC, white or clear, used as an overlay film in the	Free	Free	15	461044L	5/85	6/9
39.02.378)	production of credit cards Biaxially oriented polypropylene film co-extruded, coated,	Free	Free	15	931680K	7/84	6/1
	uncoated, metalised, opague or clear, being of a thickness				******	., .,	
39.02.378)	not exceeding 0.5mm and of a width exceeding 20cm Biaxially orientated polypropylene film, when declared for	Free	Free	15	461045J	5/85	6/9
39.02.379)	use in making power factor correction capacitors						
39.02.378) 39.02.379)	High density polyethylene film of .5mm to 2mm thick	Free	Free	99	931438F	3/85	9/
39.02.391	Polystyrene, evoh, polyethylene trilaminate plastic foil	Free			931423H		9/
39.02.501 39.02.501	"Corian" a filled methacrylate sheet - surface unworked Danplate packing material	Free Free		• •	930654E 931444L	7/85 2/85	9/ 9/
39.02.501	Sekisui rigid polished PVC sheet	Free			461047E	5/85	6/
39.02.501	Trovidur pressed PVC sheet Electrophoresis strips	Frce Free	Free	99	461048C 461049A		6/
	Regenerated cellulose film, uncoated, coated	Free	Free	15			6/
	with nitrocellulose or PVDC (Saran) or metallised, in widths of 20cm and under						
	Regenerated cellulose film	Free	<b>n</b>	::	461051C		6/
	Rika Hercules resin DP106 Babies bibs and feeders	Free \$0.25	Free \$0.25	15 99			9/ 6/
		each	each				
39.07.479 39.07.599	Isopad termination kits Colostomy, ileostomy and urostomy bags, disposable types,	Free Free	Free Free	10 99	440191D 461053K		3/ 6/
	designed for wear		Free				9/
39.07.599	in the making and trimming of bridal headwear	Free		99			
39.07.599	Plastic sliding mast track on condition that the goods will be used solely in the manufacture of windsurfers	Free	Free	15	931537D	4/85	3/
39.07.599		Free	Free	15	461054H	5/85	6/
40.12.029	Roho dry flotation cushions	Free	Free	99			9/
40.14.039	Buna-nitrile elastomer flange protectors used as a hazard protection against leakage of acid from flanged pip joints	Free	Free	99	929326E	2/85	2/
41.04.009	Goat and kidskin leather, when declared	Free	Free	99	107746B	12/78	6/
	<ol> <li>by a manufacturer for use by him only in the making of goods (such goods to be specified at the declaration) other than gloves or linings for footwear; or</li> <li>by an importer for sale by him only to a manufacturer for use by him only in making goods other than gloves or linings for footwear</li> </ol>				•		
44.15.001	Plywood of 3 mm thickness on condition it is solely for overlaying with decorative printed or surface laquered papers for use in the	Free	Free	15	480501B	2/85	6/
48.07.151	caravan, boat building or coach building industries Polyethylene coated battery kraft paper on condition it is solely	Free			480504G	2/85	9/
48.15.029	for use in the manufacture of tubes for dry cell batteries Photograph album pages, self adhesive, coated with clear overlay	Free	Free	15	480502L	7/84	9/
	on condition that the goods will be used solely in the						
					.00.00		3/
48.15.029	manufacture of photograph albums Raised lined notepaper on condition it is for use by the	Free	Free	50	480496B	3/85	
	Raised lined notepaper on condition it is for use by the blind for writing longhand						6.
	Raised lined notepaper on condition it is for use by the	Free Free	Free Free	50 99			6,
48.16.011	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries	Free		99	480497L	6/84	
48.16.011	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs	Free Free	Free	99	480497L 480503J	6/84 1/85	9,
48.16.011	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts,	Free		99	480497L	6/84 1/85	9,
48.16.011 48.21.019 48.21.019	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs  Recording paper, excluding circular recording charts, peculiar to use with recording instruments  Nylon shoe upper material, being loosely woven crochetlike	Free Free	Free	99  99	480497L 480503J	6/84 1/85 4/85	6/ 9/ 6/
48.16.011 48.21.019 48.21.019	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments  Nylon shoe upper material, being loosely woven crochetlike fabric, when declared;	Free Free Free	Free	99  99	480497L 480503J 460168J	6/84 1/85 4/85	9/ 6/
48.16.011 48.21.019 48.21.019	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments Mylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to	Free Free Free	Free	99  99	480497L 480503J 460168J	6/84 1/85 4/85	9/ 6/
48.16.011 48.21.019 48.21.019 51.04.013	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments  Mylon shoe upper material, being loosely woven crochetlike fabric, when declared;  (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear	Free Free Free	Free Free Free	99  99 15	480497L 480503J 460168J 480465B	6/84 1/85 4/85 7/85	9/ 6/ 6/
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, pecultar to use with recording instruments Mylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear Cotton velour powder puff cloth for use in the manufacture of powder puffs	Free Free Free Free	Free Free Free	99  99 15	480497L 480503J 460168J 480465B	6/84 1/85 4/85 7/85	9/ 6/ 6/
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments  Mylon shoe upper material, being loosely woven crochetlike fabric, when declared;  (1) by a manufacturer for use by him only in making footwear; or  (2) by an importer that it will be sold by him only to manufacturers for making footwear  Cotton velour powder puff cloth for use in the manufacture of powder puffs  Betalon spindle tape	Free Free Free Free Free	Free Free Free	99  99 15	480497L 480503J 460168J 480465B 931529C 461055F	6/84 1/85 4/85 7/85 1/85 5/85	9/ 6/ 6/ 3/
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, pecultar to use with recording instruments  Nylon shoe upper material, being loosely woven crochetlike fabric, when declared;  (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear  Cotton velour powder puff cloth for use in the manufacture of powder puffs Betalon spindle tape Cordura and copra cloth, for use only in making back packs and soft luggage	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9/ 6/ 6/ 3/ 6/
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments Mylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear Cotton velour powder puff cloth for use in the manufacture of powder puffs Betalon spindle tape Cordura and copra cloth, for use only in making back packs and soft luggage Fabrics, excluding socking, impregnated or coated with any	Free Free Free Free Free	Free Free Free	99  99 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9/ 6/ 6/ 3/ 6/
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments Nylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear Cotton velour powder puff cloth for use in the manufacture of powder puffs Betalon spindle tape Cordura and copra cloth, for use only in making back packs and soft luggage Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared: (1) by a manufacturer for use by him, only in making fashion	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9/ 6/ 6/ 3/ 6/
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments Mylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear Cotton velour powder puff cloth for use in the manufacture of powder puffs Betalon spindle tape Cordura and copra cloth, for use only in making back packs and soft luggage Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared: (1) by a manufacturer for use by him, only in making fashion handbags (excluding tour bags and college bags); or	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9, 6, 6, 6,
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments  Nylon shoe upper material, being loosely woven crochetlike fabric, when declared;  (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear  Cotton velour powder puff cloth for use in the manufacture of powder puffs  Betalon spindle tape  Cordura and copra cloth, for use only in making back packs and soft luggage  Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared:  (1) by a manufacturer for use by him, only in making fashion handbags (excluding tour bags and college bags); or  (2) by an importer that they will be sold by him, only to manufacturers for making fashion handbags (excluding tour bags and college bags); or	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9, 6, 6, 6,
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments Mylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear Cotton velour powder puff cloth for use in the manufacture of powder puffs Betalon spindle tape Cordura and copra cloth, for use only in making back packs and soft luggage Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared: (1) by a manufacturer for use by him, only in making fashion handbags (excluding tour bags and college bags); or (2) by an importer that they will be sold by him, only to manufacturers for making fashion handbags (excluding tour bags and college bags)	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9, 6, 6, 3, 6,
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments  Mylon shoe upper material, being loosely woven crochetlike fabric, when declared;  (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear  Cotton velour powder puff cloth for use in the manufacture of powder puffs  Betalon spindle tape  Cordura and copra cloth, for use only in making back packs and soft luggage  Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared:  (1) by a manufacturer for use by him, only in making fashion handbags (excluding tour bags and college bags); or  (2) by an importer that they will be sold by him, only to manufacturers for making fashion handbags (excluding tour bags and college bags);  NOTE: A fashion handbag is an article used in lieu of garment pockets and subject to frequent changes of material and style,	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9, 6, 6, 3, 6,
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, pecultar to use with recording instruments Mylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear Cotton velour powder puff cloth for use in the manufacture of powder puffs Betalon spindle tape Cordura and copra cloth, for use only in making back packs and soft luggage Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared: (1) by a manufacturer for use by him, only in making fashion handbags (excluding tour bags and college bags); or (2) by an importer that they will be sold by him, only to manufacturers for making fashion handbags (excluding tour bags and college bags)  NOTE: A fashion handbag is an article used in lieu of garment pockets and subject to frequent changes of material and style, designed to be carried in the hand, on the arm, or off the	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9, 6, 6, 3, 6,
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, peculiar to use with recording instruments Mylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear Cotton velour powder puff cloth for use in the manufacture of powder puffs Betalon spindle tape Cordura and copra cloth, for use only in making back packs and soft luggage Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared: (1) by a manufacturer for use by him, only in making fashion handbags (excluding tour bags and college bags); or (2) by an importer that they will be sold by him, only to manufacturers for making fashion handbags (excluding tour bags and college bags)  NOTE: A fashion handbag is an article used in lieu of garment pockets and subject to frequent changes of material and style, designed to be carried in the hand, on the arm, or off the shoulder, wherein a person would carry cosmetics, change, purse, and such small personal items, and measuring in combined length,	Free Free Free Free Free	Free Free Free	99  99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	1/85 4/85 7/85 1/85 5/85	9/ 6/ 6/ 3/ 6/
48.16.011 48.21.019 48.21.019 51.04.013 58.04.018 58.05.039 59.08.002	Raised lined notepaper on condition it is for use by the blind for writing longhand Archival storage bags made from process art paper 25% rag calcium carbonate buffered to PH7 on condition they are solely for use by public museums, libraries and art galleries Glassine foil wad used as a flavour seal in the manufacture of foodstuffs Recording paper, excluding circular recording charts, pecultar to use with recording instruments  Nylon shoe upper material, being loosely woven crochetlike fabric, when declared; (1) by a manufacturer for use by him only in making footwear; or (2) by an importer that it will be sold by him only to manufacturers for making footwear  Cotton velour powder puff cloth for use in the manufacture of powder puffs  Betalon spindle tape  Cordura and copra cloth, for use only in making back packs and soft luggage  Fabrics, excluding socking, impregnated or coated with any artificial plastic materials, when declared: (1) by a manufacturer for use by him, only in making fashion handbags (excluding tour bags and college bags); or (2) by an importer that they will be sold by him, only to manufacturers for making fashion handbags (excluding tour bags and college bags)  NOTE: A fashion handbag is an article used in lieu of garment pockets and subject to frequent changes of material and style, designed to be carried in the hand, on the arm, or off the shoulder, wherein a person would carry cosmetics, change, purse,	Free Free Free Free Free	Free Free Free	99 99 15 15	480497L 480503J 460168J 480465B 931529C 461055F 461056D	6/84 1/85 4/85 7/85 1/85 5/85 5/85 5/85	9/ 6/

	Tariff Item	Rates of Description of Goods Normal	f Duty Pref	Part II Ref.			Effectiv From T	
DN DN	59.16.009 61.01	Protective clothing peculiar to use for industrial or similar purposes, as may be approved;	Free Free	Free Free	99 99	461059J	\$/85	6/93
DN HO	64.05.000 65.05.000	linings, whether or not padded; head or sweat bands; narrow fabric for head or sweat bands; head adjusters; mesh; button; buckles; domes and cord: on condition that they will be further processed by	Free Free	Free Free		461060B 461061L 480462H	5/85 11/84 6/85	6/93 6/93 6/87
AK	70.19.009	a manufacturer in the production of finished hats and caps	Free	Free	99	931422K	3/85	9/93
AK	70.20.089	Manyille dryer roll heat caps to seal heat in from ends of papermaking heated rollers	Free	Free	15	931543J	3/85	3/93
AK	73.12.002	Galvanised steel coil 2.5mm x 376mm and 2.5mm x 500mm on condition for use in the manufacture of steel purlins	Free	Free	15	931432G		12/86
AK	73.12.002	manufacture of steel purlins	Free	Free	15 99	931431J	2/85	12/86
AK	73.13.021	Hot dip galvanised steel coil to ASTN A526/80 skin passed, unchromated, zero spangle, zinc coating: C30, on condition that it will be used solely in the making of cabinet wrappers for supertubs	Free	Free	33	931443B	2/63	3/33
но	73.13.079	Cold-rolled steel sheet   RCLUDING:   Type;   SS 1449   CR4   JIS 3141   SPCC-SD   ASTM   A366	Free	Free	99	480523C	7/85	6/92
DN AK	73.14.000 73.14.000	Galvanised mattress wire, 0.81mm Polyvinyl coated tie wire for use in holding together of epoxy	Free Free	Free Free	99 15	461062J 931418A	10/84 3/85	6/93 9/93
DN DN HO	73.18.009 73.18.009 73.18.009	coated reinforcing Annealed stainless steel tube, greater than 63.5mm 0.D.	5 5 Free	Aul Free Aul Free Free	99 99 99		4/85 5/85 1/85	6/93 6/93 12/90
но	73.18.009	solely for use in oil exploration Profile drive tube with three raised lobes for use solely in the manufacture or repair of agricultural power take	Free	free	99	480508K	7/85	9/88
DN AK HO	73.18.009 73.18.009 73.18.009	Stainless steel seamless tubing (square or round)	5 5 Free	Aul Free Aul Free Free	99 15 99			6/93 9/92 5/87
AK	73.20.019	drive shafts George Fischer system fx, MCP, and easy-lock compression fittings on condition that the goods will be used solely for joining or tapping natural gas service mains	Free	Free	99	931538B	1/85	3/93
DN HO	73.20.059 73.29.009	T.D. Williamson Lock-o-ring flanges and plugs	Free Free	Free Free	99 99	461066A 480547L	4/85 3/85	6/93 3/88
СН		chains and load binder chains Colt TSR 15, natural and liquid petroleum gas burner and	Free	Free	15	440197C	3/85	3/93
DN	73.36.009) 73.40.069	electrical components for radiant heater Anaerobic jars, for laboratory use	Free Free	Free Free	99 99	461067K 440190F	5/85 3/85	6/93 3/93
CH D <b>n</b>	73.40.069 74.03.031	Swivels for use solely in making strainers High conductivity annealed copper strip, with square edges 2.5mm x 1mm	Free	1100		461068H	5/85	6/93
DN DN	74.03.031 74.03.031	Nickel Silver Wire Tinned copper wire, on condition that it is for use only in	Free Free		• •	461069F 461070K	5/85 5/85	6/93 6/93
СН	74.08.000	making PVC coated wire Copper pipe fittings, viz;	Free	Free	15	440194J	3/85	3/93
		200 x 2.6mm x 90° copper bends, 200 x 200 x 2.6mm copper tee, 200 x 150 x 2.6mm copper tee, 200 x 150 x 2.6mm copper reducer, 200 x 150 x 2.6mm copper reducer 200 x 160 x 2.6mm copper bends 8" OD x 14 SWG x 90° copper bends 8" OD x 14 SWG x 45° copper bends 200 x 2mm x 90° copper bends						
DN	74.08.000	200 x 2mm x 450 copper bends  Rights IPC brass couplings and adaptors, solely for use with LPG	Free	Free	99	461071H	5/85	6/93
DN	76.04.001	Printed aluminium foil, for use in bilator packaging	Free	Free		461072F	5/85	6/93
ÄN	76.06.000	Chid drawn seamiess atuminium miley tube, pneumatic cylinder quality, internal diameter in the range of 20mm to 400mm	Free	Free	15	201768H 931424F	2/80 3/85	9/86 9/93
AK Dn	16:86:888 76.16.041	rubes and bipes and blanks therefor, hollow bars of aluminium viz: RHS welded aluminium tube nominal 40 x 20 x lm, 30 x 20 x lmm Mainsheat track and travellers	Free	Free	99	461073D	4/85	6/93
AK AK	01.01.009 81.04.019	Tungsten filaments peculiar to use in vacuum coating cylinders	Free Free	Free Free	99 15	931545E 931536F	1/85 3/85	3/93 3/93
DN	82.06.009	Titanium 125	Free	Free	99	461074B	5/85	6/93
DN	83.01.001	and auxiliary machinery Chubb window security locks, models WS1, 8001 and 8013	\$ 5	Aul Free Aul Free	٠.	461075L 461076J	4/85 5/85	6/93 6/93
DŅ	83.01.001	Component parts of mortice locks and mortice locking latches, as may be approved, on condition that they be used by a manufacturer, only in making mortice locks and locking latches APPROVED: Forend and striker rebated for 1062 FR, 165FR and 1059 Levers spring for 1062 mortice locks Toogue for 14T		AUT FIGE	••	4010703	3763	0,30
DN Dn	83.01.001 83.01.001	Electrically operated locks and lock sets Lever sliding door locks and lock sets	5 5	Aul Free Aul Free	• •		5/85	6/9
DN DN	83.01.011 83.01.011	Chubb window security locks, models 8K 100, 8011 and 8012 Electric strikes, for use with locks	Free 5	Aul Free	•••	461081E	5/85	6/9: 6/9: 6/9:
DN DN	83.01.011 83.01.011	Interlocks, mechanical key operated	Free Free Free			461016E 461015G	5/85	6/9
DN	83.01.011	Lane window and door security locks, models P1225W and P1226W	Free			461091B 461082C		6/9

•	Tariff Item	Rates Description of Goods Norma	of Duty	Part II Ref.			Effectiv From T	
DN	83.01.011	Locks, on condition that they will be used only in	Free			461084K	5/85	6/93
DN	83.01.011	making or repairing luggage trunks and the like Pin or disc tumblar locking mechanisms, on condition that they will be used by a manufacturer only in making metal cabinets, vending machines, parking meters, luggage lockers,	Free			461085H	5/85	6/93
DN WN	83.01.011 83.02.029		Free ar Free	Free	i 5	461086F 929324J	5/85 3/85	6/93 6/88
DN .		panel doors sizes 4M to 48M Lamps, peculiar to use in illuminating specimens in	Free	Free	99	461088B	5/85	6/93
ıK	83.09.011	microscopic work	Free	Free	15	931524B	11/84	9/92
	84.06.021		Free		• •			
10 10		Arona AD185M Scania, models DN8, DN9, DN11, DS8, DS9, DS11, DS14, DS18, DS19,				480370B 480372J	7/85 7/85	6/87 6/87
ON.	84.06.021	DS111, DS114  Kaama marine propulsion drives Hydraulic hand pumps used to provide a non motorised source of	Free Free	Free Free	iò	925289E 929323L	7/84 3/85	3/87 3/88
NN AK	84.10.029 84.10.029	high pressure hydraulic oil flow in hydraulic systems	Free	Free	10	931515C	3/85	3/93
СН	84.10.029	chemical Speeflo transfer and supply pumps of the following types: Airmastic. models 710-554, 914-552, 914-554, 515-597; Astro,	Free	Free	10	440196E	3/85	3/93
но	94 11 041	models 310-046, 310-047, 310-038, 310-039, 610-036, 710-036; Ranger, models 344-151, 644-302, and 349-151 Sagola model 778, 779, 780 compressor outfits, oilless	Free	Free	10	440139F	5/85	6/88
DN		diaphragm types Napier turbo blowers, when declared for use with marine,	Free			461089L	5/85	6/93
AK	84.13.000	stationary, or industrial engines	Free	Free	10	931493J	3/85	3/93
		furnaces NOTE: Any burners imported under this concession must be fitted with the following; Oil pump and liquid fuel connections, nozzles and defusers for						
AK	84.13.000	both types of fuel, essential gas train componentary Component parts as may be approved for the manufacture of wood waste fired furnace to produce steam for timber drying kilns;	Frce	Free	10	931511L	3/85	3/93
AK	84.17.009	APPROVED: A list is available from the Collector of Customs, Auckland Dry sterilisers for use in medical laboratories	Free	Free	10		3/85	3/93
DN WN	84.17.009 84.17.009	Mantles, electric heating, commonly used in laboratories Refrigeraton copper tube heat exchanger to be used in commercial refrigeration installations as may be approved	Free Free	Free Free	10 10		5/85 9/84	6/93 9/86
DN	84.17.009	Danfoss type H.E. Techne tempunits and tempettes The second tempettes are the second tempettes are the second tempettes.	Free Free	Free Free	10 10	461091B 461106D	5/85 5/85	6/93 6/93
DN AK	84.17.009 84.17.009	Tissue processing machines, excluding tissue embedding cassettes Verindy 900 universal oven smoke house for curing of meat at below ambient temperatures	Free	Free	10	931521H	9/84	9/92
WN Ch	84.18.039 84.18.039	Fairey Arion type TTF and filter elements to suit Strainer, type SY-5, cast iron body, stainless steel screen,	Free Free	Free Free	10 10	929322B 440188D	3/85 3/85	3/87 3/93
#N	84.18.039	size 50.8mm with screwed ends Zetaprep ION exchange purification units, together with discs, cartridges and test kits	Free	Free	10	929321D	3/85	3/88
DN Ho	84.20.009 84.20.009	Compulabeller weighing machines, when imported complete	Free Free	Free Free	10 10	461107B 480510A	5/85 4/85	6/93 3/89
DN Dn	84.20.009		Free Free	Free Free	10 10	461108L 461109J	5/85 5/85	6/93 6/93
DN CH	84.20.009	Modular digital electronic weighing and batching systems Manual spray guns, Paasche brand	Free Free	Free Free	10 10	461110B 440189B	5/85 3/85	6/93 3/93
AK	84.21.029	Component parts as may be approved for the manufacture of solo 425 and 475 hand operated knapsack sprayers; APPROVED:	Free	Free	15	931510B	4/85	3/93
DN AK	84.21.029 84.21.029		Free Free	Free Free	10 15	461112J 931527G	5/85 3/85	6/93 3/93
WN .	84.21.029	sprayers Toro, Nelson and weather TEC sprinklers and catalogued spare parts	Free	Free	10	929336B		9/92
AK AK	84.22.009 84.24.051	Ratchet lever hoists with a lifting capacity of 750kg and above Carraro Air-Omega and Texas seed drill	Free Free	Free Free	10	931492L 400673K	4/85	3/93 3/93
AK	84.30.029	pocket type, having a rated capacity exceeding 20 loaves or pieces	Free	Free	10	931526J	3/85	3/93
DN	84.31.009 Whole Item	m paperboard;	Free	Free	10	461214A	5/85	6/93
DN	84.33.000	Other Paper or paperboard cutting machines, of all kinds, other machiner for making up paper pulp, paper or paperboard (excluding carton stapling machines)	у Ггее	Free	10		5/85	6/93
DN AK	84.37.009 84.40.011	Weaving machines, industrial	Free Free	Free Free	10	461113G 931512J	3/85	6/93 3/93
DN AK	84.40.011		Free Free	Free Free	10		3/85	6/93 3/93
AK HO	84.43.000 84.45.001 Deter'n		Free 40	Free Aul 5 Can 25 DC 25	10	931525L 480518G	4/85 5/85	3/93 12/85
но	84.45.001 Deter'n		40	Aul Free Can 25 DC 25		480519E		• •
wn Wn	84.45.009 84.45.009	Kondia model FV-300 heavy duty turret milling machine Kondia model K-76 milling machine with numerical control	Free Free	Free Free	10 10	929319B 929318D		3/88 3/88
DN DN	84.47.009		Free Free	Free Free	10 10	461115C 461217F	5/85 5/85	6/93 6/93
AK DN	Whole Item 84.59.059 84.59.059	n Chemical/pulp stock mixers	Free Free	Free Free	10 15	931513G 461123K		3/93 6/93
ÇН	84.59.059	APPROVED: Barrells, planetary gears, outershell and self-energising devices Dental silicoater unit	Free	Free	10	440193L	3/85	3/93

	Tariff Item	Description of Goods Rates Norma	of Duty Pref.	Part II Ref.			ffectiv rom T	
	84.59.059	Laboratory equipment; Incubator-shaker	Free	Free	10	461124B	5/85	6/9
	84.59.059	Pneumatic diaphragm actuators	Free Free	Free Free	10 10	460246D	4/85 10/84	6/9
	84.59.059 84.59.059	Presses and spring compressors peculiar to dental use Shandon tissue processors, peculiar for use in preparing	Free	Free	10	461126J	5/85	6/9
	84.59.059	microscopic specimens for historical examination Tenant line remover	Free	Free	15	461128E	4/85	6/9
	84.59.059	Tread bonding machines for heat bonding tyre-treads on to prepared tyres in the retreading industry	Free	Free	10	931517K	4/85	3/9
	84.59.059	Tread grinding machine for grinding of precured tyre treads	Free	Free	10	931520K	4/85	3/9
	84.61.021	prior to retreating Ball valves cr spherical plug valves viz; All ball valves 175mm (?") and over Trunnion mounted ball valves - all sizes	Free		••	209931E	12/84	12/9
		"V" port ball valves - all sizes Ball valves with three or more ports - all sizes Metal seated ball valves - all sizes						
		Plastic bodied ball valves - below 15mm and above 50mm  Brass, bronze and gunmetal cast iron bodied - 80mm (3") and above Steam jacketed ball valves - all sizes						
		Class 300 ANSI - all sizes Class 600 ANSI - 100m (4") and above Class 900 ANSI - 65mm (2 <sup>1</sup> / <sub>2</sub> ") and over						
		Class 1500 and 2500 ANSI flanged Zinc alloyed (diecast) bodied ball valves						
		Aluminium and aluminium alloy bodied valves 80mm (3") and over Aluminium and aluminium alloy bodied valves up to and including 60mm ( $2^1/a$ ")						
	84.61.021	Gate valves viz:	Free			209934K	12/84	12/
		Wedge, split wedge, flexible wedge, solld wedge, parallel slide gate and parallel double disc gate valves:  Brass, bronze or gunmetal bodied - 125mm (5") and over						
		Cast iron bodied - 125mm (5"), 225mm (9") and over Forged cast or stainless steel bodied and cast iron						
		without internal trim or copper alloys - all sizes Plastic bodied - $32mm$ ( $1^1/4^{\prime\prime\prime}$ ) and above Sluice valves:						
		Cast or ductile iron bodied - 700mm (28") and over Steel, brass, bronze, gunmetal and stainless steel bodied Knifegate valves:						
		Cast iron bodied - 700mm (28") and over, Brass, bronze or gunmetal bodied - all sizes						
	85.61.021	Nozzles for hose peculiar to fire fighting (excluding nozzles of	Free	Free	10	931484K	1/85	3,
		plastic), having any or all of the following charactistics: (a) a positive, variable gallonage flow selection;						
		<ul><li>(b) positive pre-selected discharge pattern control;</li><li>(c) a flow rate greater than 2250 litres per minute</li></ul>						
	84.63.029	UCC drive couplings, excluding those with ratings less than 235 kW per 100 r.p.m	Free	Free	10	461127G	4/85	6,
		Vertical hollow shaft electric motors A.C. commutator type variable speed motors	Free Free	Free Free		461129C 461130G	5/85 5/85	6/
	85.01.019) 85.01.001)	A.C. slipping induction motors	Free	Free	10	461131E	5/85	6/
	85.01.019) 85.01.001)	A.C. synchronous or synchronous-induction motors	Free	Free	15	461133A	5/85	6/
	85.01.019) 85.01.001)	Motors, flameproof or explosion proof	Free	Free	15	461135H	5/85	6,
	85.01.019) 85.01.001)		Free	Free	10	461134K	5/85	6,
	85.01.001)	to 7.5 kW) Single phase motors, excluding motors between 76 watt to 1200 watt inclusive with nominal speeds above 1100 rpm.	Free	Free	. 15	461092L	5/85	6,
		NOTE: The exclusion does not cover electric motors incorporating a geared unit.	Ence	Free	10	461093J	5/85	6/
	85.01.031 85.01.041	Nicad mixed cell battery changer type UT808	Free Free	Free	10	931509J	3/85	3,
	95 01 049	Mag slip transmitters and receivers  CO2 welding guns and associated leads, peculiar for use with	Free Free	Free Free		4610946 461117K	5/85 4/85	6,
		MIĞ/NAG welding systems Dentadur combination drying and hardening unit	Free	Free	10	461095E	4/85	6,
	85.13.009		Free Free	Free Free		931547A 461099H	11/84 5/85	9, 6,
	85.19.009	Contact block mechanisms, peculiar for use in making P61 and P62	Free	Free		461096C	5/85	6
	85.19.009	series Penn controls Limit switches, Siemens 3SE3	Free	Free		461101C	4/85	6.
	85.19.009 85.19.009	Omron MK relays	Free Free	Free Free		461103K 461104H	5/85 5/85	6
	95 10 009		Free Free	Free Free		461105F 461116A		6
		Solid State Felays and Solid State Felay/Overloads, ICGI, ICG220, RO42, RO62, RO82 and RSC20 Switches;	Free	Pree				
	85.19.009	Micro Synchro - start D.C. solenoids	Free	Free		461102A 461097A 461098K	5/85	6 6 6
	85.19.009 85.19.031		Free Free	Free Free	10	461136F	5/85	6
	85.19.059	Pre-insulated terminals	Free Free	Free Fr <b>e</b> e		931528E 400523G		
	95 10 079	Logistat AO20 programmable logic controller Neutral earthing (grounding) resistors Bulbs, peculiar to use with theatre operating lamps and medical	Free Free	Free	10	460685L 461137D	5/85	
		and optical diagnostic equipment, excluding miniature boison screw lamps of the torch bulb type	Free	Free	10	461138B	5/85	6
!	85.21.029 85.22.019		Free			931518H		
		APPROVED: Haug ionizing bars, series R, H, EI-EX, EI-PRX,						
		Haug power pack models EN7, EN79, EN4, Haug static charging generator and ion generator 7 Seals and retainers, oils and grease, designed solely or						
		uank Static charatus Souciator and ton Souciator		Free		461242G	5/85	6

### SCHEDULE 1 General Decisions Approved

	Tariff Item	Description of Goods Rate Norm	es of	Duty Pref.	Part II Ref.			effective From T	
	Chapter 87	(a) Spare and service parts (except tyres and tubes) for motor vehicles which are over 30 years of age on condition that: (1) The Collector of Customs at the port of entry is satisfied that the parts have been specially designed for vehicles		Free	Free	99	480559D	5/85	6/89
		exceeding 30 years of age; and (2) A declaration is made by the importer that the parts will be used only in the repair or restoration of vehicles over 30							
		years of age.  (b) Spare and service parts (except tyres and tubes) for motor vehicles of between 12 and 30 years of age when imported by or on behalf of an approved vehicle museum provided that at the							
		on behalf of an approved venicle museum provided that define time of importation, a declaration under the Customs Act, is lodged with the Collector of Customs by a responsible officer of the approved museum that the spare and service parts will							
		be used by it only for the repair or restoration of venicles which are used only for any of the following purposes:  (1) For display as museum exhibits							
		(2) For restoration and subsequent display (3) For display and use at, or in connection with, exhibitions, rallies, or similar gatherings relating specifically to the aims and the activities of the approved museum							
DM	00 03 000	NOTE: This concession applies regardless of Tariff Classification	n	Free	Free	99	461139L	4/85	6/93
DN DN		Fresnel lenses Photocopying and developing apparatus and equipment EXCLUDING: Contact machines and dyeline type plan printing machines, in both		Free	Free		461322J	7/78	6/93
		cases having rollers exceeding 760mm (30in) in length and having a maximum printing speed of less than 2.13m (7ft) per minute	•						
DN	90.24.011	Amot pressure and temperature switches and safety control		Free			461140D	5/85	6/93 9/93
AK AK	90.24.011 90.24.011	Luwa seal test set Panasonic thermoregulator model T0123 bulb and capillary thermos		Free Free		• •	931433E 931437H	3/85 3/85	9/93
DN	90.24.011	Rockwell emcorrectors types I and T		Free			461141B 461142L	5/85 5/85	6/93 6/93
DN DN	90.24.011 90.24.011	Rockwell tempcorrectors type I, either brass or stainless steel Thermostats and components therefor, other models		Free Free			931523D	4/85	3/93
DN	90.26.019	G 20, G 50, G 65, K 65, M 5, M 9, M 90, T4 series and VI series		Free	Free	99	461122F	5/85	6/93
		Sealed register Series W turbo Single register compounds							
DN AK	90.28.009 90.28.009	Arkon impulse generating meters and batch controllers		Free Free	Free Free	99	461118H 931426B	5/85 3/85	6/93 9/93
DN	90.28.009	Quadra-beam infra-red moisture monitors and registers, models 475 and 476		Free	Free	99	461119F	4/85	6/93
AK DN	90.28.009	Williamson viewtemp 2000 Wira rapid regain apparatus, types 777 and 773, for determining		Free Free	Free Free	99 99	931439D 461120K	3/85 5/85	9/93 6/93
AK		oil content of wool tops Rlank Agea high-grade and super high-grade professional video		Free	Free	99	931542L	4/85	3/93
AK	92.12.019	70 second tape cartridges on condition that the goods are for us-		Free	Free	99	931546C	3/85	3/93
WN	04 01 000	solely in professional broadcasting operations Injection moulded polypropylene chair shells		Frce	Free	99	929334F	3/85	6/86
WN	94.01.029	Tilt/raise/lower mechanisms complete with gas cylinders for use		Free	Free	15	929335D	3/85	3/88
AK AK	94.02.009 94.02.009	in making chairs Nomeg treatment couch Nomeg tilting and hydraulic couches for use in the		Frce Free	Free Free	99 99	931535H 931534K	1/85 1/85	3/93 3/93
DN	95.05.009			Free	Free	15	461249D	5/85	6/93
DN	97.03.009) 97.04.009)	making footwear Toys and games, when imported; (1) by a school, college or university; or (2) by an importer, when declared that they are being imported f sale only to schools, colleges or universities, and will not be sold or otherwise disposed of without payment of the duty	or	Free	Free	31	461252D	5/85	6/93
DN	97.06.009	which would otherwise be payable Ice skate blades		Free	Free		461121H		6/93
DN	98.03.049	Fibre pens and fibre tip pens, for use in industrial chart recorders		Free	Free	99	461254L	5/85	6/88

### SCHEDULE 2 Decisions Cancelled

	Tariff Item	Description of Goods				ef. o.		
DN	21.06.001	Fodder yeast (CT)				100161C		
DN	25.07.000	Engelhard oils (CT)				203840E		
WN		Chemicals, 38.19.079				210372K		• •
DN	29.25.000	Carboxy acid (CT)	••	• •	• •	100511B	• •	• •
DN		Carboximide other (CT)	••			100512L		
	Whole Item 30.03.031) 30.03.039)	Medicaments						
WN	30.03.033)	Diamicron tablets (CT)				918994H		
WN		Droncit tablets (CT)				102448F		
WN		Ego pinetarsol (CT)				101070A		
WN		Equitone (CT)				918942E		
WN		Gentamicin injection (CT)				919052L		
WN		Lasonil ointment (CT)	• •			102645D		
WN		Leucovorin injection (CT)	,,			101399J		
			• •					• •
							• •	
			• •					
WN		Vanguard (MLV) (CT)				919341D	• •	
MN MN MN MN		Metronidazole infusion (CT) Natulan 50mg (CT) Novocloxin capsules (CT) Ossitetra bulk (CT) Vanguard (MLV) (CT)	::			919053J 101577L		

## SCHEDULE 2 Decisions Cancelled

Tarif Item	£	Description of Goods					Re: No			
34.02	2.000	Products, as may be approved, whe soaps or containing soap;	n imported in b	ulk and not bei	ng					
		APPROVED: Lankroplast A3010						0700700		
		Nansa napisan				• •		930832G 929980H	• •	
		Radiometer detergent)			• •	••		200624D		
35.06	6.000	Triton X155 (CT) CMW cement (CT)			• • • • • • • • • • • • • • • • • • • •			104750H 104832F	• •	
37.08	3.009	Electrostatic machines (CT)						919387B	::	
38.11 38.11		Kathon CG (CT) Kathon microbicide (CT)			••	• •		919435F 918931K	• •	• •
38.11	1.059	Dacthal W75 (CT)			• • • • • • • • • • • • • • • • • • • •	::		460965E	• •	
38.19	9.079	Chemical etc. Nipastat (CT)						105895K		
		Nipsept (CT)			• • • • • • • • • • • • • • • • • • • •	• • •		105894A		
	l.341 l.368	Malamine rolls ( <u>CT</u> ) Metallised film ( <u>CT</u> )				• •		926118E 208659L	• •	
		Polyethylene film (CT)			• •	• •		460905A		
	1.369)	DUC (CT)								
	2.241 2.378)	PVC 6mm ( <u>CT</u> ) Biaxially capacitors			• • • • • • • • • • • • • • • • • • • •			920489L 206949A		
	2.379)	DUC (OF)								
39.02	2.378 2.501	PVC, cards ( <u>CT</u> ) "Corian" unworked ( <u>CT</u> )			• • • • • • • • • • • • • • • • • • • •	• •		206703L 930654E	• •	
39.02	2.501	Sekisui sheet (CT)						920486F		
39.02 39.03		Trovidur sheet ( <u>CT</u> ) Electrophoresis strips (CT)				• •		206586L 923044A	• •	•
39.03	3.179	Regenerated under (CT)			::	• • •		206379E	::	•
39.03		Regenerated film (CT)			• •	••		206422H	• •	•
39.07 39.07	7.511 7.599	Babies feeders ( <u>CT</u> ) Colostomy, wear ( <u>CT</u> )				• •		208232C 206561E	• •	:
39.07	7.599	Polypropylene batteries (CT)						925561D	• •	
	5.039 8.002	Betalon tape (CT) Cordura luggage (CT)			• • • • • • • • • • • • • • • • • • • •	• •		201390J 925705F	• •	:
	8.002	Fabrics declared (CT)				• •		208160B		:
		(1) by or (2) by bags)								
		NOTE: 90cm								
59.12		Imitation material (CT)			• •			208657D	• •	
59.16 61.01	6.009 1	Polyester coating (CT) Protective approved (CT)					• •	208408C	••	•
		APPROVED:								
73 17	3.079	Clothing x-rays Cold-rolled drawing						201711D 460145K	• •	•
75.15	3.075	EXCLUDING:			••	••	••	40014JK	••	•
		Grade; Type;								
		BS 1449 CR4 JIS 3141 SPCC-SD								
	8.009	ASTM outside (CT)						918620E		
73.18 73.18	B.009	Stainless round) Welded diameter						931314B 480273L	• • •	•
73.40	0.069	Anaerobic use (CT)			• • • • • • • • • • • • • • • • • • • •	• • •		109553G		
74.03	3.031	High lmm (CT)		:		• •		908841F		
	3.031 3.031	Nickel Wire (CT) Tinned wire (CT)			• •	• •		109858G 200501J	• •	:
	8.000	Copper viz; (CT)						910022K		
		200 x 2.6mm x 900 bends,								-
		200 x 200 x 2.6mm tee, 200 x 150 x 2.6mm tee,								
		200 x 150 x 2.6mm reducer,								
		200 x 125 x 2.6mm and 125 x 1.6mm x 90° services								
76.04	4.001	Printed tablets (CT)						919438L		
76.06	6.000	Cold diameter (CT)				• •		201768H		
	6.009 1.001	Knives machinery ( <u>CT</u> ) Component latches ( <u>CT</u> )				• •		110229L 200422E	• •	•
	1.001	Electrically sets (CT)			••	• •		110268A	• •	:
83.01	1.001	Lever sets (CT)						110272K		
	1.011 1.011	Electrically locks (CT) Electric locks (CT)			• • • • • • • • • • • • • • • • • • • •	• •		110285A 110284C	• •	:
83.01	1.011	interlocks, operated ( <u>cl</u> )			• •		• •	110288F	::	
83.01	1.011	Key boxes (CT)			••	••		110289D	• •	
83.01	1.011	Lane P1226W ( <u>CT</u> ) Legge 2476 ( <u>CT</u> )			• • • • • • • • • • • • • • • • • • • •	• •		920267G 110290H	• •	:
83.01	1.011	Lever sets (CT)						110291F	• •	
	1.011 1.011	Locks, like ( <u>CT</u> ) Pin freezers (CT)			•••			110293B 110295J	• •	
83.01	1.011	Time locks (CT)						110297E	::	
83.07	7.021	Lamps, work (CT)			• •	• •		110359J	• •	
	9.011 6.021	Buckles, saddlery Water approved;			••	• •	• • • • • • • • • • • • • • • • • • • •	209593K		
		APPROVED:								
		Arona AD185M Scania, DSC14						208913A 924285G	• •	
84.06	6.071	Kaama drives (CT)						925289E		
84.11	1.061	Napier engines (CT)			• •	• •		919153E		
	3.000 7.009	Burners furnaces (CT) Nantles, laboratories (CT)			• •	• • •		200331H 111288A	::	
	7.009	Refrigeration inatallations			::	• • • • • • • • • • • • • • • • • • • •		928861K	• • • • • • • • • • • • • • • • • • • •	
84.17	7.009	Techne tempettes (CT)						204455C		
	7.009 0.009	Tissue cassettes <u>(CT)</u> Compulabeller complete			• •	• •		208099A 111583K	• • •	
84.20	0.009	Electronic indicators			::	• •	• •	111586D	• • • • • • • • • • • • • • • • • • • •	
	0.009	Mettler weights			• •	••		205871K	• •	
	0.009 1.029	Modular systems ( <u>CT</u> ) Nelson sprinklers ( <u>CT</u> )			••	• • •		111590B 111695K	• • • • • • • • • • • • • • • • • • • •	
84.20	1.029	Parts, approved					• •	111702F	• • .	
84.20 84.21 84.21	1.029	Toro parts			• •	• •		910156L 917962D	• •	
84.20 84.21 84.21 84.21		Ratchet capacity Dough minute			• • • • • • • • • • • • • • • • • • • •	• • •		930987L	::	
84.20 84.21 84.21 84.21	0.029							111967C		
84.20 84.21 84.21 84.22 84.30 84.31	0.029 1.009	Machinery paperboard; (CT)			• •					
84.20 84.21 84.21 84.21 84.22 84.30 84.31 Whole	0.029 1.009 e Itema	Other								
84.20 84.21 84.21 84.22 84.33 84.33 Whole 84.33	0.029 1.009 e Item 3.000 7.009	Other Paper machines) ( <u>CT</u> ) Weaving, industrial ( <u>CT</u> )			::	::		111969K 111979G		:
84.20 84.21 84.21 84.22 84.30 84.31 Whole 84.33	0.029 1.009 e Itema 3.000	Other Paper machines) ( <u>CT</u> )					•••	111969K		

### SCHEDULE 2 Decisions Cancelled

	Tariff Item	Description of Goods				Ref. No.		
<del></del>	84.45.001	Metal less				209349K		
	Deter'n 84.45.001 Deter'n	Metal less		• • •	•••	209350C		
	84.45.009	Jia JP35				210030E		
	84.45.009	Jia JP30	• •	• •	• • • • • • • • • • • • • • • • • • • •	210391F 210028C	• •	
	84.45.009 84.59.011	Rong RF30/RF20 Dies materials ( <u>CT</u> )	• •	• •	• • • • • • • • • • • • • • • • • • • •	112528B		::
	Whole Item	Laboratory equipment;	, ,					
	44.33.333	Incubator-shaker (CT)				920665F		
	84.59.059	Shandon examination		• •	• •	204529L 209931E		
	84.61.021	Ball viz; ( <u>CT</u> ) Plastic sizes	• •	••	• •	2033312	• • •	
	84.61.021	Gate viz;	Free			209934K	12/84	12/
		Wedge, valves: Brass, sizes						
		Vertical motors (CT)	••	••		113204A 113205K		
	85.01.001)	A.C motors (CT)	• •	••	• • •	1152001	.,	•
	85.01.001)	A.C motors (CT)		• •		113206H	• •	• •
	85.01.019) 85.01.001)	A.C motors (CT)		••		113207F		
	85.01.019)	Motors proof (CT)				113211D		
	85.01.019)					905088Ē		
	85.01.019)		• •	••				
	85.01.031	Nikon transformers (CT) Mag receivers (CT)	• •			113249A 204489H	• • •	•
	85.01.049 85.01.001	Motors 7.5 kw (CT)	••			113201G		
	85.01.019	Notors 7.5 kw	••	• •		208430K		•
	85.19.009	Circuit breakers; <u>(CT)</u> Bulk above	• •	. • •	• •	113782E		
	85.19.009	Contact controls (CT)				204738B		
	85.19.009	Float switches	• •	• •	• •	222222	• •	•
	85.19.009 85.19.009	Omron relays <u>(CT)</u> On changers <u>(CT)</u>	• •	• •		1120/17		
	85.19.009	Switches; (CT)	• •			113915A		
	85.19.009	Micro Synchro solenoids <u>(CT)</u>				1170201		:
	85.19.031	IPD device (CT)	• •			922929K	• •	
	85.19.059	Grote terminals	• •	••	• •		• •	•
	85.19.079 85.20.001	Neutral resistors <u>(CT)</u> Bulbs, type ( <u>CT</u> )	• •			202221		
	85.21.029	Solar (modules) ( <u>CT</u> )	• •			922041A		٠.
		Seals vehicles (CT)	• •	• •				:
	Chapter 8	(a) Spare that: (1) The and	**	••	• •	2003170	• •	•
		(2) A age. (b) Spare purposes:						
		(1) For exhibits						
		(2) For display (3) For museum						
	90.10.002	Photocopying equipment (CT)				114576C		
	90.24.011	Amot control (CT)	• •			114698L	••	
	90.24.011	Rockwell T (CT)	• •	• •	• •	1140040		:
	90.24.011	Rockwell steel ( <u>CT</u> ) Rockwell meters;	• • • • • • • • • • • • • • • • • • • •	• •	• •		• •	•
		Mainline upwards ( <u>CT</u> )				115020A	• •	
		Sealed register ( <u>CT</u> ) Single compounds ( <u>CT</u> )				115021K 115023F		
		Series W turbo ( $CT$ )				115022H		:
	90.28.009	Arkon controllers (CT)	••	• •	•		• •	
	90.28.009	Wira tops ( <u>CT</u> ) Injection KMT61A						:
	94.01.029	Unomanic chairs	::	• • •		210178F		:
	95.05.009	Ornaments, footwear <u>(CT)</u>	••	• •	-	115549A		
	97.03.009	Toys imported; <u>(CT)</u> (1) by or	• -	••	•	115591B	• •	•
		(2) by payable				11540		
	97.06.009	Ice blades <u>(CT)</u>	••	• •			::	:
		Fibre recorders Fibre recorders (CT)			•			:

### SCHEDULE 3 Limited Decisions Approved

	Tariff Item		ites of	Duty Pref.	Part II Ref.			Effective From T	
СН	34.02.000	Adogen 432 ET, one shipment only of 1061 kgs		Free	Free	15	440192B	4/85	7/85
DN	34.02.000	Empimin MKK/L and Empimin MKK 98, disodium N cetyl stearyl sulphosuccenamate, when declared that it will be used only to make carpet underlay which is for export only		Free	Free	15	4610170	4/85	6/98
WN	39.01.211	Bakelite phendic resin solution BKS 2600		Free	Free		929333H	7/85	7/86
но	73.18.009			5	Aul Free	15	480558F	5/85	12/85
но	73.18.009	Galvanised bore casing screwed and socketed 127mm OD for use in drilling oil wells 1 sling (9 lengths)		Free	Free	99	480507A	2/85	9/85
AK	73.21.000			Free	Free	99	9314271	. 2/85	7/85
но	73.21.000			Free	Free	99	4004811	5/85	12/85
AK	73.23.011	Cans 73mm x 110mm type 13 for packaging of Kiwifruit for subse- export to EEC Countries. For 3 million cans only		Free	Free	99	4005811	5/85	7/85
WN	73.40.069	Dished and flanged ends of 3500mm inside diameter and 20mm THK date and of DIN 17155 - HII steel		Free	Free	15	929325E	3/85	8/85
но	76.08.000			Free	Free	99	400480K	5/85	12/85

### SCHEDULE 3 Limited Decisions Approved

	Tariff Item		Rates of Normal	Duty Pref.	Part II Ref.		ef.	Effective From T	
WN	76.16.059	Aluminium track for use in the manufacture of window blinds a curtaining	nd	Free	Free	15	9293300	3/85	12/85
но	82.02.021	Speedicut Tungsten carbide tipped circular saw blades and seg therefore, 36" and 54" diameter used for the Billet sawing ma in the Metal Products Facility at Aluminium Smelter, Tiwai Po	chine	Free	Free	99	44016\$E	7/85	6/90
AK	82.05.001	Tools for use in the manufacture of Rinnai 620MT and 820MT he	aters	Free	Free	15	931418A	6/84	6/84
WN	84.10.029	Pasilac type ZMH-4 stainless steel, single stage centrifugual	Pumps	Free	Free	10	420361F	4/85	7/85
но	84.22.009	Capstans with hook assemblies with 30KN nominal pull capacity for the Marsden Point project (nineteen only)		Free	Free	99	400479F	5/85	12/85
WN	84.40.011	Senking P18/9 tunnel washer and associated conveyoea		Free	Free	10	929320F	2/85	5/85
CH	84.59.059	High shear glue mixer, 1934 litre capacity, 2.85m high, 1.45m diameter, with agitator gear box drive, one only		Free	Free	10	440195G	3/85	3/93
AK	84.59.059	1 x vibratory finishing machine model CQ-20PU with linked seperating model DR18		Free	Free	10	400520B	5/85	9/85
НО	84.61.021	"Young and cunningham" 40mm firesafe "Quiclose", gate valves, straight pattern complete with release cylinder of bronze construction, metric with undrilled flanges 3 only		Free		••	480500D	12/84	12/85
но	85.11.009	Five portable welding transformers used in the maintenance she at NZ Steel Stage II	ор	Free	Free	10	480548J	3/85	8/85
но	85.11.009	Spot welder used in the maintenance shop at the NZ Steel Stage	e II	Free	Free	10	480549G	3/85	8/85
AK	85.15.249	Marti RPT-15/150W transmitter C/W marti BR-10/150 receiver on		Free	Free	99	400522J		9/85
AK	85.22.019	Compellor manufactured by Aphex Systems Ltd for processing broadcast audio signals - three units only		Free	Free	99	400584J		9/85
AK	90.07.009	One only metorcolor copy 2 camera colour processor		Free	Free	99	400674H	5/85	9/85

# SCHEDULE 4 Applications Declined

	Tariff Item	Description of Goods	Ref.
ON	33.04.029	Mixtures of oleoresins and natural essential oils, whether or not containing fixatives but not containing added alcohol or other added solvent	204165A
ON	33.04.029	Mixtures of synthetic odoriferous substances and mixtures of synthetic odoriferous substances with natural essential oils and resinoids, whether or not containing added alcohol or other added solvent	204163E
AK .	34.02.000	Texapon N70 LS	AK 31873
ON		Vibram EVA soling	C 2930
VN		Masta grip for squash/tennis etc, handles	99
VN.		Flap hinge "lift"	420248
ON	83.05.009	Fittings, mechanisms and metals for use in making loose leaf binders and files; EXCLUDING: 2 ring OD and square shape fittings between 23mm and 40mm capacity 3 ring OD and square shapes pull open fittings between 23mm	C 3012
		and 40mm capacity, with rings at 108mm centres	
ON	84.21.029	Component parts, as may be approved, on condition that these parts are for use in making water blast machines	C 2882
ON	85.19.009	Contractors or relays, excluding; Electro magnetic type;	C 2903
		AC up to and including 660V, with rating up to:	
		AC-1 100 amps	
		AG-3 30 kW	
		AC-4 22 kW	
		DC up to 32 amps and 220 volts	
		Ripple load control	
		Telephone or telegraph	
IN	85.22.011	Goldspear (blacksand and gold) detector	WN 1911

NOTE: (CT) indicates concessions cancelled and re-issued in this list with extended end dates.)

Dated at Wellington this 23rd day of May 1985.

P.J. McKONE, Comptroller of Customs.