



5 DEC 1985

SUPPLEMENT  
TO THE  
**NEW ZEALAND GAZETTE**  
OF  
THURSDAY, 21 NOVEMBER 1985

*Published by Authority*

---

WELLINGTON: TUESDAY, 26 NOVEMBER 1985

---

**CUSTOMS NOTICES**  
(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1985/32  
Applications Advertised for Objection  
Closing Date for Objections 19/12/85

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the \*\* Port of lodgement indicated by the reference number, before 19/12/85. All submissions must include:
- the Tariff Duty Variation Notice number;
  - the Tariff item;
  - the Port; and
  - Reference number.
- 2 All submissions from local manufacturers must include:
- the range of alternative goods made locally;
  - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
  - present and potential output;
  - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 All submissions objecting to a request for the imposition of duty must include:
- reasons why the local product on which protection is sought is not a suitable alternative;
  - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.
- 5 Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
21.07.018	Oranol multi vitamin formulation in bulk	Pacific Pharmaceuticals Ltd PO Box 11183 Ellerslie AUCKLAND	99	AK 502423E	A
29.34.000	Dynasylan adhesion promoters viz: AMMO, AMEO, 1505, DAMO, 1411, IMEO, MTMO, 3403, GLYMO, MEMO, CPTMO, CPTMO, 8405, VTMO, VTEO, VTMOEO adhesion promoters. A list of chemical descriptions is available from the Collector of Customs, Auckland	Hardie Trading Limited PO Box 1367 AUCKLAND	15	AK 502407C	A
34.02.000	POE 30 stearate	Eli Lilly & Company Limited PO Box 23-398 PAPATOETOE	15	DN 560919E	CA
38.19.079	Brake fluid base FB-57	BP Chemicals NZ Limited Private Bag LOWER HUTT	15	WN 520908	A
38.19.079	Brake fluid inhibitor concentrate 'E'	BP Chemicals NZ Limited Private Bag LOWER HUTT	15	WN 520935	A
39.02.231	Clear P.V.C. tubing (food grade) carrying F.D.A. approval	Tru-Test Distributors Ltd PO Box 51078 PAKURANGA	15	AK 502409K	A
39.02.291	Trocellen closed cell polyethylene foam on condition that it will be used solely in the manufacture of buoyancy aids		..	AK 502422G	WA
39.02.381 Deter'n	Rigid PVC film and foil up to and including 0.5mm in thickness EXCLUDING (a) DIC sheet-G, biaxially oriented polystyrene sheet (b) Thermoformable rigid non-plasticised PVC film, 250 microns, on condition it is for use solely in making of one time moulds by a thermo vacuum forming process (c) Darvic sheet, pressed polished laminated (d) Rigid PVC film or foil on condition that it is: Imported for sale to a manufacturer for any of the following approved uses; or Imported by a manufacturer for any of the following approved uses; APPROVED (1) Making window envelopes (2) Making Christmas trees (3) Making overhead projector transparencies (4) Making playing cards (5) Making radio and TV cabinets, furniture, doors and coffins (6) Making waterbeds (7) Making monocooustic ceiling panels (8) Making biscuit and confectionary trays (9) Making christmas decorations and other festive decorations		..	HO 480598E	WD
39.03.181	Laminated sailcloth for use in manufacture of yacht sails	North Sails Ltd PO Box 3854 AUCKLAND	15	AK 502406E	A
39.07.599	Hawke plastic flameproof cable glands	The National Electrical & Engineering Co Ltd PO Box 9749 WELLINGTON	15	DN 560921G	CA

Tariff Industry Assistance (Advertisement) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
39.07.599	Plastic hand tools for insertion or extraction of electrical contacts used to insert/extract pin or socket contacts into/from insulators of electrical connectors	ECS Division of Airsparcs (NZ) Ltd PO Box 1048 PALMERSTON NORTH	10	WN 520801	A
40.08.032	Armaflex adhesive pipe insulation tape for high temperature industrial insulation	George Forman & Sons Ltd PO Box 12-194 Penrose AUCKLAND	..	DN 560922E	CA
40.10.019	TBA endless whipcord belts	Paykel Merchants Ltd Repeco Distribution Centre PO Box 22059 Otahuhu AUCKLAND	99	DN 560923C	CA
46.02.000	Cheese mats made of cane and plaiting materials for use in the draining and shaping of New Zealand Blue Vein Cheese	New Zealand Co-operative Rennet Co Ltd PO Box 122 ELTHAM	..	HO 580665J	A
Section XI	Fabrics, knitted or woven in New Zealand re-imported after the following process aboard; (1) Roller printing and/or Schreinerling, but not including dyeing (2) Bandura micro creping including dyeing (3) Sueding	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	99	DN 560936E	CA
Section XI	Fabrics, knitted or woven in New Zealand re-imported after screen printing abroad	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	99	DN 560937C	CA
Section XI	Tailors' interlining haircloth and imitation haircloth	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560938A	CA
53.11.002	Felted textiles, when declared that they will be used only for approved purposes APPROVED PURPOSES (1) Making hats	New Zealand Headwear Manufacturers' Federation PO Box 9130 WELLINGTON	15	DN 560925K	CA
58.05	Broche trimmings, peculiar for use in making apparel	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560927F	CA
58.05.039	Strain tape, when declared by a manufacturer for use by him, only in making slide fasteners	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560928D	CA
58.07.000	Tassels, when declared by a manufacturer for use by him, only in making girdles for dressing gowns	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560929B	CA
58.10.000	Fabrics, knitted or crocheted, embroidered, of a width exceeding 30cm, being 'all over' embroideries in which the embroidery forms patterns at regular intervals over the full length and width of the ground fabric EXCLUDING Fabrics of wool in the base textile	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560930F	CA
58.10.000	Fabrics, knitted or crocheted, embroidered, of a width exceeding 30cm and under EXCLUDING Fabrics of wool in the base textile	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560931D	CA
58.10.000	Motifs, embroidered, being corner pieces for use in making handkerchiefs	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560932B	CA
58.10.000	Squares, embroidered, of woven fabrics with raw unhemmed edges, for use in making handkerchiefs	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560933L	CA
59.08.002	Polyurethane coated rayon fabrics, on-condition that they will be used to make ladies fashion rainwear	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	..	DN 560934J	CA

Tariff Industry Assistance (Advertisement) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
59.11	Fabric laminated with foam rubber, peculiar for use in making corsets	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560935G	CA
61.01.041)	OVERALLS WITH FULL LENGTH TROUSERS	Daniel Philips & Co Ltd	..	AK 502098	A
61.01.042)	Combination one piece outer garment reaching to ankles and with or without sleeves. Maximum length 56cm, measure waist to bottom of hem. (NOTE: Where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band to bottom of cuff when turned down, is not to exceed 61cm)	C/- Aerosea Custom & Forwarding Ltd PO Box 1167 AUCKLAND			
60.01.142	Knitted or crochet fabric, not elastic, nor rubberised, of wool or fine animal hair not felted	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560939K	CA
60.01.151)	Triline 8120 EB knitted suede fabric 210gm2	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560941A	CA
60.01.152)	90% polyester, 10% polyurethane, for use in making women's fashion garments only				
60.01.152	Knitted or crocheted fabric, not elastic, nor rubberised, man-made fibres	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560940C	CA
60.01.151)	Fabrics incorporating layers of stiffened net and cellulose triacetate fibres, when declared by a manufacturer for use by him, only in making swimsuits	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560942K	CA
60.01.152)					
60.01.169)					
60.09.001)	Shaped roll-on blanks, in the piece, elasticised with rubber thread of elastomeric fibres, when declared by a manufacturer for use by him, only in making corsets, roll-ons and the like	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560943H	CA
60.09.009)					
61.11.009	Hat tip labels	New Zealand Headwear Manufacturers' Federation PO Box 9130 WELLINGTON	15	DN 560944F	CA
62.05.039	Nylon strip internally reinforced, when declared by a manufacturer for use by him, only in making hats	New Zealand Headwear Manufacturers' Federation PO Box 9130 WELLINGTON	15	DN 560945D	CA
62.05.039	Padded headlining for use only in making headwear	New Zealand Headwear Manufacturers' Federation PO Box 9130 WELLINGTON	15	DN 560946B	CA
70.20.011	Fibreglass yarn for use in the manufacture of insulation, building and packaging papers	Armafoil Industries PO Box 11-052 Ellerslie AUCKLAND	..	AK 502425A	A
73.29.009	Stock feeder chain big dutchman champion (15-15-5001) and challenger (15-15-5005)	Elbar Industries Limited PO Box 8062 CHRISTCHURCH	99	DN 560948J	CA
73.32.029	High temperature fasteners for use on steam turbines in thermal power stations.	Entec Services Ltd PO Box 76-160 MANUKAU CITY	15	AK 502405G	A
74.08.000	Special florad brass fittings for 10mm ID x 13mm OD polybutylene tubing for the connection of florad hot water heating modules and connecting tubing for underfloor heating systems	Arinco Industries Ltd PO Box 67-109 Mt Eden AUCKLAND	15	AK 501472D	A
76.03.001	Treadplate in sheets not further worked	Alcan New Zealand Ltd CPO Box 406 AUCKLAND	15	AK 502408A	WA
82.02.021	CURRENT DETERMINATION				
Deter'n	High carbon steel bandsaw blade (excluding high speed steel solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated) for cutting meat, bone, metal and wood in (1) Hard edge flexible back; or (2) Hard edge tempered (ie toughened) back types, in any length, and of the following dimensions: (a) in widths between 6.35mm and 31.75mm inclusive; and (b) with pitches between 3 and 32 teeth per 25.40mm, excluding scalloped teeth		..	HO 208111D	VD

Tariff Industry Assistance (Advertisement) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
82.02.021 Deter'n	REQUESTED DETERMINATION Steel bandsaw blade for cutting meat, bone metal and wood		..	HO 580657H	VD
82.05.001	Pryor interchangeable steel type	Patience & Nicholson NZ Ltd Private Bag KAIAPOI	99	DN 560949G	CA
82.05.019	CURRENT APPROVAL Sandvik coromant integral drill steels with tungsten carbide insert	Atlas Copco NZ Ltd C/- CVJ Tariff Consultants PO Box 1024 WELLINGTON	99	560042B	VA
82.05.019	REQUESTED APPROVAL Sandvik coromant integral drill steels with cemented carbide insert		99	WN 520938	VA
84.17.009	Component parts as may be approved for the manufacture of Shinwa cooling towers APPROVED Plastic louvre Water basin Casings (3 per tower) Tower supports (3 per tower) Fan motor Fan motor supports Sprinkler head Fan Sprinkler pipes	Wildridge & Sinclair Engineering Limited PO Box 12086 PENROSE	10	AK 502424C	A
84.19.039	Labelling machine clemens etiketta semi automatic	Columbit NZ Ltd PO Box 2200 AUCKLAND	10	AK 502380H	A
84.21.029	'Volumair' low pressure spray units	H M Forgarty Ltd C/- Denny & Roys (NZ) Ltd PO Box 37-663 Parnell AUCKLAND	10	AK 502432D	A
84.22.009	Dam-5 elephant electric chain hoist and electric trolley with a lifting capacity of 5 ton (one only)	R B Denniston & Co Ltd PO Box 135 DUNEDIN	10	DN 560968C	A
84.22.009	Drum motors and conveyor, with a power rating of 2.4 kw and over	Paykel Merchants Ltd C/- Repco Distribution Centre PO Box 22059 Otahuhu AUCKLAND	10	DN 560951J	CA
84.28.031	Rearing and laying poultry keeping units or batteries, including individual machines, peculiar for use in feeding, watering and egg collection, and poultry brooders and parts of above machines NOTE: Excluding gas fired poultry brooders or ballasted poultry drinkers for Turkeys or pheasants	Elbar Industries Limited PO Box 8062 CHRISTCHURCH	..	DN 560952G	CA
84.40.011	Gudrun FAS 10 and FAS 30 electric and oil heated washer extractor	Gooder Equipment Co Ltd PO Box 7369 WELLINGTON	10	DN 560953E	CA
84.45.001	Magnetic based drill presses of 1 1/4'' capacity in mild steel NOTE: If approved the above goods will be subject to the rates of duty prescribed under Tariff Item 84.45.009 or at the rates of duty prescribed under part II reference 10 of the Tariff	Black & Decker (NZ) Ltd PO Box 12-321 PENROSE	10	HO 501985A	VD
84.45.001 Deter'n	CURRENT DETERMINATION Metal circular saws, hand operated, with blades not exceeding 1016mm diameter		..	HO 207861K	VD
84.45.001 Deter'n	REQUESTED DETERMINATION Metal circular saws, hand operated with blades not exceeding 1016mm diameter excluding types specially suited for cutting precious metals		..	HO 580653E	VD
84.45.009	Strachan shank slotting machine, used condition, ex Ajax Fasteners, Australia	Ajax Fasteners New Zealand Ltd PO Box 22-212 OTAHUHU	..	AK 502385B	A
84.47.001	Samco model LP15 vertical and bobbin sander NOTE: If approved the above goods will be subject to the rates of duty prescribed under Tariff Item 84.47.009 or at the rates of duty prescribed under Part II reference 10 of the Tariff	W & R Jack Ltd PO Box 9748 WELLINGTON	10	WN 520870L	VD
84.56.009	Attrition machines for scrubbing, abrasion, pulverising and dispersion of mineral substances	D F Gavin C/-Independent Customs Agency Ltd PO Box 5155 PAPANUI	10	DN 560954C	CA

Tariff Industry Assistance (Advertisement) Notice No. 1985/32-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
84.59.059	Dehumidifiers industrial types only	H M Forgarty Ltd C/- Denny & Roys (NZ) Ltd PO Box 37-663 PARNELL	10	AK 502431F	A
84.61.021	Anderson greenwood safety relief valves model 81 MB48 4	Caltex Gaz NZ Ltd C/- Walsh & Anderson Customs Agency Ltd PO Box 1268 WELLINGTON	10	HO 580624A	A
84.61.021	Polythylene valves for fusion welding into polythylene natural gas distribution pipe	H J Amsmuss & Co Ltd PO Box 213 AUCKLAND	10	HO 502207L	A
84.61.021	Pressure control and regulating valves viz sparax-sarco steam pressure reducing valves	Paykel Merchants Ltd C/- Repco Distribution Centre PO Box 22059 Otahuhu AUCKLAND	10	AK 502177E	A
84.61.021	Rada 88 mixing valve	A L Byrne and Son Ltd PO Box 895 AUCKLAND	10	HO 502272L	A
84.61.021	Rada 723 thermostatic mixing valve	A L Byrne and Son Ltd PO Box 895 AUCKLAND	10	HO 502092B	A
84.61.021	CURRENT APPROVAL Steam traps viz: cast iron or steel - 50mm (2'') and over	Paykel Merchants Ltd Repco Distribution Centre PO Box 22059 Otahuhu AUCKLAND	10	480211L	VA
84.61.021	REQUESTED APPROVAL Steam traps viz: Cast iron or steel - all sizes	Paykel Merchants Ltd Repco Distribution Centre PO Box 22059 Otahuhu AUCKLAND	10	HO 502176G	VA
85.12.019	Heating elements of 12mm tube, being spare and service parts of ion nitridding vacuum heat testing furnaces	Eric Paton Ltd PO Box 12047 AUCKLAND 6	10	DN 560959D	CA
85.14.039	Loudhailers, Baseefa certified to standard Ex la 11BTS, on condition that the goods will be used only in hazardous areas		10	DN 926612H	RUC
85.14.039	Metrotech 200L water leak detector		10	DN 113639K	RUC
85.15.221	Parts peculiar to use in making colour T.V. receivers, as may be approved; APPROVED: DL 60, DL 700 Purity rings Screen assemblies		..	DN 208944A DN 208948D DN 208945K DN 208949B	RUC RUC RUC RUC
85.15.249	Electromagnetic subsurface profiling systems		10	DN 208937J	RUC
85.15.249	H.F. single side band marine radio telephones, 250W or over on condition that the goods will be for use solely on commercial vessels		10	DN 209971D	RUC
85.15.249	Nagrafax Faxthf facsimile tracing unit		10	DN 210334G	RUC
85.17.000	Electronic live line tester		10	DN 930117J	RUC
85.17.000	Highland solid state audio or visual indicators, for incorporation in electronic process control systems		10	DN 209016D	RUC
85.17.000	Transonic piezo ceramic buzzers, used in making alarms to repel unwanted pests		10	DN 209254K	RUC
85.18.009	Electrical capacitors (other than power factor correction capacitors)	A & G Price PO Box 3126 AUCKLAND	10	DN 560960H	CA
85.19.009	Allen-Bradley control relays, Bulletins 700NM 700NM7 700R 700RM		10	DN 202100F DN 202101D DN 202102B DN 202103L	RUC RUC RUC RUC
85.19.009	Alpha SR25 rotary switch		15	DN 910284B	RUC
85.19.009	Bermad pressostat differential presure switch		10	DN 900704A	RUC
85.19.009	Binary coded decimal dip rotary switches		10	DN 927991E	RUC
85.19.009	Circuit breakers: Dorman E frame 10003000 amps, rating exceeding 50kPa at 415V		10	DN 113797C	RUC
85.19.009	Component parts peculiar to use in making ripple control relays, as may be approved		15	DN 113805H	RUC
85.19.009	Components peculiar to use in making Pye relays, models: 120, 125, 130, 135, 623, 630		10	DN 113812L	RUC
85.19.009	Crouzet single range, single voltage, SE range relays		99	DN 917721D	RUC
85.19.009	Deadman remote control switches, Western Technology series 1000		10	DN 928359F	RUC

Tariff Industry Assistance (Advertisement) Notice No. 1985/32-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
85.19.009	Disconnectors saif IP20 with a rated current exceeding 1000 amps	Mahanga Holdings Limited PO Box 7210 Wellesley Street AUCKLAND	..	AK 502381F	A
85.19.009	Electromatic type ER2 and ER8 series printed circuit board mounting relays		10	DN 929921B	RUC
85.19.009	11kV electrically operated oil insulated load breaking switches, McGraw Edison type NR, VR, VCR, VLR and TSC		10	DN 923396C	RUC
85.19.009	FEME miniature relays type MHP for printed circuit boards AC up to 230V, with rating up to AC-1, 10 amps		10	DN 113832E	RUC
85.19.009	Grigsby Barton relays, viz; Series 800		10	DN 113838D	RUC
85.19.009	Hall effect solid state switches		10	DN 927521F	RUC
85.19.009	Herbert flexlock safety switches		10	DN 113840F	RUC
85.19.009	HFV series relays		10	DN 909614A	RUC
85.19.009	High fault level and seltronic HNB circuit breakers		10	DN 917665K	RUC
85.19.009	High voltage combination units (unmotorised) containing vacuum contactors for 3.3Kv, 250 MVA system operation		10	DN 927872K	RUC
85.19.009	Illuminated pushbutton, type OKR and type OKP 2, peculiar for use as components for inclusion in the ASEA mosaic systems		10	DN 201036E	RUC
85.19.009	Magnetic only motor short circuit protectors, 14ka		10	DN 917664A	RUC
85.19.009	Mains firing blasting switches		10	DN 113850C	RUC
85.19.009	Mercury relays, viz; Series 8000, 8100, 8200, 8300, 8400, 8600		10	DN 202560G	RUC
85.19.009	Miniature relays, type SSD, USD, FCD, for printed circuit board mounting for use on industrial electronic equipment		10	DN 927501A	RUC
85.19.009	Niphan interlocking weathertight, metal-clad switch-sockets		10	DN 113855D	RUC
85.19.009	NSF push button wafer switch, Model 130, in C.K.D. form		15	DN 900511A	RUC
85.19.009	Off-circuit tap changes over 33kV		15	DN 901806K	RUC
85.19.009	Pushbutton pendant and selector switches, weatherproof, and oiltight, double insulated 400V-10 amp, double depression for two speed control with mechanical interlock		10	DN 113868F	RUC
85.19.009	Pye co-axial relays; viz, series 900		10	DN 113869D	RUC
85.19.009	Rule panel switch, peculiar to use with flood switches for submersible pumps		10	DN 930288D	RUC
85.19.009	Saif IP20 fault make load break pluggable fuseways complete with operating mec	Mahanga Holdings Limited PO Box 7210 Wellesley Street AUCKLAND	..	AK 502382D	A
85.19.009	Siemens N-system impulse switch		10	DN 910263K	RUC
85.19.009	Solid state relays, viz; Grayhill		10	DN 203162A	RUC
85.19.009	Speed switches, Allen-Bradley bulletin 808		10	DN 203234B	RUC
85.19.009	Square D class 9001 neoprene pendant control station types; B62 B63 B65 B67 B69		10	DN 113893G	RUC
85.19.009	Starter relay type EMB 101-9050		10	DN 113894E	RUC
85.19.009	Switch disconnectors, Calor-Emag type CK3/CR3 rated 11KV and 24KV up to 630 amps, & rated on;load breaking capacity of up to 1250 amps and a peak withstand current rating of up to 60KA		10	DN 113895C	RUC
85.19.009	Switch toggle for Remington electric concrete vibrator		10	DN 113896A	RUC
85.19.009	Tact switch series K H C		10	DN 113897K	RUC
85.19.009	Three-in-one pressure switch used to convert a set hydraulic pressure to an electrical signal		10	DN 930412G	RUC
85.19.009	Twin channel cyclocontrol relays for switching electricity loads		10	DN 113905D	RUC
85.19.009	Warner brand float switches		10	DN 912854K	RUC
85.19.011	G.E.C. fused terminal blocks and fuses series 130 and accessories		10	DN 928049K	RUC
85.19.011	Plastic fuse holders viz: Chiri		10	DN 926939J	RUC
85.19.011	Thermal fuses, for use in refrigerator fan motors		15	DN 208420B	RUC
			10	DN 927720L	RUC
			10	DN 912635L	RUC
			15	DN 931258H	RUC
			10	DN 927297G	RUC

Tariff Industry Assistance (Advertisement) Notice No. 1985/32-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
85.19.025	SOC brand high voltage power fuses, type SMD		10	DN 927418K	RUC
85.19.031	Ground fault detection systems viz; Allen-Bradley bulletin 1409, for the protection of motors and electrical distribution systems		10	DN 926848A	RUC
85.19.031	Miniature relay, R.H. series		10	DN 927036B	RUC
85.19.055	G.E.C. terminal blocks series 130 and accessories		10	DN 912633D	RUC
85.19.055	Terminating joint for 33KV gas filled cable		10	DN 902241E	RUC
85.19.055	Terminators, slip on types, for voltage ratings of 15KV and above		10	DN 927409L	RUC
85.19.055	Waltric outdoor watertight switch sockets and plugs 60 amp to 400 amp, complete with road covers		10	DN 200433L	RUC
85.19.059	ASEA Terminal carriers		10	DN 900780G	RUC
85.19.059	Contact stops, contact support assembly and contact spring, complete with contacts, being component parts for use in electric motor switch plates		10	DN 114031A	RUC
85.19.059	Contacts, vix Rema Bi-metal transition plate		15	DN 927545C	RUC
85.19.059	Junction boxes, for use with motorised roller awnings		10	DN 922251A	RUC
85.19.059	150/1/2 and 150/11/1 brass contacts		10	DN 909433E	RUC
85.19.059	Plug-in terminal block, type USTK		10	DN 900911G	RUC
85.19.059	Unmachined bimetal cable lugs (terminal)		15	DN 114055J	RUC
85.19.059	Vero terminal pin, when declared;		10		
	(1) by a manufacturer for use by him, only in making electrical and electronic equipment; or				
	(2) by an importer for sale by him, only to a manufacturer for use by him, only in making electrical and electronic equipment				
	Types;				
	TP/214			DN 205440L	RUC
	TP/2144			DN 205441J	RUC
	TP/2145			DN 205442G	RUC
	TP/2140/3037			DN 205443E	RUC
	TP/11034			DN 205444C	RUC
	TP/11036			DN 205445A	RUC
85.19.059	MT/11081			DN 205446K	RUC
cont'd	MT/11082			DN 205447H	RUC
	MT/13378			DN 205448F	RUC
	MT/14909/1			DN 205449D	RUC
85.19.062	Electronic circuitry, on condition the goods are for use solely in the manufacture of automotive voltage regulators		15	DN 208968J	RUC
85.19.062	Printed circuit boards, peculiar to use in Steiger electronic Ribomat knitting machines		15	DN 927661A	RUC
85.19.071	Control panels, peculiar for use in making Heil colectomatic and transfer packers		15	DN 114069J	RUC
85.19.071	Conveyor control system, tripwire type, incorporating over/under speed monitors, for handling raw materials		10	DN 927804E	RUC
85.19.071	CRL series: 800 programmers and 400 Auto manual stations		10	DN 918145J	RUC
85.19.071	Electromatic programmable logic controllers with built-in programming unit, models 200816, 210816, 220816 and 230816; without built-in programming units, models 300816, 310816, 320816, 330816, 400816, 410816 and 510816; programming units model PPU10 and; slave units, models PSU1001616 and PSU1011616		10	DN 929754F	RUC
85.19.071	Grasslin programmable electronic time switches		10	DN 918472E	RUC
85.19.071	Intraspec brand, Opel 12, microprocessor programmer, for the automatic control of washing machine cycles		10	DN 927573J	RUC
85.19.071	K.E.B. combi watt type 60 modules P, C, F and D		10	DN 928103H	RUC
85.19.071	Kiln control panel		10	DN 910280K	RUC
85.19.071	Omron SCY-MY-CPU55 modules for programmable controller		10	DN 930357L	RUC
85.19.071	Probatomatic electronic controls, on condition that the goods are for use only with Probat brand coffee roasting and cooling machines		10	DN 926579B	RUC
85.19.071	Servo control panel STD-16		10	DN 927574G	RUC
85.19.071	SMC programmable controller, ECC range		10	DN 929957C	RUC
85.19.071	Square 'D' SY/MAX class 8009 compact programmable controller systems and associated components	Cable-Price Corporation Limited PO Box 10042 WELLINGTON	10	WN 520588	A



Tariff Industry Assistance (Advertisement) Notice No. 1985/32-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
85.20.019	Tubes, ultra-violet, for use in gas/oil fired boilers and lime kilns		10	DN 925976H	RUC
85.22.011	Vinkor assembly comprising oscillator and receiver		15	DN 114143A	RUC
85.22.019	AVC brand, digital standards convertor and processor, model 6000		99	DN 928143G	RUC
85.22.019	Carbide hardedge, automatic, for impregnating metal parts with tungsten carbide		10	DN 927395G	RUC
85.22.019	Chute vibrators, for handling raw materials		10	DN 927774K	RUC
85.22.019	Code programmer, 100 385-1B, to be used for reprogramming digital pages		10	DN 209819K	RUC
85.22.019	Electronic pig location detection equipment, for use in the detection, of pipeline pigs in buried pipelines		10	DN 926176B	RUC
85.22.019	Heath electronic pig locating system		10	DN 900479D	RUC
85.22.019	Kelor series 73 electric valve actuator		10	DN 114167J	RUC
85.22.019	Kent/Enraf series 858 communications interface unit		10	DN 931102F	RUC
85.22.019	Lynx 460 tester, for exercising, testing and aligning disk drive units, peculiar to computers and programmable control equipment		15	DN 929908E	RUC
85.22.019	Metron actuators		15	DN 114171G	RUC
85.22.019	MTE Solid State Relay modules and Limit switches		15	DN 114172E	RUC
85.22.019	Printcure conveyorised UV drying system		10	DN 930187K	RUC
85.22.019	Stereo optical sound processors 35mm for incorporation into 35mm theatre project plant		10	DN 925954G	RUC
85.22.019	Tinker and Rasor holiday detectors, model AP, AP/W and AP/AC		10	DN 909858F	RUC
85.22.019	Toshiba L.C.D. programmer for programming Toshiba series EX programmable controllers		10	DN 929925E	RUC
85.22.019	Vibra zone (ozone generators)		10	DN 900580D	RUC
85.22.019	Vita ceramiplaters		10	DN 114185G	RUC
85.22.019	Wavetek/Rockland variable analog filters, models 452 and 852		10	DN 916828B	RUC
85.22.019	Wolf hot knife, used in the textile industry for cutting and fusing synthetic materials		10	DN 922696G	RUC
85.23	Enamelled copper winding wire insulated with high temperature polyester - amide modified in accordance with IEC251/VSM23731 in sizes .0415 - 5.00mm - with insulation guaranteed resistant to freon 12 - 22 - and temperature transformer oil	A G McLachlan Limited PO Box 10189 TE RAPA	10	AK 502271B	A
85.23.001	1 x 140m length of HF 3 1/8'' Cu2Y 50 ohms Flexwell cable	Broadcasting Corp of New Zealand Supply Division PO Box 98 WELLINGTON	10	HO 580625K	A
85.24.009	Spectroscopic electrodes		10	DN 114266G	RUC
85.25.000	ASEA brushings or insulators, type GOB, for 110kV power transformers		10	DN 114267E	RUC
85.25.000	Insulators - beryllium oxide ceramic for use in manufacture of circulators		10	DN 925313A	RUC
85.25.000	Insulators, type GOB 325 or GOB 380		10	DN 905087G	RUC
85.26.000	Lignostone wood washers		10	DN 114280B	RUC
85.28.000	Dyna-Mite electric vibrators		10	DN 201787D	RUC
85.28.000	Ferranti-Packard display digits, peculiar for use in calcopac heads for petrol pumps		10	DN 200362H	RUC
85.28.000	Fujilog T-10E extension unit to T20 programmable logic controller		10	DN 928365L	RUC
85.28.000	Fujilog T-16E extension unit to T-40 programmable logic controller		10	DN 926540G	RUC
85.28.000	Fujilog T-24E extension unit to T-40 programmable logic controller		10	DN 926542C	RUC
86.09.000	Hollube center bowl wear eliminators		15	DN 909697D	RUC
86.10.000	Hydraulic buffers for use with crane rails		99	DN 209818A	RUC
87.11.000	LIC lift transfer system to lift and carry disabled persons		99	DN 209789D	RUC
87.14.059	CURRENT APPROVAL Air sprung suspensions, as maybe approved, on condition they are for use solely in the manufacture of semi-trailers APPROVED Cooper air Dunlop pneuride Hendrikson AR series Ridewell Fruehaufair ride		15	580078B	VA
87.14.059	REQUESTED APPROVAL Air sprung suspensions, as maybe approved, on condition they are for use solely in the		15	HO 580646B	VA



Tariff Industry Assistance (Advertisement) Notice No. 1985/32-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
98.01.011	Silver and gold basket buttons, when declared for use only in making regalia, clerical vestments, emblems, motifs and trimmings	Textile & Garment Manufacturers' Federation of New Zealand PO Box 9130 WELLINGTON	15	DN 560965J	CA

* Category of Application:	A	-	Application for Approval	
	CA	-	Application for Continuation of Approval	
	VA	-	Application for Variation of Approval	
	WA	-	Application for Withdrawal of Approval	
	D	-	Application for Determination	
	VD	-	Application for Variation of Determination	
	WD	-	Application for Withdrawal of Determination	
	RUC	-	Revocation of Unused Concessions	
	** Port:	HO	-	Comptroller of Customs, Private Bag, Wellington
		AK	-	Collector of Customs, Box 29, Auckland
WN		-	Collector of Customs, Private Bag, Wellington	
CH		-	Collector of Customs, Box 2098, Christchurch	
DN		-	Collector of Customs, Private Bag, Dunedin	

Dated at Wellington this 21st day of November 1985.

M.J. BELGRAVE, Comptroller of Customs.

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1985/32  
 Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- 1 Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.
- 2 SCHEDULE 3 - Limited Decisions  
 (a) Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.  
 This Notice only serves to inform the importing/manufacturing community of the approvals existence.  
 (b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- 3 It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette.
- 4 Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month - eg, 3/84 to 9/86 is 1/3/84 to 30/9/86.

SCHEDULE 1  
 General Decisions Approved

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
HO	Section VI Drugs, chemicals and other substances peculiar to use as culture media or as ingredients of culture media, or as indicators (including standard chemicals) for chemical analysis or scientific investigation, and catalogued as such by the manufacturer, except blood typing or blood grouping re-agents NOTE: Importations of assortments of small quantities (ie, in respect of invoiced items individually not exceeding \$40 in value) of drugs, chemicals and other substances admitted under this decision may be entered by showing their classification as tariff item 29.46.000.00D, in lieu of the various tariff item numbers concerned (This Tariff item was created solely for concessionary purposes)	Free	Free	99	580630F	11/85	6/92
HO	Section VI Drugs, chemicals and other substances peculiar to use as stains for microscopic, spectrometer and similar work and catalogued as such by a manufacturer NOTE: Importations of assortments of small quantities (ie, in respect of invoices items individually not exceeding \$60 in value) of drugs, chemicals, and other substances admitted under this decision may be entered by showing their classifications as Tariff Item 29.46.000 00D, in lieu of the various Tariff item numbers concerned (This tariff item was created solely for concessionary purposes)	Free	Free	99	580631D	11/85	9/92
	34.02.000 Products, as may be approved, when imported in bulk and not being soaps or containing soap; APPROVED:						
DN	Amerchol BL	Free	Free	15	560651K	11/85	12/93
DN	Amerchol C	Free	Free	15	560652H	11/85	12/93
DN	Amerchol CAB, H9 and 400	Free	Free	15	560653F	11/85	12/93
DN	Amerchol L101	Free	Free	15	560654D	11/85	12/93
DN	Anonyx 12S and 12-EO	Free	Free	15	560655B	11/85	12/93
DN	Ceraphyl 60, 65	Free	Free	15	560656L	11/85	12/93
DN	Etophen series	Free	Free	15	560657J	11/85	12/93
DN	Ohlan (Hydroxyiated Lanolin)	Free	Free	15	560662E	11/85	12/93
DN	Sulfretol K90 and L95, when declared for dental use only	Free	Free	15	560663C	11/85	12/93
DN	Viscolan	Free	Free	15	560664A	7/85	12/93
DN	34.05.001 Elgin diamond lapping compound, up to grade 6	Free	Free	15	560665K	10/85	12/93
DN	34.05.001 Elgin diamond lapping compound, up to grade 9 and over	Free	Free	15	560666H	10/85	12/93
DN	38.19.079 Chemical products and preparations etc. Clearline temperature indicating paints	Free	Free	99	560966G	7/85	6/92
DN	SC-301 chelating resin	Free	Free	99	560668D	10/85	12/93
HO	39.01.379 Positive film for use in making reproductions by photographic means for use in industrial reprography	Free	Free	99	580658F	9/85	9/86
DN	39.02.241 Polypenco fluorosint 207 and 500 mica filled TFE fluorocarbon	Free		..	560920J	7/85	9/86
HO	39.07.389 Babies pilches	\$0.25 each	CAN \$0.25 each less 7.5	99	580659D	11/85	9/93
DN	39.07.499 Knife handles, unbored of Xylonite for use only in making table knives	Free	Free	15	560673L	11/85	12/93
DN	39.07.529 Light fittings of plastic, explosion protected, for use in hazardous areas	Free	Free	10	560574J	10/85	12/93
DN	39.07.599 Plastic fittings for telescoping aluminium tube products, peculiar for use in cleaning and painting of swimming pools	Free	Free	15	560675G	10/85	12/93
HO	40.10.001 Vee belts and belting, belts and belting, cogged, Whole Item toothed, or otherwise adapted for the timing of mechanical or electrical functions	Free	Free	99	580644F	11/85	6/86
DN	55.09.013 Cotton blowing wrappers	Free	Free	15	560926H	8/85	9/90
HO	Chapter 60 Babies' and young infants' clothing of kinds and sizes, as may be approved by the Minister; NOTE: The following concessions are not to apply to knitted trousers with closed feet of loop or pile fabric of an elastic or stretchable nature commonly known as "crawlers" or one piece garments of loop or pile fabric of an elastic or stretchable nature with sleeves and closed feet, commonly known as "stretch-n-grow"	Free	Free	99			

Tariff Industry Assistance (Decision) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	suits'', whether covered individually or as part of a set''						
	APPROVED:						
	BODICES						
	Close fitting buttoned undergarment without sleeves, worn from neck to waist, size not exceeding 56cm chest (buttoned)				203738G	7/80	9/88
	BABIES BOOTIES						
	knitted footwear for girls and boys; not intended for walking. Sole constructed from same material as upper, generally in knitted or crocheted one piece construction				203739E	7/80	9/88
	BABIES BREECHETTE SETS						
	Comprising jacket, jumper or cardigan, with or without attached hood, and overall. The latter being a garment with a knitted body and legs with or without closed feet and having maximum measurements of 51cm waist, crutch, waist				203740J	12/80	9/88
	BUSTER, RANGER OR TRACKSUITS						
	A two piece set of knitted fabric consisting of a top with a maximum chest measurement of 61cm and legless, or short or long legged trousers with a maximum waist, crutch, waist measurement of 51cm or maximum length of 56cm, whichever applies (NOTE: Where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band or to bottom of cuff when turned down, is not to exceed 61cm)				209425J	1/84	9/88
	CAPE WITH OR WITHOUT HOOD						
	A sleeveless cloak, with or without attached hood, of knitted or crocheted fabric, with a maximum vertical front measurement from throat of collar of cape of 61cm				205186K	5/81	9/88
	CARDIGANS, JERSEYS, JUMPERS and PULLOVERS						
	Outer garment either sleeveless, short or long sleeved, with or without buttons or slide fastener, and with or without hood, produced from individually knitted or crocheted panels, either fully fashioned or cut to shape, with attached basque or without a hemmed edge, maximum size 61cm chest.				203743C	7/80	9/88
	COAT SETS						
	Comprising coat with or without matching leggings or trousers, and with or without matching hat or cap; the coat to have a maximum length of 51cm*				203744A	7/80	9/88
	COATS OR JACKETS						
	with or without hood, made from knitted fabric, designed to be worn over other outer garments. The maximum length of a coat shall be 51cm* Jackets must have a maximum chest measurement not exceeding 72cm AND a maximum length not exceeding 46cm				205678L	4/81	9/88
	DRESSING GOWNS						
	Sleeved garment knitted, worn indoors over sleeping apparel. (Attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum length 76cm*				209401A	1/84	9/88
	DUFFLE COAT SETS						
	Comprising duffle coat with matching leggings or trousers, and with or without matching hat or cap. The coat to have maximum length 51cm*				203746H	7/80	9/88
	FROCKS OR PINAFORES						
	A one piece garment with or without a defined waistline. Maximum length 51cm *				400745L	5/85	3/93
	FROCK OR PINAFORE SETS						
	A multiple pieced set with a frock or pinafore as the main component - not to exceed 51cm length*				203748D	7/80	9/88
	GOWNS						
	Loose flowing garment. May be suitably embroidered for christening. Maximum length 76cm*				209404F	1/84	9/88
	JUMPERS AND FROCKS						
	Imported together as sets, provided that each garment is covered by separate existing concessions				209505L	2/84	3/86
	MATINEE COATS BABIES						
	Maximum front measurement from throat of collar of cape, of 61cm. Short knitted or crocheted baby pram jacket with or without attached hood				203750F	7/80	9/88
	NIGHTDRESSES						

Tariff Industry Assistance (Decision) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	Gown worn as night attire. (Attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum length 76cm*				209405D	1/84	9/88
	OVERALLS WITH FULL LENGTH TROUSERS Combination one piece outer garment reaching to ankles and with or without sleeves, Maximum measurement 56cm side waist to bottom of hem.				203837E	7/80	9/88
	OVERALL SETS A multiple piece set with an overall as the main component. Maximum length 56cm, measured side waist to bottom of hem				209407L	1/84	9/88
	PETERKINS See Pram Sets						
	PETTICOATS Under garment designed to be worn under a frock or skirt and may be made from knitted fabric. Maximum length 51cm*.				203755G	7/80	9/88
	PRAM SETS A one, two, three or four piece set comprising any combination of the following: Jacket or jumper or matinee top with or without hood; overall or trouser with or without attached feet; booties. Combination may include a cap or bonnet, either attached or unattached. Panels or fabric, either fully fashioned or cut to shape, excluding loop or pile fabric of an elastic or stretchable nature. A pram set is commonly known as a Peterkin when in one piece. Maximum measurement of 51cm waist, crutch, waist or 56cm outer leg waist to foot when in one piece				206188A	6/82	9/88
	PYJAMAS MADE FROM KNITTED FABRIC Two piece sleeping suit consisting of trousers with or without closed feet and separate top. (Attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum 61cm chest.				203757C	7/80	9/88
	ROMPERS One piece legless or short legged knitted outer garment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crutch				203758A	7/80	9/88
	ROMPER SUITS A two piece set comprising of an unattached sleeved or sleeveless top and pants. The pants to have a maximum waist crutch waist measurement of 51cm and the top a maximum chest measurement of 56cm.				203759K	7/80	9/88
	SHAWLS Babies, knitted				203760C	7/80	9/88
	SHIRTS Of knitted fabric comprising long or short sleeved under garments produced from knitted panels or cut and sewn from knitted fabric. Maximum chest size 61cm				209446A	1/84	9/88
	SKIRTS WITH BODICE TYPE TOPS Maximum *51cm length				203762K	7/80	9/88
	SKIRTS WITH OR WITHOUT STRAPS ATTACHED TO WAISTBAND: Loose flowing garment, size not to exceed 31cm from top of waistband to lowest point of hem.				480718K	6/85	9/88
	SLEEPING BAGS - BABIES With or without hood, excluding those types falling within Chapter 94. Maximum length 76cm, from highest point of shoulder to bottom at back when laid flat				209408J	1/84	9/88
	SNOW OR SKI SUITS - WITH OR WITHOUT HOOD OR FEET Heavy one or two piece outer garment, knitted, suited for wear outdoors during cold weather. Does not include garments with or without print or embroidered trim, designed primarily for use as sleep suits. Maximum length 76cm measured from mid-shoulder to ankle				209409G	1/84	9/88
	SOCKS Knitted or crotcheted footwear. Maximum length of foot 13cm.				203766B	7/80	9/88
	SWIMSUITS AND BATHING TRUNKS One or two piece swimwear for boys and girls. Maximum size 41cm waist-crutch-waist				203767L	7/80	9/88
	TROUSERS-SHORT Short legged, legless or romper type trousers suitable for outerwear. Maximum of 51cm, waist-crutch-waist				209410L	1/84	9/88
	TROUSERS - FULL LENGTH						

Tariff Industry Assistance (Decision) Notice No. 1985/32-continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	Two legged outer garment reaching from waist to ankles. Maximum length 56cm side waist to bottom of hem. (Note; Where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band or to bottom of cuff when turned down, is not to exceed 61cm) TUNIC SUITS - SMOCK TYPE				203769G	7/80	9/88
	Knitted outfit incorporating tunic or smock type top and short or full length trousers designed as a set with a maximum length of 41cm* *Length to be measured from point where shoulder joins neck to lowest point on the hem of the garment at the back. Turn-up is to be taken into account when determining maximum length				206849E	11/82	9/88
HO	Chapter 61 Babies' and young infants' clothing of kinds and sizes, as may be approved by the Minister; ''NOTE: The following concessions are not to apply to knitted trousers with closed feet of loop or pile fabric of an elastic or stretchable nature commonly known as ''crawlers'' or one piece garments of loop or pile fabric of an elastic or stretchable nature with sleeves and closed feet, commonly known as ''stretch-n-grow suits'', whether covered individually or as part of a set'' APPROVED: BODICES Close fitting buttoned undergarment without sleeves, worn from neck to waist, size not exceeding 56cm chest (buttoned) BABIES BREECHETTE SETS Comprising jacket, jumper or cardigan, with or without attached hood, and overall. The latter being a garment with a woven body and legs with or without closed feet and having maximum measurements of 51cm waist, crutch, waist BUSTER, RANGER OR TRACKSUITS A two piece set of woven fabric consisting of a top with a maximum chest measurement of 61cm and legless, or short or long legged trousers with a maximum waist, crutch, waist measurement of 51cm, or maximum length of 56cm, whichever applies, (NOTE; Where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band or to bottom of cuff when turned down, is not to exceed 61cm) CAPES WITH OR WITHOUT HOOD A sleeveless cloak, with or without attached hood, of woven fabric, with a maximum vertical front measurement from throat of collar of cape of 61cm COAT SETS Comprising coat with or without matching leggings or trousers, and with or without matching hat or cap; the coat to have a maximum length of 51cm*. COATS OR JACKETS; With or without hood, made from woven fabric, designed to be worn over other outer garments. The maximum length of a coat shall be 51cm*. Jackets must have a maximum chest measurement not exceeding 72cm AND a maximum length not exceeding 46cm. DRESSING GOWNS Sleeved garment, woven, worn indoors over sleeping apparel. (Attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum length 76cm* DUFFLE COAT SETS Comprising duffle coat with matching leggings or trousers, and with or without matching hat or cap. The coat to have maximum length of 51cm*. FROCKS OR PINAFORES A one piece garment with or without a defined waistline. Maximum length 51cm*. FROCK OR PINAFORE SETS A multiple pieced set with a frock or pinafore as the main component - not to exceed 51cm length * GOWNS Loose flowing garment. May be suitably embroidered for christening.	Free	Free	99			
					209411J	1/84	3/88
					203775A	12/80	3/88
					209426G	7/80	3/88
					580162B	5/81	3/88
					203778F	7/80	3/88
					205679J	4/81	3/88
					209413E	1/84	3/88
					203780H	7/80	3/88
					203781F	7/80	3/88
					203782D	7/80	3/88
					209412G	7/80	3/88

Tariff Industry Assistance (Decision) Notice No. 1985/32-continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective From To	
		Normal	Pref.				
	Maximum length 76cm*						
	<b>MATINEE COATS - BABIES</b>						
	Short woven baby pram jacket with or without attached hood. Maximum front measurement from throat of collar of cape of 61cm				203784L	7/80	3/88
	<b>NIGHTDRESSES</b>						
	Gown worn as night attire. (Attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977).				209430E	7/80	3/88
	Maximum length 76cm*						
	<b>OVERALLS WITH FULL LENGTH TROUSERS</b>						
	Combination one piece outer garment reaching to ankles and with or without sleeves. Maximum length 56cm, measured side waist to bottom of hem				209415A	1/84	3/88
	<b>OVERALL SETS</b>						
	A multiple piece set with an overall as the main component. Maximum length 56cm measured side waist to bottom of hem				209416K	1/84	3/88
	<b>PETTICOATS</b>						
	Under garment designed to be worn under a frock or skirt and may be made from woven fabric. Maximum length 51cm*				209417H	1/84	3/88
	<b>PYJAMAS MADE FROM WOVEN FABRIC</b>						
	Two piece sleeping suit consisting of trousers with or without closed feet and separate top. Maximum chest size 61cm.				209451H	1/84	3/88
	(Note: Attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977).						
	<b>ROMPERS</b>						
	One piece legless or short legged woven outer garment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crutch.				203791C	7/80	3/88
	<b>ROMPER SUITS</b>						
	A two piece set comprising of an unattached sleeved or sleeveless top and pants. The pants to have a maximum waist crutch waist measurement of 51cm and the top a maximum chest measurement of 56cm				203792A	7/80	3/88
	<b>SHAWLS -BABIES WOVEN</b>						
	Rectangular or circular baby wrap				203793K	7/80	3/88
	<b>SKIRTS WITH BODICE TYPE TOPS</b>						
	Maximum *51cm length				203838C	7/80	3/88
	<b>SHIRTS:</b>						
	Of woven fabric comprising long or short sleeved under garments produced from woven panels or cut and sewn from woven fabric, maximum chest size 61cm				480719H	6/85	3/88
	<b>SKIRTS WITH OR WITHOUT STRAPS ATTACHED TO WAISTBAND</b>						
	Loose flowing garment, size not to exceed 31cm from top of waistband to lowest point of hem				480720A	6/85	3/88
	<b>SLEEPING BAGS - BABIES</b>						
	With or without hood excluding those types falling within Chapter 94. Maximum length 76cm from highest point of shoulder to bottom at back when laid flat				209419D	1/84	3/88
	<b>SNOW OR SKI SUITS - WITH OR WITHOUT HOOD OR FEET</b>						
	Heavy one or two piece outer garment, woven suited for wear outdoors during cold weather, does not include garments with or without print or embroidered trim, designed primarily for use as sleep suits. Maximum length 76cm, measured from mid-shoulder to ankle.				209420H	1/84	3/88
	<b>SWIMSUITS AND BATHING TRUNKS</b>						
	One or two piece swimwear for boys and girls. Maximum size 41cm waist-crutch-waist.				203797B	7/80	3/88
	<b>TROUSERS - SHORT</b>						
	Short legged, legless or romper type trousers, suitable for outerwear, maximum of 51cm waist, crutch, waist				209421F	7/80	3/88
	<b>TROUSERS - FULL LENGTH</b>						
	Two legged outer garment reaching from waist to ankles. Maximum length 56cm side waist to bottom of hem. (Note where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band or to bottom of cuff when turned down, is not to exceed 61cm).				203799J	7/80	3/88
	<b>TUNIC SUITS - SMOCK TYPE</b>						
	Woven outfit incorporating tunic or smock type top and short or full length trousers				206850J	11/82	3/88



Tariff Industry Assistance (Decision) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	designed as a set with a maximum length of 41cm*						
	*Length to be measured from point where shoulder joins neck to lowest point on the hem of the garment at the back. Turn-up is to be taken into account when determining maximum length						
HO	60.01.151) Ward knitted curtain netting not exceeding 50 grammes per square metre	25cents		15	580220C	7/85	12/99
DN	60.01.152) per square metre						
DN	60.04.072) Babies pilches	\$0.60 each	CAN	..	560676E	7/85	12/93
			\$0.60 each less 7.5				
DN	61.04.022) Babies pilches	\$0.60 each	CAN	99	560677C	7/85	12/93
			\$0.60 each less 7.5				
DN	73.40.069) Metal flush box, single gang, UK pattern No. 866 and and Metal flush box, two gang, UK pattern No. 866	Free	Free	15	560607B	10/85	12/93
DN	82.05.001) H.S.S. EOC normalien - metal pressing punches, bushes and die buttons	Free	Free	15	560679K	10/85	12/93
DN	82.05.019) Percussion rock drill bits with tungsten carbide inserts	Free	Free	99	560680C	10/85	12/93
HO	84.06.021) BMW D936 TAZ diesel marine engine with outdrive	Free	Free	10	501192C	9/85	8/88
DN	84.08.011) Rosista air actuators for butterfly valves	Free	Free	10	560682K	10/85	12/93
DN	84.10.029) Diaphragm metering pumps	Free	Free	10	560684F	10/85	12/93
DN	84.10.029) Key hydro food pumps	Free	Free	10	560950L	10/85	9/86
DN	84.17.009) Crepaco HD 672 horizontal swept surface heat exchanger	Free	Free	10	560688J	10/85	12/93
DN	84.17.009) Crepaco 2 VT 422 vertical swept surface heat exchanger	Free	Free	10	560687L	10/85	12/93
DN	84.17.009) Cuoro-nickel tube cleanable coils	Free	Free	15	200794A	10/79	3/86
DN	84.17.009) "Linco" Poultry processing machines, scaldtank	Free	Free	10	560689G	10/85	12/93
DN	84.18.031) Becoil demisting units	Free	Free	10	560690L	10/85	12/93
WN	84.18.039) Water purificatons systems, for high performance liquid chromatography (HPLC) and tissue culture work in laboratory procedures	Free	Free	99	520564G	9/85	9/90
HO	84.19.039) Fapro farm produce bundling machines	Free	Free	10	520937E	10/85	9/88
DN	84.19.039) Kwiklok bag closing machines, models No. 1084 and 1087	Free	Free	10	560696K	10/85	12/93
WN	84.21.021) Comco micro abrasive blaster used in resistor trimming of thick film micro-circuits	Free	Free	10	520658J	9/85	9/90
HO	84.22.009) "JCB" loadalls, models 520, 520HL, 525B and 525B-HL	Free	Free	10	540308B	9/85	8/87
DN	84.22.009) "Linco" poultry processing machines, viz: Silverlink overhead conveyer systems	Free	Free	10	560695A	10/85	12/93
WN	84.47.009) Automatic panel saws Z15, Z15A, Z30, Z32, Z32A, Z45	Free	Free	10	520671F	6/85	6/90
HO	84.47.009) Morten sliding table panel saw, model CS350	Free	Free	10	520476D	9/85	8/88
HO	84.47.009) Sliding carriage dimension saws with tilting arbour and scoring saw unit, Models KS3000 and KS1200, with blade capacity 300mm to 400mm	Free	Free	10	5022208J	10/85	9/87
DN	84.56.009) Pugmills	Free	Free	10	560955A	11/85	12/93
HO	84.60.019) Wheel weight moulds for use in the manufacture of automotive lead wheel weights	Free	Free	15	580379K	8/85	7/88
HO	84.61.021) Mounting cups, also called aerosol shells for use in the manufacture of aerosol valves	Free	Free	15	502142B	10/85	9/88
WN	84.63.029) Transmital '500' series drives, reduction gearboxes for driving concrete bowl mixers used in the manufacture of transit type concrete mixer trucks	Free	Free	10	520473K	1/86	1/90
AK	85.03.001) Alexander MC146X Mercury cells	Free	Free	99	502433B	11/85	6/93
AK	85.04.011) Alexander LP5 nickel cadmium rechargeable batteries	Free	Free	99	502434L	11/85	6/93
DN	85.12.019) Components and spare parts, as may be approved for making and servicing heaters	Free	Free	15	560699D	10/85	12/93
HO	85.12.019) Cook tops		Aul 10	33	580654C	7/85	6/86
			Aul 5	33	580655A	7/86	6/87
			Aul Free	33	580656K	7/87	..
DN	85.15.249) Micro miniature electronic tracking transmitters and receivers, when imported (1) by a manufacturer on condition that the goods are for use solely in the manufacture of automatic syringe projectiles; or (2) by an importer on condition that the goods are for sale by him only to a manufacturer for use by him solely in making automatic syringe projectiles	Free	Free	10	560969A	10/85	12/93
WN	85.19.009) Taiko relays as may be approved subminiature type KX, NX, RKT, RGT, miniature power relays PX, miniature high power relays RABK, high power relay PTC, RAS	Free	Free	10	520623F	8/85	8/90
WN	85.19.055) Reyrolle type plug and sockets viz: 60 amp, 100 amp and 250 amp	Free	Free	10	520585K	1/85	1/90
HO	85.23) Components of vahle kanen conductor systems, excluding conductor bar, with or without connector or insulation cover up to 110 amps	Free		..	580424J	9/85	6/88
HO	85.23.001) Coaxial cable types RG179 B/U, RG142 B/U, RG214/U, RG402/U	Free	Free	15	580428A	7/85	6/88
HO	85.23.011) Directly solderable enamelled copper winding wire with varnished insulation based on modified polyurethane, up to a maximum diameter of 0.180 mm	5	Aul Free	..	501042L	8/85	6/88
HO	85.23.031) Cord sets, a core, 125 volts/15 amps rated, PVC or rubber sheathed and complying with UL 62/498, with a 2 pin	Free		..	540110A	5/85	6/88

Tariff Industry Assistance (Decision) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	('male') connector fitted to one end, expressly for use by a manufacturer in the production of electric heaters for 110 volts A.C (mains operation)						
HO 85.23.031	Cross-linked cellular PE insulated AL tape shield and PVC jacketed wire UL style 1631	Free		..	580196G	7/85	6/88
HO 85.23.031	Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters	Free		..	500676H	4/85	6/88
HO 85.23.031	Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation	Free		..	540125K	9/85	6/88
HO 90.09.001	Overhead projectors	Free	Free	99	502252F	12/85	11/88
DN 90.24.011	Foster-Cambridge clearway Indicator-Controllers	Free		..	560704D	10/85	12/93
DN 90.24.011	Thermostats, on condition they will be used only in the production and servicing of dishwashers, clothes washing machines, clothes drying machines and humidifiers	Free		..	560705B	11/85	12/93
AK 90.24.011	Wesmar range of ultrasonic level and flow measuring systems	Free	Free	99	501686L	10/85	6/93
DN 90.28.009	'Shape' precision pressure transducers and electronic systems	Free	Free	99	560706L	7/85	12/93
AK 97.03.009	Toy carcasses as may be approved for the manufacture of soft toys, APPROVED:- Nursery Toys No. 370148 Ludicrous Lion No. 764 Oucheze Spaniel No. 765 Oucheze Bear No. 647 Samuel Spaniel No. 760 Romeo No. 552 Hot Stuff No. 558 Sabrina No. 375 Friendly Teddy Snr. No. 374 Friendly Teddy Jnr. No. 371 Babys 1st Teddy No. 370810 Odie Garfield No. 374510 Standard No. 370147 Jogger No. 372050 Tennis No. 371890 Standing No. 370152 Swimmer No. 310369 Devil No. 370078 Super No. 374380 Skier No. 321260 Mini No. 310918 Coffee Break No. 310299 Graduation No. 310185 Chef No. 310308 Top Hat Russ Berrie Range No. 647 Samuel Jnr No. 760 Romeo No. 764 Oucheze Spaniel No. 765 Oucheze Bear No. 552 Hot Stuff No. 371 Babys 1st Teddy No. 375 Fr. Teddy Snr. No. 374 Fr. Teddy Jnr. No. 558 Sabrina Dakin Range No. 310918 Garfield Coffee Break No. 310308 Garfield Top Hat No. 310369 Garfield Devil No. 310185 Garfield Chef No. 310299 Garfield Graduation No. 321260 Garfield Mini No. 370148 Ludicrous Lion	Free	Free	15	931316J	5/85	6/93

SCHEDULE 2  
Decisions Cancelled

Tariff Item	Description of Goods	Ref. No.		
HO	Section VI Drugs, ... concerned	206147D	..	..
HO	Section VI Drugs, ... concerned	206148B	..	..
	34.02.000 Products, ... soap; APPROVED:			
DN	Amerchol BL (CT)	103485F	..	..
DN	Amerchol C (CT)	103486D	..	..
DN	Amerchol ... 400 (CT)	103487B	..	..
DN	Amerchol L101 (CT)	103488L	..	..
DN	Anionyx ... 12-EO (CT)	103505D	..	..
DN	Ceraphyl ... 65 (CT)	103664F	..	..
DN	Etophen series (CT)	103933E	..	..
DN	Ohlan ... lanolin (CT)	104318J	..	..
DN	Sulfetol ... only (CT)	104528J	..	..

Tariff Industry Assistance (Decision) Notice No. 1985/32—continued

Tariff Item	Description of Goods	Ref. No.
HO	39.07.311 Babies pilches	461822L
DN	39.07.499 Knife ... knives (CT)	208431H
HO	40.10.001 Vee ... functions	107668L
	Whole Item	
HO	Chapter 60 The following concessions for Babies and young infants' clothing of kinds and sizes as may be approved by the the Minister are cancelled by this notice and will be re-issued with minor amendments designed to align the the published concessions with the Import Licensing Schedule Annex I exemption list:	
	BODICES ... (buttoned)	203738G
	BABIES ... construction	203739E
	BABIES ... waist	203740J
	BUSTER, ... 61cm)	209425J
	CAPEES ... 61cm	205186K
	CARDIGANS, ... chest.	203743C
	COAT ... 51cm*	203744A
	COATS ... 46cm	205678L
	DRESSING ... 76cm	209401A
	DUFFLE ... cap.	203746H
	FROCKS ... 51cm *	400745L
	FROCK ... length	203748D
	GOWNS ... 76cm*	209404F
	Jumpers ... concessions	209505L
	MATINEE ... hood	203750F
	NIGHTDRESSES ... 76cm*	209405D
	OVERALLS ... hem.	203837E
	OVERALL ... hem	209407L
	PETTICOATS ... 51cm*.	203755G
	PRAM ... piece	206188A
	PYJAMAS ... chest	203757C
	ROMPERS ... crutch	203758A
	ROMPER ... 56cm.	203759K
	SHAWLS ... knitted	203760C
	SHIRTS ... 61cm	209446A
	SKIRTS ... length	203762K
	SKIRTS ... hem.	480718K
	SLEEPING ... flat	209408J
	SNOW ... ankle	209409G
	SOCKS ... 13cm	203766B
	SWIMSUITS ... waist	203767L
	TROUSERS ... waist	209410L
	TROUSERS ... 61cm)	203769G
	TUNIC ... 41cm*	206849E
HO	Chapter 61 The following concessions for Babies and young infants' clothing of kinds and sizes as may be approved by the the Minister are cancelled by this notice and will be re-issued with minor amendments designed to align the the published concessions with the Import Licensing Schedule Annex I exemption list:	
	BODICES ... (buttoned)	209411J
	BABIES ... waist	203775A
	BUSTER, ... 61cm)	209426G
	CAPEES ... 61cm	580162B
	COAT ... 51cm*.	203778F
	COATS ... 46cm.	205679J
	DRESSING ... 76cm	209413E
	DUFFLE ... 51cm*.	203780H
	FROCKS ... 51cm.	203781F
	FROCK ... length	203782D
	GOWNS ... 76cm	209412G
	MATINEE ... hood	203784L
	NIGHTDRESSES ... 76cm	209430E
	OVERALLS ... hem	209415A
	OVERALL ... hem	209416K
	PETTICOATS ... 51cm	209417H
	PYJAMAS ... 1977)	209451H
	ROMPERS ... crutch.	203791C
	ROMPER ... 56cm	203792A
	SHAWLS ... wrap	203793K
	SKIRTS ... length	203838C
	SHIRTS ... 61cm	480719H
	SKIRTS ... hem	480720A
	SLEEPING ... 76cm	209419D
	SNOW ... ankle.	209420H
	SWIMSUITS ... waist.	203797B
	TROUSERS ... waist	209421F
	TROUSERS ... 61cm).	203799J
	TUNIC ... 41cm*	206850J
WN	84.47.009 SCM ... saws	924147H
DN	84.56.009 Pugmills	112519C
HO	85.12.019 Cook tops (CT)	580557A
		580558K
		580559H
DN	85.23 Wire ... (E.T.F.E)	560569F
DN	90.24.011 Thermostats, ... humidifiers	114968H

NOTE: (CT) indicates concessions cancelled and re-issued in this list with extended end dates.)

Tariff Industry Assistance (Decision) Notice No. 1985/32—continued

SCHEDULE 3  
Limited Decisions Approved

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
AK 73.29.009	200 feet (61 mm) of Ewart size 503 type G20 chain with attachments for use on a waste paper bucket conveyer	Free	Free	99	501605D	9/85	8/86
WN 84.22.009	Wyssen automatic standard carriage and yarder for use in suspended load log harvesting and also for the transport and placement of materials in industrial construction	Free	Free	10	520498E	8/85	1/86
HO 84.40.029	Carpet Doctor Carpet cleaner	Free	Free	33	580662D	8/85	12/85
HO 84.56.009	Merri creek mud crusher for ground preparation of sports fields	Free	Free	10	580441J	3/85	1/87
HO 84.61.021	Air operated stainless steel construction valves being: (a) one fuller type FA10 diverter valve, with tunnel rotor (b) one fuller type FA12 converger valve, with tunnel rotor	Free		..	502039F	7/85	1/86
HO 85.15.249	Microtel multiplex equipment consisting of channel shelf HF line units, channel units and test cords	Free	Free	10	580649G	1/86	12/87
HO 85.22.019	50 only AKG K160 headphones	Free	Free	10	580651J	11/85	3/86
HO 85.22.019	50 only Danavox earphones (ER) No. 4600-57	Free	Free	10	580648J	10/85	12/85
HO 85.22.019	One only 1058-401 VG Teletext processor	Free	Free	10	580650L	11/85	3/86
AK 90.09.001	Sectional surface projector used to magnify and examine surface details of thin sections of can end seams	Free	Free	10	501666F	9/85	8/86
AK 90.28.009	One forney burner management system	Free	Free	99	501667D	9/85	8/86

Dated at Wellington this 21st day of November 1985.

M. J. BELGRAVE, Comptroller of Customs.