



TO THE

NEW ZEALAND GAZETTE

OF

THURSDAY, 11 JUNE 1987

Published by Authority

WELLINGTON: TUESDAY, 16 JUNE 1987

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

Part

Annn.

*Category

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1987/21 Applications Advertised for Objection Closing Date for Objections 2 July 1987

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 2 July 1987. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item;
 - the Port; and
- Reference number.
- 2 All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
- details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
 - All submissions objecting to a request for the imposition of duty must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.

Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

			Part	Appn.	*Category
Tariff Item	Description of Goods	Name and Address of Applicant	II Ref.	Ref. No.	of Appr
					Appn.
30.03.031	Bomacillin	Veterinary Ethical PO Box 76-369	26	WN 630207	A
		Manukau City			
		AUCKLAND			
30.03.031	Novocillin LA	Vetco Products	26	WN 630203	A
		PO BGx 76369			
		MANUKAU CITY			
30.03.031	Norocillin	Vetco Products	26	WN 630204	A
		PO Box 76369 MANUKAU CITY			
30.03.031	Pen and strep	Vetco Products	26	WN 630202	A
		PO Box 76369			
		MANUKAU CITY			
30.03.031	Penstrep vet	Veterinary Ethical Ltd	26	WN 630205	A
		PO Box 76369			
		MANUKAU CITY			
30.03.031	Penstrep LA	Veterinary Ethical	26	WN 630206	A
		PO Box 76-369 MANUKAU CITY			
30.03.039	Pepcidine	Merck Sharp & Dohme	25	WN 630192	A
001001000	· operation	PO Box 23244	20	WIT 000152	n
		PAPATOETOE			
30.03.039	Zoladex	ICI NZ Ltd	25	WN 630201	A
		WELLINGTON			
34.02.000	CURRENT APPROVAL				
	Volpo CM2, CM10, CM20, L4, L23, N10, N20, S2, S10,S20,	Croda Chemicals (NZ) Ltd	99	501512	L VA
	N5	PO BOX 14441 PANMURE			
34.02.000	REQUESTED APPROVAL	FAIGHORE			
	Volpo CM2, CM10, CM20, L3, L4, L23, N5, N10, N20, S2,		99	AK 603831	L VA
	\$10,\$20,				
34.02.000	Zonylr RP being a paper fluoridizer	Du Point (NZ) Ltd	99	AK 603841	H A
		PO Box 76-256			
04 00 000		MANUKAU CITY			
34.06.000	Smokeless candles	St Pauls Cathedral	99	DN 660277	A A
		PO Box 5205 DUNEDIN			
38.19.089	Home pregnancy testing kit	Reckitt & Colman NZ Ltd	99	AK 603890	F A
		Private Bag			••
		Avondale			
		AUCKLAND 7			
39.01.211	Epikote 255, being a modified bisphenol A - epichlorohydrin		• •	WN 622161	A
	epoxide resin	C/-PO Box 1024			
39.02.391	Polyvinyl chloride sheet antimould treated vinyl 0.75mm	WELLINGTON Plantum Paula		AF 6030011	
35.02.351	thick	Pleasure Pools PO Box 2284	••	AK 6038911) CA
		TAURANGA			
39.07.629	Anti theft device incorporating dye ampoules	Photoscan (NZ) Ltd	99	AK 6038421	? A
		PO Box 72-112			
		NORTHCOTE POINT			
39.07.629	Clamps or brackets incorporating screws, top and base	Ten Micron Ltd	99	AK 6038431) A
	plates of metal in singles and multiples	PO Box 56-445			
20. 07. 620	Wanded maint waller tweeze	AUCKLAND 3		CU 6407751	
39.07.629	Hooded paint roller trays	Hamilton Oldfields Ltd PO Box 16420	99	CH 6407751	. A
		CHRISTCHURCH			
40.14.022	Rubber pads and rubber profiles	Collector of Customs	99	CH 6407951	3 WA
	• • • • • • • • • • • • • • • • • • • •	PO Box 2098			
		CHRISTCHURCH			
40.14.039	Blood alcohol vial stoppers	D.S.I.R. Head Office	99	WN 622125	A
		Private Bag			
		WELLINGTON			
60.05.179	Knitted polypropylene net bags	Uniflex Packaging Co Ltd PO Box 5065	99	CH 6404291	E A
		LO POT 0000			

 $Tariff\ Industry\ Assistance\ (Advertisement)\ Notice\ No.\ 1987/21-continued$

			Part	• •	Category
Tariff		Name and Address	II	Ref.	of
Item	Description of Goods	of Applicant	Ref.	No.	Appn.
		CHRISTCHURCH	00	AV COSRAAD	A
88.02.019	Marble bowls, carafes, decanters, cruet sets, storage jars	James Grant Import Co Ltd C/-Daniel Silva	99	AK 603844B	A
	and vases	Tariff Consultant			
		PO Box 305			
		AUCKLAND			
69.11.049	Porcelain boxes	The Embroidery Shop	99	WN 622084	A
		286 Queen Street			
		MASTERTON	99	AK 603859L	A
73.35.029	Plastic encapsulated constant force springs	Horizon Aluminium Products Ltd C/-Colebrook Bros. Ltd	99	AK 603635L	^ .
		PO Box 1296			
		AUCKLAND			
73.40.089	Rail support brackets and clamps	Farmers Wholesale Ltd	99	AK 603860D	Α
73.40.000	Rail Support Diacacts and Clamps	Private Bag			
		AUCKLAND			
82.14.009	Camping and/or picnic set comprising knife fork and spoon	Hooson Industries Ltd	99	WN 622077	A
		PO Box 10289			
		WELLINGTON	99	WN 622140	A
83.09.005	Purse frames	Urban Leathergoods Ltd	99	WIN 022140	^
		C/-S.P.D. Delivery Service (1975) Ltd			
		PO Box 2180			
		WELLINGTON			
84.11.041	CURRENT APPROVAL				
	Compressor outfits, other than vehicle drawn;	Comptroller of Customs	99	600344D	VA
	EXCLUDING:	Private Bag			
	(1) Reciprocating types with a piston displacement from	WELLINGTON			
	.94 litres/second up to 26 litres/second (inclusive),				
	with working pressures up to 1100 kPa				
	(2) Reciprocating types with a piston displacement from 20 litres/second up to 200 litres/second (inclusive),				
	with working pressures from 1500 kPa and above				
	(3) Other types with a capacity from .47 litres/second				
	up to 18 litres/second (inclusive) free air delivered				
	(FAD) with working pressures up to 1100 kPa				
84.11.041	REQUESTED APPROVAL			WO 000717W	174
	Compressor outfits, other than vehicle drawn;		99	HO 682717K	VA
	EXCLUDING:				
	(1) Reciprocating types with a piston displacement from .94 litres/second up to 26 litres/second (inclusive),				
	with working pressures up to 1100 kPa				
	(2) Reciprocating types with a piston displacement from				
	20 litres/second up to 200 litres/second (inclusive),				
	with working pressures from 1500 kPa and above				
	(3) Reciprocating types with a piston displacement up				
	to 15 litres/second inclusive with working pressures				
	exceeding 30,000 kPa				
	(4) Other types with a capacity from .47 litres/ second up to 18 litres/second (inclusive) free air				
	delivered (FAD) with working pressures up to 1100 kPa				
84.11.049	CURRENT APPROVAL				
	Bare air compressors;	Comptroller of Customs	99	602669K	. VA
	EXCLUDING:	Private Bag			
	(1) Reciprocating types with a piston displacement from	WELLINGTON			
	.94 litres/second up to 26 litres/second (inclusive),				
	calculated at a compressor speed of 700 rpm with a working				
	pressure up to 1379 kPa (2) Reciprocating types with a piston displacement from				
	20 litres/second up to 200 litres/second (inclusive),				
	with working pressure from 1500 kPa and above				
	(3) Other types with a capacity from .47 litres/second				
	up to 18 litres/second (inclusive) free air delivered				
	(FAD), measured at 700 kPa (7 bar)				
	NOTE: For the purpose of this concession, a bare air	a			
	compressor is the pump only without fittings or attachments such as motors, starters, coolers, separators, receivers,	5			
	air lines, gauges, etc				
84.11.049	REQUESTED APPROVAL				
	Bare air compressors;		99	HO 682718I	I VA
	EXCLUDING:				
	(1) Reciprocating types with a piston displacement from				
	.94 litres/second up to 26 litres/second (inclusive),				
	calculated at a compressor speed of 700 rpm with a working				
	pressure up to 1379 kPa (2) Reciprocating types with a piston displacement from				
	20 litres/second up to 200 litres/second (inclusive),				
	with working pressure from 1500 kPa and above				
	(3) Reciprocating types with a piston displacement up				
	to 15 litres/second inclusive with working pressures				
	exceeding 30,000 kPa				
	(4) Other types with a capacity from .47 litres/second				
	up to 18 litres/second (inclusive) free air delivered				
	(FAD), measured at 700 kPa (7 bar)				
	NOTE: For the purpose of this concession, a bare air				

Tariff Industry Assistance (Advertisement) Notice No. 1987/21-continued

	compressor is the pump only without fittings or attachments				
	such as motors, starters, coolers, separators, receivers,				
84.11.059	air lines, gauges, etc Laboratory fume hood fans and blowers with maximum air flow of 300m3/HR	Stevens KMS Group (NZ) Ltd PO Box 413 AUCKLAND 1000	99	AK 603835C	A
84.24.051	Implements peculiar to use with M.T.D. garden tractors	Farm Equipment Co Ltd PO Box 7064	99	WN 622165	A
34.47.000	Woodworking multi-tool incorporating a lathe, saw, sander, horizontal drill and drill press	C/-Bernard A.W Hack PO Box 20-158	99	СН 640727Н	A
84.61.039	Flow safe valve	CHRISTCHURCH NZ Plumbers Merchants Soc C/-Jarratt Sandes & Co Ltd	99	HO 622143	A -
		PO Box 997 PALMERSTON NORTH			
84.61.039	Rotary valves with rotor diameters exceeding 14''	Comptroller of Customs Private Bag WELLINGTON	99	HO 480643D	WA
85.14.011	Siren speakers	WCLLINGTON Wormald Vigilant Ltd C/-Emery Customs Brokers NZ Ltd PO Box 14061	••	СН 640792Н	A
85.15.221	Fronts of plastic for television receivers screen sizes	CHRISTCHURCH Consolidated Electronic	•	но 603829J	A
	20'' and up	Industries Ltd C/-Burnard & Reynolds Ltd PO Box 1387			
85.15.259	JVC colour video monitor 10'' model number TM-10E	AUCKLAND Atlas Gentech Ltd Private Bag	99	HO 603656C	A
85.17.000	Signalling searchlights	NEMMARKET Lucas Industries NZ Ltd Private Bag	99	AK 603845L	A
85.19.031	Hienemann JA/MA circuit breakers on condition that they are solely for marine use	AUCKLAND Jackson Elect Ind Ltd PO Box 13-273 ONEHUNGA	99	AK 603861B	WA
85.19.052	Connectors conforming to BS 4343 of the following ratings APPROVED	PDL Industries Ltd C/-B.A.W. Hack PO Box 20-158 CHRISTCHURCH	99	CH 640791K	.
85.19.052	16 amp, 32 amp, 63 amp, 125 amp CURRENT APPROVAL Plugs and sockets conforming to BS4343 of the following	PDL Industries Ltd	99	522013A	VA
	ratings and configurations; APPROVED 16 amps 4 P+E	C/-B.A.W Hack PO Box 20-158 CHRISTCHURCH			
85.19.052	16 AMPS 5 P+E 32 smps 4 P+E REQUESTED APPROVAL				
50.10.002	Plugs and sockets conforming to BS4343 of the following ratings and configurations; APPROVED		99	CH 640790A	VA
	16 amp 3 P+E 32 amp 4 P+E 63 amp 5 P+E 125 amp 4 P+E 16 amp 3P 63 amp 4 P+E 125 amp 5 P+E 16 amp 4 P+E 16 amp 5 P+E				
85.20.001	Single pin fluorescent tubes	The National Electrical & Engineering Co. Ltd PO Box 9749 WELLINGTON	99	WN 622073	A
85.22.039	CURRENT APPROVAL CMOS ram memory module for Allen-Bradley PLC 2 programmable controller	Allen-Bradley NZ Ltd PO Box 13262	99	927298E	VA
· ·		Onehunga AUCKLAND			
85.22.039	REQUESTED APPROVAL Memory modules for Allen-Bradley programmable controllers		99	AK 603846J	VA
85.22.039	Ultra violet tanning units	Alltan Sun Lounge C/-Campbell McRae Holdings Ltd PO Box 5556 DURWEDIN	99	DN 660278K	. A .
92.12.039	Blank digital audio tape cassettes	PO Box 31029 AUCKLAND	99	AK 603858B	A
97.06.009	Archery target faces	Ivan Henry Powley 46 Scobie Road DUNEDIN	99	DN 660279H	A
	Electric cars with coin mechanisms	Galloway Holdings Ltd	99	AK 603874D	WA

•	Category of Application:	A	_	Application for Approval	
		CA	_	Application for Continuation of Approval	
		VA	-	Application for Variation of Approval	
		WA	-	Application for Withdrawal of Approval	
		D	-	Application for Determination	
		VD	-	Application for Variation of Determination	
		WD	-	Application for Withdrawal of Determination	
		RUC	-	Revocation of Unused Concessions	
**	Port:	HO	_	Comptroller of Customs, Private Bag, Wellington	
		AK	-	Collector of Customs, Box 29, Auckland	
		WN	-	Collector of Customs, Private Bag, Wellington	
		CH	_	Collector of Customs, Box 2098, Christchurch	
		DN		Collector of Customs, Private Bag, Dunedin	

Dated at Wellington this 11th day of June 1987.

M.W. TAYLOR, Comptroller of Customs.

Part

ΙI

Ref.

25

25

99

. .

99

99

99

99

99

99

99

99

99

Ref.

No.

630181K

630184D

621546H

603463C

603482K

640717L

603484F

621857B

621886F

603434K

603413G

603472B

621729L

603446C

603471D

603403K

621820C

Effective

From To

3/87

4/87

2/87

4/87

4/87

4/87

4/87

3/87

4/87

3/87

1/87

4/87

3/87

4/87

4/87

3/87

3/87

٠. .

. .

. .

. .

٠.

. .

٠.

Rates of Duty

Normal Pref.

Free

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1987/21 Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice. SCHEDULE 2 - Decisions cancelled. The cancellations listed in this schedule take effect seven days from Gazette date unless otherwise
- specified, eg, WEF (date). SCHEDULE 3 Limited Decisions
 - Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.

This Notice only serves to inform the importing/manufacturing community of the approvals existence.

- Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- ment or cancellation by notification in the Gazette. e is the first day of that month and the day of the

	SCHEDULE 1
	General Decisions Approved
Tariff	
Item	Description of Goods
30.03.031) 30.03.039)	Medicaments
	Actilyse (RT-PA)
	Betadine
33.06.029	Dental mouthwash tablets
39.01.211 39.02.211	Novocoll CA12 Acryloid/Parazoid CS 1
39.07.629	Childs safety gate plastic panels, washers and ferrules
48.15.039	Grafting bands
74.07.009	Square copper tube, 15mm square outer dimension 10mms,
	square inner dimension wall thickness
84.06.075	Petrol and diesel engine hydro/steam injection systems
84.18.039 84.19.039	Activated carbon water filters, domestic Fully automatic flour packer, capacity per hour 25 tonne,
04.18.000	bag size range 10kg - 50kg
84.21.021	Air driven, plastic chip, paint stripping machine
84.22.019	Motorised hoists for studio and stage lighting equipment
84.22.019	Screw jacks and actuators
84.22.019	Telescopic boom material handlers
	NB: Personnel booms are excluded from this concession
84.30.008	Chocolate manufacturing machinery
84.45.000 Whole Item	Machine-tools for working metal or metal carbides, not being machines falling within heading No. 84.49
WHOIC ITCE	or 84.50:
	EXCLUDING:
	(1) Bandsaws, with a physical
	cutting capacity in the horizontal positions, 450 or 900
	as follows:
	Cutting at 90o, round bar capacity up to 175mm diameter
	Cutting at 900, flat bar up to 280mm wide x 175mm high
	Cutting at 450, round bar capacity up to 130mm diameter
	Cutting at 450, flat bar up to 130mm wide x 175mm high EXCLUDING:
	Automatically controlled bandsaws
	(2) Box and plan folders, hand operated
	(3) Buffing and contact grinding machines, not exceeding
	304.8mm wheel diameter and 508mm belt width
	(4) Chain saw sharpeners
	(5) Drill presses, bench or floor mounting column type,
	belt driven, excluding power feed types
	(6) Drill presses, wall mounting, radial type not exceeding
	22.22 capacity in mild steel. (Multi-purpose or composite machines, incorporating this function fall within this
	Determination.)
	(7) Dualform hydraulic press with facility to cast its
	own tools models 5E, 6, 7, 8 and 9
	(8) Machinery, peculiar for use in making and repairing
	exhaust systems and other products made from metal tubing.
	not exceeding the following capacity;
	swaging, 19mm - 76mm
	expanding, 25mm - 76mm; bending, 19mm - 76mm; and
	forming bends of 60mm - 140mm radii
	EXCLUDING;
	numerically controlled machine tools
	(9) Metal circular saws hand operated with blades not
	exceeding 1016mm diameter excluding types specially suited for
	cutting precious metals
	(10) Metalworking guillotines and shears, excluding:
	(a) 762mm power operated guillotines especially suited for use
	in the photo-processing and engraving grade for cutting zinc,
	magnesium and copper sheets (b) Reinforced steel bar cropping machines, with capacity
	exceeding 20mm
	(c) Types with a straight cutting edge of 105mm or less
	(11) Metal Hacksaws with a rated square material cutting
	capacity of which any one measurement is 250mm or less,
	excluding automatically controlled hacksaws

straighteners)

84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.59.059 .59.059 .61.039 .61.039 .03.000 .15.259	Description of Goods (13) Presses, hydraulic (14) Presses, mechanical, power operated and other, exceeding 30.5 tonnes but not exceeding 35 tonnes capacity (15) Presses, mechanical, power operated and other, not exceeding 30.5 tonnes capacity (16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2 (6) Nut 2.6 mm hex machine ST	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99	603426J 603435H 603293B 640649B 603350E 640703L 640699J	4/87 4/87 4/87 3/87 4/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .63.000	exceeding 30.5 tonnes but not exceeding 35 tonnes capacity (15) Presses, mechanical, power operated and other, not exceeding 30.5 tonnes capacity (16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved: APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .63.000	capacity (15) Presses, mechanical, power operated and other, not exceeding 30.5 tonnes capacity (16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved: APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	(15) Presses, mechanical, power operated and other, not exceeding 30.5 tonnes capacity (16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	not exceeding 30.5 tonnes capacity (16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved: APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	(16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	(17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved: APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved: APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	(18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved: APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	(20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .03.000	(21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .63.000	1220mm x 76.2mm x 1.6mm capacity Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.5 84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039 .61.039 .63.000	Cleaning machine with scrubbing/washing/suction functions and separate solution tank and waste tank, with accessories Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved: APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free Free	Free Free Free Free	99 99 99 99	603435H 603293B 640649B 603350E 640703L	4/87 4/87 3/87 4/87	
84.6 84.6 85.0 85.1 85.1 85.1 85.2 85.2 90.2	.61.039 .61.039 .61.039	Hard surface floor cleaning tools, low pressure or high pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free	Free Free Free Free	99 99 99	603293B 640649B 603350E 640703L	4/87 3/87 4/87	
84.6 84.6 85.0 85.1 85.1 85.1 85.2 85.2 90.2	.61.039 .61.039 .61.039	pressure, each tool having all the following features: Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free	Free Free Free Free	99 99 99	603293B 640649B 603350E 640703L	4/87 3/87 4/87	
84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039	Dirt extraction, scrub brush, hot solution injection, squeegee Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free	Free Free Free	99 99 99	640649B 603350E 640703L	3/87 4/87 4/87	
84.6 84.6 85.0 85.1 85.1 85.1 85.2 90.2	.61.039 .61.039	Ball valves manufactured in gunmetal or aluminium/bronze with flanged ends Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free Free	Free Free Free	99 99 99	640649B 603350E 640703L	3/87 4/87 4/87	
84.6 85.0 85.1 85.1 85.1 85.2 85.2 90.2	.61.039	Rabbit drinking valve Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free	Free Free	99 99	603350E 640703L	4/87 4/87	
84.6 85.0 85.1 85.1 85.1 85.2 85.2 90.2	.61.039	Sparging units completely assembled with fitted non return valve LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free Free	Free Free	99 99	603350E 640703L	4/87 4/87	
85.0 85.1 85.1 85.1 85.2 90.2	.03.000	return valve LR03, R03 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free	Free	99	640703L	4/87	
85.1 85.1 85.2 85.2 90.2		LRO3, RO3 (size AAA) batteries Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2						
85.1 85.1 85.2 85.2 90.2	. 15 . 259	Radio telephone case and housing parts as may be approved; APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2	Free	Free	99	640699J	4/87	. ••
85.1 85.2 85.2 90.2 90.2		APPROVED: (1) Cap vinyl sinclair rush 437-6 socket cover (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2						
85.1 85.2 85.2 90.2 90.2		 Cap vinyl sinclair rush 437-6 socket cover Case fastner Diecast chassis frame Diecast frame top Nut M2 hex machine ST B2 						
85.1 85.2 85.2 90.2 90.2		 (2) Case fastner (3) Diecast chassis frame (4) Diecast frame top (5) Nut M2 hex machine ST B2 						
85.1 85.2 85.2 90.2 90.2		(4) Diecast frame top (5) Nut M2 hex machine ST B2						
85.1 85.2 85.2 90.2 90.2		(5) Nut M2 hex machine ST B2						
85.1 85.2 85.2 90.2 90.2		, ,						
85.1 85.2 85.2 90.2 90.2								
85.1 85.2 85.2 90.2 90.2		(7) Pressed spring						
85.1 85.2 85.2 90.2 90.2		(8) Screw M2 x 10mm Pan Pozi ST B2						
85.1 85.2 85.2 90.2 90.2		(9) Screw M2.6 x 6mm Pan PH NI ST						
85.1 85.2 85.2 90.2 90.2		(10) Screw M2.6 x 6mm CSK PH NI ST (11) Screw M2.6 x 8mm CSK PH NI ST						
85.1 85.2 85.2 90.2 90.2		(12) Screw M2.6 x 10mm Pan PH NI ST						
85.1 85.2 85.2 90.2 90.2		(13) Screw M3 x 4mm TMS Mush						
85.1 85.2 85.2 90.2 90.2		(14) Spring fastener (15) Stanchion						
85.1 85.2 85.2 90.2 90.2		(16) Stanchion nuts						
85.1 85.2 85.2 90.2 90.2		(17) Washer M2 shakeproof INT						
85.1 85.2 85.2 90.2 90.2		(18) Washer M2.6 shakeproof						
85.1 85.2 85.2 90.2 90.2		(19) Washer 15mm x 9.2 x 0.5mm ST BZ (20) Washer fibre M3 x 8mm x 0.5mm						
85.1 85.2 85.2 90.2 90.2	.16.000	Railway electrification line equipment for the NIMT line	Free	Free	99	621927G	4/87	
85.2 85.2 90.2 90.2		as may be approved. A list of approved parts held by the						
85.2 85.2 90.2 90.2		Collector of Customs, Wellington	P	Pass	00	091576V	2/07	
85.2 90.2 90.2	.19.009	Relays for use in the harmonic filters in railway installations as may be approved;	Free	Free	99	621576K	2/87	• •
85.2 90.2 90.2		APPROVED:						
85.2 90.2 90.2		Enertec RMA 1000-RMV electromagnetic relays						
85.2 90.2 90.2		Midos types MCGG 62 three phase overcurrent relays, GEC						
85.2 90.2 90.2		measurements types VTIG and VTU and GEC measurements types VAG and VAV						
85.2 90.2 90.2	.22.039	Thermic actuator	Free	Free	99	603415C	4/87	
90.2	.23.031	Fusible link cable	Free			480827E	1/86	• •
	.24.029	Aerosol can hydrostatic tester	Free	Free Free	99 99	603406D 603419F	4/87 4/87	• • •
<i>5</i> 0.2	. 24 . 029 . 24 . 029	Automotive thermostats (other than Bellows type) Gauges having one or more of the following features;	Free Free	Free	99	603448K	4/87	• •
	.47.043	(1) Better than 0.50% accuracy	•					
		(2) Inconel metal Bourdon tubes			•			
		(3) Monel metal Bourdon tubes						
		(4) All stainless steel construction including case, bourdon tube and movement, excluding those with a diameter of 63mm,						
		100mm and 150mm						
		(5) Rupture proof dial and blowout back						
			Free	Free	99	640580A	1/87	•
	00.000	(6) Horizontal diaphgram seal	Free	Free	99 99	603893L	10/86	• • •
37.0	.28.009	(6) Horizontal diaphgram seal Rika Kogyo (RKC) temperature/humidity controllers/indicators						
	.28.009	(6) Horizontal diaphgram seal						
		(6) Horizontal diaphgram seal Rika Kogyo (RKC) temperature/humidity controllers/indicators Plastic articulated jointed toy action figures under			· .			
Tari		(6) Horizontal diaphgram seal Rika Kogyo (RKC) temperature/humidity controllers/indicators Plastic articulated jointed toy action figures under 185mm in height				Ref. No.		
Item	.03.009	(6) Horizontal diaphgram seal Rika Kogyo (RKC) temperature/humidity controllers/indicators Plastic articulated jointed toy action figures under 185mm in height SCHEDULE 2 Decisions Cancelled				931273A		
13.0 15.1	.03.009	(6) Horizontal diaphgram seal Rika Kogyo (RKC) temperature/humidity controllers/indicators Plastic articulated jointed toy action figures under 185mm in height SCHEDULE 2					••	

Tariff Industry Assistance (Decision) Notice No. 1987/21-continued Tariff Description of Goods Item APPROVED: 100065K Acofor 100075G Harima ... lp ٠. Hartall ... 35 100076E . . 100085D Unitol ACD Vegetable ... confectionery DN 15.12.009 APPROVED: 924121D Biscuitine CT 927434A **Ivoracrem** 927433C . . Ivoraliq 100108G Kaomel 208685K . . DN 16.02.021 Comminuted ... only . . 210353C DN 18.05.000 Bensdorp ... Powder ٠. 100140L 19.02.009 Nestargel, ... food ٠. . . DN 209881E Pie ... soup 20.02.021 ٠. . . DN 205083J 20.06.081 Pineapple, ... fruit . . 501645C DN 21.07.017 Aerating ... bulk 931691E Alex ... 950 ٠. . . 21.07.017 . . 909953A DN 21.07.017 Concentrated ... 338 ٠. 208423G ٠. DN 21.07.017 EAA pellets ٠. . . 926708F DN 21.07.017 Golden smoke ٠. 462178G Gunther G600J DN 21.07.017 ٠. 921382B DN 21.07.017 Italian ... flavours ٠. 209354F Ketoperlen ... hospitals ٠. DN 21.07.017 928331F ٠. Liquid ... beans ٠. DN 21.07.017 502423E . . DN 21.07.017 Oranol ... bulk 401117B ٠. 21.07.017 Orotate ... bulk DN Orotate ... formulations 931356H 21.07.017 DN Powdered ... viz: 21.07.017 DN Beatreme 1292B 207467C 207469K Cirro KSZ ٠. . . 923973B Cirro 106-19 ٠. 930372D 21.07.017 Tariprot 828 i ٠. DN 208246C Triosorb-MCT, ... DN 21.07.017 ٠. . . 208245E 21.07.017 Triosorb, ... only ٠. DN 461932D DN 23.06.000 Animal ... oil 925440E DN 23.07.009 Elancoban ... sodium) . . 930258B DN 23.07.009 Roxolin . . 929713J Zinpro ... supplements DN 23.07.009 . . DN 25.07.000 Attagels; 462080B 40 520818B ٠. ٠. DN 25.07.000 Dixie clay 520447L 25.07.000 Kaopolite ... clay ٠. DN 100276H 27.07.001 Naphthalene, crude . . ٠. DN 203664K . . ٠. 29.06.009 DTPBC DN 931531E ٠. Aretit ... technical ٠. 29.07.019 DN 460464E ٠. Chlorothymol ٠. ٠. DN 29.07.019 918313C 29.07.019 Paranitrophenol, ... industry DN 461967G DN 29.07.019 P.C.M.X. Extra . . 520789E 29.16.029 2, ... technical ٠. . . DN 900535J . . DN 29.34.000 Albrite ... acid 923701R DN 29.34.000 Cross ... polymer ٠. 931151D ٠. DN 29.34.000 Fornax ... concentrate 202132D ٠. . . Metatin 80-31 ٠,. 29.34.000 DN 929830E Permalux 29.34.000 TIN 931149B . . ٠. 29.34.000 Union ... silane DN 400877E Phendphthaleine BP ٠. 29.35.009 DN Biological Cultures; . . DN 30.02.009 AEROBIC: 100554F Brucella ovis 501508B . . DN 30.02.009 Caccivac ... coccidosis 931357F DN 30.02.009 Copper ... sheep Pig, ... follows: DN 30.02.009 100586D Ultilep bacterin 500982A ٠. Jetflow ... systems ٠. 73,40,089 AK Activated ... cartridge Benzler ... ADKL 506303F ٠, AK 84.18.039 923602D ٠. 84.22.019 WN 601967G ٠. ٠. 84.45.000 Machine-tools ... thereof HO Whole Item 919611A ٠. 90.24.029 Gauges ... 150mm AK 640581K 90.28.009 Rika ... indicators CH SCHEDULE 4 Applications Declined Ref. Tariff No. Description of Goods 621714 39.07.629 Cable entry cover WN 621306 40.11.046 Pneumatic racing tyres Transfers (decalcomanias) for permantly affixing to fabrics 540984F CH 49.08.000 620720 Sewn synthetic footwear uppers WN 64.05.000 622072 WN 64.05.000 Sewn leather footwear uppers 622149 73.32.029 Avdel nutsert WN 621381 84.12.001 Window mounted room air conditioners not exceeding WN 7ky cooling capacity 622172 Kraus and Naimer rotary components and parts thereof of 85.19.009 WN switches for pressures exceeding 25 volts, having a

NEW ZEALAND GAZETTE

Tariff Industry Assistance (Decision) Notice No. 1987/21-continued Ref. Tariff Item Description of Goods No rated current carrying capacity not exceeding 100 amps as may be approved Sparkless wire brushes 603892B 96.01.049

REVOCATION NOTICE

The Minister of Customs hereby gives notice, under Section 158 of the Customs Act 1966, that the following Tariff concessionary approvals are revoked with effect from 31 December 1987:

''All concessionary approvals which are not listed in the December 1987 edition of the ''Consolidated List of Decisions of the Minister of Customs Relating to the Customs Tariff of New Zealand''.

Dated at Wellington this 11th day of June 1987.

M.W. TAYLOR, Comptroller of Customs.