

Customs Edition

WELLINGTON: TUESDAY, 10 MAY 1988

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/16 Applications Advertised for Objection Closing Date for Objections 26 May 1988

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 26 May 1988. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item;
 - the Port; and Reference number.
- All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
- details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- All submissions objecting to a request for the imposition of duty must include: reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.

Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

ariff	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. * Ref. No.	of Appn.
em		Cyanamid of NZ Ltd	99	AK 702811D	
09.90.19	Aurofac 160 also known as Aureo A.F.I. (chlortetracycline	Private Bag	00		
	feed grade antibiotic)	Mangere Bridge			
		AUCKLAND			
	Circums and indicate and the Autonomories	Bayer New Zealand Ltd	99	WN 721279J	A
31.00.09	Silopren crosslinking agent BO (tris-butanonoxim-	PO Box 38-405			
	methylsilane)	Petone			
		WELLINGTON			
04 20 01	Tauramusin 0.100	Pfizer Labs Ltd	26	WN 730146	A
04.20.01	Terramycin Q-100	PO Box 3998			
		AUCKLAND			
04.20.01	Terramycin L/A	Pfizer Labs Ltd	26	WN 730147	A
01.20.01		PO Box 3998			
		AUCKLAND		*** ****	
04.90.19	Avil nasal spray	Hoechst NZ Ltd	26	WN 730165	A
	•	PO Box 67			
		AUCKLAND		WN 730160	A
004.90.19	6.9% Freamine HBC	Rem Systems Ltd	26	MM 190100	•
		PO Box 42-052			
		Orakei			
		AUCKLAND			
215.11.00	CURRENT APPROVAL		99	680252E	VA
	Mathews Jet-a-mark non-contact printing system ink			0002022	
215.11.00	REQUESTED APPROVAL	Edward Keller NZ Ltd	99	AK 702822K	VA
	Non-contact printing system ink	PO Box 34121	•••		
		Birkenhead			
		AUCKLAND		•	
	The second of th	Bayer New Zealand Ltd	99	WN 721448A	A
308.10.01	Disyston - (contains 100g/k disulfoton as active	PO Box 38-405			
	ingredient)	Petone			
		WELLINGTON			
000 20 00	Polyram DF water dispersable granule containing metram	BASF New Zealand Ltd	99	AK 702814J	A
808.20.00	for control of fungous diseases in apples, pears and	PO Box 407			
	grapes	AUCKLAND		•	
808.90.00	Transparent bird repellent	Dunedin City Council	99	DN 660555K	A
303.30.00	Transparent vita tope	C/-Campbell McRae Holdings Ltd			
	•	PO Box 5556			
		DUNEDIN	••	17 TODO1 TO	Α .
815.12.00	Aodisc contact lens disc used as a catalyst in conjunction	Ciba Geigy NZ Ltd	99	AK 702815G	^
	with disinfectant for cleaning and sterilising contact	C/-CVJ Tariff Consultants			
	lenses	PO Box 59-208			
		AUCKLAND	99	AK 702819K	A.
906.90.01	Larodur 103RB - thermosetting copolymerisation product of	BASF New Zealand Ltd	33	AR 7020101	••
	acrylic derivatives and styrene disolved in organic	PO Box 407 AUCKLAND			
	solvents	Croda Chemicals (NZ) Ltd	99	AK 702832G	A
906.90.01	Liquid Oligomer (oligo triacrylate)	PO Box 14441			
		Panmure			
		AUCKLAND			1.4
	Poligen MV 350 crosslinked dispersion of an acrylate	BASF New Zealand Ltd	99	AK 702816E	A
906.90.01		PO Box 407			
	copolymer	AUCKLAND			
	Poligen MV250 dispersion of a styrene-acrylate, zinc	BASF New Zealand Ltd	99	AK 702817C	. A
906.90.01		PO Box 407			
	crosslinked copolymer	AUCKLAND		-	
	Novocoll NC 199A is part one of an alcohol dilutable	Sidney Cooke Chemicals	99	AK 702826B	A
909.50.09	two part urethane pre-polymer adhesive system	PO Box 58005			
	THO harr miernane hie horimer agmentio place.	East Tamaki			
		AUCKLAND			
012.20.00	CURRENT APPROVAL	•			
V12.20.00	Used aircraft tyres		99	681262H	VA.
1012.20.00	REQUESTED APPROVAL Normal Pref				
		Comptroller of Customs	99	HO 780839K	. VA

Tariff Industry Assistance (Advertisement) Notice No. 1988/16-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
		PO Box 2218			
5910.00.00	Oling embossed conveyor belting	WELLINGTON Cadbury Schweppes Hudson Ltd PO Box 890	99	DN 660550	J A
5910.00.00	Woven cotton conveyor belting endless and cut to length as used in biscuit manufacturing	DUNEDIN Cadbury Schweppes Hudson Ltd PO Box 890	99	DN 660549	E A
6117.80.29	Imitation chamois crotch for cyclists' shorts	DUNEDIN W H Worrall C/-Quay Customs Agents Ltd PO Box 4342	99	AK 702471	В А
7013.32.00	Glassware, other kinds viz heat resistant - other	AUCKLAND Comptroller of Customs PO Box 2218	99	но 620453	J WA
7318.29.00	Captive nuts, J & U types	WELLINGTON R.C. Schroder Ltd C/-Banner International Ltd PO Box 1744	99	WN 721449	K A
7326.90.09	Snaps with swivel for use in the fabrication of long line tuna fishing gear	WELLINGTON Abalone Divers of NZ Co-op Co Ltd C/-Arthur H Giles Ltd PO Box 504 DUNEDIN	99	DN 6605536	C A
7616.90.29	Aluminium ferrule locks for the use in the fabrication of long line tuna fishing gear	Abalone Divers of NZ Co-op Co Ltd C/-Arthur H Giles Ltd PO Box 504	99	DN 660552	E A
8302.49.09	Picture frame security hangers	DUNEDIN Peter Small Ltd C/-Customs Services Ltd PO Box 1804 CUBICTER BOX	99	CH 740565	A A
8302.49.09	Picture frame fittings and mountings of base metal	CHRISTCHURCH Peter Small Ltd C/-Customs Services Ltd PO Box 1804 CHRISTCHURCH	99	CH 740566	K A
8414.59.09	Rotary positive displacement blower maximum pressure 10 PSIG, maximum vacuum 10''HG	James Philip Turnbull Private Box OPUA	99	AK 702840	H A
8414.80.01	Jun-Air dental compressors. 0.83 litres/second delivery per pot at 827 k.p.a. oil free, oudourless tasteless air delivery, free of contaminants which could interfere with binding of dental materials with tooth tissue	Portable Air Ltd C/-PO Box 2277 AUCKLAND	99	AK 702797	E A
8414.80.01	Jun-Air dental compressors 1.453 litres/second delivery per pot at 827 k.p.a. oilfree, tasteless air delivery, free of contaminents which could interfere with binding of dental materials with tooth tissue. With automatic	Portable Air Ltd C/-PO Box 2277 AUCKLAND	99	AK 7027980	C A
8414.90.29	regenerating desiccant dryer. Teflon rings and liners Tanabe compressor parts. For the repair of Tanabe compressors as used in hydro-electrical plants	Electricorp Production C/-Campbell McRae Holdings Ltd PO Box 5556 DUNEDIN	99	DN 660554	A
8419.81.00) 8419.89.09)	Electric saki cup warmer	Cuisine Services Ltd PO Box 35615	99	AK 7028290	G A
8419.81.00	Maurer air conditioned, maturing and smokehouse	Browns Bay AUCKLAND 10 H Strzletz	99	AK 7028301	. A
8419.81.00	installation Self control magnetic water-spraying bean sprouting	PO Box 4276 AUCKLAND Davis Trading Co Ltd	99	WN 721444.	J A
	machines (for producing commercial quantities)	C/-Walsh & Anderson Customs Agency Ltd PO Box 1268 WELLINGTON			
8419.89.09	Electric towel warmer	Cuisine Services Ltd PO Box 35615 Browns Bay	99	AK 702828J	A .
8428.10.00	Passenger lifts for permanent installation in buildings excluding the following componentry; Hydraulic motor/pump units Hydraulic pistons and cylinders	AUCKLAND 10 Mechenex Pacific Systems Ltd PO Box 24-226 Royal Oak AUCKLAND	99	AK 7028200	A
8428.10.00	Car and counterweight frames Runt scissor lift with working height not exceeding 4.5 metres	Hirequip Ltd PO Box 851	99	DN 6605510	5 A
8429.40.09	Single drum vibratory roller with an operating weight not exceeding 250kg	DUNEDIN Vibmac Engineering Ltd C/-Campbell McRae Holdings Ltd PO Box 5556 DUNEDIN	99	DN 660556F	I WA
8429.51.00) 8429.52.00) 8429.59.00)	Wheeled front end loaders, with a static tipping weight, in full turn of less than 3500kgs	Compacting Equipment Ltd C/-United Customs & Carrying Co Ltd PO Box 664	99	WN 721317	A
8430.50.00	Snow groomers	WELLINGTON Hagglunds Denison C/-PO Box 53-084	99	AK 702839D) WA

*Category of Appn.

A

VA

VA

VA

٧A

A

VA

Tariff Industry Assistance (Advertisement) Notice No. 1988/16-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. *(Ref. No.
8468.20.00	Gas soldering torches complete with self contained butane cylinder	AUCKLAND Coltronics Pty (NZ) Ltd C/-Walsh & Anderson Customs Agency Ltd PO Box 1268	99	WN 721445G
8501.20.09	Human hair removers	WELLINGTON Altec Imports Ltd C/-LEP International PO Box 139 WELLINGTON	99	WN 721437
8501.32.19	Wind powered electrical generation system comprising of only blades (7m fibreglass), generator and invertor 10kw only	David S Pate PO Box 150 WANGANUI	99	WN 721457
8516.60.01	Microwave combination ovens (consisting of fan oven, grill and microwave)		99	WN 721420
8517.90.09	CURRENT APPROVAL Component parts for use in the manufacture of A.F. repeaters	REDEROIS.	99	9318 2 7F
8517.90.09	REQUESTED APPROVAL Component parts for use in the manufacture of A.F. repeaters. NOTE: All parts must be entered under their own substantive tariff item, but will be admitted under the above concession, parts of general use are excluded	Ericsson Communications Wakefield Street NAPIER	99	WN 721351
8525.20.09	CURRENT APPROVAL Portable hand held fully synthesised marine radios VHF/FM (marine band)		99	681880D
8525.20.09	REQUESTED APPROVAL Portable hand held fully synthesised marine radios VHF/FM (marine band and air band)	Southern Cross Electronics C/-G.N. Bowerman, Tariff Consultant Colebrook Bros. Ltd PO Box 1296	99	AK 702838F
8533.10.00	Metal film fixed resistors rated dissipation 0-125w	AUCKLAND AMA NZ Ltd Private Bag Porirua MELLINGTON	99	WN 721456
8536.20.00	Marine magnetic circuit breakers	Marine 83 Enterprises Ltd PO Box 65118 AUCKLAND	99	AK 702570L
8537.10.00	Electronic audio switching system	Broadcasting Corp of NZ Supply Division PO Box 98	99	WN 721364
87.08	CURRENT APPROVAL	WELLINGTON		
87.06	Parts and accessories of motor vehicles falling within heading No. 87.01, 87.02 or 87.03 EXCLUDING:		99	720991G
	Axle assemblies, viz: Brake drums, Hubs (stud and spoked), Brake shoes, Camshafts, Brake spiders, Back plate assemblies, Brake shoe pins, Brake shoe springs, Brake			
	shoe rollers, Bushes, Bearing housings, Camshaft brackets, Dust covers, Wheel studs, Wheel nuts, Axle nuts and Axle washers Adaptor plates to fit Isusu and Cummins engines	•		
	Air dams Arm rests Automatic transmission oil cooler other than amphibious			
	vehicle automatic transmission oil coolers Bonded brake shoes Brake cables			
	Bull bars Bumpers, other than plating rejects or bare base steel bumpers (i.e. not chromed or similarly coated)			
	Clutches complete, whether made up or in kit form Clutch covers (pressure plate) Clutch plates (friction plates, clutch discs) Clutch repair or reconditioning kits which include			
	any of the following:- Clutch plate (clutch disc or friction plate) Clutch cover (pressure plate) Couplings, trailer and truck (other than semi-trailer			
	fifth wheel couplings) Disc brake pad assemblies and disc pad kits Door control systems, air, air-bleed or vacuum operated, viz: single/double folding (jacknife), single/double			
	gliders Driveshafts, rear axle only			
	Exhaust pipes Exhaust systems (comprising piping and mufflers) External luggage racks Glare stops			

Hubcaps, hub centres, full wheel covers, wheel trim, bends and discs, and wheel trim rimbellishers

Tariff Industry Assistance (Advertisement) Notice No. 1988/16-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Interior trim components of hardboard, cardboard or similar materials, leather or plastic sheetings, cut to shape Melt sheet, cut to shape				
	Radiator cores and assemblies, including pressure caps Safety grills (ie dog guards) for fencing off the front				
	seat from the back Seat belts				
	Steering wheels Sunroofs				
	Internal sunvisors and covers including arm and fixing brackets				
	Upholsterers materials (such as flock, wadding, batting, fluting, linters, padding, foam) cut, moulded or fabricated to shape				
	Upholsterers textiles, fabrics, leather, or plastic sheetings, cut moulded or fabricated to shape				
	Wheel balance weights Wheel spinners for use on steering wheels Wheels of magnesium, aluminium alloys, (Less than 20'' (51cm) in diameter), whether one piece construction				•
	or composite Towballs				
87.08	REQUESTED APPROVAL Parts and accessories of motor vehicles falling within	Coachwork International Ltd	99	WAI 791900	174
	heading No. 87.01, 87.02 or 87.03 EXCLUDING:	C/-Jarratt Sandes & Co Ltd PO Box 997	99	WN 721388	VA
	Axle assemblies, viz: Brake drums, Hubs (stud and spoked), Brake shoes, Camshafts, Brake spiders, Back plate	PALMERSTON NORTH			
	assemblies, Brake shoe pins, Brake shoe springs, Brake shoe rollers, Bushes, Bearing housings, Camshaft brackets, Dust covers, Wheel studs, Wheel nuts, Axle nuts and Axle				
	washers Adaptor plates to fit Isusu and Cummins engines Air dams				
	Arm rests Automatic transmission oil cooler other than amphibious				
	vehicle automatic transmission oil coolers Bonded brake shoes Brake cables				
	Bull bars Bumpers, other than plating rejects or bare base steel				
	bumpers (i.e. not chromed or similarly coated) Clutches complete, whether made up or in kit form				
	Clutch covers (pressure plate)				
	Clutch plates (friction plates, clutch discs) Clutch repair or reconditioning kits which include				
	any of the following:- Clutch plate (clutch disc or friction plate)				
	Clutch cover (pressure plate) Couplings, trailer and truck (other than semi-trailer				
	fifth wheel couplings) Disc brake pad assemblies and disc pad kits				
	Door control systems, air, air-bleed or vacuum operated, viz: single/double folding (jacknife), single/double				
	gliders Driveshafts, rear axle only				
	Exhaust pipes Exhaust systems (comprising piping and mufflers)				
	External luggage racks Glare stops				
+	Hubcaps, hub centres, full wheel covers, wheel trims,				
	(other than those with the following dimensions 22 1/2'' (57.15cm) complete with brackets).				
	bends and discs, and wheel trim rimbellishers Interior trim components of hardboard, cardboard or similar				
	materials, leather or plastic sheetings, cut to shape Melt sheet, cut to shape				
	Radiator cores and assemblies, including pressure caps Safety grills (ie dog guards) for fencing off the front				
	seat from the back Seat belts				
	Steering wheels Sunroofs				
	Internal sunvisors and covers including arm and fixing brackets				
	Upholsterers materials (such as flock, wadding, batting, fluting, linters, padding, foam) cut, moulded or fabricated to shape				
	Upholsterers textiles, fabrics, leather, or plastic sheetings, cut moulded or fabricated to shape Wheel balance weights				
	Wheel spinners for use on steering wheels				
	Wheels of magnesium, aluminium alloys, (Less than 20'' (51cm) in diameter), whether one piece construction or composite				

Tariff Industry Assistance (Advertisement) Notice No. 1988/16-continued

Tariff		Name and Address	Part II	Appn. Ref.	*Category of
Item	Description of Goods	of Applicant	Ref.	No.	Appn.
	Towballs				
8708.60.09	Limited decision for three years for the following goods.	Cable-Price Corporation Ltd	99	WN 721424	A
	Daimler-Benz third non-driving axles for vehicles of 87.02				
		WELLINGTON	00	WAL 701470	
8708.93.09	3 Sach brand competition type clutch assemblies consisting	Collector of Customs	99	WN 721473	A
	of 3 clutch plates and 2 pressure plates only	PO Box 2218 WELLINGTON			
9010.30.00	50''(127cm) 60''(152.4cm) 72''(182.88cm) video projector	AWA NZ Ltd	99	WN 721455	A
9010.30.00	curved high grain screens	Private Bag			
	Carton man grain sortons	Porirua		-	
		WELLINGTON			
9030.31.00	Masonlite calibrating unit	Sound Logic Research Ltd	99	CH 7405470	Α .
		PO Box 12040			
		CHRISTCHURCH			
9031.80.01	CURRENT APPROVAL		99	7801720	VA
	Electronic marine instruments for recording boat speed and distance other than decca logs and seafarer logs	1 X			
9031.80.00	REQUESTED APPROVAL				
2301.30.00	Electronic marine instruments for recording boat speed and	Electronic Navigation Ltd	99	AK 702800J	VA
	distance other than decca logs, seafarer logs, Furuno and	C/-G.N. Bowerman, Tariff Consultant			
	Morioka models	Colebrook Bros. Ltd			
		PO Box 1296			
0202 02 25	Distale designed to project signal flamon only	AUCKLAND Support Branch (DCT)	99	WN 721413	A
9303.90.09	Pistols designed to project signal flares only	Ministry of Defence			•••
		Private Bag			
		WELLINGTON			
9303.90.09	Very pistols	Collector of Customs	99	WN 721488L	. WA
		PO Box 2218			
		WELLINGTON	00	CU 7408888	
9402.90.00	Surgical instrument containers	J Mercer & Sons Ltd	99	CH 740556E	. A
		PO Box 6020 CHRISTCHURCH			
9506.99.19	Inflatable water play equipment	Parks and Recreation Department	99	CH 740571F	. A
0000.00.10	Turracanto meter hral ederbaour	Timaru City Council			
		PO Box 522			
		TIMARU	00		4
9506.99.19	Plastic hockey set comprising of;	Braywyn Trading Co	99	WN 721426I	. А
	(1) Plastic sticks (80cm shaft)	2/13 Devonshire Place TARADALE			
	(2) Plastic ball	INNUME			
9507 00 00	(3) Plastic puck	Hoosen Industries Ltd	99	WN 721194	A
9507.90.09	Alumainium fly boxes	C/-Ivan W McNicholl			
		Tariff Consultant			
		PO Box 1024			
	1	WELLINGTON	oe	AV TOTOCES	
9608.50.00	Ball point pen and propelling pencil sets exceeding NZ\$9	William Brandt & Co Ltd	99	AK 702805i	A
	FOB	C/-PO Box 3986 AUCKLAND			
		C-O ANDREW			
- Catego	ry of Application: A - Application for Approval VA - Application for Variation of	of Approval			
	WA - Application for Withdrawal	of Approval			
	D - Application for Determinati	ion			
	VD - Application for Variation of	of Determination			
	WD - Application for Withdrawal	of Determination			
	RUC - Revocation of Unused Conces				
	CUPA Continuation of Unpublished				
	+ - Denotes amendment or additi HO - Comptroller of Customs, PO	Roy 2218 Wellington			
** Port:		29. Auckland			
	MN - Collector of Customs, BOX 2 WN - Collector of Customs, PO Bo	ox 2218, Wellington			
	CH - Collector of Customs, Box 2	2098, Christchurch			
	DN - Collector of Customs, Priva				

Dated at Wellington this 5th day of May 1988.

M.W. TAYLOR, Comptroller of Customs.

CUSTOMS EDITION

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/16
Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.

 SCHEDULE 2 Decisions cancelled. The cancellations listed in this schedule take effect seven days from Gazette date unless otherwise specified, eg, WEF (date).
- SCHEDULE 3 Limited Decisions
 - (a) Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.
 - This Notice only serves to inform the importing/manufacturing community of the approvals existence.
- (b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.

 It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette.
- Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

SCHEDULE 1
General Decisions Approved

m166		Dotto of	Darter	Part II	Ref.	Effect	ivo
Tariff Item	Description of Goods	Rates of Normal	Pref.	Ref.	кег. No	From	1ve To
 						·	
1519.19.00	Coconut oil fatty acid	Free	Free	99	702476C	4/88	• •
2931.00.09	Silopren crosslinking agent 3034 (ethyl triacetoxysilane)	Free	Free	99	721274H	3/88	• •
3004.20.01	Cepravin DC	Free	Free	26	730109L	1/88	• •
3004.40.09	Atrovent 0.025% solution in unit dose vials	Free	Free	26	730120A	2/88	• •
3004.40.09	Liserdol tablets	Free	Free	26	730137F	∠/88	• •
3004.90.19	Agon ER 5mg and/or 10mg tablets	Free	Free	26	730138D	3/88	• •
3004.90.19	Lederfen-F tablets	Free	Free	25	730131G	2/88	• • •
3004.90.19	Nuelin-24, capsules	Free	Free	25	730139B	3/88	• •
3004.90.19	Priscol ampoules	Free	Free	26	730119H	2/88	• •
3402.11.00	Rhenodiv LS (potassium salts of unsaturated fatty acids in combination with silica)	Free	Free	99	721275F	3/88	••
3403.19.01	Polybutyl cuprysil (PBC)	Free	Free	99	721153J	3/88	
3506.91.00	Polybond 393A and C	Free	Free	99	702466F	3/88	
3823.90.69	Desmodur MT58 (modified tolyuene diisocyanate)	Free	Free	99	721306K	3/88	
3823.90.69	Rhenomag G3 (magnesium oxide and polymer binder)	Free	Free	99	721273K	3/88	
3823.90.69	Silopren crosslinking agent trial product AC3095 - mixture of benzamido-alkoxy-methyl-silane and tetra ethyl orthosilicate	Free	Free	99	721281L	3/88	• •
3904.22.00	Sunprene compounds F99-2, F99-1, 7208, 7308, 7202, 7207, F473	Free	Free	99	640647F	1/88	
3909.50.09	Bayderm bottom 10UD, aqueous dispersion of a soft polyurethane	Free	Free	99	721282J	3/88	
3909.50.09	Impranil dispersions (aqueous polyurethane dispersions)	Free	Free	99	721284E	3/88	• • •
3911.90.09	Bayderm Hardener RL (Polyisocyanate - prepolymer containing	Free	Free	99	721281C	3/88	
	ethyl acetate						••
3917.31.00	Hose reinforced with wire braid to operate at pressures in excess of 27.6 MPA excluding such hoses with fittings attached	Free	Free	99	740524D	3/88	••
3920.10.09 (39.02.375)	Polyethylene sheets under 0.25mm in thickness but 6 metres or more in width	Free	Free	99	740309H	11/87	
3923.90.29	11.75mm and 12.5mm lipstick containers	Free	Free	99	740527J	3/88	
3926.40.09	Trophy components, viz: APPROVED:	Free	Free	99	721077K	1/88	••
	Plastic figurines, risers, cups, bowls, lids, spacers, stems,						
	columns, plaques, reliefs, trims, holders, medallions, caps, tube risers						
3926.90.59	Automotive fuseboxes, unassembled without terminals	Free	Free	99	740476L	3/88	
3926.90.59		Free	Free	99	702467D	2/88	• •
	Earmuffs incorporating a noise activated valve system	Free	Free	99	660544D	3/88	• •
4823.90.19	Paper cushion pads three to seven plies	Free	Free	99	740502C		• •
6203.43.01)	Protective ice hockey shorts	rree	rree	שפ	/40002C	3/88	• •
6203.43.09)	Fire wesistant monels containing budgeted adding cilicate	Fron	Erno	99	7024570	2/00	
6806.90.00	Fire resistant panels containing hydrated sodium silicate	Free Free	Free	99 99	702457G	2/88	0.10
7211.41.01	Cold-rolled sheet and coil not exceeding 500mm in width		Free		780836E	1/88	6/8
7211.41.19	Cold-rolled sheet from 500mm to less than 600mm in width	Free	Free	99	780837C	1/88	6/8
7315.89.19	Cutter chain of type used on mechanical silage unloaders	Free	Free	99	721248J	1/88	• •
7318.16.00	Wing nuts cold forged unichrome plated steel and stainless steel, metric, Whitworth and UNC threads	Free	Free	99	721252G	3/88	••
7616.90.29	Sealing machine clips as may be approved APPROVED:	Free	Free	99	740521K	3/88	••
	Polyclip, Max series 600, PVC coated; Max series 711VO-AR, Max series 713VO-AR						
8211.93.00	Knives having other than fixed blades	Free	Free	99	740522H	3/88	
8211.93.00	Letter openers	Free	Free	99	740522H 740523F	3/88	
8306.30.00	Ski mirrors, 1800 convex lens, incorporating permanent	Free	Free	99	721039G	1/88	• • •
8413.70.09	lock position hold Stainless steel multi-media single stage ring casing pumps	Free	Free	99	720785K	11/87	
(84.10.049)		Free		99	602669K	1/88	

- (1) Reciprocating types with a piston displacement from .94 litres/second up to 26 litres/second (inclusive), calculated at a compressor speed of 700 rpm with a working pressure up to 1379 kPa
- (2) Reciprocating types with a piston displacement from 20 litres/second up to 200 litres/second (inclusive), with working pressure from 1500 kPa and above
- (3) Other types with a capacity from .47 litres/second up to 18 litres/second (inclusive) free air delivered (FAD), measured at 700 kPa (7 bar)

NOTE: For the purpose of this concession, a bare air compressor is the pump only without fittings or attachments

Tariff Industry Assistance (Decision) Notice No. 1988/16-continued

Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref. No.	Effective From To
	such as motors, starters, coolers, separators, receivers,					
0403 00 00	air lines, gauges, etc	D	7	00	720028F	7.407
8421.23.00 (84.18.039)	Automotive oil filters and elements as may be approved. Approved list is held by the Collector of Customs, Wellington	Free	Free	99	/20028F	7/87
8422.40.09	Profile paper/polythene wrapping machine complete with	Free	Free	99	702415A	2/88
	conveying rollers and presses					
8426.91.00	Hiab and Palfinger hydraulic truck mounted crane components,	Free	Free	99	740416G	2/88
8431.42.00	other than parts for general use Caterpillar model 7-11 bulldozer blades and rippers excluding	Free	Free	99	740526L	3/88
0.011.121.00	wear parts					.,
8479.89.00	Beach cleaning machine that filters litter from sand	Free	Free	99	721267E	3/88
8481.80.19)	Thermoplastic and chrome plated quick couplings and components	Free	Free	99	780805E	3/88
8481.90.19) 8502.30.00	for flexible tubing Wind energy converters	Free	Free	99	740381L	1/88
8507.20.00	"Chloride Powersafe" completely sealed recombination	Free	Free	99	721122J	2/88
	battery type 5VA7 10 volts					
8507.90.00	"AA" size blanked and curled bottom battery covers	Free	Free	99	702460G	3/88
8516.79.19 (85.12.029)	Component parts as may be approved for making electric fan heaters;	Free	Free	99	740361F	12/87
(65.12.025)	APPROVED:					
	PDL INDUSTRIES LTD					
	1. Thermostats					
	2. Elements					
	3. Element brackets 4. Grille earth terminals					
	5. Switch supports					
	6. Thermostat brackets					
	7. Terminal block					
	8. Plastic cable lamp 9. Neon assemblies					
	10. Tilt switch					
	11. Bernard and Schultz rotary switch					
	12. Neon retainer					
	13. Upper foot 14. Lower foot					
8525.20.09	Personal one way monitoring system	Free	Free	99	702498D	3/88
8528.10.09	Ikegami CCTV industrial colour monitors CMV-1000, CMV-1450	Free	Free	99	721254C	1/88
8529.10.19	Satellite antenna microwave dishes, exceeding 12 metres	Free	Free	99	721265J	3/88
0000 00 11	in diameter excluding reflector support structure	Face	Free	99	740525B	3/88
8529.90.11 8535.90.11)	Television magnifier screen Sockets, and plugs therefor, wire and cable	Free Free	Free	99	740323B 740318G	3/88 1/88
8536.90.00)	connectors and the like	1100		**		-, -, -,
	EXCLUDING:					
	1. Part II Duty Free concession already approved					
	under Tariff Item 2. Aluminium compression fittings, peculiar for					
	use in jointing and terminating aluminium wire and					
	cable					
	EXCLUDING:					
	Fittings, when declared by a manufacturer for use on; (a) Three core sector cable					
	(b) Four core sector cable exceeding 185mm+ cross-					
	sectional area					
	3. Battery isolaters, peculiar for use on all types					
	of storage batteries including automotive and marine batteries					
	4. Co-axial plugs, car-radio type					
	Industrial and protected type plugs, sockets,					
	cable couplers					
	 Appliance inlets and switch sockets, rated 110 to 415 volts and up to 63 amps; 					
	EXCLUDING:					
	Aluminium clad industrial plugs, sockets, cable					
	couplers appliances inlets and switch sockets,					
	with maximum voltage rating of 500 V AC/DC, from					
	• • • • • • • • • • • • • • • • • • • •					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets,					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or (B) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail motor coaches					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or (B) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail motor coaches 9. Split bolt, bolt on type overhead line tap					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or (B) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail motor coaches 9. Split bolt, bolt on type overhead line tap connectors suitable for tap connections on copper					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or (B) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail motor coaches 9. Split bolt, bolt on type overhead line tap connectors suitable for tap connections on copper lines, having overall diameters from 2.74mm to					
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket configuration 7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating 8. Sockets and plugs therefor, wire and cable connectors and the like: excluding those of a kind commonly used with: (A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or (B) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail motor coaches 9. Split bolt, bolt on type overhead line tap connectors suitable for tap connections on copper					

Tariff Industry Assistance (Decision) Notice No. 1988/16-continued

Та	Tariff			Duty	Part II	Ref.	Effect	i ve
	tem	Description of Goods	Normal	Pref.	Ref.	No.	From	To
		having overall diameters from 6.35mm to 14.61mm						
		(0.250in. to 0.575in.)						
		10. Trailer plugs and sockets, viz;						
		4 pole, 5 pole and 7 pole						
		11. Wire and cable ring tongue connecting lugs,						
		crimp type, uninsulated, for conductors up to						
		185mm+ in cross-sectional area, excluding:						
		compression type jointing sleeves, peculiar for						
		use in jointing solid copper, stranded copper and						
		copper coated conductors, used in telecommunication						
		and power line wires and in standard metric lugs						
		12. Wire connectors in strips						
		Telephone jack points and blocks, including jack						
		point boxes						
85	536.90.00	Automotive wiring connectors and terminals excluding those	Free	Free	99	721223C	1/88	٠.
		for connecting cables to batteries	_					
85	538.90.09	Component parts for the manufacture of rotary switches, for	Free	Free	99	721338H	1/88	٠.
		pressures exceeding 25 volts and having a rated current						
		capacity not exceeding 100 amps, as may be approved:						
0.		Approved list held by the Collector of Customs, Wellington		AII Eman	99	7015247	10/87	
	544.11.01	Directly solderable enamelled copper winding wire with a	5	AU Free	99	701534J	10/8/	• •
(8	35.23.007)	varnished insulation based on modified polyurethane, up to a maximum diameter of 0.120mm			***			
05	544.51)	Oceanographic/hydrological/geophysical cables and connector	Free	Free	99	720843L	12/87	
	544.59)	accessories for use with equipment classified in Tariff Item	1166	rice	33	720043L	12/0/	• •
	35.23)	90.15 (HCDCS)						
,	704.21.01)	Unassembled light commercial vehicles designed principally	Free	Free	99	780676A	12/87	
	704.31.01)	for the transport of goods viz:	1100		00	70007011	12,0,	٠.
	37.02.022)	(a) Forward control vehicles, ie. vans having controls in						
(0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	front of the engine, and/or						
		(b) Vehicles incorporating an independent chassis						
90	009.22.00	Industrial daylight film and paper contact exposure units	Free	Free	99	702503D	2/88	
90	014.80.00	Compasses	Free	Free	99	740473F	2/88	٠.
90	24.80.09	Machines and appliances for testing mechanically the hardness,	Free	Free	99	702029F	1/88	
		strength, compressibility, elasticity and the like properties						
		of industrial materials (for example, metals, wood,						
		textiles, paper or plastics)						
90	26.20.09	Kuster pressure elements	Free	Free	99	721082F	1/88	
94	102.90.00	Height adjustable gynecological examination couch complete	Free	Free	99	721129F	1/88	٠.
		with knee supports and side supports						
95	502.10.00	Troll dolls	Free	Free	99	504859B	1/88	

SCHEDULE 2 Decisions Cancelled

	Tariff					Ref.		
	Item	Description of Goods				No.		
CH	3904.22.00	Sunprene 7473				640647F	·	
CH	3923.90.19	12.75mm containers				740005F		
WN	3926.90.59	Trophy viz;				503885F		
		Plastic medallions						
CH	3926.90.59	Automatic terminals				740476L		
WN	4823.90.19	Paper faces				620304D		
٧N	7318.16.00	Wing threads				622067D		
CH	7616.90.29	Sealing approved				681489B		
		APPROVED:						
		Polyclip, coated						
DN	8414.80.19	Bare 1100 kPa				602669K		••
CH	8426.91.00	Component 650				540111K		
CH	8426.91.00	Component approved				540848C		
CH	8426.91.00	Palfinger use				701760L		
WN	8428.10.00)	Hoist/lift sites				521832C		
	8428.90.00)							
CH	8431.42.00	Caterpillar PARTS	• •			660510K		
CH	8516.79.19	Component heaters;				640851G		
		APPROVED:						
		PDL Tilt switch						
WN	8517.30.00	Omnimode modems	• •			480460A		
CH	8535.90.11	Sockets, boxes			• •	740318G		
WN	8536.41.00)	Miniature relays	• •		• •	504041J		
	8536.49.00)							
WN	8538.90.09	Kraus approved		• •	• •	520628G		
AK	8544.11.01	Directly 0.120mm	• •	• •	• •	701534J		
WN	8544.51)	Oceangraphic/ 9015.80.00				720843L	• •	
	8544.59)							
AK	9024.80.09	Machines determined				702029F		
AK	9502.99.00	Troll doils				504859B		

Tariff Industry Assistance (Decision) Notice No. 1988/16-continued

	Tariff	Description of Goods				Ref. No.		
	Item	SCHEDULE 3						
		Limited Decisions Approved						
		Limited Decisions Approved						
					Part			
	Tariff		Rates of	•	II	Ref.	Effect	
	Item .	Description of Goods	Normal	Pref.	Ref.	No.	From	То
но	2401.20.09	Unmanufactured tobacco	Free	Free	99	780840C	4/88	6/88
WN	3004.90.19	1000 ampules of disodium edetate aqueous solution only	Free	Free	25	730135K	3/88	4/88
AK	3926.90.59	4,200 only empty acrylic coin cases being holders for	Free	Free	99	702461E	2/88	3/88
		medallions struck to commemorate the new Tauranga Harbour			•			
		Bridge opening						
Ю	4823.90.19	Two cartons of U.N.I.C.E.F. growth charts	Free	Free	99	780838A	4/88	7/88
WN	8431.43.09	Various items of oilwell drilling and seismic equipment and	Free	Free	99	- 721376L	3/88	9/88
		spares for PIM No's 8394 to 8408						
WN	8431.43.09	Various items oilwell drilling and siesmic equipment and	Free	Free	99	721377J	1/88	9/88
		spares for PIM No's 8388 to 8393						
WN	8517.10.00	KP816 Key Service Unit including universal board and main	Free	Free	99	721412L	1/88	1/88
		System Distribution Frame (1).						
		SKP 816 Key Service Unit system (1),						
		Trunk Card (2) each,						
		Line card (2) each						
		valid for import entry WNS7025864 only						
WN	8704.22.09	7 built-up cab/chassis for further manufacture into fire	Free	Free	99	721340K	3/88	
		engines for the New Zealand fire service						
WN	8705.20.00	l only portable drilling rig	Free	Free	99	721146F	2/88	12/88

SCHEDULE 4

	Tariff		 Ref.	
	Item	Description of Goods	No.	
N	1901.90.09	Forta shake	 720924	
īN	1904.90.09	Forta cereal	720923B	
N	2710.00.75	Lubricating grease	720930E	
N	3917.33.00	Zipper tubing	720743D	
IN	3923.50.00	Tamper evident polypropylene screw cap	721428	
N	3926.90.59	Low density polyethylene pouring spout	721427	
H	4016.99.89	Rubber light bulb covers	740559G	
N	4202.92.09	Army surplus bags	721324	
IN	4823.90.19	Archery target faces	720931	
H	6115.93.01	Full leg length ice hockey stockings	740484A	
н	7319.90.09	Stainless steel sheet, annealed	740564C	
N.	7323.99.00	Mild steel woks	721423F	
K	8205.51.00	Food graters	702480A	
K	8413.70.09	Stainless steel centrifugal pumps	702478K	
		up to 7 bar. Hilge series 'Hygiana' flowrate up to 60m3/h, pressures up to 17.5 bar. Pumps are designed for pumping diary products and other liquids requiring a sanitary standard. Discharge Ports: Pump size range from those having discharge ports of 32mm dia to 100mm dia	#	
N	8422.40.09	Wrapping machinery	721409L	
IN	8424.81.00	Engine driven mist blowers	721197L	
IN	8424.81.00	Hand operated plant sprayers	721196B	
in N	8432.29.01	Tedder rakes	721019B	
N.	8433.20.09	Drum mowers	721020F	
N N	8516.60.19	Electric barbecues	720901A	
H	8536.90.00	Rotaloc socket and RTE/P.S control unit	740558J	
N N	8544.11.01	Copper winding wire insulated with laquer or enamel	721383	
	8544.11.01	Copper winding wire insulated with laquer or enamel under	721384	
ans:	0.11.11.01	0.160mm and over 1.60mm diameter		
IN			740447G	
	8703 21 10	Argo all terrain venicle		
Н	8703.21.19 8704.10.00	Argo all terrain vehicle Damp tricks as may be approved - V12 one 2624/36	721257H	
Н	8703.21.19 8704.10.00	Dump tricks as may be approved - V12 one 2624/36	72125 7H	
		Argo all terrain venicle Dump tricks as may be approved - V12 one 2624/36 Mercedes-Benz LK dump truck Battery operated testers	721257H 740546H	

Dated at Wellington this 5th day of May 1988.

M.W. TAYLOR, Comptroller of Customs.

REVOCATION NOTICE

The Minister of Customs hereby gives notice, under Section 158 of the Customs Act 1966, that the following Tariff concessionary The Minister of Customs nereby gaves notice, which can be approvals are revoked with effect from 1 June 1988:

"All published general approvals for which the tariff classifications have not been converted to the HCDCS format".

M.W. TAYLOR

Comptroller of Customs



