



## The New Zealand Gazette

# Customs Edition

WELLINGTON: TUESDAY, 26 JULY 1988

## **CUSTOMS NOTICES**

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

#### **NEW ZEALAND GAZETTE**

#### TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/27 Applications Advertised for Objection Closing Date for Objections 11 August 1988

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the \*\* Port of lodgement indicated by the reference number, before 11 August 1988. All submissions must include:
  - the Tariff Industry Assistance (Advertisement) Notice number;
  - the Tariff item:
  - the Port; and
  - Reference number.
- All submissions from local manufacturers must include:
  - the range of alternative goods made locally;
  - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
  - present and potential output;
  - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.

    All submissions objecting to a request for the imposition of duty must include:
- - reasons why the local product on which protection is sought is not a suitable alternative;
    - full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.

Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	Category of Appn.
3003.90.01	Tensolvet gel base	Techvet Laboratories Ltd	26	WN 730196	A
	<b>6</b>	PO Box 12764			••
		Penrose			
		AUCKLAND			
3004.20.01	Bovatec premix	Roche Products NZ Ltd	26	WN 830000	A
		C/-D Silva			
		PO Box 305 AUCKLAND			
3004.20.01	Otospectrine	Phoenix Pharm Distributors Ltd	26	WN 730194	Α .
		PO Box 31-363			
		AUCKLAND			
3004.40.01	Dalophylline oral gel	Bomac Laboratories Ltd	26	WN 730192	A
		PO Box 76-369			
		Manukau City AUCKLAND			
3004.40.09	Trental 400	Hoechst NZ Ltd	26	WN 830001	A
		PO Box 67			••
		AUCKLAND			
3004.90.01	Baytril solution	Bayer NZ Ltd	26	WN 730167	A
		PO Box 38-405			
		Petone			
3004.90.01	Baytril tablets	WELLINGTON Bayer NZ Ltd	26	WN 730168	A
3004.50.01	Daytiii tablets	PO Box 38-405	20	MN 750106	Α.
		Petone			
		WELLINGTON			
3004.90.01	Willotox veterinary injectable solution	Bomac Laboratories Ltd	26	WN 730193	A
		PO Box 76-369			
		Manukau City			
2004 00 10	toidal canculac	AUCKLAND Mr C.M. Kelly	25	WN 730183	A
3004.90.19	Acidol capsules	138 Avonhead Road	20	MIA 120192	Α
		CHRISTCHURCH 4			
3004.90.19	Diprolene ointment	Essex Laboratories (NZ) Ltd	25	WN 730188	A
		PO Box 18-337			
		Glen Innes			
	11. 1 W.1 1404 1	AUCKLAND	00	AR GOOGGE	
3823.90.69	Admul Wol 1404 being a product consisting mainly of a mixture of the partial esters of polyglycerol with	Pharmochem Co C/-PO Box 1036	99	AK 800068K	A
	linearly interesterified castor oil fatty acids	AUCKLAND			
3907.50.09	Super Glekyd 391W is a thixotropic polymer for use in the	T.R. Chemicals Pty Ltd	99	AK 800078G	A
	paint manufacturing industry	C/-PO Box 27-312			
		Mt Roskill			
		AUCKLAND			
3921.90.19	Reinforced polyester fibreglass electrical insulating	Auckland Transformer Co Ltd	99	AK 800057D	A
	board	C/-PO Box 22329 Otahuhu			
		AUCKLAND			
3926.90.69	Collapsible snow shovel with plastic blade, handle and	Martin Schnelle	99	AK 800075B	A
	aluminium shaft	PO Box 34-444			
		Birkenhead			
	D	AUCKLAND	00	4W 000000D	
3926.90.69	Portable PVC solar heated insulated showers of 10 and 21 litre capacities	Capex Industries Ltd PO Box 51-144	99	AK 800088D	A
	Title capacities	Pakuranga			
		AUCKLAND			
4009.50.19	Rubber high pressure inlet hoses with fittings attached	Fisher & Paykel Ltd	99	DN 860008C	A
	•	Private Bag			
		DUNEDIN			
48.09)	CURRENT APPROVAL		<b>a</b> -		
48.10)	Paper and paper board, impregnated, coated, surface-		99	681591L	VA
	coloured, surface-decorated or printed (not constituting				
48.11)	printed matter within Chapter 49), in rolls or sheets:				

#### **CUSTOMS EDITION**

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	EXCLUDING: Coated paper weighing not less than 183g/m², for use in making boxes, cartons, containers and any other form of packaging OTHER THAN: (1) Clay coated solid bleached paper weighing not less than 183g/m², of a kind commonly known as printers boards, for use in the printing industry (2) Two sided clay coated composite paper (made by sticking flat layers together with an adhesive), of a kind commonly known as coated paste boards, weighing not less than 183g/m² and not more than 500g/m²				
48.09) 48.10) 48.11) + 48.16)	REQUESTED APPROVAL Paper and paper board, impregnated, coated, surface- coloured, surface-decorated or printed (not constituting printed matter within Chapter 49), in rolls or sheets: OTHER KINDS: EXCLUDING: Coated paper weighing not less than 183g/m², for use in making boxes, cartons, containers and any other form of packaging OTHER THAN: (1) Clay coated solid bleached paper weighing not less than 183g/m², of a kind commonly known as printers boards, for use in the printing industry (2) Two sided clay coated composite paper (made by sticking flat layers together with an adhesive), of a kind commonly known as coated paste boards, weighing not	Moore Business Forms & Systems Ltd PO Box 3375 AUCKLAND	99	AK 8001121	. VA
5106.20.09	less than $183g/m^2$ and not more than $500g/m^2$ Angora yarn containing 15% angora, $60\%$ lambswool and 25% nylon	Comptroller of Customs PO Box 2218	99	но 8800071	) А
6814.10.00	Epoxy resin impregnated, micapaper electrical insulation	WELLINGTON Electropar Ltd PO Box 2403 AUCKLAND	99	AK 800082F	E <b>A</b>
Section XV	CURRENT APPROVAL Motor vehicle and/or machinery of 8429, 8430 fittings, mountings and trimmings, as may be approved; APPROVED: Bonnet handles, plain or ornamental, which when lifted or turned, lock or unlock the bonnet Brackets for parcel racks Escutcheon plates Floorboard fasteners Hand grips of metal, covered with vulcanite or similar material, commonly used on passenger service vehicles Handles, door, being parts of locksets Handles, door, being parts of locksets Handles, glass fitting Handles, seat Hinges, metal, bored or unbored Hooks, rope Mouldings, metal, being so shaped as to identify them as parts of motor vehicles, plated, polished or enamelled, but not drilled or otherwise worked Recess plates Slide door fittings Van door holders, dovetails, door retaining catches, coat hooks, finished ends, trim fasteners, moulding fasteners, footman loops and striker plates Ventilators and air extractors for buses Window regulators or lifters EXCLUDING: fittings for outward-opening caravan windows		99	721211	X VA
Section XV	REQUESTED APPROVAL Motor vehicle and/or machinery of 84.27, 84.29, 84.30, fittings, mountings and trimmings, as may be approved; APPROVED: Bonnet handles, plain or ornamental, which when lifted or turned, lock or unlock the bonnet Brackets for parcel racks Escutcheon plates Floorboard fasteners Hand grips of metal, covered with vulcanite or similar material, commonly used on passenger service vehicles Handles, door, being parts of locksets Handles, door Handles, glass fitting Handles, seat Hinges, metal, bored or unbored Hooks, rope Mouldings, metal, being so shaped as to identify them as parts of motor vehicles, and/or machinery of 84.27.	Cable-Price Corporation Ltd PO Box 10042 WELLINGTON	99	WN 721711	VA
+	parts of motor vehicles, and/or machinery of 84.27, 84.29, 84.30 Recess plates				

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Slide door fittings Van door holders, dovetails, door retaining catches, coat hooks, finished ends, trim fasteners, moulding fasteners, footman loops and striker plates Ventilators and air extractors for buses Window regulators or lifters EXCLUDING:				
7211.49.01	fittings for outward-opening caravan windows Medium to high carbon cold rolled steel to grades BS 5770, PT 2 1981 (.45 to .90% carbon)	Gerrard Springs Ltd PO Box 3818 AUCKLAND	99	AK 800111	В А
7305.31.19 7305.31.19	Tubes and pipes of other iron and steel E.R.W. 8mm screwed and socketed and plain end, 10mm normal bore screwed and socketed of galvanised or black CURRENT APPROVAL		99	AK 800077	J WA
7300.31.18	Tubes and pipes of other iron or steel viz; (1) ERW 125mm and 150mm nominal bore screwed and socketed galvanised or black (2) Steel water bore casing, 114 to 206 nominal bore screwed	ed	99	480576	D VA
7305.30.19	and socketed REQUESTED APPROVAL Tubes and pipes of other iron or steel viz; Steel water bore casing, 114 to 206mm nominal bore screwed	<u> </u>	99	AK 800076	J VA
7306.40.19	and socketed Welded 316 stainless steel tubing to ASTM A-269 insulated with aluminium/mylar tape I.D. = 12mm	AUCKLAND The NZ Refining Co Ltd C/-PO Box 888 WHANGAREI	99	AK 800073	F A
7310.29.01	Turbomat, centrimat and gettomat water systems (without pumps) being a 24 litre vessel with pressurized air bag insulated from the water by a strong, elastic, replaceable diaphragm, adjustable pressure switch, pressure gauge and fittings	Cable-Price Corporation Ltd PO Box 10042 WELLINGTON	99	WN 721746	. A
7312.10.00	Steel belt tyring material being wire strands impregnated with a rubber covering	South Pacific Tyres NZ Ltd C/-Customs Import Export Agents Ltd PO Box 6673 Te Aro	99	WN 721160	<b>A</b>
7607.19.00	Aluminium clad laminate of the type used for printed circuit boards	WELLINGTON Standard Telephones & Cables (NZ) Ltd PO Box 40140 Lane Street	99	WN 721714	. <b>A</b>
8301.40.00	Briefcase, handbag and satchel locks	UPPER HUTT Modern Bags C/-PO Box 2658 AUCKLAND	99	AK 800108	B A
8311.10.00	$1.6\mbox{mm}$ 6013 electrodes and $2.0\mbox{mm}$ 6013 electrodes for use in arc welding		99	DN 860009	A A
8409.91.01	Engine valves - from 1/8/88	Euromarketing Ltd C/-PO Box 43036 AUCKLAND	99	AK 800063	J A
8409.91.01	Piston liners and cylinder sleeves for vehicle engines - from 1/8/88	Euromarketing Ltd PO Box 43036 AUCKLAND	99	AK 800061	В А
8409.91.01	Piston rings for vehicle engines - from 1/8/88	Euromarketing Ltd C/-PO Box 43036 AUCKLAND	99	AK 800058	
8409.91.01	Pistons for vehicle engines - from 1/8/88	Euromarketing Ltd C/-PO Box 43036 AUCKLAND	99	AK 800062	
8413.50.09 8413.91.29	Keco pump a head marine sanitary waste pumps for the removal of sewage from pleasure craft and fishing boats	Don Hall Machinery Ltd PO Box 7021 DUNEDIN Works & Development Services	99	DN 860006 WN 721885	
0413.91.29	D50 slush pump parts	Corporation (NZ) Ltd PO Box 12-041 WELLINGTON		WIN 721000	A
8419.81.00	CURRENT APPROVAL Maurer air conditioned, maturing and smokehouse installation		99	702830	L VA
8419.81.00	REQUESTED APPROVAL Air conditioned, maturing and smokehouse installations	Globus Group NZ Ltd PO Box 308 WELLINGTON	99	WN 721867	VA
8428.10.00	2 x only DC powered runt scissor lifts, with working heights not exceeding 4.5 metres, capable of fitting through standard doors and turning in its own length	Hirequip Ltd PO Box 851 DUNEDIN	99	DN 860007	E A
8438.80.09	Automatic salmon slicing machine which also layers the resultant slices	Commercial Sales Corporation PO Box 1286 AUCKLAND	99	AK 800131	
8468.90.01	Two and three seat gas cutting tips	Weldwell (NZ) Ltd PO Box 749 NAPIER	99	WN 721772	
8479.82.00	Paint shakers/agitators	Resene Paints Ltd C/-United Customs & Carrying Co Ltd	99	WN 820021	. <b>A</b>

ariff		Name and Address	Part II	Appn. Ref.	*Categor of
tem	Description of Goods	of Applicant	Ref.	No.	Appn.
		PO Box 664			
וח חב בסו	Engine bearings — from 1/9/99	WELLINGTON Furomarketing Itd	00	ATZ ODDOGOD	
483.30.01	Engine bearings - from 1/8/88	Euromarketing Ltd C/-PO Box 43036	99	AK 800060D	A
		AUCKLAND			
183.30.09	Shell bearings and bushes for motor vehicle engines	Cable-Price Corporation Ltd	99	WN 721679	Α
		Private Bag			
185.90.09	Spurs, being an anti-fowling line and weed cutter used on	WELLINGTON Mr H.C. Arfman	99	WN 721888	Α
	boat propellors	PO Box 4088	30	MN 721000	
		NEW PLYMOUTH EAST			
606.12.00	CURRENT APPROVAL		99	928911K	VA
	Oticon-branded hearing air batteries, mercury and air zinc sizes 13 and 312		99	9209111	VA
06.19.00	REQUESTED APPROVAL				
	Oticon-branded hearing air batteries, mercury and air zinc		99	WN 820018	A
	sizes 13, 312 and 230	C/-PO Box 3349 WELLINGTON			
14.40.00	Programmed controlled steel heat treatment units	Northern Metal Testing	99	AK 800079E	Α
		Laboratory Ltd			
		PO Box 1271			
15.31.09	DC inverter type welding power supply	WHANGAREI Weldwell (NZ) Ltd	99	WN 721861	Α
		PO Box 749	~~		••
OH CO		NAPIER			
27.39.00	Multiple band scanning receivers	Santronic Corporation Ltd C/-PO Box 53100	99	AK 800094J	Α
		AUCKLAND			
27.90.09	CURRENT APPROVAL				
	Continuous coverage receivers from 30 MH <sub>z</sub> to 2 GH <sub>z</sub> or		99	680023J	VA
	higher Continuous coverage receivers i.e. 0.09 - 34 MH <sub>2</sub>		99	506082G	VA
27.90.09	REQUESTED APPROVAL		0.0	0000020	***
	Continuous coverage receivers from 0.09 $\mathrm{MH_{Z}}$ - 2 $\mathrm{GH_{Z}}$ or	Support Branch (DCT)	99	WN 721866	VA
	higher	Ministry of Defence			
		Private Bag WELLINGTON			
29.10.19	On glass mobile aerials	AWA New Zealand Ltd	99	WN 721687	Α
		Private Bag			
36.61.09	Ceramic lampholders types E14, B22, E27	PORIRUA Nimbus Lighting Group Ltd	99	AK 800095G	A
-0.01.03	COLUMN THUMPHOLUCIS CYPES EIT, DZZ, EZI	PO Box 12535	ਰਹ	an outubou	A
		Penrose			
.44 20 00	Complete wining looms fitted with asset	AUCKLAND	00	uni gorgio	
44.30.09	Complete wiring looms fitted with connectors and attachments for Mercedes Benz trucks - five per annum only	Cable-Price Corporation Ltd PO Box 10042	99	WN 721710	A
	annum only	WELLINGTON			
46.90.09	Polymer insulators	E.C. Gough Ltd	99	CH 840002E	A
		PO Box 22-073 CHRISTCHURCH			
. 25	CURRENT APPROVAL	CHAISICHURCH			
	Hydrometers and similar instruments; thermometers,		99	540833E	VA
	pyrometers, barometers, hygrometers, psychrometers,				
	recording or not; any combination of these instruments: EXCLUDING:				
	(1) Chart temperature recorders (thermographs) excluding				
	Ryan Recording thermometers (thermographs)				
	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine				
	thermometers				
. 25	REQUESTED APPROVAL				
	Hydrometers and similar instruments; thermometers,	Teltherm Instruments (NZ) Ltd	99	AK 800130J	VA
	(being glass tubes filled with spirit and/or mercury used in the measurement of temperature) pyrometers, barometers,	PO Box 52163 Kingsland			
	hygrometers, psychrometers, recording or not; any	AUCKLAND			
	combination of these instruments:				
	EXCLUDING:				
	(1) Chart temperature recorders (thermographs) excluding				
	kvan kecording thermometers (thermographs)				
	Ryan Recording thermometers (thermographs) (2) Dial-type thermometers exceeding a value of \$2.50				
	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine				
25.11.00\	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers	Teltherm Instruments (N7) 1+d	99	AK 8001280	WA
	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine	Teltherm Instruments (NZ) Ltd PO Box 52163	99	AK 800128G	WA
25.11.00) 25.19.00)	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers	PO Box 52163 Kingsland	99	AK 800128G	WA
25.19.00)	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers Tel-Tru model GT-100 bi-metallic thermometers	PO Box 52163 Kingsland AUCKLAND			
25.19.00)	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers	PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd	99	AK 800128G	WA WA
	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers Tel-Tru model GT-100 bi-metallic thermometers	PO Box 52163 Kingsland AUCKLAND			
25.19.00) 26.20.01	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers Tel-Tru model GT-100 bi-metallic thermometers  Can piercing vacuum gauge	PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 800129E	
25.19.00)	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers Tel-Tru model GT-100 bi-metallic thermometers	PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd			
25.19.00) 26.20.01	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers Tel-Tru model GT-100 bi-metallic thermometers  Can piercing vacuum gauge	PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd PO Box 52163	99	AK 800129E	WA
25.19.00) 26.20.01	(2) Dial-type thermometers exceeding a value of \$2.50 each C.I.F. other than dial type dishwashing machine thermometers Tel-Tru model GT-100 bi-metallic thermometers  Can piercing vacuum gauge	PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND Teltherm Instruments (NZ) Ltd	99	AK 800129E	WA

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	(1) Better then 0.50% accuracy (2) Inconel metal Bourdon tubes (3) Monel metal Bourdon tubes (4) All stainless steel construction including case, Bourdon tube and movement, excluding those with a diameter of 100mm and 150mm (5) Rupture proof dial and blowout back	PO Box 52163 Kingsland AUCKLAND			
9026.20.09	(6) Horizontal diaphragm seal Glycerine filled pressure gauge, pressure 0-30,000 psi sizes: 38mm, 51mm, 63mm, 102mm, 153mm	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland	99	AK 800119	i WA
9026.20.09	Glycerine filled pressure gauges up to 100 PSI	AUCKLAND Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001251	B WA
9026.20.09	Glycerine filled pressure gauges, peculiar for use in agricultural spray equipment e.g. reciprocating pumps used for spraying pesticide	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001330	C WA
9026.20.09	Mud pump pressure gauges	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001241	) WA
9026.20.09	Nuova Fima glycerine filled pressure gauges with dials from 63mm to 100mm for pressures ranging from 500 PSI to 8500 PSI or equivalent	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001231	7 WA
9026.20.09	Pressure gauge 65mm diameter, all stainless steel, glycerine filled with pressure range up to 5000 PSIG	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001151	E WA
9026.20.09	Pressure gauges, 50mm (2'') diameter, when declared by a manufacturer for use by him, only in making or repairing pressure regulators used with industrial gases	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001160	C WA
9026.20.09	Pressure gauges having ultra high repeatability of 0.025% full scale, for monitoring industrial process pressures	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 800117/	A WA
9026.20.09	Pressure gauges, peculiar to use on homogenizers	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001181	C WA
9026.20.09	Wika gylcerine filled pressure gauges, with dials from 63mm to 100mm, for pressures ranging from 500 PSI to or 8500 PSI equivalent	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001221	H WA
9026.80.09	Sigma thermocouple temperature controllers	Teltherm Instruments (NZ) Ltd PO Box 52163 Kingsland AUCKLAND	99	AK 8001211	K WA
9026.90	CURRENT APPROVAL Pneumatic transmissions: (1) Force balance, blind transmitters, with pneumatic output of 19.6kPa to 112.9kPa (2.84 to 16.39lbs per sq.in.) Absolute pressure High range differential, pressure Gauge pressure Position Differential pressure, flow or liquid level Liquid level or density Repeater Vapour pressure Speed		99	462163.	J VA
	Sanitary liquid level Flow transmitters Consistency (2) Pneumatic receiver-controller only, with pneumatic input signals of 19.6kPa to 112.9kPa (2.84 to 16.39lbs per sq.in.) Pneumatic receiver indicating controllers Pneumatic receiver subpanels Pneumatic receiver control stations Pneumatic receiver controllers for automatic control stations Pneumatic receiver batch and multiple auto-selector control Pneumatic receiver single case cascade control systems Pneumatic receiver single case cascade control systems Pneumatic receiver indicating/recording controllers Pneumatic receiver auto-selector control system Pneumatic receiver auto-selector control system				

#### **CUSTOMS EDITION**

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Computer set controller pulse-to-air converter Pneumatic receiver differential gap controller Pneumatic receiver single station cascade controller				
	Pneumatic receiver auxiliary units				
	Pneumatic receiver radio stations (3) Pneumatic receiver auxiliary instruments with pneumatic input signals of 19.6kPa to 112.9kPa (2.84 to 16.39lbs per				
	sq.in.)				
	Pneumatic receiver computing unit, air operated Pneumatic receiver integrator with some remote counter				
	Pneumatic receiver integrator control system				
	(4) Pressure transmitters only indicating and blind, with pneumatic output of 19.6kPa to 112.9kPa (2.84 to 16.39lbs				
	per sq. in.) pressure and relative humidity				
	(5) Recorder to indicators, vertical or horizontal scales, with pneumatic input signals of 19.6kPa to 112.9kPa				
	(2.84 to 16.39lbs per sq. in.)				
	(6) Pneumatic signal conditions with pneumatic output				
	signals of 19.6kPa to 112.9kPa (2.84 to 16.39lbs per sq.in.)				
	EMF, resistance or current input-to-pneumatic converters				
	Current-to-air positioner (7) Mechanical programme type controllers, not being timers				
	only				
	Controller				
	Set point transmitter Cam set controller				
	Time cam set point transmitter				
	Elapsed time controller (8) Temperature, indicating and non-indicating, for use in				
	industrial processors				
9026.90	REQUESTED APPROVAL	Teltherm Instruments (NZ) Ltd	99	AK 800127	'J VA
+	Pneumatic transmissions: (1) Pneumatic receiver-controller only, with pneumatic	PO Box 52163	99	AK 600127	J VA
	input signals of 19.6kPa to 112.9kPa (2.84 to 16.391bs	Kingsland			
	per sq.in.) Pneumatic receiver indicating controllers	AUCKLAND			
	Pneumatic receiver subpanels				
	Pneumatic receiver control stations Pneumatic receiver controllers for automatic control				
	stations				
	Pneumatic receiver batch and multiple auto-selector control				
	Pneumatic receiver single case cascade control systems Pneumatic receiver self-contained and gap action floating				
	controllers				
	Pneumatic receiver indicating/recording controllers Pneumatic receiver auto-selector control system				
	Pneumatic receiver indicating recording control stations				
	Pneumatic receiver ratio controllers Pneumatic receiver computer compatible control systems;				
	Computer set controller pulse-to-air converter				
	Pneumatic receiver differential gap controller  Pneumatic receiver single station cascade controller				
	Pneumatic receiver auxiliary units				
+	Pneumatic receiver radio stations (2) Pneumatic receiver auxiliary instruments with pneumatic				
	input signals of 19.6kPa to 112.9kPa (2.84 to 16.391bs per				
	sq.in.) Pneumatic receiver computing unit, air operated				
	Pneumatic receiver integrator with some remote counter				
+	Pneumatic receiver integrator control system (3) Pressure transmitters only indicating and blind, with				
т	pneumatic output of 19.6kPa to 112.9kPa (2.84 to 16.39lbs				
_	per sq. in.) pressure and relative humidity  (4) Recorder to indicators, wortical or harizontal scales				
+	(4) Recorder to indicators, vertical or horizontal scales, with pneumatic input signals of 19.6kPa to 112.9kPa				
	(2.84 to 16.391bs per sq. in.)				
+	(5) Pneumatic signal conditions with pneumatic output signals of 19.6kPa to 112.9kPa (2.84 to 16.39lbs per				
	sq.in.)				
	EMF, resistance or current input-to-pneumatic converters Current-to-air positioner				
+	(6) Mechanical programme type controllers, not being timers				
	only Controller				
	Set point transmitter				
	Cam set controller				
	Time cam set point transmitter Elapsed time controller				
9403.90.00	Metal drawer assembly system component parts as may be	Hardware 2000 Ltd	99	AK 800085	K A
	approved; APPROVED:	PO Box 27-187 Mt Roskill			
	1. Cabinet members	AUCKLAND			
	2. Drawer members 3. Traverses				
	0. 114761363				

Tariff Item Description of G	oods		Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
4. Railings				· · · · · · · · · · · · · · · · · · ·		
<ol><li>Corner bracket</li></ol>	s					
<ol><li>Traverse clips</li></ol>	3					
<ol><li>Front adaptor</li></ol>						
<ol><li>Back adaptor</li></ol>						
9. Distance block						
10. 7mm cabinet	_					
9506.19.00 Fixed slalom snow	v ski mar	ker p		99	AK 800081	G A
			PO Box 34-444			
			Birkenhead			
			AUCKLAND			
9506.19.00 Hinged slalom sno	ow ski ma	rker		99	AK 800080	J A
			PO Box 34-444			
			Birkenhead AUCKLAND			
* Category of Application:	A	_	Application for Approval			•
	VA	_	Application for Variation of Approval			
	WA	_	Application for Withdrawal of Approval			
	D	-	Application for Determination			
	VD	-	Application for Variation of Determination			
	WD	-	Application for Withdrawal of Determination			
	RUC	_	Revocation of Unused Concessions			
	CUPA		Continuation of Unpublished Approval			
	+	-	Denotes amendment or addition			
** Port:	НО	-	Comptroller of Customs, PO Box 2218, Wellington			
	AK	_	Collector of Customs, Box 29, Auckland			
	WN	-	Collector of Customs, PO Box 2218, Wellington			
	CH	-	Collector of Customs, Box 2098, Christchurch			
	DN	-	Collector of Customs, Private Bag, Dunedin			

Dated at Wellington this 21st day of July 1988.

M.W. TAYLOR, Comptroller of Customs.

#### **CUSTOMS EDITION**

### TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/27 Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.

  SCHEDULE 2 Decisions cancelled. The cancellations listed in this schedule take effect seven days from Gazette date unless otherwise
- specified, eg, WEF (date).

  3 SCHEDULE 3 Limited Decisions
  - (a) Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.
  - This Notice only serves to inform the importing/manufacturing community of the approvals existence.
  - (b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- 4 It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette.
- Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

SCHEDULE 1 General Decisions Approved

					Part			
	Tariff		Rates of	Duty	II	Ref.	Effect	ive
	Item	Description of Goods	Norma1	Pref.	Ref.	No.	From	To
WN	3004.90.19 (30.03.039)	Bactrim tablets and/or syrup	Free	Free	25	730156B	7/87	••
WN	3004.90.19	Salbuvent forte, 200mcg/dose	Free	Free	25	630131C	1/88	
СН	(30.03.039) 3306.10.09	Natural or artificial mechanical teeth cleaning and polishing	Free	Free	99	680260F	1/88	
WN	3506.91.00	preparations Hot melt adhesive as may be approved;	Free	Free	99	721350G	11/87	
	(35.06.000)	APPROVED: Jowatherm 290-60, 283-00, 291-10, 291-40						
WN	3808.10.01	Gusathion (contains up to 500g/kg Azinphos methyl as active ingredient)	Free	Free	99	721504F	3/88	••
WN	3808.30.09	Ustilan (contains Ethidimuron as active ingredient)	Free	Free	99	721503H	3/88	
DN	3917.32.09	Type II and J844 nylon tubing	Free	Free	99	660562B	1/88	
AK	3920.10.09	High density polyethylene/nylon co extruded film manufactured by way of the cast film process	Free	Free	99	703141G	4/88	••
СН	3926.20.51) 3926.20.59)	X-Ray protective leaded aprons	Free	Free	99	740649F	5/88	• •
WN	3926.30.00 (39.07.629)	Plastic components of type used on motor vehicle seats	Free	Free	99	721320E	7/87	• •
CH	3926.90.59	Adhesive cable clamps	Free	Free	99	740651H	6/88	
CH	3926.90.59	Cable tie mounting bases	Free	Free	99	740652F	6/88	
CH	3926.90.59	Cable ties, as may be approved:	Free	Free	99	740656J	6/88	
		APPROVED TYPES: Releasable					0,00	.,
		Identification						
		Double head						
		all those exceeding 500mm in length						
CH	3926.90.59	Collapsible snow shovels	Free	Free	99	740636D	5/88	
CH	3926.90.59	Gold pans	Free	Free	99	740641L	5/88	
СН	4010.91.00	Steel cord belting with a working tensile strength exceeding 139kg/cm width	Free	Free	99	740588L	4/88	• •
DN	4808.30.09	36'' white crepe pleating paper quality M.S.P.A.	Free	Free	99	660560F	6/88	
AK	5402.32.00	Textured nylon yarn exceeding 700 decitex	Free	Free	99	703270G	5/88	
AK	5407.60.00	Acrylic or polyurethane coated jetcloth	Free	Free	99	703309F	3/88	
WN	5604.10.00	Single thread rubberised textured yarn, textile covered	Free	Free	99	721524L	4/88	
AK	5903.90.00	Hypalon coated nylon oxford	Free	Free	99	703308H	3/88	
AK	5910.00.00	Polyamide core transmission belts	Free	Free	99	703267G	3/88	
DN	6403.91.09	Motocross motorcycle protective boots	Free	Free	99	660564J	5/88	
DN	6704.20.00	Ladies bespoke human wig	Free	Free	99	660566E	6/88	
AK	6804.22.00	Disc brake cylinder abrasive pads	Free	Free	99	800015J	1/88	
СН	7005.10.00	Fully tempered soda lime float glass coated with tinoxide layer to withstand temperatures up to 275°C	Free	Free	99	740677A	1/88	••
DN	7318.16.00 (73.32.029)	Nuts to suit propar and york axle and suspension assemblies	Free	Free	99	660567C	4/87	••
AK	7318.16.00	Unistrut serrated and case hardened nuts (with or without springs)	Free	Free	99	703284G	5/88	••
DN	7318.22.00 (73.32.029)	Washers to suit propar and york axle and suspension assemblies	Free	Free	99	660563L	4/87	••
CH	7419.99.19	Stand off conductor brackets	Free	Free	99	740584H	4/88	
AK	7608.20.00	Aluminium alloy Hyundai grade 6063 seamless drawn tubes hard anodised	Free	Free	99	703279L	5/88	
AK	8413.70.09 (84.10.049)	Jesco/Jesse chemical pumps close coupled and bareshaft and vertical sump pump models manufactured in plastic material ie: polyethelene PVDF, PVC or Poly with suitable sealing to suit chemicals	Free	Free	99	703262F	11/87	
CH	8421.29.00	Sulphuric acid anodizing solution filtration equipment	Free	Free	99	740659C	6/88	
WN	8421.31.00	Air filters - as may be approved		Free	99	721715D	5/88	
		Toyota: 17801-10030 Toyota: 17801-74010 Toyota: 17801-16020 Toyota: 17801-15060 Toyota: 17801-70010 Toyota: 17801-70020 Toyota: 17801-56030			30	7217100	3730	••
CH	8424.89.19	Roof coating spray pump and gun	Free	Free	99	740618F	5/88	
AK	8438.40.00	Brewery machinery viz: Malt crushing machine	Free	Free	99	703202B	5/88	• •
AK	8439.10.01	Portable wood waste chipper	Free	Free	99	703224C	7/87	•••

#### **NEW ZEALAND GAZETTE**

Tariff Industry Assistance (Decision) Notice No. 1988/27-continued

					Part	_		
	Tariff		Rates of	-	II	Ref.	Effect	
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	То
	(84.31.001)							
H	8460.90.00	Aluminium sulphate residue and metal burr removing machine	Free	Free	99	740660G	6/88	•
AK .	8516.80.00	Heating resistors (elements) of incolloy 800 of a diameter of 12.7m	Free	Free	99	703162K	5/88	•
Н	8535.90.29	Rail mounted terminal blocks	Free	Free	99	740582A	4/88	
\K	8543.80.29	Dry film resist ultra violet printer	Free	Free	99	703307K	5/88	
H	8543.80.29	Minato eprom programers, gang programers and eraser units	Free	Free	99	740590B	4/88	
<b>AK</b>	8543.80.29	Portable degaussing units	Free	Free	99	703264B	5/88	
N	8544.20.00	Belden YM22582 co-axial cable with solid inner conductor with tinned copper wire and current capability	Free	Free	99	660561D	6/88	•
\K	8544.51.09	Flexible insulated hookup wire UL listed CSA approved 18-26 gauge	Free	Free	99	703219G	6/88	
AK.	9026.20.09	Tyre check valve caps which indicate loss of tyre pressure by showing a red indicator through the clear section of the cap	Free	Free	99	703265L	4/88	•
K	9031.40.00	Opto-electrical comparator	Free	Free	99	703269C	7/88	
CH	9032.10.09	Livestock area automatic vent controllers, sensors, actuators	Free	Free	99	740438H	2/88	
A.K	9403.90.00	Laminated camberred beech slates	Free	Free	99	703228F	4/88	
H	9503.49.00	Jumping toy novelties, pneumatically operated	Free	Free	99	740625J	5/88	
CH	9505.90.00	Whoopee cushions	Free	Free	99	740624L	5/88	
AK	9506.99.19	Components, as may be approved for manufacture of buoyancy compensators APPROVED:  1. Bladders 2. Bare bladderless vests with unsewn edges and without any pockets, webbing, buckles, adjustment straps or any other	Free	Free	99	800101E	7/88	•
		attached fittings 3. Rapid exhaust airway and inflator without low pressure hose attached						
		<ol> <li>Quick valve, clamp or over pressure valve and assembly</li> <li>Back plate</li> <li>Back pack</li> </ol>						
A.K	9506.99.19	Open heeled fins (flippers)	Free	Free	99	703298G	4/88	
AK	9506.99.19	Vented silicone snorkels	Free	Free	99	703287A	4/88	
NN	9612.10.00	Cartridge ribbon for JDL850 printer plotter	Free	Free	99	721425B	4/88	

## SCHEDULE 2 Decisions Cancelled

	Tariff				Ref.	
	Item	Description of Goods			No.	
WN	3004.20.09	Spirotone 25mg	1.	 	200620A	 
WN	3004.90.19	Becotide Rotocaps		 	100738G	 
WN	3004.90.19	Salbuvent forte		 	630131C	 
WN	3004.90.19	Ventolin rotacaps	••	 	102181J	 
CH	3306.90.00	Natural preparations		 	680260F	 
WN	3506.91.00	Hot 290-60		 	640713H	 
CH	3923.50.00	Safety nozzles	••	 	660313A	 
AK	4412.99.09	Laminated slates	••	 	603922H	 
CH	7003.11.00)	Fully 275°C	• •	 	540970F	 
	7007.29.00)					
AK	7317.00.19	Ernst ends		 	910160J	 
WN	7612.90.11	Monobloc diameter		 	480348F	 
WN	8421.31.00	Air 15060	• •	 	721237C	 
AK	8524.90.00	Systems diskettes		 	621196J	 
AK	8525.20.09)	VHF vessels		 	209972B	 
	8527.90.09)					
CH	8543.80.29	Minato units	••	 	740590B	 
AK	9506.99.19	Components, pack	••	 	602346A	 

#### SCHEDULE 3 Limited Decisions Approved

Tariff Rates of Duty II Ref. Effective Item Description of Goods Normal Pref. Ref. No. From To					Part			
Item Description of Goods Normal Pref. Ref. No. From To	Tariff		Rates	of Duty	11	Ref.	Effectiv	re
	Item	Description of Goods	Norma 1	Pref.	Ref.	No.	From T	ìo

### SCHEDULE 4 Applications Declined

	Tariff Item	Description of Goods	Ref. No.
WN	3004.90.19	Asmol aerosol metered dose spray	730121
CH	3215.14.00	Pad printing ink	740676C
AK	3917.40.00	Water mains pipe fittings of polyethylene comprising combination ''O'' ring and grip ring facility to create	703214F
		pressure seal of a push fit design	701000
WN	3926.90.59	Enema bags	721696
WN	7308.30.00) 7308.90.00)	Fire rated doors, and fittings and components therefore regardless of tariff classification	721759
WN	8407.34.09	Engine test benches (36) comprising motor vehicle engines and associated controls enabling engine to operate, mounted on a mobile bench	721804
WN	8528.10.09	Ikegami CCTV industrial colour monitors CMV-1000, CMV-1450	721815
CH	8546.90.09	Ohio brass line post and hilite insulators	740598H
WN	Chapter 89	Spare and service parts for the vessel ''Daniel Solander''	721026

	Tariff Item	Description of Goods	Ref. No.
WN	Chapter 89	Spare and service parts for the vessel ''Ocean Ranger''	721031
(N	9405.30.00	Lighting sets of a kind used for Christmas trees	721832
ľΝ	9503.80.00	''Fun - to - drive'' toy car	721816J
N	9506.99.19	Cricket bats	721594A
ľΝ	9603.90.19	Combination bottle and teat brush	721886

Dated at Wellington this 21st day of July 1988.

M.W. TAYLOR, Comptroller of Customs.

Australia-New Zealand Closer Economic Relations Trade Agreement
Application for the Approval of Goods as Determined
Imported Materials - Notice 1988/4

NOTICE is hereby given that application has been made for the approval of the goods, described in the Schedule hereto, as determined import materials in accordance with New Zealand legislation relating to the rules governing the origin of goods'wholly manufactured''. Any person wishing to lodge an objection to New Zealand determining this application, should do so in writing on or before 11 August 1988. Submissions should include a reference to the application number, tariff item, and description of goods concerned, be addressed to the Comptroller of Customs, Private Bag, Wellington, for attention of the Director, Tariff Division, and be supported by information as to the quality, range, supply etc of the goods or suitable alternative goods produced in New Zealand.

Application Number	Tariff Item	Goods
4.1	1803.20.00	Cocoa Licor
4.2	1804.00.00	Cocoa Butter
Dated at Wellington this	s 21 day of July 1988.	

M W Taylor Comptroller of Customs

DETERMINATION OF THE MINISTER OF CUSTOMS UNDER SECTION 121 OF THE CUSTOMS ACT 1966

- (1) The goods listed in Column Two of this Notice may be entered as unassembled motor vehicles (Tariff items 8701.20.01, 8703.21.01, 8703.22.01, 8703.22.01, 8703.23.01, 8703.32.01, 8703.32.01, 8703.32.01, 8703.32.01, 8704.21.01, 8704.21.09, 8704.22.01, 8704.23.01, 8704.31.01, 8704.31.09, 8704.32.01, 8704.90.01, 8704.90.09, 8706.00.01 and 8706.00.09) provided they are not further manufactured than specified in Column Three. None of the parts entered in these Tariff items shall be used otherwise than in the assembly, completion or manufacture, from the one shipment of parts, of one or more motor vehicles. Separate goods and conditions are determined in this Notice for each of the classes of vehicle identified in Column One.
- 2) The Minister may allow goods to be entered at variance with this Determination and may make any such variation conditional.
- 3) For the purpose of this Determination an 'omnibus' means a motor vehicle designed solely or principally for the carriage of ten or more seated persons (including the driver).
- (4) This Determination shall come into force on the first day of August 1988 and may be amended from time-to-time by notice in the Gazette.
- (5) The Determination in the following Gazette is hereby revoked on the first day of August 1988 but shall at all times after revocation continue to apply to goods entered during its currency:

The New Zealand Gazette of 28 June 1988 (Customs Edition) at pages 2586-2588.

Column One	Column Two	Column Three  Condition in which such goods shall be imported
Classes of Motor Vehicles	Goods	
(A) CLASS I:    Motor vehicles (other than omnibuses),    being sedans, station wagons, utilities,    vans capable of carrying passengers and	(i) Chassis, consisting of:  A metal underbody, side members,	These goods (except the engine and gearbox) may be built up into a 'frame' and the engine and gear box may be fully

- Motor vehicles (other than omnibuses), being sedans, station wagons, utilities, vans capable of carrying passengers and goods or a combination of passengers and goods, chassis/cabs, providing that the gross vehicle weight of such vehicles does not exceed 3,500 kg
- A metal underbody, side members, end members, cross members, sub-frame, tank supports, brackets for fixing engine, springbrackets, engine, and gearbox.
- (ii) Bodies, the following parts:

Panels, and framework (if any)

assembled and attached to a frame. The frame must not be further assembled but such other minor fittings, for example, stays, lugs, and brackets as are ordinarily affixed to the frame may be so affixed. May be built up into the form of a 'shell', with doors attached thereto. The shell may have a coat of grease, oil, red oxide, or similar protective coating, not including cellulose or pyroxylin or similar lacquer. The shell shall not be advanced in manufacture beyond the stage where the necessary welding processes have been performed; for example, the seams shall not be soldered, filled or

The shell may not be attached to the model underbody or frame or to parts affixed thereto as referred to in (i) above but may subject to the foregoing

smoothed.

Column Three Column One Column Two Condition in which such goods shall be Classes of Motor Vehicles Goods restrictions, be imported in such condition as the importer elects. The components nominated below, if imported to be used in the assembly, completion or manufacture of Class I motor vehicles must be entered in accordance with the appropriate Tariff item in Part I of the Customs Tariff: Airdams excluding those which form an integral part of the vehicle body or an integral part of the bumper; Battery cables and earth straps; Brake hoses; ''Bull bar'' type bumpers; Electric accumulators; Exhaust systems (comprising piping and mufflers); Exterior rear vision mirrors excluding those which are an integral part of the vehicle design or are electrically or manually internally adjusted; and excluding electrically heated rear vision mirrors Glass, curved or flat: Horns: Hub caps, hubcentres, full wheel covers, wheel trim bands and discs and wheel rimbellishers; Ignition coils: Interior trim components of hardboard, cardboard or similar materials, leather and plastic sheetings; viz: - Armrests and door pulls of unhardened vulcanised rubber or artificial plastic materials excluding those integrally moulded into door panels; Door panels excluding base boards moulded to shape and excluding fittings of moulded artificial plastic material and attaching hardware. Floor coverings, cut fabricated or moulded to shape excluding those moulded from plastic or rubber; - Head restraints excluding adjustable mechanisms and minor plastic attachments; - Headlinings other than those moulded to shape - Rear parcel trays other than those moulded to shape. Seat belts: Upholsterers' materials (such as flock, wadding, batting, fluting, linters, felts padding and foams) cut, moulded or fabricated to shape (excluding moulded resin bonded felt); Upholsterers' textiles, fabrics, leathers or plastic sheeting, cut moulded or fabricated to shape; Laminated and leaf undercarriage springs (not including shackles therefor); Melt sheets cut to shape; Pneumatic rubber tyres; Radio broadcast receivers designed for use in motor vehicles; Seat frame and spring frame assemblies including springs therefor; Seat reclining mechanisms; Spoilers of unhardened vulcanised rubber or artificial plastic materials; Springs, coiled suspension; excluding frustoconical coil springs; Tonneau covers manufactured from upholsterers' textiles, fabrics, leathers or plastic sheetings cut or fabricated to shape; Wiring, looms or harnesses; Wheels of aluminium alloys. (B) CLASS II These goods shall not be imported in sub-(i) Chassis, consisting of: Commercial motor vehicles and road tractors with a gross vehicle weight assemblies consisting of more than one exceeding 3,500 kg but not exceeding of the components specified. Nor should Chassis frames, suspension 10,500 kg other than omnibuses. assemblies, radiator, engine, the chassis frames (longitudinals) be clutch, gearbox, propellor fitted with any attachment or components. shaft and axles. (ii) Cabs, the following parts of: May be built up into the form of a 'shell'or 'bare cab' with doors attached thereto. They may not be further painted Panels, and framework (if any) than prime coated and may not be fitted or trimmed with any componentry (eg, seats, instruments, window glass, rubber trim, upholstery) other than mounting brackets. The 'bare cab' may not be attached to the chassis but may, subject to the foregoing restrictions be imported in such condition as the importer elects. These cabs may be imported in a fully (iii) Cabs built up finished condition provided they are entered under Tariff items 8704.21.19, 8704.22.11, 8704.23.09, 8704.31.19, 8704.32.11 and 8704.90.21 of the Customs Tariff and pay the rates of duty applying under the appropriate item. The components nominated below, if imported to be used in the assembly, completion or manufacture of Class II motor vehicles, must be entered in accordance with the appropriate Tariff item in Part I of the Customs Tariff: ''Bull bar'' type bumpers; Electric accumulators; Exterior rear vision mirrors excluding those which are an integral part of the vehicle design or are electrically or manually internally adjusted; and excluding electrically heated rear vision mirrors Laminated and leaf undercarriage springs (not including shackles therefor); Melt sheet cut to shape; Pneumatic rubber tyres; Radio broadcast receivers designed for use in motor vehicles; Seat belts; Seat frame and spring frame assemblies including springs therefor; Seat reclining mechanisms; Upholsterers' materials (such as flock, wadding, batting, fluting, linters, felts, padding, foams) cut, moulded or fabricated to shape (excluding moulded resin bonded felt); Upholsterers' textiles, fabrics, leathers or plastic sheetings, cut moulded or fabricated to shape.

(C) CLASS III

Commercial motor vehicles and road tractors with a gross vehicle weight

(i) Chassis, consisting of: Chassis frames, suspension assemblies, These goods shall not be imported in sub-assemblies consisting of more than one

Column One	Column	Two	Column Three
Classes of Motor Vehicles			Condition in which such goods shall be imported
exceeding 10,500kg other than omnibuses.	•	radiator, engine, clutch, gearbox, propellor shaft and axles	of the components specified. Nor should the chassis frames (longitudinals) be fitted with any attachment or component.
	(ii)	Cabs, the following parts of: Panels, and framework (if any).	May be built up into the form of a 'shell' or 'bare cab' with doors attached thereto. They may not be further painted than prime coated and may not be fitted or trimmed with any componentry (eg, seats, instruments, window glass, rubber trim, upholstery) other than mounting brackets.  The 'bare cab' may not be attached to the chassis but may, subject to the foregoing restrictions be imported in such condition as the importer elects.
_	(iii)	Cabs built up.	These cabs may be imported in fully finished condition provided they are entered under Tariff items 8704.21.19, 8704.22.19, 8704.22.09, 8704.31.19, 8704.32.19 and 8704.90.29 of the Customs Tariff and pay the rates of duty applying under the appropriate item.

The components nominated below, if imported to be used in the assembly, completion or manufacture of Class III motor vehicles, must be entered in accordance with the appropriate Tariff item in Part I of the Customs Tariff:

"Bull bar" type bumpers;

Electric accumulators;

Exterior rear vision mirrors excluding those which are an integral part of the vehicle design or are electrically

or manually internally adjusted; and excluding electrically heated rear vision mirrors

Laminated and leaf undercarriage springs (not including shackles therefor);

Pneumatic rubber tyres (excluding steel belted and steel corded truck tyres 20'' rim diameter and above):

Radio broadcast receivers designed for use in motor vehicles;

Seat belts.

CLASS IV

Motor vehicles being omnibuses.

Chassis, consisting of: Chassis frames, suspension assemblies radiator, engine, clutch, gearbox, propellor shafts and axles.

These goods shall not be imported in subassemblies consisting of more than one of the components specified. Nor should the chassis frames (longitudinals) be fitted

with any attachments or components.

The components nominated below, if imported to be used in the assembly, completion or manufacture of Class IV motor vehicles, must be entered in accordance with the appropriate Tariff item in Part I of the Customs Tariff:

Electric accumulators:

Exterior rear vision mirrors excluding those which are an integral part of the vehicle design or are electrically

or manually internally adjusted; and excluding electrically heated rearvision mirrors

Laminated and leaf undercarriage springs (not including shackles therefor);

Omnibus body components regardless of the condition of manufacture (including frame, panel and preformed body components) but excluding doors and moulded front body panels;

Pneumatic rubber tyres (excluding steel belted and steel corded truck tyres 20''

rim diameter and above);

Radio broadcast receivers designed for use in motor vehicles;

Seat belts.

M W Taylor Comptroller of Customs

Explanatory Note -

(1) Provides for driveshafts to be deleted as nominated components in relation to Class I vehicles.

