



LAND & DEEDS OFFICE

15 AUG 1988

GISBORNE

The New Zealand
Gazette

Customs Edition

WELLINGTON: TUESDAY, 9 AUGUST 1988

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/29
Applications Advertised for Objection
Closing Date for Objections 25 August 1988

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 25 August 1988. All submissions must include:
- the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item;
 - the Port; and
 - Reference number.
- 2 All submissions from local manufacturers must include:
- the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 All submissions objecting to a request for the imposition of duty must include:
- reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.
- 5 Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. Ref. No. | *Category of Appn. |
|-------------|---|---|--------------|----------------|--------------------|
| 2106.90.09 | Travasorb renal food substitute | Baxter Healthcare Ltd 236 Apirana Avenue Glen Innes AUCKLAND | 99 | AK 800227E | A |
| 3003.90.01 | Acetyl Promazine tablets and/or injection | Techvet Labs Ltd PO Box 12764 Penrose AUCKLAND | 26 | WN 830014 | A |
| 3003.90.01 | Amphoprim Bolus | Techvet Labs Ltd PO Box 12764 Penrose AUCKLAND | 26 | WN 830011 | A |
| 3003.90.01 | Cloxagel 1000 DC | Techvet Labs Ltd PO Box 12764 Penrose AUCKLAND | 26 | WN 830012 | A |
| 3003.90.01 | Diet Scour | Techvet Labs Ltd PO Box 12764 Penrose AUCKLAND | 26 | WN 830015 | A |
| 3004.90.01 | Negasunt Power | Bayer NZ Ltd PO Box 38-405 Petone AUCKLAND | 26 | WN 830009 | A |
| 3003.90.01 | Phenyzone injection | Techvet Labs Ltd PO Box 12764 Penrose AUCKLAND | 26 | WN 830016 | A |
| 3003.90.01 | Phenyzone oral paste | Techvet Labs Ltd PO Box 12764 Penrose AUCKLAND | 26 | WN 830010 | A |
| 3003.90.01 | Tetroxy LA | Techvet Labs Ltd PO Box 12764 Penrose AUCKLAND | 26 | WN 830013 | A |
| 3402.19.00 | Ototan 1124 | Rohm & Haas NZ Ltd PO Box 22220 Otahuhu AUCKLAND | 99 | AK 800247K | A |
| 3705.90.00 | Photographic slides, exposed and developed-specialised food industry gas packing-being for the education and product training of staff and members of food industries | Liquid Air Ltd PO Box 12-846 Penrose AUCKLAND 6 | 99 | AK 800249F | A |
| 3808.10.01 | Attack | ICI (NZ) Ltd PO Box 1592 WELLINGTON | 99 | WN 721707 | A |
| 3808.10.19 | Karate 50 EC | ICI (NZ) Ltd PO Box 1592 WELLINGTON | 99 | WN 721754 | A |
| 3808.30.01 | CURRENT APPROVAL Goltix W.P. 70 (Aminoarylalkyltriazine) | | 99 | 105194G | VA |
| 3808.30.01 | REQUESTED APPROVAL Goltex (active ingredient metamitron) | Bayer NZ Ltd PO Box 38-405 Petone WELLINGTON | 99 | WN 721766 | VA |
| 3808.30.09 | Preeglone | ICI (NZ) Ltd PO Box 1592 WELLINGTON | 99 | WN 721755 | A |
| 3808.30.09 | Reglone | ICI (NZ) Ltd PO Box 1592 WELLINGTON | 99 | WN 721757 | A |
| 3907.20.09 | Bisomer PPM5S (polypropylene glycol monomethacrylate) | Protochem Trading NZ Ltd | 99 | AK 800275E | A |

Tariff Industry Assistance (Advertisement) Notice No. 1988/29—continued

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. Ref. No. | *Category of Appn. |
|-------------|--|--|--------------|----------------|--------------------|
| | used in resin manufacture | PO Box 37-081 Parnell AUCKLAND | | | |
| 3919.90.09 | Fingerprint lifters | Commissioner of Police Supply Section, 6th Floor 180 Molesworth Street WELLINGTON | 99 | WN 721665 | A |
| 3920.20.29 | CURRENT APPROVAL Polypropylene film up to 100 microns (0.100mm) in thickness | | 99 | 702538G | VA |
| 3920.20.29 | REQUESTED APPROVAL Polypropylene film Colour - white and blue Thickness - 75 micron to 125 micron Width - 900mm to 1200mm | Van Leer NZ Ltd PO Box 51175 Pakuranga AUCKLAND | 99 | AK 800260G | VA |
| 3926.90.69 | 300ml plastic drinking cups | Vendos (NZ) Ltd PO Box 3854 AUCKLAND | 99 | AK 800208J | A |
| 3926.90.69 | CURRENT APPROVAL Plastic shovels as may be approved; APPROVED: GP1, GP2, GP3, GP4, GP5, GP6, GP7 polypropylene; 6981, 6982 | | 99 | 701949B | VA |
| 3926.90.69 | REQUESTED APPROVAL Plastic shovels as may be approved; APPROVED: GP1, GP2, GP3, GP4, GP5, GP6, GP7; Polypropylene; 6981, 6982; Spark free shovel; SFS 03, SFS 04, SFS 05, SFS 07, SFS 08, SFS 09, SFS 010 | C.E. Lawford Ltd PO Box 22-418 AUCKLAND 6 | 99 | AK 800221F | VA |
| 4008.29.00 | Methyl-methacrylate compatible glass laminating butyl spacer tape, being a rubber edge tape containing a nylon core | Pilkingtons NZ Ltd PO Box 344 WHANGAREI | 99 | AK 800224L | A |
| 4802.52.01 | 60gm white bond paper in rolls | NCR Systemedia Division PO Box 51-053 Tawa WELLINGTON | 99 | WN 820022 | A |
| 4808.30.09 | Creped kraft paper, weighing not less than 100 g/m ² | Paper Coaters (NZ) Ltd PO Box 12-163 Penrose AUCKLAND | 99 | AK 800252F | A |
| 6115.93.11) | Anti embolism stockings | Medix 21 Ltd PO Box 54117 Plimmerton WELLINGTON | 99 | WN 820020 | A |
| 6115.93.19) | | | | | |
| 6209.20.09 | Baby bib (100% cotton) being a bib that slips overhead and has an evenweave insertion woven into front for cross-stitch to be embroidered on | The Embroidery Shop 286 Queen Street MASTERTON | 99 | WN 721852 | A |
| 6210.50.01 | Dry suit of the type used in water sports | Mr F Groen PO Box 38-293 Petone WELLINGTON | 99 | WN 820066 | A |
| 6506.91.00 | Swimming caps of the type used in competition swimming only | Customs Agents (WN) Ltd C/-Ivan W McNicholl Tariff Consultant PO Box 1024 WELLINGTON | 99 | WN 721818 | A |
| 68.02 | Worked monumental or building stone (except slate) whether or not rectangular, not exceeding 15mm in thickness, with no side exceeding 45cm in length | Customs Agents (WN) Ltd C/-Ivan McNicholl Tariff Consultant PO Box 1024 WELLINGTON | 99 | WN 721065 | A |
| 6805.20.19) | Self adhesive pressure sensitive (stick-it) discs | Carborundum Abrasives Ltd Private Bag Takapuna AUCKLAND | 99 | AK 800267D | WA |
| 6805.30.19) | | | | | |
| 7016.10.00 | Printed square glass mirrored tiles on a fabric backing | Covering and Furnishing Distributors Ltd C/-Harbour City Customs Consultants Ltd PO Box 31-012 LOWER HUTT | 99 | WN 820005 | A |
| 7117.19.00 | CURRENT APPROVAL Medic alert emblems (brackets) of stainless steel with medical insignia on one side | | 99 | 928749D | VA |
| 7117.19.00 | REQUESTED APPROVAL Medic alert emblems, with medical insignia on one side | The NZ Medic Alert Foundation Inc PO Box 40-028 UPPER HUTT | 99 | WN 721905 | VA |
| 7209.12.00 | Cold reduced iron or non alloy steel, of a thickness exceeding 1mm but less than 3mm, with a minimum yield point of 350Mpa or higher | Southward Engineering Co Ltd PO Box 36-036 Moera LOWER HUTT | 99 | WN 721805 | A |
| 7209.12.00 | Cold rolled steel coil x 2mm (72.29 Rockwell B Hardness) in coil widths 62mm, 76mm, 98mm | Thomas Hyde Ltd PO Box 503 CHRISTCHURCH | 99 | CH 840026B | A |

Tariff Industry Assistance (Advertisement) Notice No. 1988/29—continued

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. No. | *Category of Appn. |
|-------------|--|--|--------------|------------|--------------------|
| 7216.50.00 | Sections other than U, I, H, L, T, or Y less than 40kg/ metre of a height less than 80mm | Cable Price Steel PO Box 2997 AUCKLAND | 99 | AK 800261E | A |
| 7310.29.01 | 10 litre petrol cans | George Stock & Co PO Box 8429 Symonds Street AUCKLAND | 99 | AK 800226G | A |
| 7311.00.00 | Iron and steel containers for liquified gas with a capacity of 7kg to 24kg | Sunshine Leisure Products NZ Ltd C/-Arthur H Giles Ltd PO Box 504 DUNEDIN | 99 | DN 860017B | A |
| 7318.11.00) | CURRENT APPROVAL | | | | |
| 7318.15.09) | Socket head metric fasteners | | 99 | 540979K | VA |
| 7318.11.00) | REQUESTED APPROVAL | | | | |
| 7318.15.09) | Hexagon socket head cap screws, metric, class 12.9 or greater as defined by B.S. 4168 part 1 | Ajax Fasteners (NZ) Ltd 19-25 Seaview Road LOWER HUTT | 99 | WN 820112 | VA |
| 7318.15.09 | CURRENT APPROVAL | | | | |
| | Hexagon head cap screw; metric, UNC and UNF thread types 304, 316 stainless steel | | 99 | 720974G | VA |
| 7318.15.09 | REQUESTED APPROVAL | | | | |
| | Hexagon socket head capscrews, stainless steel types AISI 304 or 316, metric or UNC threads strength class 70 or higher as defined in BS 4168 part 1 | Ajax Fasteners (NZ) Ltd 19-25 Seaview Road LOWER HUTT | 99 | WN 820128 | VA |
| 7612.10.00 | Collapsible aluminium tubes when supported by original written evidence from Impact Manufacturing Ltd of Lower Hutt that they are unable to supply | Impact Manufacturing Ltd LOWER HUTT | 99 | WN 820089 | WA |
| 7318.29.00 | High tensile lock pins as approved (a) P.T.O. lock pins (b) Linch pins | Gulf Manufacturing Ltd C/-PO Box 3986 AUCKLAND | 99 | AK 800205D | A |
| 7321.81.00 | Balanced flue gas wall heater | Comfort Control Ltd C/-MSAS Cargo International PO Box 2427 WELLINGTON | 99 | WN 721878 | A |
| 7604.29.09 | Aluminium sections, when declared by a manufacturer for use by him only in making filters | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800232A | WA |
| 7604.29.09 | Extruded aluminium heatsink for use in the making of electronic equipment | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800233K | WA |
| 7604.29.09 | Extruded profile section for use in the manufacture of vertical blinds | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800234H | WA |
| 7604.29.09 | Omnibus extruded profiles | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800235F | WA |
| 7606.12.01 | Wrought plates and sheet of aluminium worked 'Korund' 'Saphir' and 'Granit' Dessin half hard temper in pliable (minimum bending radius of 6mm in cold handling operations) | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800236D | WA |
| 7606.12.01 | Wrought plates and sheet of aluminium-worked- 'topas', dessin half hard temper-pliable (minimum bending radius of 6mm in cold bending operations) | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800237B | WA |
| 7606.12.09 | Alanoïd high grade bright rolled high specular reflector sheet and strip of aluminium | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800238L | WA |
| 7606.12.09 | 'A-look' aluminium mirror material | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800239J | WA |
| 7606.12.09 | Aluminium alloy sheet and plate on condition that it will be used only in making patterns and engineers machine dies | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800241L | WA |
| 7606.12.09 | Aluminium coil 2.44m x 1.2mm when declared for repairing or making international shipping containers | Alcan NZ Ltd PO Box 308 WELLINGTON | 99 | AK 800242J | WA |
| 7606.12.09 | Aluminium sheet in excess of 0.2mm thick mirror bright finish, scratch free material for supply to manufacturers of heater reflectors | Alcan NZ Ltd PO Box 308 WELLINGTON | 99 | AK 800240B | WA |
| 7606.12.09 | Aluminium sheet to 5083H 12, 5086 sizes in excess of 4.5m x 1.5m when declared: (1) by a manufacturer for use by him, only in making fishing boats or (2) by an importer for sale by him, only to a manufacturer for use by him only in making fishing boats | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800243G | WA |
| 7606.12.09 | Aluminium strip (Finstock) 26 swg x 12.7mm wide and 26 swg x 15.8mm wide | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800231C | WA |
| 7606.12.09 | Feedstock or coilstock for use in making venetian blinds | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800269L | WA |
| 7606.92.01 | Aluminium circles to specification ZZ5252 H24 high bright finish on condition that they be used solely to manufacture high bright finish automobile wheel trims | Alcan NZ Ltd C/-PO Box 308 WELLINGTON | 99 | AK 800244E | WA |
| 7606.92.09 | Aluminium sheet alloy 8011 H25 temper for manufacture of closures | Alcan NZ Ltd C/-PO Box 308 | 99 | AK 800245C | WA |

Tariff Industry Assistance (Advertisement) Notice No. 1988/29-continued

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. No. | *Category of Appn. |
|-------------|---|---|--------------|------------|--------------------|
| 7606.92.09 | Aluminium sheet for closures - Alloy 8011 temper H16 on condition that it will be used solely in making of pilfseals for the softdrink industry | WELLINGTON Alcan NZ Ltd C/-PO Box 308 | 99 | AK 800246A | WA |
| 7616.90.29 | Bonded honeycomb sandwich panels being aluminium skins or woven glassfibre reinforced plastic skins, containing a core of aluminium honeycomb | WELLINGTON Ciba-Geigy NZ Ltd C/-Daniel Silva, Tariff Consultant PO Box 305 AUCKLAND | 99 | AK 800225J | A |
| 8202.32.000 | Tungsten carbide tipped circular saw blade segments | Comptroller of Customs PO Box 2218 WELLINGTON | 99 | HO 880019H | A |
| 8205.40.00 | Screwdrivers | Craftsman Tool Co Ltd C/-Universal Customs Agency Ltd PO Box 3424 WELLINGTON | 99 | WN 721834 | A |
| 8413.81.19 | 75mm approximate aggregate nozzle with mixing chamber and inlets for emulsion, turned ends; unit is cast aluminium with rubber seals and bronze perforated collar being final placing component of a locally manufactured asphalt mixing machine being built under licence to American Asphaltite Corp | Mr J.P. Turnbull Private Box OPUA | 99 | AK 800256J | A |
| 8414.90.49 | Adjustable pitch full reversible fan impellers | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 721897 | A |
| 8415.10.00 | Window mounted room air conditioners not exceeding 7kw cooling capacity | MKS Imports Ltd PO Box 308 WELLINGTON | 99 | WN 820121 | A |
| 8419.32.00 | Paper machine profiler/infra red dryer | NZFP Pulp & Paper Ltd Private Bag Symonds Street AUCKLAND | 99 | AK 800228C | A |
| 8419.89.09 | Laboratory tissue float baths | Stevens KMS Group (NZ) Ltd PO Box 413 AUCKLAND 1 | 99 | AK 800274G | A |
| 8427.10.00) | Component parts for the manufacture of elevating or stacking trucks (not being Rule 2A machines) and/or catalogued spare parts for the repair of such machines; | Collector of Customs PO Box 2218 WELLINGTON | 99 | WN 820124C | WA |
| 8427.20.00) | EXCLUDING: | | | | |
| 8427.90.00) | Axle shafts Battery containers and battery plates Brake cables and brake drums Bushes and bearings Chassis Counterweight Decals Electric controllers Exhaust systems Floor mats Fuel tanks Horns Lamp bulbs Parts of general use Pneumatic tyres Radiators Rubber pedal mats Wiring looms This list of exclusions applies to component and spare parts. All parts must be entered under their substantive Tariff Item but will be admitted under the above concession | | | | |
| 8427.10.00 | Electric walkie/stacker fork lifts (700 and 1000kg capacity) with hand control operation | Crown Controls Ltd C/-Ivan W McNicholl Tariff Consultant PO Box 1024 WELLINGTON | 99 | WN 820032 | A |
| 8427.10.00 | Self propelled articulating work platform being of a type for elevating workmen to overhead jobs in building maintenance | Consultant Agencies Ltd PO Box 3485 AUCKLAND | 99 | AK 800259C | A |
| 8427.10.00 | Walkie/pallet electric truck (4000lb capacity) | Crown Controls Ltd C/-Ivan W McNicholl Tariff Consultant PO Box 1024 WELLINGTON | 99 | WN 820031 | A |
| 8428.10.00 | Building and construction site goods and personnel lifts, operating on the rack-and-pinion principle, having a safe working load which exceeds 390kg | Handling Equipment NZ Ltd C/-Daniel Silva, Tariff Consultant PO Box 305 AUCKLAND | 99 | AK 800273J | A |
| 84.29) | Excavating, levelling, tamping, boring and extracting machinery, stationary or mobile, for earth, minerals or ores (for example, mechanical shovels, coal-cutters, excavators, scrapers, levellers and bulldozers); | Comptroller of Customs PO Box 2218 WELLINGTON | 99 | HO 701128J | VA |
| 84.31) | pile-drivers; snow-ploughs, not self-propelled (including snow-plough attachments); - Excavating machinery; -- Other kinds: | | | | |

Tariff Industry Assistance (Advertisement) Notice No. 1988/29—continued

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. Ref. No. | *Category of Appn. |
|-------------|---|-------------------------------|--------------|----------------|--------------------|
| | <p>EXCLUDING:</p> <p>(a) Bulldozer blades, buckets and the like and their activating equipment, eg., hydraulic rams, trunnions, cylinder bracket assemblies and push arms</p> <p>(b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 16,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights</p> <p>(c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader)</p> <p>(d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees</p> <p>(e) Four wheel drive, skid steer front end loaders (commonly known as Bobcat Loaders)</p> <p>(f) Rubber tracted loader with a lifting capacity up to 1000 kg</p> | | | | |
| 84.29) | Excavating machinery, other than machinery of a kind | Comptroller of Customs | 99 | HO 880016C | A |
| 84.31) | designed for mounting on tractors or other vehicles | PO Box 2218 | | | |
| | <p>EXCLUDING:</p> <p>(a) Bulldozer blades, buckets and the like and their activating equipment, eg., hydraulic rams, trunnions, cylinder bracket assemblies and push arms</p> <p>(b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,995 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights</p> <p>(c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader)</p> <p>(d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees</p> <p>(e) Four wheel drive, skid steer front end loaders (commonly known as Bobcat Loaders)</p> <p>(f) Rubber tracted loader with a lifting capacity up to 1000 kg</p> | WELLINGTON | | | |
| 8429.51.00) | Self-propelled excavators | Comptroller of Customs | 99 | 701129G | WA |
| 8429.52.00) | EXCLUDING: | PO Box 2218 | | | |
| 8429.59.00) | <p>(a) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 16,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast</p> | WELLINGTON | | | |

Tariff Industry Assistance (Advertisement) Notice No. 1988/29-continued

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. No. | *Category of Appn. |
|-------------|--|---|--------------|------------|--------------------|
| | and optional counterweights (b) Buckets having an S.A.E. rated capacity below 1.53 M3 (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader) (d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees (e) Four wheel drive, skid steer front end loaders (commonly known as Bobcat Loaders) (f) Rubber tracted loader with a lifting capacity up to 1000 kgs | | | | |
| 8429.51.00 | Wheeled front end loaders with a static tipping load in full turn capacity exceeding 16,000 kg, as may be approved, viz; Caterpillar models No.s 992C, 998B, 980C | Comptroller of Customs PO Box 2218 WELLINGTON | 99 | HO 540828J | WA |
| 8431.20.00 | CURRENT APPROVAL Elevating or stacking trucks (eg, forklift trucks), parts of, when declared; (1) by a manufacturer for use by him, only in making such trucks; or (2) by an importer or manufacturer for use by him, only in the repair of such trucks; EXCLUDING: Axle shafts Battery containers and battery plates Brake cables and brake drums Bushes and bearings Chassis Counterweight Decals Electric controllers Exhaust systems Floor mats Fuel tanks Horns Lamp bulbs Parts of general use Pneumatic tyres Radiators Rubber pedal mats Wiring looms NOTE: All parts must be entered under substantive item, but will be admitted under the above concession | | 99 | 206424D | VA |
| 8431.20.00 | REQUESTED APPROVAL | | | | |
| + | Component parts for the manufacture of elevating or stacking trucks (not being Rule 2A machines) and/or catalogued spare parts for the repair of such machines; EXCLUDING: Axle shafts Battery containers and battery plates Brake cables and brake drums Bushes and bearings Chassis Counterweight Decals Electric controllers Exhaust systems Floor mats Fuel tanks Horns Lamp bulbs Parts of general use Pneumatic tyres Radiators Rubber pedal mats Wiring looms This list of exclusions applies to component and spare parts. All parts must be entered under their substantive Tariff Item but will be admitted under the above concession | Collector of Customs PO Box 2218 WELLINGTON | 99 | WN 820125 | VA |
| 8431.49.19 | Hiab and Palfinger hydraulic truck mounted crane components, other than parts for general use and/or catalogued spare parts for the repair of such machines. This concession to apply irrespective of tariff | Hydraulic Machinery Co NZ Ltd PO Box 225 MATAMATA | 99 | AK 800281K | A |

Tariff Industry Assistance (Advertisement) Notice No. 1988/29—continued

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. Ref. No. | *Category of Appn. |
|----------------------------|--|---|--------------|----------------|--------------------|
| 8447.90.09 | classification Warp knitting machines | NZ Fabrics Ltd PO Box 14321 Panmure AUCKLAND | 99 | AK 800255L | A |
| 8483.40.09 | Gear box incorporating torque limiter inherently mounted in the gear box | John Brooks Ltd PO Box 7429 CHRISTCHURCH | 99 | CH 840020C | A |
| 85.17 | Multiplexes excluding pulse code modulator (P.C.M.) multiplexes and digital multiplexes | S.T.C. NZ Ltd PO Box 40140 UPPER HUTT | 99 | WN 820091 | WA |
| 85.17 | (3) Three only startel call distribution system | Telecom Corporation of NZ Ltd Corporate Commercial Department Private Bag WELLINGTON | 99 | WN 721566 | A |
| 8517.10.00 | Telephone sets incorporating answerphone as integral part of telephone | Telecom Corporation Importation Section Private Bag WELLINGTON | 99 | WN 820129 | A |
| 8517.90.00 | Limited decision for two years only. Telephone PABX components as may be approved: memory cards. GEC lyric - 2 moit cards, featurephone line cards. Not to exceed 2000 per year of any one type. To P.O. tender No. 740/540 and 173/2519 | Telecom Corporation of NZ Ltd Importation (Contracts Section) Corporate Commercial Private Bag WELLINGTON | 99 | WN 820049 | A |
| 8529.10.09 | End fed Dipole aerals | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 820101 | WA |
| 8529.10.09 | Shrouded antenna suitable for frequency range 1420 - 1535 MHz | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 820102 | WA |
| 8529.10.19 | Base aerals in 225-400 MHz band | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 820098 | WA |
| 8529.10.19 | FM omnidirectional circular polarisation antennae 87.5-104 MHz | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 820100 | WA |
| 8529.10.19 | 900MHz VHF 12 element antennae | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 820097 | WA |
| 8529.90.29 | Frequency duplexers exceeding 800 MHz | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 820099 | WA |
| 8529.90.69 | VHF - FM channel combiners | Price Waterhouse PO Box 766 WELLINGTON | 99 | WN 820096 | WA |
| 8537.20.00 | CURRENT APPROVAL Component parts of switchboards and control panels for inclusion in locally manufactured magnefix-type MB4 11000 volt switchgear | | 99 | 520584A | VA |
| 8537.20.00 | REQUESTED APPROVAL Component parts of switchboards and control panels for inclusion in locally manufactured 11000 volt switchgear | ABB Power Division PO Box 3854 AUCKLAND | 99 | AK 800272L | VA |
| 8543.80.29 | Ultra violet tanning units | MKS Imports Ltd PO Box 308 WELLINGTON | 99 | WN 820068 | A |
| 9014.80.09) 9014.90.00) | Marine navigational instruments | Auckland Wholesale Boat Co PO Box 82252 Highland Park AUCKLAND | 99 | AK 800280A | WA |
| 9031.80.00 | Electronic marine instruments for recording boat speed and distance other than DECA logs, sea farer logs, Furuno and Morioka models | Auckland Wholesale Boat Co PO Box 82252 Highland Park AUCKLAND | 99 | AK 800278K | WA |
| 9031.80.00 | Electronic marine instruments for recording boat speed and distance with a CIF value of \$NZ 401 and over | Auckland Wholesale Boat Co PO Box 82252 Highland Park AUCKLAND | 99 | AK 800279H | WA |
| 9306.21.01 | 12 gauge shotshells, steel shot | Olin Corporation (NZ) Ltd C/-PO Box 3986 AUCKLAND | 99 | AK 800276C | A |
| 9306.21.01 | Blank 12 gauge shotshells | Olin Corporation (NZ) Ltd C/-PO Box 3986 AUCKLAND | 99 | AK 800277A | A |
| 9503.49.00 | Plastic squeeze toys. Note this concession does not cover stuffed toys | Stewart Sales & Services Ltd C/-PO Box 1804 CHRISTCHURCH | 99 | CH 840013L | A |
| 9506.29.00 | CURRENT APPROVAL Ski knee board and surfer | | 99 | 720544K | VA |
| 9506.29.00 | REQUESTED APPROVAL Inflatable water ski knee board and surfer | Snowstik Snowboards 900 Lower Styx Road CHRISTCHURCH | 99 | CH 740686L | VA |
| 9603.29.19 | Sterile disposable hand scrub brushes | Ebos Group Ltd PO Box 411 | 99 | CH 740695K | A |

Tariff Industry Assistance (Advertisement) Notice No. 1988/29—continued

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. No. | *Category of Appn. |
|----------------|--|--|--------------------|--------------|--------------------------|
| 9605.00.00 | Groomer kits comprising of; 1. Toothbrush and paste 2. Shaver and blades 3. Comb 4. Nail file 5. Shoe horn 6. Nail clippers 7. Pocket knife/bottle opener | CHRISTCHURCH Shirleen Enterprises Ltd C/-Walsh & Anderson Customs Agency Ltd PO Box 1268 WELLINGTON | 99 | WN 820103 | A |
| 9615.90.19 | One piece waved steel hairgrips | Ascot Agencies Ltd PO Box 2277 AUCKLAND | 99 | AK 800220H | A |

| | | | |
|----------------------------|------|---|---|
| * Category of Application: | A | - | Application for Approval |
| | VA | - | Application for Variation of Approval |
| | WA | - | Application for Withdrawal of Approval |
| | D | - | Application for Determination |
| | VD | - | Application for Variation of Determination |
| | WD | - | Application for Withdrawal of Determination |
| | RUC | - | Revocation of Unused Concessions |
| | CUPA | - | Continuation of Unpublished Approval |
| | + | - | Denotes amendment or addition |
| ** Port: | HO | - | Comptroller of Customs, PO Box 2218, Wellington |
| | AK | - | Collector of Customs, Box 29, Auckland |
| | WN | - | Collector of Customs, PO Box 2218, Wellington |
| | CH | - | Collector of Customs, Box 2098, Christchurch |
| | DN | - | Collector of Customs, Private Bag, Dunedin |

Dated at Wellington this 4th day of August 1988.

M.W. TAYLOR, Comptroller of Customs.

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/29

Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- 1 Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.
- 2 SCHEDULE 2 - Decisions cancelled. The cancellations listed in this schedule take effect seven days from Gazette date unless otherwise specified, eg, WEF (date).
- 3 SCHEDULE 3 - Limited Decisions
(a) Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.
This Notice only serves to inform the importing/manufacturing community of the approvals existence.
(b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- 4 It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette.
- 5 Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month - eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

SCHEDULE 1
General Decisions Approved

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|--|---|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| WN 1704.90.00 (17.04.009) | Fishermans Friend lozenges | Free | Free | 99 | 721592E | 12/87 | .. |
| WN 3003.90.09 | Questran powder (bulk) | Free | Free | 25 | 730163E | 4/88 | .. |
| WN 3004.20.01 | Oxytetrin LA injection | Free | Free | 26 | 730178C | 5/88 | .. |
| WN 3004.39.09 | Allophen tablets | Free | Free | 26 | 730173B | 4/88 | .. |
| WN 3004.39.09 | Glycerine suppositories | Free | Free | 26 | 730171F | 4/88 | .. |
| WN 3004.39.09 | Mylanta liquid (375 ml and/or 500 ml) | Free | Free | 25 | 730174L | 4/88 | .. |
| WN 3004.39.09 | Mylanta tablets | Free | Free | 25 | 730175J | 4/88 | .. |
| WN 3004.50.09 | ABDEC drops (25 ml and/or 50 ml) | Free | Free | 26 | 730169D | 4/88 | .. |
| WN 3004.50.09 | Metatone 500 ml | Free | Free | 26 | 730170H | 4/88 | .. |
| WN 3004.50.09 | Sealegs tablets | Free | Free | 26 | 730179A | 5/88 | .. |
| WN 3004.90.19 | Axid capsules | Free | Free | 26 | 730181C | 5/88 | .. |
| WN 3004.90.19 | Retrovir 200mg | Free | Free | 26 | 730182A | 5/88 | .. |
| AK 3208.90.01 | BYK-A 515 | Free | Free | 99 | 703417C | 5/88 | .. |
| AK 3402.19.00 (34.02.000) | Polyoxyethylene amine water soluble surfactant | Free | Free | 99 | 703440H | 12/87 | .. |
| CH 3402.19.00 | Strachen jewel sparkle | Free | Free | 99 | 740615A | 5/88 | .. |
| CH 3402.19.00 | Talkette jewel sparkle | Free | Free | 99 | 740614C | 5/88 | .. |
| CH 3402.19.00 | Town talk jewel sparkle | Free | Free | 99 | 740585F | 5/88 | .. |
| AK 3808.10.01 | Parathion M60 | Free | Free | 99 | 703395J | 6/88 | .. |
| AK 3808.90.00 | Metaldehyde granules | Free | Free | 99 | 703081K | 5/88 | .. |
| WN 3815.19.00 | Catalyst 53 series | Free | Free | 99 | 721670L | 5/88 | .. |
| AK 3917.40.00 | PVC furniture pipe fittings excluding canoe clips | Free | Free | 99 | 703299E | 6/88 | .. |
| AK 3926.90.59) 3926.90.69) | Plastic pully operated horticultural plant supports | Free | Free | 99 | 703414J | 4/88 | .. |
| AK 3926.90.59) 3926.90.69) | PVC furniture nuts and bolts | Free | Free | 99 | 703300B | 6/88 | .. |
| AK 5806.20.09 | Elastercised binding, when declared for use as trimming on women's and children's casual footwear and slippers | Free | Free | 99 | 203834L | 6/84 | .. |
| WN 5808.90.00 | Police cap chequered dicing material | Free | Free | 99 | 721689A | 5/88 | .. |
| WN 6211.43.00 | Body armour jackets and/or fragmentation vests | Free | Free | 99 | 721611E | 5/88 | .. |
| AK 6307.90.29 | Laboratory analysis cellulose cotton extraction thimbles | Free | Free | 99 | 703452A | 6/88 | .. |
| AK 6402.19.09 | Vinyl roller skate boots | Free | Free | 99 | 703415G | 6/88 | .. |
| AK 6403.19.09 | Cycle racing footwear | Free | Free | 99 | 703359B | 3/88 | .. |
| AK 6403.91.09) 6403.99.09) 6404.11.11) 6404.11.19) (64.04.029) | Rockclimbing boots - comprising; smooth (no cleats or patterns) rubber soles and sidewalls, with fabric, fabric/leather or leather uppers | Free | Free | 99 | 740274A | 11/87 | .. |
| WN 7217.19.00 (73.14.000) | Bread bag tying wire, being paper coated one side and plastic coated on the other | Free | Free | 99 | 720735C | 4/87 | .. |
| WN 7325.10.09 | Solder pots | Free | Free | 99 | 820028K | 6/88 | .. |
| HO 82.02 | Blades for hand or machine saws (including toothless saw blades) | Free | Free | 99 | 780918C | 7/88 | .. |
| | EXCLUDING: | | | | | | |
| | (1) Circular saw blades | | | | | | |
| | (1) tungsten carbide tipped, 900mm and under | | | | | | |
| | (i) solid tooth from 305mm (12in) to 610mm (24in) diameter, designed for cutting timber | | | | | | |
| | (2) Gang saw blades for wood sawing | | | | | | |
| | (3) Bandsaw and toothed bandsaw strip for wood sawing | | | | | | |
| | (4) High carbon steel bandsaw blade (excluding high speed steel solid and high speed steel welded edge, and tungsten carbide tipped and tungsten carbide coated and titanium carbide tipped) for cutting meat, bone, and metal in | | | | | | |
| | (i) Hard edge flexible back; or | | | | | | |
| | (ii) Hard edge tempered (i.e. toughened) back types, in any length, and of the following dimensions: | | | | | | |
| | (a) in widths between 6.35mm and 31.75mm inclusive; and | | | | | | |
| | (b) with pitches between 3 and 32 teeth per 25.40mm, excluding scalloped teeth | | | | | | |
| | (5) Jigsaw blades | | | | | | |
| | EXCLUDING: | | | | | | |
| | Blades over 80mm in total length; | | | | | | |
| | Lugged type blades; | | | | | | |
| | Tungsten carbide coated and tipped blades | | | | | | |
| | High speed, hollow ground side clearance types or ground tooth form types | | | | | | |
| | (6) Hacksaw blades, 600mm length and under | | | | | | |
| | (7) Blades for tubular frame firewood or pulpwood saws | | | | | | |

Tariff Industry Assistance (Decision) Notice No. 1988/29-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|---------------|--|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| HO 8205.90.19 | Sets of two or more articles of Tariff Heading 82.05 | Free | Free | 99 | 780937K | 7/88 | .. |
| HO 8206.00.00 | Tools of two or more of the headings No's. 82.02 to 82.05, put up in sets for retail sale | Free | Free | 99 | 780938H | 7/88 | .. |
| HO 82.07 | Interchangeable tools for hand tools, for machine tools or for power-operated hand tools (for example, for pressing, stamping, drilling, tapping, threading, boring, broaching, milling, cutting, turning, dressing, morticing or screw driving), including dies for wire drawing, extrusion dies for metal, and rock drilling bits: OTHER KINDS: EXCLUDING: (1) Drills (a) HSS and carbon/chrome/vanadium/tungsten steels, right hand helix:- (i) Straight shank Jobber length, double and single ended stub length and long series length 1mm to 13mm (1/16in. to 1/2in.) (ii) Straight shank long reach length 3mm to 13mm (1/8in. to 1/2in.) (iii) Reduce shank of any diameter including Blacksmith type 33/64in. to 1 1/4in. (iv) Reduced shank of any diameter (metal and wood-working) with standard or dowelling bit point 6mm to 13mm (1/4in. to 1/2in.) (v) Straight shank (4 flute core type) 3mm to 13mm (1/8in. to 1/2in.) (b) Tungsten carbide tipped twist from 2.381mm (c) Drill sets, containing above type drills in diameter ranges: Straight shank; 1mm to 13mm 1/16in. to 1/2in. Reduced shank; 6mm to 20mm 1/4in. to 3/4in. (d) Tungsten carbide tipped masonry, drills straight also reduced shank of any shank diameter "short" or "long" overall lengths within diameter range; 3mm to 32mm; 1/8in. to 1 1/4in. (e) Countersinks, single flute; 1/2in. shank 15.5mm to 19.5mm (f) Reamers, Parallel Machine, Tungsten Carbide tipped, non-adjustable; straight shank, all sizes under 14.29mm morse taper shank, all sizes over 14.29mm (g) Router bits, with cutting or working faces of high speed steel or of tungsten carbide (h) Milling Cutters; Tungsten Carbide tipped, circular other than throw away tip type (i) Facing Cutters, Tungsten Carbide tipped, circular other than throw away tip type (j) Profile and Cutter Heads, Tungsten Carbide and HSS Tipped for use with woodworking machines (k) Tool bits (pieces) high speed steel; Square 3mm to 16mm, all lengths Round 3mm to 13mm, all lengths Bevel 13mm to 26mm, all lengths Rectangular 4 x 10mm to 12 x 20mm, all lengths (2) Lathe tools (brazed on tips), Tungsten Carbide Tipped, standard pattern (3) Knives-tungsten carbide tipped-steel (4) Bits and reamers, rotary diamond (5) Bits and reamers, rotary, tungsten carbide, excluding; percussion, carbide insert and button types (6) Tools for pressing and stamping | Free | Free | 99 | 880018K | 7/88 | .. |
| AK 8409.91.01 | Internal combustion engine parts viz:- cylinder sleeves | Free | Free | 99 | 703398C | 8/88 | .. |
| HO 8413.19.00 | Metripumps | Free | Free | 99 | 780940K | 7/88 | .. |
| WN 8413.60.09 | Varisco rotary gear pumps, with delivery outlets in excess of 76mm diameter and/or with a head greater than 70mm | Free | Free | 99 | 721678F | 5/88 | .. |
| AK 8414.59.09 | Rotary positive displacement blower. Maximum pressure 15 PSI maximum vacuum 15" HG | Free | Free | 99 | 703400J | 7/88 | .. |
| AK 8421.39.09 | High pressure air separators and filter purifiers with a minimum pressure rating of 27,500 KPA | Free | Free | 99 | 703401G | 6/88 | .. |
| WN 8431.31.09 | Component parts of work platforms EXCLUDING: (1) Parts of general use (2) Stabiliser cylinders (3) Workman basket (4) Base assembly (5) Boom cylinders (6) Column assembly (7) Inner boom assembly | Free | Free | 99 | 721764B | 6/88 | .. |

Tariff Industry Assistance (Decision) Notice No. 1988/29—continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|--|--|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| | (8) Outer boom assembly (9) Link arm assembly (10) Hydraulic pump and power take off unit | | | | | | |
| CH 8431.39.00 | Components for chairlifts, T-bars, platter lifts and gondolas, as may be approved. Approved list held by Collector of Customs, Christchurch | Free | Free | 99 | 740518K | 3/88 | .. |
| HO 8431.49.29 (84.23.041) | Component parts for the manufacture of wheel loaders (not being Rule 2A machines) excluding the following: Front frame Rear frame Boom arm assembly/lift arm assembly Lift and tilt cylinders plus steering cylinders Radiator guard Wheel surrounds and axle guards Tin plate and engine guards Buckets, logging forks or grapples Platform and steps (other than roll over protection platforms) Battery and battery box Hydraulic tank and fuel tank Hydraulic hoses (rubber and metal) Muffler hoses and air filters Head lights, paint, oil and parts of general use * Tips and edges for buckets *NOTE: The exclusion for parts of general use does not exclude goods which have a concession in their own right | Free | Free | 99 | 880017A | 4/87 | .. |
| AK 8476.19.00 (84.58.000) | Electronic machine for changing paper currency into equivalent coins or tokens | Free | Free | 99 | 703386K | 9/87 | .. |
| AK 8479.89.00 | Lamination cleaner | Free | Free | 99 | 703411D | 5/88 | .. |
| WN 8479.90.09 | Component parts for the manufacture of Tellus commercial vacuum cleaners. A list of component parts is held by the Collector of Customs, Wellington | Free | Free | 99 | 721749J | 5/88 | .. |
| AK 8479.90.09 | Moulds for candle making machines | Free | Free | 99 | 703397E | 6/88 | .. |
| CH 8480.60.00 | Moulds of cast aluminium for mineral materials | Free | Free | 99 | 740647K | 4/88 | .. |
| HO 8481.80.19 | Ball valves manufactured in titanium | Free | Free | 99 | 703468H | 6/88 | .. |
| HO 8481.80.19 | Brass CO ₂ gas cylinder refilling valves | Free | Free | 99 | 740328D | 1/88 | .. |
| AK 8485.10.00 | Ships propellers as may be approved viz: (a) of bronze alloy of a diameter exceeding 178cm (b) outboard or stern drive motor propellers of a diameter up to and including 50cm | Free | Free | 99 | 703404A | 5/88 | .. |
| WN 8507.10.05 | Electric accumulators, type 6FNM25, UK6TN | Free | Free | 99 | 721314L | 3/88 | .. |
| WN 8509.90.00 (85.06.005) | Parts of electro-mechanical domestic appliances excluding (a) parts of vacuum cleaners (b) parts of waste disposals units | Free | Free | 99 | 721773A | 3/87 | .. |
| AK 8524.23.09 | Recorded musical video tapes of non-resident artists performances outside of New Zealand | Free | Free | 99 | 703405K | 6/88 | .. |
| WN 8525.10.00 | TV and video broadband transmission system | Free | Free | 99 | 721751L | 6/88 | .. |
| AK 8536.50.00 | Coaxial switches RF | Free | Free | 99 | 703441F | 5/88 | .. |
| AK 85.39 | Electric filament lamps and electric discharge lamps (including infra-red and ultra violet lamps); arc lamps: EXCLUDING (1) Fluorescent tubes in nominal lengths of 585 to 1500mm inclusive, within the range of 16 to 80 watts inclusive with bi-pin or bayonet caps in the colour temperature range 2700K-6500K (2) GLS (General Lighting Service) Lamps: (a) Standard (Mushroom or Pear Shaped) Sizes: 60mm to 110mm diameter Wattage: 5w to 500w Voltage: 6v to 260v (b) Candle (Plain or Twisted): Sizes: 32mm to 48mm diameter Wattage: 15w to 60w Voltage: 6v to 260v (c) Round, Fancy Round, or Lustre: Sizes: 45mm to 95mm diameter Wattage: 15w to 60w Voltage: 6v to 260v (3) Pilot Lamps: Sizes 26mm to 29mm diameter Wattage: 15w to 25w Voltage: 6v to 260v (4) Tubular Lamps: Sizes: 22mm to 29mm diameter Wattage: 15w to 25w Voltage: 6v to 260v | Free | Free | 99 | 703394L | 6/88 | .. |
| AK 8544.51.09 | Portable radio transceiver extension microphone cable assemblies (helically spiralled) | Free | Free | 99 | 703354A | 6/88 | .. |
| WN 8708.31.09) 8708.39.11) 8708.39.29) | Coach and truck brakes | Free | Free | 99 | 721381G | 3/88 | .. |
| WN 8708.50.09) 8708.60.09) | Coach and truck drive axles and steering axles | Free | Free | 99 | 721382E | 3/88 | .. |
| AK 8708.99.39 | Motor vehicle racing driveshafts not exceeding 730cm | Free | Free | 99 | 703385A | 6/88 | .. |

Tariff Industry Assistance (Decision) Notice No. 1988/29-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|---------------|---|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| CH 9032.89.00 | Galvanic systems processor | Free | Free | 99 | 740661E | 6/88 | .. |
| CH 9401.90.09 | Spare and service parts of electronically operated therapeutic massage chairs; excluding parts of general use | Free | Free | 99 | 740663A | 5/88 | .. |
| CH 9506.11.00 | Snow skis, excluding snow boards | Free | Free | 99 | 740685B | 7/88 | .. |
| AK 9506.99.19 | Tennis ball throwing machine | Free | Free | 99 | 703427L | 6/88 | .. |
| AK 9613.90 | Cigarette lighter component parts as may be approved; APPROVED: (a) Gas regulating and control valves - 8481.80.19 (b) Stems - 9613.90.00 (c) Spark wheel - 9613.90.00 (d) Balls - 7326.90.09 (e) Flint - 3606.90.01 (f) Steel, chrome plated flame shields - 9613.90.00 | Free | Free | 99 | 703455F | 6/88 | .. |

SCHEDULE 2
Decisions Cancelled

| Tariff Item | Description of Goods | Ref. No. |
|----------------|---------------------------|----------|
| WN 3004.90.19 | Egol liquid | 101071K |
| AK 5906.91.01 | Elastercised ... slippers | 203834L |
| AK 6403.19.09) | Road ... cleats | 621629D |
| AK 6403.19.21) | | |
| AK 6404.11.19) | | |
| AK 6403.91.09) | Rockclimbing ... uppers | 740274A |
| AK 6403.99.09) | | |
| AK 6404.11.11) | | |
| HO 82.02 | Saws ... types | 602265A |
| HO 8202.32.00 | Tungsten ... diameter | 740387K |
| HO 8202.91.00 | Hacksaw ... length | 560554H |
| HO 82.07 | Interchangeable ... types | 702229J |
| HO 8413.19.00 | Metripumps ... L | 922670C |
| HO 8413.19.00 | Mono ... metripumps | 922669K |
| HO 8413.19.00 | Mono ... metripumps | 922668A |
| HO 8413.19.00 | MPL ... pumps/metripumps | 922663L |
| HO 8413.19.00) | Diaphragm ... pumps | 560684F |
| HO 8413.81.19) | | |
| HO 8413.19.00 | Syebert ... pumps | 111027G |
| HO 8413.19.00 | Wallace ... EA429 | 901507J |
| HO 8413.20.00) | Macnaught ... containers | 908985D |
| HO 8413.81.19) | | |
| HO 8413.30.09 | Fuel ... vehicles | 620355J |
| AK 8414.59.09 | Rotary ... 10' HG | 702840H |
| CH 8428.60.00 | Components ... parts | 540469L |
| CH 8428.60.00 | Ski ... ropes | 740037D |
| CH 8428.90.00 | Ski ... equipment | 682641F |
| WN 84.31 | Simon ... unit | 925677G |
| HO 8431.49.29 | Component ... right | 720304H |
| WN 8479.90.09 | Component ... Wellington | 720837F |
| AK 8485.10.00 | Ships ... only | 600126C |
| AK 8536.50.00 | Coaxial ... RF | 460929J |
| CH 8536.50.00 | Pull ... 6 amp | 603490L |
| AK 8539 | Electric ... 260 v | 521622C |
| AK 8544.51.09 | RCA ... spiralled) | 620806B |
| WN 8708.31.09) | Coach brakes | 740270J |
| WN 8708.39.02) | | |
| WN 8708.39.18) | | |
| WN 8708.50.09) | Coach ... axles | 740140L |
| WN 8708.60.09) | | |
| AK 8708.70.19 | Parts ... composite | 780889F |
| CH 9506.11.00 | Snow skis | 700865B |
| AK 96.13 | Cigarette ... 3606.90.01 | 702650B |

SCHEDULE 3
Limited Decisions Approved

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|---------------|--|---------------|-------|--------------|----------|-----------|-------|
| | | Normal | Pref. | | | From | To |
| WN 3004.90.19 | 140 vials of ascorbic acid injection only | Free | Free | 26 | 730177E | 7/88 | 8/88 |
| WN 3004.90.19 | 200 vials of Disodium Edetate injection only | Free | Free | 26 | 730176G | 7/88 | 8/88 |
| WN 3004.90.19 | KAL DL Phenylalanine (DLP) tablets (12 bottles only), not to be sold or otherwise disposed of without the prior permission of the Collector of Customs, Wellington | Free | Free | 25 | 730164C | 4/88 | 12/88 |
| WN 6211.43.00 | 4 only armoured body vests (evaluation purposes) | Free | Free | 99 | 721527E | 4/88 | 5/88 |
| WN 6214.20.00 | 100 only Gilwell scarves | Free | Free | 99 | 721595K | 5/88 | 10/88 |

SCHEDULE 4
Applications Declined

| Tariff Item | Description of Goods | Ref. No. |
|---------------|---|----------|
| WN 3003.90.01 | MS 222 - Sandoz | 830017 |
| WN 3214.10.09 | Secoseal 12 biodegradation resistant sealant | 721856 |
| CH 3405.90.00 | Town talk cutlery strips | 740671B |
| CH 3405.90.00 | Town talk silver foam | 740670D |
| CH 3405.90.00 | Town talk silver polish | 740669L |
| AK 4016.94.00 | 16 only cylindrical fenders, rubber grade RT, 380 x 190 x 600 | 703419K |

Tariff Industry Assistance (Decision) Notice No. 1988/29—continued

| Tariff Item | Description of Goods | Ref. No. |
|---------------------|---|----------|
| | long, body only | |
| WN 5108.10.00 | Cashmere yarn | 721770G |
| WN 5701.10.09 | Indian woollen handknotted rugs | 820036 |
| WN Chapters 60 & 61 | Manufactured samples of clothing, up to 2 only of knitted underwear and outerwear in any particular style | 721883 |
| WN 6403.19.09 | Golf shoes | 721824 |
| WN 6406.10.00 | Hand plaited leather uppers of footwear | 721786 |
| WN 6905.90.00 | Ornamental ceramic chimney pots | 721820 |
| AK 7019.39.00 | Chopped strand emulsion bound fibreglass mat | 703375D |
| CH 7612.90.11 | Aluminium fuel bottles | 740640B |
| CH 7615.10.00 | Aluminium billy cans/teapots | 740643G |
| CH 7615.10.00 | Aluminium plates | 740644E |
| WN 8301.40.00 | 'Union' brand mortice locks with backseat over 75mm suitable for knob door furniture | 721875D |
| WN 8302.10.00 | Suitcase hinges | 721900J |
| WN 8302.20.01 | Blind tubular rivets - all types, sizes and materials of construction | 721465A |
| WN 8308.20.01 | Tubular blind rivets | 621052L |
| WN 8413.19.00 | Grundfos vertical or horizontal multi-stage centrifugal pumps | 721760K |
| AK 8419.81.00 | Computerised electric fryers with built in lift and built in filter | 702937D |
| WN 8422.40.09 | Trayloader - erector and shrinkwrapper machine, kisters model 97/80 | 820062 |
| WN 84.29 | Excavating, levelling, tamping etc machinery ... exceeding 14,000 kgs | 721899A |
| WN 8481.90.19 | Press tap buttons | 721733 |
| CH 8504.40.01 | Rechargeable 6 volt batteries | 840022K |
| WN 8609.00.09 | Scrap ISO containers on declaration that they will not be used for the transportation of goods | 721898 |
| WN 9606.21.01 | Toggle fasteners (polyester) | 721703 |

Dated at Wellington this 4th day of August 1988.

M.W. TAYLOR, Comptroller of Customs.

