



The New Zealand
Gazette

# Customs Edition

WELLINGTON: TUESDAY, 6 SEPTEMBER 1988

# **CUSTOMS NOTICES**

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

# TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/33 Applications Advertised for Objection Closing Date for Objections 22 September 1988

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the \*\* Port of lodgement indicated by the reference number, before 22 September 1988. All submissions must include:
  - the Tariff Industry Assistance (Advertisement) Notice number;
  - the Tariff item;
  - the Port; and
  - Reference number.
- All submissions from local manufacturers must include:
  - the range of alternative goods made locally;
  - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
  - present and potential output;
- details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- All submissions objecting to a request for the imposition of duty must include:
- reasons why the local product on which protection is sought is not a suitable alternative;
  - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.

Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. * Ref. No.	Categor of Appn.
		Reckitt & Colman NZ Ltd	25	WN 830028	A
903.90.09	Bezalip tablets	C/-Quay Customs Agents Ltd	20	MIN 800020	^
		PO Box 4342			
		AUCKLAND			
204 00 00	Nones tablets	Sterling Pharmaceuticals NZ Ltd	25	WN 830029	A
304.20.09	Negram tablets	PO Box 248			
		Manurewa			
		AUCKLAND			
304 00 30	Sulphapyridine tablets (one shipment only)	Norman Greenaway	26	WN 730197	A
004.90.19	Sulphapyridine tablets (one sulpment out)	8 Millstream Place	-•		
		WARKWORTH			
	CURRENT APPROVAL	712 SALES 17 GAY 2.43			
304.20.00	Cosmetic pencils viz; eye pencils and eyebrow pencils		99	700967E	VA
20.00			שמ	/0090/E	VA
04.20.00	REQUESTED APPROVAL	Revion NZ Ltd		12 0000000	***
	Cosmetic pens and pencils for eyes and/or eyebrows	PO Box 1875	99	AK 800507K	VA
		AUCKLAND			
	But to the control of		-	AN 0005074	
305.10.00	Prioderm cream shampoo	Pharmaco (NZ) Ltd	99	AK 800537A	A
		C/-W.B. Consulting PO Box 1548			
		AUCKLAND			
402.00.00	Dhagui Culphanata 2042 hains an amplaiding component for		99	AK 800489H	A
402.90.00	Phenyl Sulphonate 2842 - being an emulsifier component for use in emulsifiable plant protection concentrates	PO Box 67	29	AR GUUTGER	
	use in emutatitable plant protection concentrates	AUCKLAND			
808.20.00	Variations MD . nonderer milder control for fruit and	Rohm & Haas NZ Ltd	99	AK 800531B	A
. 20.00	Karathane WD - powdery mildew control for fruit and vegetables. Active Ingredients: dinocap, nitrocryl	PO Box 22-220	00	AR 6000515	•
	phenols in the form of a wettable powder	Otahuhu			
	business in the lorm of a mettable bowder	AUCKLAND			
920.42.29	Chemical resistant flexible PVC tank lining sheeting - 2.3,		99	AK 800522C	А
720.42.29	3 and 4.6mm thick and beading	PO Box 11-127	95	AR 800022C	^
	2 allo 4. omn tures she beading	Ellerslie			
		AUCKLAND 5			
923.21.12)	Flexible plastic bags of New Zealand manufacture when	UEB Packaging Ltd	99	HO 880030J	A
923.21.12)	re-imported following sterilisation	PO Box 37	00	110 0000000	
923.21.21)	re-imported totiowing ateritisation	AUCKLAND			
923.29.12)		AUCHIAND			
923.29.12)					
923.29.21)					
926.90.69	Flexible marine PVC zip-seal cable fairings	Diver Services	99	AK 800517G	A
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Trouters miditing the grib post osers terrings	PO Box 2995			
		AUCKLAND			
926.90.69	Polystyrene injection moulded cellular louvre panels	Furniture Trading Co Ltd	99	AK 800504E	A
020.00.00	with parabollically shaped cell walls	C/-MSAS Cargo International	•••		
	with paraboliteatly shaped coll mails	PO Box 53104			
		AUCKLAND AIRPORT			
511.30.00	Hand knitting yarn viz;	Kiwi Knit Co Ltd	99	AK 800490A	A
011.00.00	(1) 46% plastic, 38% polyester, 16% cotton	PO Box 2367		121 000 1001	••
	(2) 52% polyester, 20% cotton, 28% plastic	AUCKLAND			
807.10.00	Rubbertorch HP400 sand surfaced roofing, being a	British Asphalte (NZ) Ltd	99	WN 820231	A
807.10.00	polyester based weatherproofing membrane	C/-Gordon & Peters Ltd	00	WIN 020201	•
	poryester based weather proof the memorane	PO Box 3349			
000 00 00	0-14	WELLINGTON	00	AV 000E101	
209.32.00	Cold rolled sheet 686 x 889mm and 578 x 669mm, 1.6mm thick	Consumer Products Division	99	AK 800516J	A
	Extra deep drawing SPCEN - SD, oiled, to J ISG 3141				
		PO Box 14-349			
		Panmure			
224 00 00	CHEDENT ADDOMIAL	AUCKLAND			
326.90.09	CURRENT APPROVAL			700000-	•••
228 00 00	Hose clamps, stainless steel		99	702339B	VA
326.90.09	REQUESTED APPROVAL	Champa Shoul A C			
	Steel hose clamps and hose clips	George Stock & Co	ΔA		
		PO Box 8429	99	AN 800505C	t/a
					VA
306.92.09	Aluminium flat surface sheets, grade 3003 zero temper	AUCKLAND			
	8. age outs zero temper	Zenith Services (1982) Ltd			
		1982) Ltd	00		
			99	AN 800515L	
				TOTALL	A

Tariff	Description of Goods	Name and Address of Applicant	Part II Ref.	App Ref No:	·.	Category of Appn.
Item	minimum width 1.5 metres, up to 3mm thick, pre-cut (circles)	PO Box 203 TAURANGA				
7607.19.00	CURRENT APPROVAL Aluminium foil, unsupported, less than 20 microns (0.020mm) thick, which has been printed or lacquered		99		506156D	VA
7607.19.00	REQUESTED APPROVAL Aluminium foil, unsupported, less than 30 microns (0.030mm)	Courtaulds Packaging NZ Ltd PO Box 197	99	WN	820210	VA
8007.00.00	thick, which has been printed or lacquered  Articles of pewter viz tableware	FEILDING Manufacturers Agencies NZ Ltd	99	AK	800523A	Α
8408.10.09	Cummins 6BTA 5.9M marine water cooled diesel engine	PO Box 2024 AUCKLAND Leespower	99	ΑK	800536C	A
	•	C/-Craigs Customs Agency Ltd PO Box 3937 AUCKLAND				
8408.10.09	CURRENT APPROVAL	AUCILLAID	00		7020024	VA
	Watercooled engines, as may be approved; APPROVED:		99		702903K	VA
	An engine for which the original engine manufacturer obtains a certificate certifying it as complying with a national Standard Specification, internationally acceptable, and attaining its maximum continuous shaft kilowatt rating under either DIN6270 (rating A)or BS649;					
	1958 or SAE J816a, at an engine speed not exceeding 2000 rpm.					
	An engine for which the original engine manufacturer obtains a certificate certifying it as complying with a national Standard Specification, internationally					
	acceptable and attaining its maximum continuous shaft kilowatt rating at an engine speed exceeding 2000 rpm under DIN 6270 (rating A) or BS 649; 1958 or SAE J816a,					
	provided that the maximum continuous shaft kilowatt rating is greater than 149 shaft kilowatts(200 shaft					
	horsepower) Bukh diesel models;					
	DV 36ME					
	Caterpillar; 3208					
	D399 3306 marine propulsion					
	3406 marine propulsion					
	3408 marine propulsion 3412 marine propulsion					
	D379 marine propulsion D398 marine engine					
	D353 marine engine Chrysler models;					
	180					
	130 195					
	240 250					
	265					
	330 C.M.C.models;					
	4135 CaB-3,6135 CaB-3,12V135 CaB-3 Crusader models; CS-220					
	CS-270					
	CS-300 CH-270					
	CH-350 Cummins marine diesel engines;					
	N-855-M					
	NT-855-M1 V-504-M,V-555-M					
	VT-903-M V-903-M					
	VT-903-M1					
	VTA-903-M VT-1710-M					
	VTA-1710-M1					
	VTA-1710-M2 KT-1150-M					
	KTA-1150-M KT-2300-M					
	KTA-2300-M					
	Detroit diesel models; 6V-53					
	6-71 6V-71					
	6V-92					
	8-2 models 4082/8300					

Tariff Industry Assistance (Advertisement) Notice No. 1988/33-continued

iff B	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	8V-71				•
	8V-92 8V-92T1				
	12V-71,12V-149				
	16V-71 16V-92				
	Kelvin;				
	P2				
	P2R P4				
	P4R				
	R4				
	R6 RS6				
	T4				
	TA6				
	TAS6 TASC6				
	TAS				
	TAS8				
	TBSC8 M.A.N. diesel engines;				
	D2530ME				
	D2540MTE				
	D2542ME D2542MLE (L)				
	D2542MLE (L) D2566ME				
	D2530MTE (T)				
	D2542MTE (T) D2566MTE (T)				
	Perkins D.152 marine engines and	parts thereof, hand and			
	electric start				
	AQ145/290, AQ200/290, AQ225/290, A D2840ME, D2842ME, D2540MLE	AQ175/290, AQ260/290,			
	Mercruiser models;				
	120, 140, 228, 260, 330TRS, 470, 8	398, 485, 145			
	Nissan models;				
	PD6 HT06 PD8 HTA06				
	PD6 T06				
	PD6 TA06				
	OMC models; Inboard/Outboard sail drive	•			
	104kW inboard/outboard sterndrive				
	175kW inboard/outboard sterndrive Paxman models;	unit			
	Paxman models; 8RPH				
	8RPHC				
	8RPHX 8RP200	1			
	8YJC	1			
	6YJX	•			
	12RPH 12RPHC				
	12RPHX				
	12RP200				
	12YJC 12YJX				
	121JX 16RP200				
	16YJC				
	16YJX Perkins models;				
	6/354 models;				
	H6/354, HT6/354				
	Heavy duty 4/236 (lowline) T6/3544(m) 240 BHP marine engine				
	Ruston models;				
	4AP230				
	6AP230 6ATC, 6RKC				
	Unit: Unit				
	SATC, SRKC				
	8ATC, 8RKC 12ATC, 12RKC				
	8ATC, 8RKC 12ATC, 12RKC 18ATC, 16RKC				
	8ATC, 8RKC 12ATC, 12RKC				
	8ATC, 8RKC 12ATC, 12RKC 16ATC, 16RKC 18ATC 4YDM Volvo Penta models;				
	SATC, SRKC 12ATC, 12RKC 16ATC, 16RKC 18ATC 4YDM Volvo Penta models; AQ145A/280D				
	SATC, SRKC 12ATC, 12RKC 16ATC, 16RKC 18ATC 4YDM Volvo Penta models; AQ145A/280D AQ260A/280B				
	8ATC, 8RKC 12ATC, 12RKC 16ATC, 16RKC 18ATC 4YDM Volvo Penta models; AQ145A/280D AQ280A/280B AQ280A/280B AQ200D/280B				
	8ATC, 8RKC 12ATC, 12RKC 18ATC, 16RKC 18ATC 4YDM Volvo Penta models; AQ145A/280D AQ280A/280B AQ280A/280B AQ20D/280B AQ20D/280B AQ225D/280B				
	8ATC, 8RKC 12ATC, 12RKC 18ATC, 16RKC 18ATC 4YDM Volvo Penta models; AQ145A/280D AQ260A/280B AQ280A/280B AQ200D/280B AQ20D/280B AQ21B/280B AQ21B/280B				
	8ATC, 8RKC 12ATC, 12RKC 18ATC, 16RKC 18ATC 4YDM Volvo Penta models; AQ145A/280D AQ280A/280B AQ280A/280B AQ20D/280B AQ20D/280B AQ225D/280B				

ariff		Name and Address	Part II	Ref.	*Categor of
tem	Description of Goods	of Applicant	Ref.	No.	Appn.
	TAMD 70C TAMD 120A				
	TMD 70B				
	TMD 100A TMD 120A				
	Sea Panther				
408.10.09	REQUESTED APPROVAL		-00	AT 00050CA	174
	Watercooled engines, as may be approved; APPROVED:	Stars Marine Ltd C/-Colebrook Bros Ltd	99	AK 800506A	VA
	An engine for which the original engine manufacturer	PO Box 1296			
	obtains a certificate certifying it as complying with a	AUCKLAND			
	national Standard Specification, internationally acceptable, and attaining its maximum continuous shaft				
	kilowatt rating under either DIN6270 (rating A)or BS649;				
	1958 or SAE J816a, at an engine speed not exceeding 2000				
	rpm. An engine for which the original engine manufacturer				
	obtains a certificate certifying it as complying with a				
	national Standard Specification, internationally acceptable and attaining its maximum continuous shaft				
	kilowatt rating at an engine speed exceeding 2000 rpm				
	under DIN 6270 (rating A) or BS 649; 1958 or SAE J816a,				
	provided that the maximum continuous shaft kilowatt rating is greater than 149 shaft kilowatts(200 shaft				
	horsepower)				
	Bukh diesel models;				
	DV 30ME DV 36SME				
	Caterpillar;				
	3208				
	D399 3306 marine propulsion				
	3406 marine propulsion				
	3408 marine propulsion				
	3412 marine propulsion D379 marine propulsion				
	D398 marine engine				
	D353 marine engine Chrysler models;				
	180				
	130				
	195 240				
	250				
	265 330				
	C.M.C.models;				
	4135 CaB-3,6135 CaB-3,12V135 CaB-3				
	Crusader models; CS-220				
	CS-270	•			
	CS-300				
	CH-270 CH-350				
	Cummins marine diesel engines;				
	N-855-M NT-855-M1				
	V-504-M,V-555-M				
	VT-903-M				
	V-903-M VT-903-M1				
	VTA-903-M				
	VT-1710-M VTA-1710-M1				
	VTA-1710-M2				
	KT-1150-M				
	KTA-1150-M KT-2300-M				
	KTA-2300-M				
	Detroit diesel models;				
	6V-53 6-71				
	6V-71				
	6V-92				
	8-2 models 4082/8300 8V-71				
	8V-92				
	8V-92T1				
	12V-71,12V-149 16V-71				
	16V-92				
	Kelvin; P2				
	P2 P2R				
	P4				

Tariff Industry Assistance (Advertisement) Notice No. 1988/33-continued

Tariff		Name and Address	Part II	Appn. •	Category of
Item	Description of Goods	of Applicant	Ref.	No.	Appn.
	P4R R4		<del></del>		
	R6				
	RS6				
	T4 TA6				
	TAS6				
	TASC6				
	TAS TAS8				
	TBSC8				
	M.A.N. diesel engines;				
	D2530ME				
	D2540MTE D2542ME				
	D2542MLE (L)				
	D2566ME				
	D2530MTE (T) D2542MTE (T)				
	D2566MTE (T)				
	Perkins D.152 marine engines and parts thereof, hand and				
	electric start AQ145/290, AQ200/290, AQ225/290, AQ175/290, AQ260/290,				
	D2840ME, D2842ME, D2540MLE				
	Mercruiser models;				
	120, 140, 228, 260, 330TRS, 470, 898, 485, 145, MCM 636 B2 Nissan models;				
	PD6 HT06				
	PD6 HTA06	•			
	PD6 TO6 PD6 TA06				
	OMC models;				
	Inboard/Outboard sail drive				
	104kW inboard/outboard sterndrive unit				
	175kW inboard/outboard sterndrive unit Paxman models;				
	8RPH				
	8RPHC 8RPHX				
	8RP200				
	8YJC				
	6YJX				
	12RPH 12RPHC				
	12RPHX				
	12RP200				
	12YJC 12YJX				
	16RP200				
	16YJC				
	16YJX Perkins models;				
	6/354				
	H6/354, HT6/354				
	Heavy duty 4/236 (lowline) T6/3544(m) 240 BHP marine engine				
	Ruston models;				
	4AP230				
	6AP230 6ATC, 6RKC				
	SATC, SRKC				
	12ATC, 12RKC				
	16ATC, 16RKC 18ATC				
	4YDM				
	Volvo Penta models;				
	AQ145A/280D AQ260A/280B				
	AQ280A/280B				
	AQ200D/280B				
	AQ225D/280B AQ21B/280B				
	AQ290A/280B				
	AQAD40/280				
	TAMD 60A diesel TAMD 70C				
	TAMD 120A				
	TMD 70B				
	TMD 100A TMD 120A				
	Sea Panther				
8409.91.01				9009000	114
	Piston castings in the rough, unworked, except that they may have the castings sprue removed, as may be approved,		99	700730C	VA
	on condition that the goods are for use solely in making				

Tariff	Description of Goods		Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	0	egory f pn.
Item	Description of Goods of pistons for automotive	e, agricultural and industrial use:	or oppround				
	APPROVED:						
	Bore size (mm) 83.325	Application Austin Westminster 1961/68 mod	el				
	60.340	Allo, 2912cc, 1967 model Allo	-				
		MK II, Austin 3 litre and 2.9					
	00 424	litre 1959/61 A99 Chevrolet V8 240 series 60					
	90.424 98.425	Chevrolet V8 283 and series 10	, 20, 30,				
		40, 50, 60 and 3000 to 7000 19					
	99.314	Chevrolet and Chevvy 11 307 19 Chrysler Regal	68-73				
	76.000	Datsun Pulsar 1981					
	83.000	Datsun 260Z					
	87.200 101.600	Datsun Cedric Ford 302 and 351 V8 1972-81					
	101.000	Ford V8 289, 302, 1968-71					
	78.000	Ford/Mazda B1600 engine					
	86.000	Ford Telstar 2000 1982 Ford Telstar 1600 1982					
	81.000 77.000	Ford Laser 1300 and 1500					
	78.000	Ford Econovan					
	80.000	Fiat 124 Sports Ford ''R'' series					
	104.775 82.550	Graveley Tractor 5hp					
	77.000	Honda Accord 1982					
	70.000	Honda Civic 1200 Honda Civic 1238 RB2					
	72.000 101.600	Holden and Chevrolet V8 350 19	062-73				
	82.00	Isuzu Gemini					
	104.775	International models BTD8, BD2	281,				
	98.000	4 cylinder Leyland & Leyland red line eng	ine				
	78.000	Mazda B1600					
	84.442	Morris Marina series 'O' Mitsubishi					
	69.50 82.000	Mitsubishi					
	84	Mitsubishi					
	85.000	Mitsubishi					
	70.612 69.500	Morris Mini Clubman Mitsubishi Mirage 4611					
	85.000	Subaru 1400					
	84.150	Standard models 23CV and 23CVF	IS				
	90.000 72.000	Toyota Landcruiser Toyota Starlet					
	78.000	Toyota Corona 2R					
	88.500	Toyota Corona SE and Celica Volkswagon 1493 cc					
	83.000 82.550	Wisconsin VF4 and VHA					
8409.91.01	REQUESTED APPROVAL				**0 000	0514	174
	Piston castings in the r	ough for use in making pistons	Comptroller of Customs PO Box 2218 WELLINGTON	99	но 880	U51A	VA
8414.59.09	Air recirculation system (1) 60 watt fan complete (2) Flexible plastic duc	with frame and body	Richard Anderson Greenhouses Ltd PO Box 3173 Onekawa	99	WN 820	238	A
8421.21.00	Electronic water purifyi correct PH and Saline co	ng units being devices to maintain intent in water	NAPIER Metrix Scientific Ltd C/-Tariff Services Ltd PO Box 4026 AUCKLAND 1	99	AK 800	488K	A
84.65	CURRENT APPROVAL			99	701	540C	VA
		g wood, cork, bone, ebonite cial plastic materials or		99	701	34UC	VA
	* * * * * * * * * * * * * * * * * * * *	ials, other than machines					
	EXCLUDING:						
	only viz: the applicati	ch perform the following functions on of preglued edging tape coils veneer to hand fed panels by means	<b>3</b>				
	end cut off function	th or without a tape front and/or tich have additional functions to					
	those specified above wi provided the additional	ll qualify for this concession functions are relevant to					
	edgebanders concerned) Drill presses, bench or	floor mounting column type, not					
	42mm.	mild steel up to and including					
	function fall within thi Plastic granulators not capacity	s exclusion) exceeding 22.37kW (30 h.p.)					
	Samco model LP15 vertica	l and bobbin sander					

360mm

Cut-off saws, pendulum type with motor not exceeding 3.75  $k\mbox{W}$ 

Tariff Industry Assistance (Advertisement) Notice No. 1988/33-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Surface planers, buzzers or jointers with blade not				PP-11
	exceeding 310mm				
	Thicknessers, with a capacity up to and including 330mm.  (Multi-purpose or composite machines incorporating this				
	function fall within this exclusion)				
	Woodturning lathes, for operation with tools held by the				
	hand or semi-automatic (but not including fully automatic) End-matching machines				
	Woodworking machinery; viz:				
	Automatic firewood saws				
	Bandsaws with throat capacity not exceeding 535mm (21in.) Box nailing machines				
	Breast benches				
	Circular breakdown saws				
	Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding				
	360mm				
	Cut-off saws, pendulum type with motor not exceeding				
	3.75 kW				
	(5 h.p.) and with blade diameter not exceeding 500mm (20in.)				
	Docking saws				
	Dovetailing machines with single spindle and manual feed				
	Drill presses, wall mounting, radial type not exceeding 22.2mm capacity in mild steel				
	Horizontal dowel boring machines, not exceeding 25mm				
	capacity in mild steel				
	Log cut-off swing saws				
	Post peelers Precision veneer trimming saws				
	Radial arm saws, overhead crosscut saws, and trenching				
	machines, powered by single phase electric motors				
	Splitting saws				
	Tenoning machines, single spindle Veneer presses manually operated, single daylight, for				
	cold pressing				
	Vertical breakdown saws				
	Wood debarking machines, Rosser head not exceeding 1425mm (56in.) diameter and ring type not exceeding 1275mm				
	(50in.) diameter and ring type not exceeding 1275mm				
	NB: Any multi-purpose or composite machines incorporating				
	a combination of the above functions are excluded from				
84.65	this concession REQUESTED APPROVAL				
	Machine-tools for working wood, cork, bone, ebonite	Hunt Agencies Ltd	99	AK 800413	H VA
	(vulcanite), hard artificial plastic materials or	C/-Daniel Silva, Tariff Consultant			
	other hard carving materials, other than machines falling within heading No. 84.67:	PO Box 305 AUCKLAND			
	EXCLUDING:				
	Edgebanding machines which perform the following functions				
	only viz: - the application of preglued edging tape coils of PVC, melamine or wood veneer to hand fed panels by means				
	of glue reactivation, with or without a tape front and/or				
	end cut off function				
	(Edgebanding machines which have additional functions to				
	those specified above will qualify for this concession provided the additional functions are relevant to				
	edgebanding machines and are catalogued as being for the				
	edgebanders concerned)				
	Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including				
	42mm.				
	(Multi-purpose or composite machines incorporating this				
+	function fall within this exclusion)				
•	Samco model LP15 vertical and bobbin sander				
	Surface planers, buzzers or jointers with blade not				
	exceeding 310mm Thicknessers, with a capacity up to and including 330mm.				
	(Multi-purpose or composite machines incorporating this				
	function fall within this exclusion)				
	Woodturning lathes, for operation with tools held by the				
	hand or semi-automatic (but not including fully automatic) End-matching machines				
	Woodworking machinery; viz:				
	Automatic firewood saws				
	Bandsaws with throat capacity not exceeding 535mm (21in.)				
	Box nailing machines Breast benches				
	Circular breakdown saws				
	Circular saw benches, hand-feed, including builders'				
	treadle saw benches, with blade diameter not exceeding 360mm				

# **CUSTOMS EDITION**

Tariff	Industry	Assistance	(Advertisement)	Notice	No.	1988/33-continued	

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	of Appn.
	(5 h.p.) and with blade diameter not exceeding 500mm				
	(20in.)				
	Docking saws Dovetailing machines with single spindle and manual feed				
	Drill presses, wall mounting, radial type not exceeding				
	22.2mm capacity in mild steel				
	Horizontal dowel boring machines, not exceeding 25mm				
	capacity in mild steel Log cut-off swing saws				
	Post peelers				
	Precision veneer trimming saws				
	Radial arm saws, overhead crosscut saws, and trenching				
	machines, powered by single phase electric motors Splitting saws				
	Tenoning machines, single spindle				
	Veneer presses manually operated, single daylight, for				
	cold pressing				
	Vertical breakdown saws Wood debarking machines, Rosser head not exceeding 1425mm				
	(56in.) diameter and ring type not exceeding 1275mm				
	(50in.) diameter				
	NB: Any multi-purpose or composite machines incorporating				
	a combination of the above functions are excluded from				
3481.80.19	this concession Puncture repair can aerosol valves	Cropper Harcros Ltd	99	HO 800426	K A
,101.00.10		PO Box 62-005			
		Sylvia Park AUCKLAND			
0.504 01 00	Voltage stabilizers (line conditioners)	Mr G.P. Belcher	99	WN 820202	WA
8504.31.09	voltage stabilizers (line conditioners)	C/-PO Box 766			
		WELLINGTON	00	WN 820204	WA
8504.32.09	Magnetic voltage stabilizers	Mr G.P. Belcher C/-PO Box 766	99	MN 020209	, ,,,
		WELLINGTON			
8504.50.00	Voltage stabilizers (line conditioner)	Mr G.P. Belcher	99	WN 820203	WA.
0001100100	, consider the same of the sam	C/-PO Box 766			
		WELLINGTON William Harold Bongard	99	AK 800535	SE A
85.06	Brand hearing aid batteries	C/-Bongards Pharmacy Ltd	••		
		1303 Cameron Road			
		TAURANGA	00	AV 000403	3 A
8515.80.01	Plastic pipe resistance welding machines	Techspan Trading (NZ) Ltd C/-PO Box 2658	99	AK 800493	, n
		AUCKLAND			
8519.99.01	Cassette duplicators and/or copiers	Comptroller of Customs	99	HO 52017	ID WA
0010100101	•	PO Box 2218			
	and the second s	WELLINGTON Electric Measurement & Control Ltd	99	AK 800534	4G A
8536.30.00	Intrinsically safe safety barriers	C/-PO Box 1617	•		
		AUCKLAND		.n00000	
Chapter 87	(a) Spare and service parts (except tyres and tubes) for	Southward Engineering Co Ltd	99	WN 82026	6 A
	motor vehicles which are over 30 years of age on condition	PO Box 36036 LOWER HUTT			
	that: (1) The Collector of Customs at the port of entry is	LONER HOTT			
	satisfied that the parts have been specially designed for				
	vehicles exceeding 30 years of age; and				
	(2) A declaration is made by the importer that the parts				
	will be used only in the repair or restoration of vehicles over 30 years of age.				
	(b) Spare and service parts (except tyres and tubes) for				
	motor vehicles of between 12 and 30 years of age when				
	imported by or on behalf of an approved vehicle				
	museum provided that at the time of importation, a declaration under the Customs Act, is lodged with the				
	Collector of Customs by a responsible officer of the				
	approved museum that the the spare and service parts				
	will be used by it only for the repair or restoration				
	of vehicles which are used only for any of the following purposes:				
	(1) For display as museum exhibits				
	(2) For restoration and subsequent display				
	(3) For display and use at, or in connection with, exhibitions, rallies, or similar gatherings relating				
	specifically to the aims and the activities of the				
	approved museum				
	NOTE: This concession applies regardless of Tariff				
OF OO:	Classification	Southward Engineering	99	WN 82026	5 A
87.03) 87.04)	Motor vehicles, built not less than 12 years or more than 30 years from the date of importation, when imported by	PO Box 36036			
87.04)	or on behalf of an approved vehicle museum and subject to	LOWER HUTT			
87.11)	the compliance of a declaration by a responsible officer				
	of the approved museum that the vehicle will be used by				
	them only for any of the following purposes; (a) For display as museum exhibits				

Tariff Industry Assistance (Advertisement) Notice No. 1988/33-continued

Tariff				Name and Address	Part II	Appn. Ref.	*Category of
Item	Description of Goo	ods		of Applicant	Ref.	No.	Appn.
	exhibitions, ralli specifically to the	les, or simil	in connection with ar gatherings relating ctivities of the approved				
8903.10.00	museum Inflatable rescue APPROVED: Lifeguard model No. 1. IB395 2. IB455 3. IR455 complying to S.O.I standard	o's	be approved  M.O. and D.O.T. (UK)	Ocean Safety Ltd 2 Lord Street Stokes Valley WELLINGTON	99	WN 820034	A
9405.10.00		t interior l	and eight boats only amps for fitting to boats,	Hella-New Zealand Ltd 81-83 Ben Lomond Crescent Pakuranga AUCKLAND	99	AK 8004734	A A
95.03	Spring loaded pop	up novelty i	ce-cream toy	Masi Marketing PO Box 1618 PARAPARAUMU BEACH	99	WN 820201	A
9504.20.09	Billiard balls			Comptroller of Customs PO Box 2218 WELLINGTON	99	HO 5814421	3 WA
9504.20.09	Billiard table poo	ckets		Comptroller of Customs PO Box 2218 WELLINGTON	99	НО 5814431	. WA
9504.20.09	Other billiard req	quisites		Comptroller of Customs PO Box 2218 WELLINGTON	99	НО 5814443	T WA
9504.20.09	Billiard requisite	es excluding	cues and tables	Comptroller of Customs PO Box 2218 WELLINGTON	99	но 880046	E A
• Categoi	y of Application:	A - VA -	Application for Approval Application for Variatio Application for Withdraw Application for Determin Application for Wariatio Application for Withdraw Revocation of Unused Con Continuation of Unpublis Denotes amendment or add Comptroller of Customs, Collector of Customs, PO Collector of Customs, Bo Collector of Customs, PO	n of Approval al of Approval ation n of Determination al of Determination cessions hed Approval ition PO Box 2218, Wellington x 29, Auckland Box 2218, Wellington x 208, Christchurch			

Dated at Wellington this 1st day of September 1988.

M.W. TAYLOR, Comptroller of Customs.

## CUSTOMS EDITION

### TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/33 Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice. SCHEDULE 2 Decisions cancelled. The cancellations listed in this schedule take effect fourteen days from Gazette date unless
- otherwise specified, eg, WEF (date). SCHEDULE 3 - Limited Decisions
  - Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.
  - This Notice only serves to inform the importing/manufacturing community of the approvals existence.

    (b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette. Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the
  - end date is the last day of that month eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

	CHEDULE I	
General	Decisions	Approved

				Part			
Tariff		Rates of	•	11	Ref.	Effect	
Item	Description of Goods	Normal	Pref.	Ref.	No.	From	To
1511.90.01	Palm oil, palm olein and palm mid fraction	Free	Free	99	880048A	1/88	
1513.29.01	Palkena and neutralised palm kernal olein	Free	Free	99	880049K	1/88	
1516.20.19	Melano and palmy	Free	Free	99	880050C	1/88	
2301.20.00	Fish meal of a type used in stockfeed for animals	Free	Free	99	800200C	7/88	
2933.39.00	Octipirox	Free	Free	99	800198H	7/88	
3003.90.01	Tensolvet gel base	Free	Free	26	730196A	6/88	
3004.20.01	Otospectrine	Free	Free	26	730194E	6/88	
3004.40.01	Dalophylline oral gel	Free	Free	26	730192J	6/88	
3004.40.09	Trental 400	Free	Free	26	830001B	7/88	
3004.40.03	Baytril solution	Free	Free	26	730167H	4/88	
3004.90.01	Baytril tablets	Free	Free	26	730168F	4/88	
3004.90.01	Willotox veterinary injectable solution	Free	Free	26	730193G	6/88	
		Free	Free	25	730188L	6/88	
3004.90.19	Diprolene ointment	Free	Free	99	101342E	1/88	
3004.90.19	Isuprel solution	Free	Free	99	721777D	6/88	
3402.13.00	Alcohol ethoxylates	Free	Free	99	703428J	6/88	
3806.30.01	Pentalyn C			99	721739A	6/88	:
3808.10.01	Target	Free	Free				
3808.30.09	Fusilade	Free	Free	99	721706E	5/88	•
3808.30.09	Grammoxone	Free	Free	99	721753G	6/88	•
3808.30.09	Grasp	Free	Free	99	721850J	6/88	•
3808.30.09	Spray grow	Free	Free	99	721741C	6/88	•
3808.30.09	Torpedo	Free	Free	99	721742A	6/88	
3823.90.69	Additive DT, being alkylated aromatic diamine 67% in	Free	Free	99	721303E	3/88	
	propylene carbonate						
3823.90.69	Farmin DM20	Free	Free	99	721 <b>7</b> 12K	5/88	•
3926.90.69	Electrical components, as may be approved:	Free	Free	99	721166L	2/88	
	APPROVED:						
	Cross connection cabinet						
	Kronection boxes - flush mountings						
	Cover strip						
	Dust covers						
	Clip on cable guide						
	Label holders - hinged or fixed						
	Marking cap						
	Dummy and/or disconnection plug	_	_			= /00	
4009.10.00	Extruded platen rubber tubing	Free	Free	99	800193G	5/88	•
4304.00.19	Artificial fur fabrics	Free	Free	99	702450K	1/88	•
5808.10.09	Dyed and waxed 3 ply cotton forming a braid	Free	Free	99	604000E	7/88	
5910.00.00	Conveyor V-guide belting	Free	Free	99	800135K	5/88	•
6210.10.01)	Bonded fibre, adhesive backed, strapless breast covers	Free	Free	99	701910G	1/88	
6210.10.09)							
6307.90.29	Made up apparel trimmings of narrow ribbon with artificial	Free	Free	99	800170H	7/88	
30000.20	pearls attached						
7217.21.00	Medium carbon, uncoated, steel spring wire (minimum of .45	5	AU Free	99	800188L	6/88	
1211.21.00	and less than .60% carbon) to BS5216 HS quality	-					
7317 33 001	Medium carbon, coated, steel spring wire (minimum of .45% and	Free	Free	99	800187B	6/88	
7217.22.00)							
7217.23.00)	less than .60% carbon) to BS5216 HS quality						
7216.29.00)	High number uncosted aton) armine wire / 20 to 000 combon)	5	AU Free	99	800189J	6/88	
7217.31.00	High carbon, uncoated, steel spring wire (.60 to .90% carbon)	J	AU LIEE	33	0001001	2100	٠
	to BS5216 HS quality		ATT Page	00	9001055	7/00	
7217.32.00	Drawn zinc coated roping wire as follows:	5	AU Free	99	800185F	7/88	•
	0.19mm to 0.48mm inclusive 1770 to 2050 N/MM2						
	0.49mm to 2.4mm inclusive 1420 to 2050 N/MM2						
	1.25mm 1370 N/MM2						
	2.25mm 1570 to 1770 N/MM2						
	2.6mm to 4.20mm 1420 to 2050 N/MM2						
7217.32.00)	High carbon, coated, steel spring wire (.60 to .90% carbon)	5	<b>AU Free</b>	99	800190B	6/88	
7217.33.00)	•						
7217.39.00)	· · ·						
7323.99.00	Gold plated tea and/or coffee filters	Free	Free	99	721557G	5/88	
7607.19.00	Aluminium clad laminate of the type used for printed circuit	Free	Free	99	721714F	5/88	
1001.19.00	boards, being a foilboard comprised of purified woodpulp					., - •	
	sandwiched between 2 layers of aluminium foil	Free	Frac	99	800161J	6/88	
7616.10.09	Aluminium shearable head hexagonal drive stud	Free	Free				•
8302.30.09	Aluminium trolley locking handle being a device for securing	Free	Free	99	800147C	6/88	•
	trolleys inside truck bodies	_		00	000000	0.100	
8409.91.01	Engine valves	Free	Free	99	800063J	8/88	•
8409.91.01	Engine valves for the following European cars viz:	Free	Free	99	800150C	6/88	
	Alfa Romeo 1600 - 1800 and 2000cc						

Tariff Industry Assistance (Decision) Notice No. 1988/33-continued

Tariff			Rates of	Dute	Part II	Ref.	Fff	+ { **~
Item	Description	of Goods	Normal	Pref.	Ref.	No.	Effect From	To
	BMW	All types						
	Citroen	All DS - ID and CX series						
	Daimler Benz	102 - 110 - 114 - 115 - 116 - 117 - 121 - 123 130 - 180						
		OM407 - OM409 - OM402 - OM403 - OM401 - OM360						
		OM355 - OM366 - OM352 - OM314						
	Magirus-Deutz							
	MAN	All models						
	Peugeot	104 - 204 - 305 - 404 and 504						
	Porsche Renault	All models R4 - R5 - R12 - R18 - R20 and R30						
	SaaB	B202						
	Scania	D5 - D11 - D14						
	Lada	1200 and Niva						
	Volkswagen Gol							
8413.70.09	Volvo	B18 - B20 - B21 - B30 - B27 - D50 and TD120 and Indless inline circulating pumps, all models,	_	_				
0110170100	excluding mode	els RP25/80, RP30/80, D30, D40, Z20, Z25, Z30,	Free	Free	99	800142B	6/88	• •
	DORS 30/60, DO							
8418.22.00	12 volt chilly	bin style cool box	Free	Free	99	721649B	5/88	
8433.90	Carburettor, t	hrottle and clutch control cables, complete	Free	Free	99	800379D	8/88	
0470 00 00	unit for fitti	ng					0,00	•
8438.80.09	Cream whipping	machines having a holding capacity of	Free	Free	99	521456E	1/88	
8438.80.09	not less than Fish preserving	5 litres g salt injection needle machine	T	P				
8450.11.09	Maytag model A	23 commercial washing machine, coin operated	Free Free	Free Free	99 99	800197K	8/88	• •
	Rubber dams; c	onsisting of the following:	Free	Free	99	800154F 800145G	6/88 7/88	• • •
	<ol> <li>The rubber</li> </ol>	dam body composed of Ethylene Propylene Diene			30	5501750	1100	• •
	Monomer comple	te with baffle fin						
	2. Unrome moly	bdenum steel galvanised anchor bolts and w - anchor						
		anised ductile cast iron nd deflation equipment to control inflation level						
	by way of (a)	Upstream water level or (b) Inner pressure including						
	high volume/lo	w pressure air blower						
8479.89.00	Linear ball be	aring guide pins, bushes and ball cages of a	Free	Free	99	800204F	7/88	
	type used in t	he precision opening and closing of die sets					.,	• • •
8479 89 00	and precision	machinery t dispensing machines						
8481.80.19	Brass hall val	ves excluding sizes 1/2 inch to 1 inch inclusive	25.5	AU 5	99	820205C	1/88	
8481.80.19	Cylinder valve	s with or without built in safety device	Free Free	Free Free	99 99	880045G	2/88	• •
8483.30.01	Engine bearing	S	Free	Free	99	800090F 800060D	7/88 8/88	
8483.30.09	-		Free	Free	99	800103A	6/88	
	Alfa Romeo	1600 - 1800 and 2000cc					-,	
	Audi BMW	50 - 60 - 80 - 90 and 100 series All types						
	Citroen	All DS - ID and CX series						
	Daimler Benz	102 - 110 - 114 - 115 - 116 - 117 - 121 - 123						
		130 - 180						
		OM407 - OM409 - OM402 - OM403 - OM401 - OM360						
	Maginus Danes	OM355 - OM366 - OM352 - OM314						
	Magirus Deutz MAN	All models All models						
	Peugeot	104 - 204 - 305 - 404 and 504						
	Porsche	All models						
	Renault	R4 - R5 - R12 - R18 - R20 and R30						
	SaaB	B202						
	Scania	D5 - D11 - D14						
	Lada Volkswagen Golf	1200 and Niva						
	Volvo	B18 - B20 - B21 - B30 - B27 - D50 and TD120						
8501.61.00	Vehicle power u	mit 240 volt AC 2500 watt alternator	Free	Free	99	820067L	7/88	
8506.12.00	Oticon - brande	d hearing aid batteries, mercury and air zinc,		Free	99	820017E	7/88 7/88	• •
0890 10 00	sizes 13, 312 a					*		•
0028.10.01		cional broadcast monitors models:	Free	Free	99	721890H	6/88	
		9RP, TM20-9RP, TM20-10HR, TM20-10RH, 16R, PM14-3H-02, TM20-15RHP						
8528.10.09	Ikegami CCTV in	dustrial colour monitors, models CMV-1000,	Free	Free	99	721909B	8/00	
	CMV-1450, CMV-2	150			50	16190AD	6/88	• •
	Coal gas and pe	troleum gas detecting alarm	Free	Free	99	800171F	8/88	
9004.90.01 9013.80.00	Clear view roll	off system for moto cross goggles		Free	99	721389B	3/88	••
9618.00.00	Tailors dummice	n for the assembly of bare printed circuit boards also known as dressmakers garment stands		Free	99	820016F	7/88	• •
 			Free	Free	99	800100G	7/88	<u>··</u>
		SCHEDULE 2 Decisions Cancelled						
 Tariff	<del></del>	Decisions Cancelled						
Tariff Item	Description o	f Goods				Ref.		
 						No.		
1511.90.01 1513.29.01	Palm frac Palkena o			• •	• •	522347E		
1516.20.19	Melano pa			••	• •	522347E	••	• •
3004.90.19	Ispurel solut	•		• • - ·	••	522347E	• •	• •
4304.00.19	Artificial			• •	• •	101342E 702450K	• •	• •
	Bonded co				••	701910G	• •	• •
6210.10.01			• •			101910G	• •	
6210.10.01 8414.59.01 8414.59.01	Automotive Diesel Pe	. fans		••		682214C	••	• •

## CUSTOMS EDITION

Tariff Industry Assistance (Decision) Notice No. 1988/33-continued

	Tariff Item	Description of Goods			Ref.	
AK .	8414.59.09	Fans engines		 	682283F	 
K	8433.90	Carburettor cables		 	800379D	 
K	8438.90.09	Cream litres	• •	 	521456E	 
,	8481.80.19	Brass BSP	••	 	600741E	 
)	8481.80.19	Brass inclusive	• •	 	780816L	 
ĺ	85.17	Component approved	••	 	520936G	 
i	8528.10.01	Ikegami PM14-3H-02	• •	 	621225F	 
i	8528.10.09	Ikegami CMV-1450	• •	 	721254C	 
Ì	9025.19.00)	'Osaka' recorders		 	540400C	 
-	9026.20.09)					 

SCHEDULE 3 Limited Decisions Approved

	Tariff		Rates of	Duty	Part II	Ref. No.	Effective	
	Item	Description of Goods	Normal	Pref.	Ref.		From	То
Ю	2401.10.09)	15007kg of unmanufactured tobacco ex Universal Leaf Tobacco	Free	Free	99	880047C	8/88	8/88
	2401.20.09)	Co USA	_		00	0000055	0/00	12/88
N	8431.43.09	Spare and service parts of oilwell drilling and seismic equipment, for pim No's 8604 to 8608 only	Free	Free	99	820235E	8/88	
N	8431.43.09	Spare and service parts of oilwell drilling and seismic equipment and spares, for pim No's 8609 to 8622 only	Free	Free	99	820236C	8/88	12/88
0	8481.80.19	1000 units unassembled equilibrium float valves	Free	Free	99	820060C	7/88	12/88
ĸ	9503.30.00	10 only cartons of Lego construction toys imported ex Act 8, entry AKS8004692	Free	Free	99	800495B	7/88	7/88
N	9506.39.00	Battery powered golf trundler (2 only)	Free	Free	99	820033F	7/88	12/88

SCHEDULE 4

	Tariff		Ref.
	Item	Description of Goods	No.
WN	2710.00.75	Ultra duty grease 2	820107
WN	3402.90.00	Drilling detergent	721768
AK	3823.90.69	Admul WOL 1404	800068K
WN	4202.92.09	Textile covered musical jewellery boxes	820134
WN	4820.20.00	Foss work books	721295
WN	5109.10.00	Hand knitting yarn kits	721833
НО	57.01	Hand knotted rugs	880001E
	Whole Headin	8	
WN	6114.30.09	Reflective safety vest model Ke-120	721584
WN	8202.49.09	Components for anchor window blinds viz vertical venetian	820195
WN	8483.20.09)	Bearings	
	8483.30.09)	(2) Thrust and washers	820119
WN	8483.30.09	Shell bearings and bushes for motor vehicle engines	721679D
AK	9507.10.00	Fly fishing rod, graphite, line weight AFTMA RS9]#2	702887D

Dated at Wellington this 1st day of September 1988.

M.W. TAYLOR, Comptroller of Customs.

#### Gazette Notice

Customs Act 1966

Preliminary Determination : Dumping Investigation Refined sugar, (refined from sugar came or sugar beets).

Pursuant to the provisions contained in section 186J of the Customs Act 1966, notice is hereby given by the Minister of Customs of a preliminary determination that he has reasonable cause to believe, in relation to the importation or intended importation into New Zealand of refined sugar, being refined white sugar and other types of refined sugar (refined from sugar cane or from sugar beets) exported from Malaysia, Thailand and the Federal Republic of Germany, that they are goods in respect of which the Minister may direct the imposition of an anti-dumping duty in accordance with section 186L of the Act.

Pursuant to the provisions contained in section 186N of the Customs Act 1966, the Minister of Customs hereby gives notice of a provisional direction that payment of duty in respect of those goods described above shall be secured in accordance with Part IX of the Act.

The rate or amount of such duty to be secured shall be as set out in the schedule, this being an amount not greater than the difference between the export price of the goods and their normal value and considered sufficient to prevent material injury being caused during the remaining period of investigation.

#### SCHEDULE

Country of export

Rate of Dumping Duty

Malaysia Thailand US\$65 per tonne

Federal Republic of Germany

US\$60 per tonne US\$68 per tonne

Dated at Wellington this 16 day of August 1988

TREVOR de CLEENE Minister of Customs

