

GISBORNE



The New Zealand

Gazette

Customs Edition

WELLINGTON: TUESDAY, 13 SEPTEMBER 1988

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

*Catagory

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/34 Applications Advertised for Objection Closing Date for Objections 29 September 1988

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 29 September 1988. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item;
 - the Port; and
 - ~ Reference number.
- 2 All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- All submissions objecting to a request for the imposition of duty must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.

Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff		Name and Address	Part II	Appn. Ref.	*Category of
tem	Description of Goods	of Applicant	Ref.	No.	Appn.
002.90.09	200 metric tonnes of aseptically packed concentrated pure tomato paste	The NZ Salmon Company Ltd PO Box 5602 DUNEDIN	99	DN 860037	G A
106.90.09	Smoking deterrent chewing gum and lozenges	Reckitt & Colman NZ Ltd PO Box 19046 Avondale AUCKLAND	99	AK 8005656	G A
ection VI	CURRENT APPROVAL Rubber and plastic material foaming agents		99	680214	3 VA
ection VI	REQUESTED APPROVAL Rubber and plastic material foaming agents EXCLUDING:	Chemby Chemicals Ltd	99	AK 800604	
	I. Disodium oleyl sulphosuccinimate Disodium octa-decyl sulphosuccinate Manro MA35 Manro 35	C/-Trade Consultants Ltd PO Box 4287 AUCKLAND			
002.11.00	Dowfax 2Al powder or solution	Ivon Watkins Dow Ltd C/-Service Haulage Ltd PO Box 1549 AUCKLAND	99	AK 8005960	G A
002.90.01	Thrombostat 5ml	Parke Davis Pty Ltd PO Box 4275 AUCKLAND	26	WN 830033	A
004.40.09	Trental ampoules and/or tablets	Hoechst NZ Ltd PO Box 67 AUCKLAND	26	WN 830032	A
004.90.19	Frumil tablets	Rorer NZ Ltd C/-Burnard & Reynolds Ltd PO Box 1387 AUCKLAND	26	WN 730198	A
004.90.19	Oxprenolol tablets	Glaxo NZ Ltd Private Bag PALMERSTON NORTH	25	WN 820252	WA
004.90.19	Selectol 200mg tablets	Rorer NZ Ltd C/-Burnard & Reynolds Ltd PO Box 1387 AUCKLAND	26	WN 730199	A
02.11.00	Dowfax 3B2	Ivon Watkins Dow Ltd C/-Service Haulage Ltd PO Box 1549 AUCKLAND	99	AK 800595J	A
506.91.00	CURRENT APPROVAL Hot melt adhesive as may be approved; APPROVED:		99	7213500	. VA
506.91.00	Jowatherm 290-60, 283-00, 291-10, 291-40 REQUESTED APPROVAL				
	Hot melt adhesive as may be approved; APPROVED: Jowatherm 290-60, 283-00, 291-10, 291-40, 296-30, 296-00,	TCL Marketing Ltd PO Box 30-179 LOWER HUTT	99	WN 820171	VA
08.30.08	288-50 Permazol SDA	Rhone Poulenc NZ Ltd PO Box 35060 Naenae	99	WN 820166	A
323.4 0.00	Crude detergent concrete additive	LOWER HUTT C McNicholl PO Box 1185 CHD1STCH19CH	99	CH 840003C	A
16.20.00	Footwear randing, being an imitation stitching	CHRISTCHURCH Emhart NZ Ltd MSAS Cargo International Ltd PO Box 2427 WELLINGTON	99	WN 721858	A
920.42.29	CURRENT APPROVAL Embossed P.V.C. sheeting, 0.40mm thickness and widths exceeding 1.775 metres with intense white colour of a		99	701306L	VA

	ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
_		type used in projection screen manufacture				
39	920.42.29	REQUESTED APPROVAL Projection screen embossed PVC sheeting, of a thickness 0.40mm and a width 138cm or greater	Kelmarvan Holdings Ltd PO Box 13-132 Onehunga	99	AK 8005611	O VA
39	926.90.69	Inflatable pillow and cushions	AUCKLAND Sunshine Leisure Products NZ Ltd C/-Arthur H Giles Ltd PO Box 504	99	DN 8600381	A 3
39	926.90.69	Multi-pan plastic handle with aluminium insert	DUNEDIN Zip Housewares Ltd C/-Bernard A.W. Hack PO Box 20-198 CHRISTCHURCH	99	CH 8400806	G A
	926.90.61)	CURRENT APPROVAL Pneumatic air beds (lilo type)		99	7208950	C VA
38	926.90.69	REQUESTED APPROVAL	Sunshine Leisure Products Ltd	99	DN 860043A	A VA
		Pneumatic air beds	C/-Arthur H Giles Ltd PO Box 504 DUNEDIN	99	DIN 6000432	YA.
40	0.09	Fuel line hose as may be approved; APPROVED:	Skellerup Sales Ltd Private Bag	99	СН 840037	i A
4(009.10.00	7.9 to 9.5mm I.D. rated to SAE 30R 7 Hose EPDM covered nitrile tube 6.4mm to 25.4mm	CHRISTCHURCH Skellerup Sales Ltd Private Bag	99	CH 840035A	A A
40	009.50.19	Reinforced rubber hose with fittings attached, of the type used on hydraulic excavators	CHRISTCHURCH Cable-Price Corporation Private Bag	99	WN 820051	A
42	201.00.00	Equestrian over-reach boots for horses	WELLINGTON Irene Ann Ritchie	99	DN 860045	ł A
			42 Gilkison Street DUNEDIN			
42	201.00.00	Equestrian tendon boots for horses	Irene Ann Ritchie 42 Gilkison Street DUNEDIN	99	DN 8600461	F A
42	203.21.09	Half fingered sailing gloves	J Fielding 39 Totara Street Ravensbourne	99	DN 8600420	C A
58	306.20.09	Woven elastic band	DUNEDIN Ure Pacific Traders Ltd PO Box 20-210 Glen Eden	99	AK 8005790	G A
58	306.32.00	Tartan name tag ribbon	AUCKLAND The Scottish Shop C/-Campbell McRae Holdings Ltd PO Box 5556	99	DN 8600400	6 A
58	306.39.00	Tubular webbing with binders and polypropylene fillers, monofilament weft and woven using needle loom, width 30mm	DUNEDIN Axiom International Ltd C/-Burnard & Reynolds Ltd PO Box 1387 AUCKLAND	99	AK 8005721	C A
58	308.10.09	Braided cotton, plaited construction forming a belt width $30\mathrm{mm}$	Axiom International Ltd C/-Burnard & Reynolds Ltd PO Box 1387	99	AK 8005731	H A
60	002.43.11	100% acrylic warp knit plain and jacquard fabric	AUCKLAND Society Fashions Ltd C/-PO Box 37-469 Parnell	99	AK 800566	E A
63	304.99.00	Printed textile wall hangings	AUCKLAND Balance Imports PO Box 5556	99	DN 8600390	C A
68	311.20.00	Monolithic calcium silicate bound mineral fibre sheets and/or slabs	DUNEDIN N.F. Raven & Co Ltd PO Box 6247	99	WN 820211	Α
70	020.00.19	Glass fibre kinetic vibration and isolation mounting pads	WELLINGTON Taylor Richardson Ltd C/-A.J. Brown & Co Ltd PO Box 1036	99	AK 8005631	. A
Se	ection XV	Plugs, clips and similar fittings peculiar to use by builders for fixing articles to concrete or plaster	AUCKLAND Ramset Fasteners NZ Ltd PO Box 40-031	99	AK 8005030	G WA
72	217.11.00) 217.21.00) 217.31.00)	Uncoated roping wire, 0.19mm to 4.20mm diameter 1370 to 2050 $\mbox{N/MM}^2$ (regardless of carbon content)	AUCKLAND Bridon NZ Ltd PO Box 14422 Panmure	99	AK 800635A	A A
	317.00.09	Electro galvanised wire nails, ring shank counter sunk flat head diamond point SWG 14 x SWG 8 x $5/8^{\circ}$	AUCKLAND Kenreid Tools Ltd C/-National Customs & Travel Consultants Ltd PO Box 22329	99	AK 800574F	7 A
73	318.15.09	Bolts to suit axle and suspension assemblies	Otahuhu AUCKLAND Transport Wholesale Ltd PO Box 13-018	99	DN 860041F	Ε Α

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
		Green Island			
326.90.09	Motor vakiala immakilising vakaal alama davissa	DUNEDIN COLLEGE MARCHES LAND	00	AT 000500	
20.90.09	Motor vehicle immobilizing wheel clamp devices	Gollin Metals Ltd PO Box 2069	99	AK 800599/	A A
		AUCKLAND			
26.90.09	Steel and tin plate culots (cup shaped gasket inserts)	Payen NZ Ltd	99	AK 800547.	í A
		PO Box 19-025 Avondale			
		AUCKLAND			
326.90.09	Wire pads	Sight Craft NZ Ltd	99	AK 800580I	. А
		PO Box 53-109 AUCKLAND			
306.12.09	External corner support tape consisting of a paper backing		99	AK 8005591	3 A
	strip adhered to two uncoated aluminium strips	PO Box 16-171			
		Mt Roskill AUCKLAND 3			
16.90.29	Canopy awning aluminium castings	Weathermaster Products Ltd	99	AK 8005700	. A
		PO Box 5959			
16.90.29	Intumescent fire and smoke seals	AUCKLAND 1 Wormald Fire Systems	99	AK 8005813	. A
		C/-PO Box 53-084	-		••
00 10 00	CUMBERS ADDROVAL	AUCKLAND AIRPORT			
08.10.09	CURRENT APPROVAL Watercooled engines, as may be approved;		99	7029031	. VA
	APPROVED:				• •••
	An engine for which the original engine manufacturer				
	obtains a certificate certifying it as complying with a national Standard Specification, internationally				
	acceptable, and attaining its maximum continuous shaft				
	kilowatt rating under either DIN6270 (rating A)or BS649;				
	1958 or SAE J816a, at an engine speed not exceeding 2000 rpm.				
	An engine for which the original engine manufacturer				
	obtains a certificate certifying it as complying with a				
	national Standard Specification, internationally acceptable and attaining its maximum continuous shaft				
	kilowatt rating at an engine speed exceeding 2000 rpm				
	under DIN 6270 (rating A) or BS 649; 1958 or				
	SAE J816a, provided that the maximum continuous shaft				
	kilowatt rating is greater than 149 shaft kilowatts(200 shaft horsepower)				
	Bukh diesel models;				
	DV 36SME				
	Caterpillar;				
	3208				
	D399				
	3306 marine propulsion 3406 marine propulsion				
	3408 marine propulsion				
	3412 marine propulsion D379 marine propulsion				
	D398 marine engine				
	D353 marine engine				
	Chrysler models; 180				
	130				
	195				
	240 250				
	265				
	330				
	C.M.C.models; 4135 CaB-3,6135 CaB-3,12V135 CaB-3				
	Crusader models;				
	Crusader models;				
	Crusader models; SCS-220 CS-270				
	Crusader models;				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines;				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M NT-855-M1 V-504-M,V-555-M				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M VT-803-M, V-555-M VT-903-M				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M NT-855-M1 V-504-M,V-555-M				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M NT-855-M VT-903-M V-903-M V-903-M VT-903-M VT-903-M VT-903-M				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M NT-855-M1 V-504-M,V-555-M VT-903-M V-903-M VT-903-M VT-903-M VT-903-M VT-1710-M				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M VT-955-M VT-903-M VT-903-M VT-903-M VT-903-M VT-903-M VT-1710-M VTA-1710-M1				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M NT-855-M1 V-504-M,V-555-M VT-903-M V-903-M VT-903-M VT-903-M VT-903-M VT-1710-M				
	Crusader models; CS-220 CS-270 CS-300 CH-270 CH-350 Cummins marine diesel engines; N-855-M NT-855-M1 V-504-M,V-555-M VT-903-M VT-903-M VT-903-M VT-1710-M VTA-1710-M1 VTA-1710-m ²				

*Category

of

Appn.

Part

AQ280A/280B

Tariff

Item

```
Appn.
                                                                                                                     Ref.
                                                                   Name and Address
                                                                                                              TT
                                                                                                              Ref
                                                                                                                     No.
                                                                    of Applicant
Description of Goods
Detroit diesel models;
6V-53
6-71
6V-71
6V-92
8-2 models 4082/8300
8V-71
8V-92
8V-92T1
12V-71,12V-149
16V-71
16V-92
Kelvin;
P2
P2R
P4
P4R
R4
R6
RS6
T4
TA6
TAS6
TASC6
TA8
TAS8
TBSC8
M.A.N. diesel engines;
D2530ME
D2540MTE
D2542ME
D2542MLE (L)
D2566ME
D2530MTE (T)
D2542MTE (T)
D2566MTE (T)
Perkins D.152 marine engines and parts thereof, hand and
electric start
AQ145/290, AQ200/290, AQ225/290, AQ175/290, AQ260/290, D2840ME, D2842ME, D2540MLE
Mercruiser models;
120, 140, 228, 260, 330TRS, 470, 898, 485, 145
Nissan models;
PD6 HT06
PD6 HTA06
PD6 T06
PD6 TA06
OMC models;
Inboard/Outboard sail drive
104kW inboard/outboard sterndrive unit
175kW inboard/outboard sterndrive unit
Paxman models;
8RPH
SRPHC
SRPHY
8RP200
8YJC
6YJX
 12RPH
 12RPHC
 12RPHX
 12RP200
 12YJC
 12YJX
 16RP200
16YJC
 16YJX
Perkins models;
 6/354
H6/354, HT6/354
Heavy duty 4/236 (lowline)
T6/3544(m) 240 BHP marine engine
 Ruston models;
 4AP230
 6AP230
6ATC, 6RKC
8ATC, 8RKC
 12ATC, 12RKC
16ATC, 16RKC
 18ATC
 4YDM
 Volvo Penta models;
 AQ145A/280D
 AQ260A/280B
```

 $\underline{\textbf{Tariff Industry Assistance (Advertisement)}} \ \underline{\textbf{Notice No. 1988/34-}} \textbf{continued}$

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	AQ200D/280B		Wei.		uppit.
	AQ225D/280B				
	AQ21B/280B				
	AQ290A/280B				
	AQAD40/280				
	TAMD 60A diesel				
	TAMD 70C				
	TAMID 120A TMD 70B				
	TMD 100A				
	TMD 120A				
	Sea Panther				
3408.10.09	REQUESTED APPROVAL				
	Watercooled engines, as may be approved;	Faulkner & Collins Ltd	00		
	APPROVED:	C/-Colebrook Bros Ltd	99	AK 800575D	VA
	An engine for which the original engine manufacturer	PO Box 1296			
	obtains a certificate certifying it as complying with a	AUCKLAND			
	national Standard Specification, internationally				
	acceptable, and attaining its maximum continuous shaft				
	kilowatt rating under either DIN6270 (rating A)or BS649;				
	1958 or SAE J816a, at an engine speed not exceeding				
	2000 rpm.				
	An engine for which the original engine manufacturer				
	obtains a certificate certifying it as complying with a				
	national Standard Specification, internationally				
	acceptable and attaining its maximum continuous shaft				
	kilowatt rating at an engine speed exceeding 2000 rpm				
	under DIN 6270 (rating A) or BS 649; 1958 or				
	SAE J816a, provided that the maximum continuous shaft				
	kilowatt rating is greater than 149 shaft kilowatts(200 shaft horsepower)				
	Bukh diesel models;				
	DV 30ME				
	DV 36SME				
	Caterpillar;				
	3208				
	D399				
	3306 marine propulsion				
10	3406 marine propulsion				
	3408 marine propulsion				
	3412 marine propulsion				
	D379 marine propulsion				
	D398 marine engine				
	D353 marine engine				
	Chrysler models; 180				
	130				
	195				
	240				
	250				
	265				
	330				
	C.M.C.models;				
	4135 CaB-3,6135 CaB-3,12V135 CaB-3				
	Crusader models;				
	CS-220				
	CS-270				
	CS-300				
	CH-270				
	CH-350				
	Cummins marine diesel engines; N-855-M				
	NT-855-M1				
	V-504-M,V-555-M				
	VT-903-M				
	V-903-M	•			
	VT-903-M1				
	VTA-903-M				
	VT-1710-M				
	VTA-1710-M1				
	VTA-1710-m ²				
	KT-1150-M				
	KTA-1150-M				
	KT-2300-M				
	KTA-2300-M				
	Detroit diesel models;				
	6V-53				
	6-71				
	6V-71				
	6V-92				
	8-2 models 4082/8300				
	8V-71 8V-92				
	8V-92T1 12V-71,12V-149				

riff em	Description of Goods	Name and Address of Applicant	 Part II Ref.	Appn. Ref. No.	*Category of Appn.
	16V-71		 		
	16V-92				
	Kelvin; P2				
	P2R				
	P4				
	P4R				
	R4				
	R6				
	RS6				
	T4 TA6				
	TAS6				
	TASC6				
	TA8				
	TAS8				
	TBSC8				
	M.A.N. diesel engines;				
	D2530ME D2540MTE				
	D2542ME				
	D2542MLE (L)				
	D2566ME				
	D2530MTE (T)				
	D2542MTE (T)				
	D2566MTE (T) Perkins D.152 marine engines and parts thereof, hand and				
	electric start				
	AQ145/290, AQ200/290, AQ225/290, AQ175/290, AQ260/290,				
	D2840ME, D2842ME, D2540MLE				
	Mercruiser models;				
	120, 140, 228, 260, 330TRS, 470, 898, 485, 145				
	Nissan models;				
	PD6 HT06				
	PD6 HTA06 PD6 TO6				
	PD6 TA06				
	OMC models;				
	Inboard/Outboard sail drive				
	104kW inboard/outboard sterndrive unit				
	175kW inboard/outboard sterndrive unit				
	Paxman models;				
	8RPH 8RPHC				
	8RPHX				
	8RP200				
	8YJC				
	6YJX				
	12RPH				
	12RPHC 12RPHX				
	12RP200				
	12YJC				
	12YJX				
	16RP200				
	16YJC				
	16YJX Perkins models;				
	6/354				
	H6/354, HT6/354				
	Heavy duty 4/236 (lowline)				
	T6/3544(m) 240 BHP marine engine				
	Ruston models;				
	4AP230				
	6AP230 6ATC, 6RKC				
	8ATC, 8RKC				
	12ATC, 12RKC				
	16ATC, 16RKC				
	18ATC				
	4YDM				
	Volvo Penta models;				
	AQ145A/280D				
	AQ260A/280B AQ280A/280B				
	AQ280A/280B AQ200D/280B				
	AQ225D/280B				
	AQ21B/280B				
	AQ290A/280B				
	AQAD40/280				
	TAMD 60A diesel				
	TAMD 70C				
	TAMD 120A TMD 70B				

Tariff Item	Description of Goods		Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	TMD 120A					
+	Sea Panther Lehman models;					
+	Super 185					
+	Super 275					
+	Super 355					
8413.91	Component parts used in making commercial hyd	iraulic pumps	Hydraulic Distributors NZ Ltd	99	CH 840091B	A
			PO Box 4558			
8414 50 00	Proposed for tools		CHRISTCHURCH			
8414.59.09	Fans and fan wheels		Farmlines NZ Ltd	99	CH 840082C	A
			C/-Allan Roberts Customs			
			PO Box 918 CHRISTCHURCH			
8416.90	Component parts as may be approved for use in	the	Energy Products Ltd	99	AK 800588F	A
	manufacture of Elco Natural Gas Burners -		C/-PO Box 1316		0000001	
	Componentry and Transformers 240		HAMILTON			
	Volts to 10000 Volts	8504.31.01				
	Ignition Electrode Assemblies	8416.90.00				
	Diffusers	8416.90.00				
	Gas Pipe Assemblies, Nozzle Rods/Gas Burner Casings	8416.90.00				
•	Burner Fans	8416.90.00 8414.59.09				
	Electric Motors	8501.40.09				
	Air Pressure Switches	9026.80.09				
	Flame Cups	8416.90.00				
	Electric Serve Motors	8501.31.09				
	Regulation Systems	8537.10.00				
	Contractor/Overload	8536.90.00				
8422.40.09	Fully automatic loose leaf paper L-sealer wra	pping	Fabers Machinery	99	AK 800607F	A
	machine		PO Box 2200			
			AUCKLAND			
8422.90.09	Component parts as may be approved for use in		Wash Systems Ltd	99	AK 800621A	A
	manufacture of commercial dish washing machin		C/-Consultant Agencies Ltd			
	(a) Temperature gauges	9026.80.09				
	(b) Pressure switch assembly and other switch(c) Door guides	8422.90.09	AUCKLAND			
	(d) Wash pump and motor and associated inlet					
	outlet hoses and fittings	8413.70.09				
	(e) Rinse pump and motor	8413.70.09				
	(f) Door handle assemblies and buffers	8422.90.09	•			
	(g) Runners	8422.90.09				
	(h) Strainer filters	8421.21.00				
	(i) Legs and adjustable feet	8422.90.09				
	(j) Instrument panel	8422.90.09				
	(k) Condensors	8532.30.00				
	(1) Rubber seal extrusion	4016.93.00				
	(m) Neon pilot light(n) Overflow pipe and drain assembly	8548.00.00				
	(o) Wash and rinse assembly including	8422.90.09 8422.90.09				
	arms, spindles, feed assemblies.	4009.50.19				
	tubes, locking nuts,	7318.16.00				
	screws, hoses and	7318.14.00				
	gaskets	4016.93.00				
3424.81.00	Booms, 12 metres and over for agriculture and	horticulture	Fieldchief Sprayers Ltd	99	WN 820217	A
	sprayers		PO Box 751			
			Norrie Road			
			Drury			
3428.39.00	CURRENT APPROVAL		AUCKLAND			
	Joloda conveyor system trolley and trips			99	931775K	VA
3428.90.00	REQUESTED APPROVAL			99	9317/3K	VA
	Joloda conveyor system trolley and trips		Cable Price Corporation	99	WN 820178	VA
	• • • • • • • • • • • • • • • • • • • •		Private Bag	••	O2017B	,,,
			WELLINGTON			
429.20.00	Motor graders with an operating weight exceed	ing 18000 kgs	Gough, Gough and Hamer Ltd	99	CH 840088B	A
			PO Box 16-168			
			Hornby			
430 E0 00	Non-restantant to the same and		CHRISTCHURCH			
429.59.00	Non articulated tractor loader backhoes and a		Comptroller of Customs	99	HO 880055D	A
	tractor loader backhoes, imported complete wi Note: Duty is payable on the following compon-		WELLINGTON			
	(a) Rear and front buckets	ents.	WELLINGTON			
	(b) Linkages/boom arm assemblies					
	(c) Rams (hydraulic cylinders)					
	(d) Loader arms					
	(e) Backhoe booms					
	(f) Pins and bushes					
	(g) Slew mechanism					
	(h) Slide frame (side shift frame)					
	(i) Rear excavator mounting unit					
	(j) Stabilizer assemblies					
	(k) Stabilizer feet (l) Centre post (king post) assembly					
	(1) Centre post (king post) assembly Manufacturers free on board costings are to be	a cumplied by	~			
	importer for each shipment	aubhiten nà				
	,					

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
3430.69.00	Hammers, concrete breakers and/or rock breakers hydraulic	CWF Hamilton & Co Ltd C/-Banner International Ltd PO Box 14033	99	CH 840079C	
3433.20.09	Self propelled slashers	CHRISTCHURCH Air Hire Centre Ltd C/-Consultant Agencies Ltd PO Box 3485 AUCKLAND	99	AK 800619K	A
4.50	Household or laundry type washing machines and washing drying machines, exceeding 10kg dry linen capacity	Fisher & Paykel Ltd C/-Trade Consultants Ltd PO Box 4287 AUCKLAND	99	AK 800552E	A
79.89.00	Nitrogen pressure swing adsorption plant for producing gas	NZ Industrial Gases PO Box 12-041 Penrose AUCKLAND	99	AK 800630L	A
481.80.19	Ceramic temperature and pressure regulating valve cartridges	Greens Industries Ltd PO Box 1316 HAMILTON	99	HO 880060L	A
183.90.01	Clutch segments or shoes being parts of lawnmaster reel type mowers	Steelfort Engineering Co Ltd Private Bag PALMERSTON NORTH	99	WN 820163	A
501.20.01) 501.20.09)	CURRENT APPROVAL Fractional HP universal motors EXCLUDING: (1) Electric motors not incorporating a geared unit, between 76W and 1200W inclusive with nominal speeds above 1100 rpm (2) Electric motors incorporating a geared unit exceeding		99	703501C	VA
501.20.01) 501.20.09)	370W REQUESTED APPROVAL Fractional HP universal motors EXCLUDING: (1) Electric motors not incorporating a geared unit,	Eric Paton Ltd PO Box 12047 AUCKLAND 6	99	AK 800564J	VA
	between 76W and 1200W inclusive with nominal speeds above 1100 rpm (2) Electric motors incorporating a geared unit exceeding 90W				
	Transformers normally of a primary voltage of $110/220/230/240$ etc, 50HZ being replacement transformers	Auckland Transformer Co Ltd C/-National Customs & Travel Consultants Ltd PO Box 22329 Otahuhu AUCKLAND	99	AK 800591F	WA
507.20.00	CURRENT APPROVAL Rechargeable lead acid batteries (Gel cell) 6 volt		99	506099A	VA
07.20.00	REQUESTED APPROVAL Rechargeable lead acid batteries (Gel cell) 6 volt and 8 volt	Totalisator Agency Board PO Box 3645 WELLINGTON	99	WN 820270	VA
516.33.00	Hand drying apparatus	Kambrook Manufacturing (NZ) Ltd Private Bag Sunnynook AUCKLAND	99	AK 800576B	A
i. 27	CURRENT APPROVAL Components for the use in installation of mobile telephone base stations and cell sites excluding antenna, MSC housings and telephones REQUESTED APPROVAL		99	721051F	VA
5.27	Components for the use in mobile telephone base stations and cell sites excluding: 1. MSC Housings 2. Telephones 3. Antennas 4. Componentry for use with Antenna, viz: (a) Surge suppressors (b) Transmit and Receiver combiners (also known as multicouplers) (c) Duplexers (d) Filters	Mr G.P. Belcher C/-PO Box 766 WELLINGTON	99	WN 820177D	VA
528.10.09	(e) Circulators (also known as Isolators) (f) Directional couplers or separators One only mobile star vision matrix display system	EEV Waterhouse Lane Chelmsford Essex CMI 20U ENGLAND	99	WN 820218	A
531.10.00	Motor driven alarm bells	Wormald Vigilant Ltd C/-Emery Customs Brokers NZ Ltd PO Box 14061 CHRISTCHURCH	99	CH 840087D	A
536.50.00	CURRENT APPROVAL Switches, being of the push button, slide, rotary or toggle variety, being rated at 4 amps or under at 230 volts AC/DC when declared by a manufacturer for use in making		99	460056J	VA

Tariff		Name and Address	Part II	Appn. Ref.	*Category of
Item	Description of Goods	of Applicant	Ref.	No.	Appn.
8536.50.00	television or audio equipment only REQUESTED APPROVAL				
6550.50.00	Switches of a rated current carrying capacity not	S.D. Mandeno Electronic Equip Co	99	AK 8006200	. VA
	exceeding 3 amperes	10 Woodhall Road			
		Epsom AUCKLAND 3			
8544.49.09	Belden YR22727 being IBM type 6 cable (now renamed Belden	Maser Communications (1985) Ltd	99	AK 800636K	. A
	1215A)	PO Box 65-166 Mairangi Bay			
8544.49.09	Poldon OCOO hoing IDM tune 1 cohlo	AUCKLAND	00	AW 000000	
0044.48.08	Belden 9688 being IBM type 1 cable	Maser Communications (1985) Ltd PO Box 65-166	99	AK 800637H	A
		Mairangi Bay			
8546.90.09	Glass reinforced polyester busbar supports	AUCKLAND Elbar Industries Ltd	99	CH 840075L	. A
		C/-Bernard A.W. Hack			
		PO Box 20-158 CHRISTCHURCH			
8708.99.39	Catalogued parts of those dump trucks approved under	Gough, Gough and Hamer Ltd	99	CH 840031J	A
	tariff item 8704.10.00, concession code 602853F. This approval applies regardless of tariff classification with	PO Box 16-168 Hornby			
	the following exceptions:	CHRISTCHURCH			
	(1) Tyres and tubes (2) Parts of general use				
8712.00.01	CURRENT APPROVAL				
	Chrome molybdleum framed bicycle componentry imported in unassembled form		99	681083H	VA
	EXCLUDING:				
	Frame tubing other than in an unworked butted form Assembled wire spoked wheels				
8712.00.01	REQUESTED APPROVAL				
	Chrome molybdenum framed bicycles imported with unassembled frames	Collector of Customs PO Box 2098	99	CH 840096G	VA
	EXCLUDING:	CHRISTCHURCH			
	Frame tubing, other than in an unworked butted form				
8907.10.00	Assembled wire spoked wheels CURRENT APPROVAL				
1007 10 00	Inflatable emergency life rafts		99	620165C	VA
8907.10.00	REQUESTED APPROVAL Inflatable emergency life rafts and lifeboats	Barlow Marine Ltd	99	AK 800600J	. · ·
		PO Box 589			
		Papakura AUCKLAND			
9026.80.09	Heimer thermostatic valve heads	Energy Products Ltd	99	AK 800587H	A
		C/-PO Box 1316 HAMILTON			
9209.94.09	CURRENT APPROVAL Parts of electric organs		99	702561A	374
9209.94.09	REQUESTED APPROVAL		99	702301A	VA
(Whole Item)	Parts and accessories for the musical instruments of heading No. 92.07	Monaco Corporation NZ Ltd C/-PO Box 3986	99	AK 800551G	VA
	heading No. 02.07	AUCKLAND			
9306.30	Ammunition and parts thereof for rifles and handguns	Collector of Customs PO Box 2218	99	WN 820288	WA
		WELLINGTON			
9306.30	Other cartridges and parts thereof	Collector of Customs PO Box 2218	99	WN 820274	WA
		WELLINGTON			
9306.30.01	Metallic centrefire cartridges .243 and .308 (7.62 nato) calibre	Collector of Customs PO Box 2218	99	WN 820289	WA
	а	WELLINGTON			
9306.30.01	Rifle ammunition viz: .243 and/or .308 calibre	Collector of Customs PO Box 2218	99	WN 820290	WA
		WELLINGTON			
95.03) 95.04)	Toys and games, when imported; (1) by a school, college or university; or	Comptroller of Customs PO Box 2218	99	но 880058Ј	WA
00.01)	(2) by an importer, when declared that they are being	WELLINGTON			
	imported for sale only to schools, colleges or universities, and will not be sold or otherwise disposed				
	of without payment of the duty which would otherwise be				
9504.30.00	payable CURRENT APPROVAL				
	Coin operated jet fighter simulator game		99	701717A	VA
9504.30.00	REQUESTED APPROVAL Coin operated aircraft simulator games	Chastronic Coin Machines Ltd	99	СН 840040Н	VA
	Som operated arrelate Simulator Bames	PO Box 22-062	55	Ch 640040h	*A
9506.62.00	Leather volleyhalls	CHRISTCHURCH	00	DN 960044V	4
5555.02.00	Leather volleyballs	Sports Chek (NZ) 10 Gamma Street	99	DN 860044K	A
9603.50.00)	CURRENT APPROVAL	DUNEDIN			
9603.90.19)	Cleaning brushes and pads wet or dry		99	522077Н	VA
9603.50.00	REQUESTED APPROVAL Cleaning brushes and pads wet or dry for use on records,	Collector of Customs	99	WN GODGEAT	V.
	video cartridges, cassettes and compact disc units	PO Box 2218	Ja	WN 820264J	VA

Tariff Item	Description of Go	oods			Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
9608.10.01	Battery operated	illuminat	ing b	all point pen	WELLINGTON Global Marketing Ltd C/-Mr G Jones Cargotrans (NZ) Ltd PO Box 405 AUCKLAND	99	AK 80059	8C A
* Category o	y of Application:		-	Application for App				
			-	Application for Var				
			-	• •	hdrawal of Approval			
		L	-	Application for Det				
			-		iation of Determination			
			-	• •	hdrawal of Determination			
		NOC	-	Revocation of Unuse				
		CUPA		Continuation of Unp	• •			
		,	-	Denotes amendment				
* Port:			-		oms, PO Box 2218, Wellington			
			-		s, Box 29, Auckland			
			-		s, PO Box 2218, Wellington			
		•	-		s, Box 2098, Christchurch			
		DN -	-	Collector of Custor	s, Private Bag, Dunedin			

Dated at Wellington this 8th day of September 1988.

M.W. TAYLOR, Comptroller of Customs.

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/34 Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.
- SCHEDULE 2 Decisions cancelled. The cancellations listed in this schedule take effect fourteen days from Gazette date unless otherwise specified, eg, WEF (date).
- SCHEDULE 3 Limited Decisions
 - (a) Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.
 - This Notice only serves to inform the importing/manufacturing community of the approvals existence.
 - (b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette.
- 5 Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

:	SCHEDULE 1	
General	Decisions	Approved

		General Decisions Approved						
	Tariff		Rates of	Dutv	Part II	Ref.	Effect	ive
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	То
K	2106.90.09	Travasorb renal food substitute	Free	Free	99	800227E	7/88	
K	3705.90.00	Photographic slides, exposed and developed specialised food industry gas packing, being for the education and product	Free	Free	99	800249F	7/88	
IN.	2000 10 01	training of staff and members of food industries		n			- 100	
IN IN	3808.10.01	Attack	Free	Free	99	721707C	5/88	• •
'N	3808.10.19	Karate 50 EC	Free	Free	99	721754E	6/88	• •
	3808.20.00	Bayleton (active ingredient triadimefon) being a fungicide for the control of rust and mildew on cereals	Free	Free	99	721765L	6/88	
N N	3808.30.09	Preeglone	Free	Free	99	721755C	6/88	• •
N N	3808.30.09 3823.90.69	Reglone Fingerprint powder	Free	Free	99	721757K	6/88	
K	3907.20.09	Bisomer PPM5S	Free	Free	99	721783J	6/88	
H	3919.10.00)	Wire marker tape dispensers and refills	Free Free	Free Free	99 99	800275E	7/88	• •
N	3919.90.09)					740650K	6/88	
K	3919.90.09 3920.20.29	Fingerprint lifters	Free	Free	99	721665D	5/88	• •
	3920.20.29	Polypropylene film	Free	Free	99	800260G	7/88	• •
		colour - white and blue thickness - 75 micron to 125 micron						
ш	2022 10 10	width — 900mm to 1200mm		ъ	00			
H 	3923.10.19	Stackable, non-nestable 0.679 m ³ /680 kg capacity insulated transplant boxes	Free	Free	99	740694A	6/88	• •
K	3926.90.69	Plastic shovels as may be approved; APPROVED:	Free	Free	99	800221F	7/88	• •
		GP1, GP2, GP3, GP4, GP5, GP6, GP7; Polypropylene: 6981, 6982; Spark free shovel: SFS 03, SFS 04, SFS 05, SFS 07, SFS 08,						
		SFS 09, SFS 010						
N	6210.50.01	Dry suit of the type used in water sports	Free	Free	99	820066B	7/88	
K	7216.50.00	Sections other than U, I, H, L, T or Y less than 40kg per metre and of a height less than 80mm	Free	Free	99	800261E	7/88	
K	7306.50.19	125mm seamless carbon steel delivery pipe grade ST 52.0 to West Germany standard DIN 1629	5	AU Free	99	800152K	7/88	•
K	7310.29.01	10 litre petrol cans	Free	Free	99	800226G	7/88	
K	7318.29.00	High tensile lock pins viz: (a) P T O lock pins	Free	Free	99	800205D	5/88	
		(b) Linch pins						
Ą	7321.81.00	Portable camping LPG heaters not exceeding 6000 BTU	Free	Free	99	860011C	7/88	
N	7321.90.09	Parts for portable high pressure LPG stoves one, two and three burner	Free	Free	99	860010E	7/88	•
ζ.	7606.11.01	Aluminium plates and sheets, 99.3, 99.5 and 99.7% aluminium purity, with decorative raised pattern as may be approved: APPROVED:	Free	Free	99	800638F	9/88	
_		Korund, Saphir, Granit, Topas						
K	7606.12.09	Aluminium alloy 8011 sheet, H14, H16 and H25 tempers between 0.22 and 0.30mm thickness and 513 to 650mm width	Free	Free	99	800631J	9/88	• •
K	7606.12.09	Aluminium alloy sheet and coil continuously anodised, as may be approved APPROVED:	Free	Free	99	800632G	9/88	• •
ζ.	7606.12.09	ALANOD Aluminium alloy stretched tooling plate as may be approved:	Free	Free	99	800634C	9/88	
		APPROVED ALLOYS: (i) 7079, 6082, 2014, 2024 all sizes						
_		(ii) 5754, 5083 to 9.5mm thickness or greater						
	7606.91.01) 7606.92.01)	Aluminium alloy 5252 circles, H24 temper with a high bright mirror finish, thickness 0.70/0.71mm, diameters between	Free	Free	99	800633E	9/88	• •
:	7616.90.29	420 and 450mm Bonded honeycomb sandwich panels being aluminium skins or woven glassfibre reinforced plastic skins, containing a core of	Free	Free	99	800225J	7/88	
		aluminium honeycomb						
)	8202.32.00	Tungsten carbide tipped circular saw blade segments	Free	Free	99	880019Н	8/88	
)	8408.10.01	Diesel outboard engines	Free	Free	99	880056B	9/88	
1	8408.10.09	Motori Marani models HR492, HR494, HR692, and HR694 marine	Free	Free	99	820009C	7/88	٠.
		diesel engines						
3	8413.81.19	75mm approximately aggregate nozzle with mixing chamber and inlets for emulsion, turned ends; unit is cast aluminium with rubber seals and bronze perforated collar being final placing component of a locally manufactured asphalt mixing machine being built under licence to American Asphalt Corp.	Free	Free	99	800256J	8/88	• •
i	8413.91.29	D50 slush pump parts	Free	Free	99	721885A	6/88	
	8413.91.29	Parts for Koomey model 88550 series air operated pump	Free	Free	99 99	721885A 820063H	6/88 7/88	
N								

Tariff Industry Assistance (Decision) Notice No. 1988/34-continued Part Effective H Rates of Duty Tariff From Ref To Description of Goods Normal Pref Item 7/88 Free 99 800228C . . Paper machine profiler/infra red dryer Free ΑK 8419.32.00 7/88 99 800274G Free . . 8419.89.09 Laboratory tissue float baths ΑK Free aa 602334H 7/84 Free 8421.39.09 Rangehood filters ΑK (84.18.031) Free 99 501633K 9/88 Component parts as may be approved for the manufacture Free ΑK 8428,10,00) 8431.31.01) of lifts APPROVED: 8483.40.01 Hoisting machine gear box 8501.20.01 Hoist motor 8535.90.09 Controller and selector equipment 8535.90.09 Overspeed governor 8431.31.01 Car frame incorporating safety channel 7308 90 00 Guide rails 8431.31.01 Automatic car and landing door frames and operator 8428.10.00 Buffers 8544.60.09 Trailing cables 8537.10.00 Buttons and indication 8541.40.00 Curtain of light door protection Guide rollers 8431.31.01 880016C 9/88 Excavating machinery, other than machinery of a kind Free Free 84.29) HO designed for mounting on tractors or other vehicles 84.31) (a) Bulldozer blades, buckets and the like and their activating equipment, eg., hydraulic rams, trunnions, cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader) (d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees (e) Four wheel drive, skid steer front end loaders (commonly known as Bobcat Loaders) (f) Rubber tracted loader with a lifting capacity up to 1000 kg Free 99 820125A 7/88 Free Component parts for the manufacture of elevating or 8431.20.00 stacking trucks (not being Rule 2A machines) and/or catalogued spare parts for the repair of such machines EXCLUDING: Axle shafts Battery containers and battery plates Brake cables and brake drums Bushes and bearings Chassis Counterweight Decals Electric controllers Exhaust systems Floor mats Fuel tanks Horns Lamp bulbs Parts of general use Pneumatic tyres Radiators Rubber pedal mats Wiring looms This $\bar{1}$ ist of exclusions applies to component and spare parts. All parts must be entered under their substantive Tariff Item but will be admitted under the above concession

	<u>.</u>	sistance (Decision) Notice No. 1988/34-continued						
	Tariff Item	Description of Goods	Rates o	f Duty Pref.	Part II Ref.	Ref. No.	Effect From	tive `
K	8431.49.19	Hiab and Palfinger hydraulic truck mounted crane components,	Free	Free	99	800281K	7/88	
		other than parts for general use, and/or catalogued spare parts		1100	00	300281K	7,00	• •
		for the repair of such machines. This concession to apply						
_		irrespective of Tariff classification						
0	8431.49.29	Component parts for the manufacture of wheel loaders	Free	Free	99	880053H	8/88	٠.
		(not being Rule 2A machines) excluding the following:						
		Front frame						
		Rear frame						
		Boom arm assembly/lift arm assembly Lift and tilt cylinders plus steering cylinders						
		Radiator guard						
		Wheel surrounds and axle guards						
		Tin plate and engine guards						
		Buckets, logging forks or grapples					,	
		Platform and steps (other than roll over protection						
		platforms)						
		Battery and battery box Hydraulic tank and fuel tank						
		Hydraulic hoses (rubber and metal)						
		Muffler hoses and air filters						
		Head lights, paint, oil and parts of general use *						
		Tips and edges for buckets						
		*NOTE: The exclusion for parts of general use does not						
		exclude goods which have a concession in their own						
		right.						
17	0447 00 00	This concession applies regardless of Tariff Item						
K N	8447.90.09	WARP knitting machines	Free	Free	99	800255L	7/88	
N N	8456.90.19 8466.93.19	Plasma cutting systems	Free	Free	99	721652B	5/88	• •
N	8468.90.01	Parts of plasma cutting machines Two and three seat gas cutting tips	Free	Free	99	721653L	5/88	٠.
N	8479.82.00	Paint shakers/agitators	Free	Free	99	721772C	6/88	• •
0	8481.80.19	Right angle plastic tap with bi-directional air liquid control	Free Free	Free Free	99	820021B	7/88	• •
_		complete with snap on gland	rree	riee	99	800253D	7/88	• •
N	8485.90.09	Spurs, being an anti-fowling line and weed cutter used on boat propellors	Free	Free	99	721888F	6/88	
N	8515.31.09	AC/DC combination welding machines with built-in high	Free	Free	99	820030A	7/88	٠.
K	8524.23.09	frequency facilities	_	_				
	0027.23.05	Recorded live musical performances on video tape of non-resident living musicians and vocalists outside of New Zealand excluding:	Free	Free	99	703405K	6/88	٠.
		(a) copies of any cinematographic film or recording of theatre						
		or stage musical performances						
		(b) tape 19mm wide and above						
N	8527.90.09	Continuous coverage receivers from 0.09 MHz - 2 GHz or higher	Free	Free	99	721866E	6/88	
K	8536.61.09	Ceramic lampholders type E14	Free	Free	99	800095G	3/88	
K N	85.44 8546.20.09	Flat format conductor cable with or without connectors	Free	Free	99	401130K	1/88	
0	87.07	Solid core post insulators rated above 72.5 Kv Bodies (including cabs), for the motor vehicles falling within	Free	Free	99	820001H	7/88	
	0	Heading No. 87.01, 87.02, 87.03, 87.04 or 87.05 excluding those		AU Free	33	880054F	1/88	12/8
		of a kind commonly used with:						
		(a) tractors for articulated vehicles, being tractors that						
		are designed for operation solely or principally on the						
		highway; or						
		(b) vehicles of 87.02, 87.03 and 87.04 other than air-cushioned						
	0014 00 00	vehicles or assemblied convertible road/rail motor coaches						
H	9014.80.00	Echo sounder with liquid crystal display and having bottom	Free	Free	99	702376G	8/88	
K	9306.21.01	profile and digital readout Blank 12 gauge shotshells	_	_				
K	9306.21.01	12 gauge shotshells, steel shot	Free	Free	99	800277A	7/88	• •
v.	9405.99.00	Parts and accessories of LPG lanterns	Free Free	Free Free	99 9 9	800276C	7/88	• •
)	95.03)	Toys and games, when imported:	Free	Free	99	860012A 880058J	7/88 7/88	• •
	95.04)	(1) by a school, college or university; or	*****		00	0000000	7700	• •
		(2) by an importer, when declared that they are being imported						
		for sale only to schools, colleges or universities, and will						
		not be sold or otherwise disposed of without payment of the						
,	0015 00 10	duty which would otherwise be payable						
<u> </u>	9615.90.19	One piece waved steel hairgrips	Free	Free	99	800220H	6/88	٠.
		SCHEDULE 2						
	Tariff	Decisions Cancelled						
	Item	Description of Goods				Ref. No.		
ı	3808.20.00	Bayleton EC100				205853H		
ŧ	3808.20.00	Bayleton 125 E.C.				925172D	• •	• •
i	3808.20.00	Bayleton cereals				520040H		•
	3823.90.69	Black powder				620943C		
	3920.20.29	Polypropylene thickness	• •			702538G		
	3926.90.61)	Plastic 6982				701949B		٠.
	3926.90.69) 7604.10.00)	Fatruded blinds						
	7604.10.00)	Extruded blinds	• •	• •	• •	930874B	• •	• •
	7604.21.00)							
	7604.29.09	Aluminium filters				0102417		
	7604.29.09	Extruded equipment	• •		• •	918341J 4624614	• •	• •
	7604.29.09	Omnibus profiles				462461A 620332K	• •	• •
	7606.11.09	'A material		••	• • • • • • • • • • • • • • • • • • • •	929975A	• •	••
								• •

iarif		istance (Decision) Notice No. 1988/34-continued				Ref.		
	Tariff Item	Description of Goods				No.		
	7606.12.09)	bescription of doods						
AK	7606.12.03)	Wrought operations)				909834J		
K.	7606.12.01)	Wrought operations)				560789C		
	7606.12.09)					010000		
K	7606.12.09	Alanoid aluminium	• •		• •	910324E	• •	• •
ιK	7606.12.09	Aluminium dies	• •	• •	• •	460656G 560401L	• •	• •
AK .	7606.12.09	Aluminium containers	• •	• •		560791E		
AK.	7606.12.09	Aluminium reflectors				901010G		
AK	7606.12.09 7606.12.09	Aluminium boats Aluminium wide	• • •	• • •		506083E		
AK AK	7606.12.09	Aluminium trims				540235C		
AK	7606.92.01	Aluminium closures				400304H		
AK	7606.92.09	Aluminium industry				927631K		
Ю	8408.10.01	Yanmar horsepower	• •			703260K	• •	
Ю	8409.99.29	Parts 84.30				780904C	• •	
K	8419.81.00	Complete systems	• •	• •	• •	702042C	• •	• •
K	8421.39.09	Rangehood filters		• •	• •	602334H	• •	• •
WN	8427.10.00)	Component concession	• •	• •	• •	720712D	• •	• •
	8427.20.00)							
	8427.90.00)					701128J		
Ю	84.29	Excavating, loader)	• •	• •	• •	7011283 701129G		
OF	8429.51.00)	Self 1000 kgs	• •	• •	• •	,011230	••	• •
	8429.52.00)							
IO.	8429.59.00)	Wheeled 980C				540828J		
ło AK	8429.51.00 8431.31.01	Component Auckland		• • •		501633K		
IO IV	8431.31.01	Component right				880017A		
K.	8524.23.09	Recorded New Zealand				703405K		
ıK	8544.49.09	Flat connectors				401130K		
10	87.07	Bodies coaches				780891H		
Ю	88.03	Parts, Items				880052K		
10	9004.90.01	Swimming lenses				620107F		
H	9031.80.00	Echo readout	• •			702376G		
		SCHEDULE 3						
		Limited Decisions Approved						
					Part			
	Tariff		Rates o	f Duty	11	Ref.	Effect	ive
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	To
17		Block frozen strawberries without added sugar (Fraggaria SPP)	Free	Free	99	800518E	7/88	9/88
AK	0811.10.09	63 tonne to cover shortfall situation	1100	1100	00	000010=	.,	-,
CH	7214.40.00	10 tonnes flat steel bar with rounded edge - 85 x 12mm to	Free	Free	99	740605D	4/88	5/88
νn	7214.40.00	SAE 1541						
ΑK	7610.90.00	Tapered alloy extrusions of series 7000 alloy.	Free	Free	99	800132E	7/88	9/88
ru.	7010100100	To cover goods imported on vessel "Australian Trader", V46,						
		lodgement No. 1082310374 of 18.8.88						
	· · · · · · · · · · · · · · · · · · ·	SCHEDULE 4						
		Applications Declined						
	Tariff					Ref.		
	Item	Description of Goods				No.		
WN	1904.90.09					820037		
MIA	1904.90.09					860050D		
DN	2106 00 00	Forta cereal Herbal food supplements						
	2106.90.09	Herbal food supplements				721776		
WN	2106.90.09	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients				730195		
WN WN	2106.90.09 3004.90.19	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets						
WN WN	2106.90.09	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients				730195		
WN WN	2106.90.09 3004.90.19	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of -45°C to				730195		
WN WN	2106.90.09 3004.90.19	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of -45° C to 60°C, as may be approved:				730195		
WN WN	2106.90.09 3004.90.19	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of -45°C to 60°C , as may be approved: APPROVED SIZES:				730195		
WN WN	2106.90.09 3004.90.19	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge				730195		
WN WN	2106.90.09 3004.90.19	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 2.5mm gauge				730195		
WN WN	2106.90.09 3004.90.19 3920.42.29	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 2.5mm gauge 400mm x 4 4mm gauge				730195 721701D		
WN	2106.90.09 3004.90.19 3920.42.29	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool				730195 721701D 820109K		
WN DN	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse				730195 721701D 820109K 860036J		
MN MN MN MN	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system				730195 721701D 820109K 860036J 721840		
W Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00 4805.70.09	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper				730195 721701D 820109K 860036J 721840 721876		
WN WN WN WN WN WN WN WN	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of				730195 721701D 820109K 860036J 721840		
WN WN WN WN WN WN	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00 4805.70.09	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4.5mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon				730195 721701D 820109K 860036J 721840 721876		
WN WN WN WN WN WN	3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 2.5mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining				730195 721701D 820109K 860036J 721840 721876		
WN WN WN WN WN DN	3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 3mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes				730195 721701D 820109K 860036J 721840 721876 860047D		
WN WN WN DN WN DN DN	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove				730195 721701D 820109K 860036J 721840 721876 860047D		
WN WN DN WN DN DN DN DN	3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of				730195 721701D 820109K 860036J 721840 721876 860047D 860049L 860048B		
WIN WIN WIN DON DON DON WIN WIN DON DON DON WIN WIN DON DON WIN DON DON WIN DON WIN DON DON WIN DON WIN DON DON WIN DON DON WIN DON DON WIN DON DON DON WIN DON DON DON DON DON DON DON DON DON DO	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove				730195 721701D 820109K 860036J 721840 721876 860047D 860049L 860048B 721656 820019		
	3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00 6404.19.19 7321.13.00 7610.90.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of square grill cells of aluminium				730195 721701D 820109K 860036J 721840 721876 860047D 860049L 860048B 721656 820019 860035L		
	3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00 6404.19.19 7321.13.00 7610.90.00	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 4mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of square grill cells of aluminium Aluminium heat pipe				730195 721701D 820109K 860036J 721840 721876 860047D 860049L 860048B 721656 820019 860035L 721622		
	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00 6404.19.19 7321.13.00 7610.90.00 7616.90.29 8409.91.01	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 4mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of square grill cells of aluminium Aluminium heat pipe Motor vehicle pistons				730195 721701D 820109K 860036J 721840 721876 860047D 860047D 860048B 721656 820019 860035L 721622 721624		
	3926.90.59 4202.31.09 4118.90.00 4805.70.09 6116.10.00 6404.19.19 7321.13.00 7610.90.00 7616.90.29 8409.91.01 8409.91.01	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of square grill cells of aluminium Aluminium heat pipe Motor vehicle pistons Piston rings				730195 721701D 820109K 860036J 721840 721876 860047D 860049L 860048B 721656 820019 860035L 721622		
	3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00 6404.19.19 7321.13.00 7610.90.00 7616.90.29 8409.91.01 8409.91.01	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 2mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of square grill cells of aluminium Aluminium heat pipe Motor vehicle pistons Piston rings Valve seat inserts				730195 721701D 820109K 860036J 721840 721876 860049L 860048B 721656 820019 860035L 721622 721624 820225		
N N N N N N N N N N N N N N N N N N N	2106.90.09 3004.90.19 3920.42.29 3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00 6404.19.19 7321.13.00 7610.90.00 7616.90.29 8409.91.01 8409.91.01 8409.91.01 8431.49.29 8483.30.09	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 2.5mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of square grill cells of aluminium Aluminium heat pipe Motor vehicle pistons Piston rings Valve seat inserts Parts for the manufacture and repair of wheel loaders (not being rule 2(a) machines) Automotive engine shell bearings				730195 721701D 820109K 860036J 721840 721876 860047D 860049L 860048B 721656 820019 860035L 721622 721624 820225		
X X X X X X X X X X X X X X X X X X X	3926.90.59 4202.31.09 4418.90.00 4805.70.09 6116.10.00 7610.90.00 7616.90.29 8409.91.01 8409.91.01 8409.91.01 8431.49.29	Herbal food supplements Ross S.L.D. surgical liquid diet for hospital patients Hytrin tablets PVC polar strip, with a temperature range of - 45°C to 60°C, as may be approved: APPROVED SIZES: 200mm x 2mm gauge 300mm x 2mm gauge 300mm x 3mm gauge 400mm x 4mm gauge Piston locking screw hand tool Plastic beaded purse Open cell ceiling system Display background paper Childrens fashion cotton knitted ski gloves composed of vinyl coated fabric with acrylic knitted cuff and rayon foam lining Ballroom dancing shoes Bar be quick solid fuel disposable cooking stove Profilform suspended louvre ceiling being a series of square grill cells of aluminium Aluminium heat pipe Motor vehicle pistons Piston rings Valve seat inserts Parts for the manufacture and repair of wheel loaders (not being rule 2(a) machines)				730195 721701D 820109K 860036J 721840 721876 860049L 860048B 721656 820019 860035L 721622 721624 820225		

M.W. TAYLOR, Comptroller of Customs.

CUSTOMS EXCHANGE RATES NOTICE (NO. 20) 1988

Pursuant to section 143 of the Customs Act 1966, the Comptroller of
Customs, in accordance with the power delegated to him by the Minister of
Customs under section 9 of that Act, hereby gives the following notice.

NOTICE

- 1. Short Title and commencement (1) This notice may be cited as the Customs Exchange Rates Notice (No. 20) 1988.
- (2) This notice shall come into force on the 26th day of September 1988.
- 2. Exchange rates Where under any provisions of the Customs Act 1966 any amount which is required to be taken into account for the purpose of assessing duty or any other purpose is not an amount in New Zealand currency, the amount to be so taken into account shall be the equivalent in New Zealand currency of that amount ascertained in accordance with the rate of exchange set out in the Schedule to this notice.
- 3. Revocation The Customs Exchange Rates Notice (No. 19) 1988, published in the New Zealand Gazette, Customs Edition No. 149, dated 30 August 1988, on page 3433 is hereby revoked.

30 Augus	st 1988, on page 343.	3 1S n	ereby r SCHED		•	
AU	Australia				0.77	Dollar
AT	Austria				8.05	Schilling
BD	Bangladesh				19.86	Taka
BE	Belgium				24.13	B Franc
BR	Brazil				187.99	Cruzado
BU	Burma				3.94	Kyat
CA	Canada	• •			0.77	Dollar
CL	Chile		• •		152.80	Peso
CN	China				2.31	Renminbi or Yuan
DK	Denmark				4.39	Krone
EG	Egypt		• •	• •	1.43	E Pound
FJ	Fiji				0.91	F Dollar
FI	Finland				2.72	Markka
FR	France	• •			3.89	Franc
PF	French Polynesia				70.71	FP Franc
GR	Greece	• •			92.92	Drachma
HK	Hong Kong			• •	4.84	HK Dollar
IN	India	• •			8.95	Rupee
ID	Indonesia				1054.50	Rupiah
IE	Ireland	• •	• •		0.43	I Pound
IL	Israel	• •	• •		1.01	Shekel
IT	Italy				854.25	Lira
JM	Jamaica	• •		• •	3.35	J Dollar
JP	Japan	• •	• •		83.53	Yen
KR	Korea			• •	445.50	Won
MY	Malaysia				1.65	M Dollar (Ringgit)
MX	Mexico	• •	• •		1444.60	Peso
NL	Netherlands	• •	• •		1.29	Florin (Guilder)
NO	Norway	• •		• •	4.24	Krone
PK	Pakistan	• •	• •	• •	11.26	Rupee
PG	Papua New Guinea		• •		0.54	Kina
PH	Philippines	• •			12.46	Peso
PT	Portugal		• •	• •	94.94	Escudo
SG	Singapore	• •		• •	1.26	S Dollar
ZA	South Africa	• •	• •	• •	1.50	Rand
ES	Spain		• •	• •	75.98	Peseta
LK	Sri Lanka	• •	• •	• •	20.05	Rupee
SE	Sweden	• •	• •	• •	3.96	Krona
CH	Switzerland	• •	• •	• •	.96	Franc
TW	Taiwan	• •	• •	• •	17.75	Twn Dollar
TH	Thailand	• •	• •	• •	15.84	Baht
TO	Tonga	• •	• •	• •	0.77	Pa'anga
GB	United Kingdom	• •	• •	• •	0.36	Pound
US	U.S.A.	• •	• •	• •	0.62	Dollar
DE	West Germany	• •	• •	• •	1.14	Mark
WS Dated of	Western Samoa			- • •	1.35	Tala
Dated at	Wellington this 8th	day	of Se	ptembe:	r 1988.	

M W Taylor, Comptroller of Customs

