



The New Zealand Gazette

Customs Edition

WELLINGTON: TUESDAY, 1 NOVEMBER 1988

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/41 Applications Advertised for Objection Closing Date for Objections 17 November 1988

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 17 November 1988. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item: the Port; and
 - Reference number.
- All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
 - All submissions objecting to a request for the imposition of duty must include:
 - reasons why the local product on which protection is sought is not a suitable alternative; full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.
- Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff		Name and Address	Part II	Appn. Ref.	Category
Item	Description of Goods	of Applicant	Ref.	No.	of Appn.
0712.90.19	CURRENT APPROVAL			140.	Appu.
	Spray dried tomato powder		99	502186D	VA
0712.90.19	REQUESTED APPROVAL		•••	0021002	***
	Spray dried tomato powder and tomato powder flake	Archem Trading NZ Ltd	99	CH 840098C	VA
		C/-PO Box 1804			
1108.11.00	Wheat starch	CHRISTCHURCH			
1108.11.00	MIREAL SCALCII	J C Sherratt & Co Ltd C/-PO Box 1804	99	CH 840099H	A
	· · . · . · . · . · . · . · . · . ·	CHRISTCHURCH			
2931.00.09	Di-Butyl tin oxide	TCL Marketing Ltd	99	AK 801198C	A .
		PO Box 11-127			••
		Ellerslie			
2402 12 00	Atlas G1284	AUCKLAND 5			
3402.13.00	AT188 G1284	ICI (NZ) Ltd	99	WN 820395	A
		PO Box 1592 WELLINGTON			
3402.13.00	Servewett, being a non-ionic liquid wetting agent of the	Ciba-Geigy NZ Ltd	99	AK 801226B	
	alkyl aryl polyglycol ether type	C/-Daniel Silva, Tariff Consultant	80	AR 001220B	A
•	••	PO Box 305			
	•	AUCKLAND			
3403.19.19	Graphite dispersed in 2 part epoxy resin	Process Lubricants Ltd	99	AK 801313G	A
		PO Box 34418			
		Birkenhead			
3506.99.00	Staple cement	AUCKLAND 10 Cropper Harcros Ltd	••		
0000.00.00	bupic compac	PO Box 62-005	99	AK 801225D	A.
		Sylvia Park			
		AUCKLAND			
3808.20.00	Turners CAPAZ blend (active ingredients captan and azinphos	Turners & Growers Ltd	99	AK 801199A	A
	methyl) being an insect control of codling moth and leaf	PO Box 56			
	roller in pip fruit, caterpillars, oriental fruit moth, black spot, bitter rot and brown rot in stonefruit	AUCKLAND			
3823.90.69	CURRENT APPROVAL				
5020.50.50	Desmodur 44V20		99	720022	374
3823.90.69	REQUESTED APPROVAL		99	720823F	VA
	Desmodur 44V20 and/or 44V20B	Bayer NZ Ltd	99	WN 820363	VA
		PO Box 38-405			
		Petone			
3823.90.69	Peg HB base	WELLINGTON			
3023.80.08	reg no base	Shell Chemicals NZ Ltd	99	WN 820335	A
		PO Box 2091 WELLINGTON			
3823.90.69	Plastisol HSW 14 - being a viscose liquid used in the	Vision Wallcoverings Ltd	99	AK 801191F	A
	manufacture of vinyl wallpaper	C/-Trade Consultants Ltd	00	AL COLIGI	•
		PO Box 4287			
		AUCKLAND			
3823.90.69	Shell brake fluid base 41	Shell Chemicals NZ Ltd	99	WN 820336	A
		PO Box 2091			
3907.30.09	Epikote 236, being a bisphenol A/bisphenol F	WELLINGTON Shell Chemicals NZ Ltd	99	101 000000	_
	epichlorhydrin expoxide resin	PO Box 1084	.88	WN 820525	Α .
	• •	AUCKLAND			
3907.30.09	Epikote 232, being a bisphenol A/bisphenol F -	Shell Chemicals NZ Ltd	99	WN 820526	A
	epichlorhydrin epoxide resin	PO Box 1084			
		AUCKLAND			
3907.30.09	Epikote 828XA, being an unmodified bisphenol A -	Shell Chemicals NZ Ltd	99	WN 820527	· A
	epichlorohydrin epoxide resin	PO Box 1084			
907.50.09	Plastyrol T51 260/290 - vinyl toluene modified alkyd	AUCKLAND Crode Chomicals NZ 1+d	00	AW 001000	•
	resin	Croda Chemicals NZ Ltd PO Box 14441	99	AK 801230L	A
		Panmure			
		AUCKLAND			
	Lithkyd No.3 - polyester resin used in an international	Croda Chemicals NZ Ltd	99	AK 801317K	A
3907.99.09	ink formulation	Croum Chemicars Inc Ltu	00	WF OOTSIVE	

Tariff		Name and Address	Part II Ref.	Appn. Ref. No.	*Category of Appn.
Item	Description of Goods	of Applicant Panmure	Kei.	110.	oppu.
		AUCKLAND			
3909,50.09	Surkopak 5244 being a urethane polymer used in the	Morrison Printing Inks &	99	AK 801202E	A
	printing industry	Machinery Ltd			
		PO Box 1767 AUCKLAND			
3921.90.01	Reprographic handcut masking film	Pacific Inks Ltd	99	AK 801323D	A
3921.90.01	Reprographic nundear manning 122m	C/-PO Box 27-312			
		MT ROSKILL	00	47 0010E4T	
3921.90.19	Unidirectional polyester reinforced polypropylene	Service Haulage Ltd PO Box 1549	99	AK 801254H	A
	strapping having a maximum width of 40mm and a minimum breaking load of 420kgs	AUCKLAND			
3923.40.00	Sewing machine bobbins	Janome Sewing Machine Co Ltd	99	AK 801215G	A
0020.10.00		C/-PO Box 2658			
		AUCKLAND	99	AK 801206	Α .
3923.90.12	Crystallised polyester trays	Robert Industries Ltd PO Box 33-200	33	AR 601200	Α.
		Takapuna			
		AUCKLAND			
3926.90.69	Mixer outlet boots	Winstone Industries Ltd	99	AK 801194L	A
		C/-C.D. Campbell & Co Ltd			
		PO Box 3161 AUCKLAND			
3926.90.69	300ml plastic drinking cups with lids, of height 112mm,	Vendos (NZ) Ltd	99	AK 801321H	A
3320.30.03	throat diameter 78mm, with castellated base, rounded	PO Box 3854			
١	flared out and tapered into body top, and side taper	AUCKLAND			
	5 degrees 30 minutes				
4006.90.09	CURRENT APPROVAL		99	660404J	VA
4006.90.09	Tyre making mould, model synthetic rubber REOUESTED APPROVAL		•		
1000.00.00	Rubber moulds for making models and figurines	Canterbury Transport Spares	99	CH 840114E	VA
		C/-PO Box 1804			
		CHRISTCHURCH			
	CURRENT APPROVAL Photographic camera cases and covers		99	505012L	VA
4202.92.01) 4202.91.01)					
4202.92.01)	The state of the s	Burnip Elliot & Co Ltd	99	CH 840172B	VA.
4202.99.00)		PO Box 14060			
	CONTRACT A DEPOSITAL	CHRISTCHURCH AIRPORT			
4203.21.01	CURRENT APPROVAL Half finger cyclist gloves		99	561341J	VA
4203.21.01	REQUESTED APPROVAL	y 8			
	Half finger gloves	Horleys Health Ltd	99	AK 801216E	. VA
		C/-PO Box 811 AUCKLAND			
4203.21.09	Water ski gloves	Step One Ltd	99	AK 801322F	· A
4203.21.09	Hater Ski gloves	C/-PO Box 3986			
		AUCKLAND			_
4819.40.00	Pollination bags of wet strength kraft paper	Corson Seeds Internation	99	AK 801255F	· A
		PO Box 1046 GISBORNE			
5402 31 00)	Textured nylon yarn	L.W.R. Hosiery	99	CH 8401731	. A
5402.32.00)		PO Box 2087			
,		CHRISTCHURCH			
5603.00.00	Non woven rayon bound with acrylic latex viz perm wraps	Jackson Allison Medical Ltd C/-Arcon International	99	AK 8012531	K A
		PO Box 13435			
		AUCKLAND 6			
5811.00.09	Printed quilted fabric	J.G. Seton & Company Ltd	99	WN 820550	A
		PO Box 746 HASTINGS			
6002.92.21	Circular woven knitted cotton cloth	Printpac Carton Ltd	99	AK 801318I	A F
		C/-PO Box 1296			
		AUCKLAND			
71.13	CURRENT APPROVAL		99	721529/	A VA
	Jewellers findings, as may be approved; APPROVED:		•	,21020.	• •••
	Belt and button shanks and prongs				
	Bracelet wire				
	Pendant and earring settings, cup and peg settings				
	Earring posts Tie pins				
	Bead ends				
	Hollow beads				
	Clearing caps				
	Earclips ready for glueing Earring clips, earring fittings (stud or drop)				
	Brooch box catch	ϵ			
	Earring screw fittings				
	Earring ball type, ear wires				
	Brooch backs, brooch catches and pins, brooch backs				
	ready for glueing Cufflink swivel back fittings, tie clasp backs, ready for				
	glueing, tie tack clutches and pins				
-	Necklet connectors, bracelet catches				
	· · · · · · · · · · · · · · · · · · ·				

71.13	Bell caps and jewellery bails Key ring fittings Jump rings REQUESTED APPROVAL			No.	Appn.
71.13	Jump rings				
71.13					
	NAMED AND ADDRESS OF THE PROPERTY OF THE PROPE				
	Jewellers findings, as may be approved;	Auro Bijoux Ltd	99	AK 801205K	VA .
	APPROVED:	C/-Cunningham Gill Ltd			
	Belt and button shanks and prongs	PO Box 73140			
	Bracelet wire	AUCKLAND INTERNATIONAL AIRPORT			
	Pendant and earring settings, cup and peg settings Earring posts				
	Tie pins				
	Bead ends				
	Hollow beads				
	Clearing caps				
	Earclips ready for glueing Earring clips, earring fittings (stud or drop)		,		
	Brooch box catch				
	Earring screw fittings				
	Earring ball type, ear wires				
	Brooch backs, brooch catches and pins, brooch backs				
	ready for glueing				
	Cufflink swivel back fittings, tie clasp backs, ready for glueing, tie tack clutches and pins				
ŀ	Necklet connectors				
	Bell caps and jewellery bails				
	Key ring fittings				
	Jump rings				
7212.30.01	Galvanised steel strapping - 32mm wide (max) - with	Gerrard Strapping Systems Ltd	99	AK 801252A	A
	tensile strength of 750 M.P.A.	PO Box 3818			
318.12.00	Connector allen screw	AUCKLAND Maurice Gourley Ltd	99	CB 0401001	
		C/-Bernard A.W. Hack	99	CH 840109J	A
		PO Box 20-158			
		CHRISTCHURCH			
318.15.09	Tri-lobular screws with torx recess drive	Zip Housewares Ltd	99	CH 840112J	A
		C/-Bernard A.W. Hack PO Box 20-158			
		CHRISTCHURCH			
326.19.19	Stainless steel lacing anchors	The NZ Refining Co Ltd	99	AK 801315C	A
		C/-Whangarei Customs Agency	•••	0010100	••
		PO Box 888			
326.19.19	. Stainlage steal insulation bangars - bains amodifically	WHANGAREI			
320.19.19	Stainless steel insulation hangers - being specifically designed to mount fibreglass boards and blankets	The NZ Refining Co Ltd	99	AK 801316A	A
	acorbines to mount trateBrane poster sue prensets	C/-Whangarei Customs Agency PO Box 888			
		WHANGAREI			
326.90.09	Aerator pads for incorporation in bulk storage silos to	Transport Specialties Ltd	99	AK 801319F	A
	give the stored product free flowing characteristics	PO Box 77064			
		Mt Albert AUCKLAND			
326.90.09	Roller blind work station	Windon Treatments NZ Ltd	99	CH 840148K	A
		19 Mandeville Street	•••	04 040140M	
		CHRISTCHURCH 4			
326.90.09	Stainless steel french style baking trays	Hobart Berkel NZ Ltd	99	AK 801203C	A
		PO Box 12330 Penrose			
		AUCKLAND			
326.90.09	Tanigo drum components, barrell and ends of 0.32mm to	Optimum Designs	99	AK 801200J	WA
	0.43mm thickness galvanised steel in an unassembled state	PO Box 5050			
004 20 00	Aircraft cost track and enchor place	MT MAUNGANUI			
604.29.09	Aircraft seat track and anchor plate	Alcan NZ Ltd PO Box 98-444	99	AK 801266A	WA
		AUCKLAND			
804.29.09	Extruded aluminium faceplates in sections in alloy 6463	Alcan NZ Ltd	99	AK 801267K	WA
		PO Box 98-444			
		AUCKLAND			
604.29.09	Vero aluminium extrusions peculiar to use with module racking systems	Alcan NZ Ltd PO Box 98-444	99	AK 801268H	WA
	idealing systems	AUCKLAND			
605.29.00	Aluminium flat wire and strip, when declared by a	Alcan NZ Ltd	99	AK 801269F	WA
	manufacturer for use by him only in making slide fasteners	PO Box 98-444			
		AUCKLAND			
3.06	CURRENT APPROVAL Aluminium sheet of thickness 1.0mm or greater having a				
	permanent PVC vinyl or plastic lamination		99	601704F	VA
3.06	REQUESTED APPROVAL				
	Aluminium sheet having a permanent PVC vinyl or plastic	Alcan NZ Ltd	99	AK 801270K	VA
	lamination	PO Box 98-444			
		AUCKLAND			
0e 11 ^-	Aliminium fail backed fabric		- 00	AW 001070E	1.7 4
06.11.01	Aluminium foil backed fabric	Alcan NZ Ltd	99	AK 801272F	WA
06.11.01	Aluminium foil backed fabric	PO Box 98-444		AK 6012/2F	WA
	Aluminium foil backed fabric Ano-coil, aluminium coil 135mm x 430mm strip aluminium	PO Box 98-444 AUCKLAND			
606.11.01 606.11.01		PO Box 98-444	99	AK 801272F	WA

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	Category of Appn.
7606.11.01	Ano-coil, high grade bright rolled high specular refractor sheet	Alcan NZ Ltd PO Box 98-444	99	AK 801286F	WA
606.11.09	Trolitax drill backing board, for use in making electronic circuit boards	PO Box 98-444	99	AK 801273D	WA
606.12.01	Aluminium sheet of a thickness range 0.21mm to 1.00mm laminated to PVC backing	AUCKLAND Alcan NZ Ltd PO Box 98-444	99	AK 801271H	WA
606.12.09	CURRENT APPROVAL	AUCKLAND	00	E41007E	3/4
306.12.09	Aluminium alloy sheet and plate alloy 6082 REQUESTED APPROVAL	Alcan NZ Ltd	99	541097F AK 801274B	VA VA
	Aluminium alloy sheet and plate alloy 6082, T6	PO Box 98-444 AUCKLAND	33	AR 801274D	7.6
306.12.09	CURRENT APPROVAL Aluminium alloy sheet and coil continuously anodised, as may be approved; APPROVED: Alanod		99	800632G	VA
806.12.09	REQUESTED APPROVAL Aluminium alloy sheet and coil continuously anodised, as may be approved; APPROVED:	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801287D	VA
	Alanod Ano-Coil				
606.12.09	Aluminium plates, sheets and strips, unworked, alloy 8011 H16 on condition it is solely for use in the manufacture of closures used in high speed automated filling of beer flagons	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801275L	WA
806.12.09	Aluminium sheet, specification 3004-H19 temper, not exceeding 0.40mm thickness	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801283A	WA
806.91.01	Painted curved coilstock 35mm and 50mm widths only of alloy 5084	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801276J	₩A
07.11.00	Aluminium foil exceeding 60 microns (0.060mm) thickness which has been printed and/or lacquered	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801277G	WA
307.11.00) 307.19.00)	CURRENT APPROVAL Aluminium foil, unsupported, less than 10 microns (0.010mm) thick whether or not printed lacquered or embossed		99	5 06155F	VA
307.11.00) 307.19.00)	· · · · · · · · · · · · · · · · · · ·	PO Box 98-444	99	AK 801284K	VA
607.19.00	Silvatrim aluminium foil 0.050mm thick	AUCKLAND Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801278E	WA
807.20.00	CURRENT APPROVAL Aluminium sheet of a thickness range 0.150mm to 0.200mm	NOOLEAD	99	540620L	VA
307.20.00	laminated to a PVC backing REQUESTED APPROVAL				
	Aluminium foil of a thickness range 0.150mm to 0.200mm Iaminated to a PVC backing	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801279C	. VA
07.20.00	Bright aluminium foil laminated on one side with polyethene, on condition that it is used only in making telephone and control cables	Aican NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801280G	₩A
308.20.00	Alloy 600S-T6 seamless extruded tubes	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801281E	WA
12.90.11	Aluminium pottles and aluminium foil lids for the packaging of a slow burning solid fuel	Alcan NZ Ltd PO Box 98-444 AUCKLAND	99	AK 801282C	WA
2.07	CURRENT APPROVAL Interchangeable tools for hand tools, for machine tools or for power-operated hand tools (for example, for		99	70 222 9J	VA
	pressing, stamping, drilling, tapping, threading, boring, broaching, milling, cutting, turning, dressing, morticing or screw driving), including dies for wire drawing, extrusion dies for metal, and rock drilling bits:				
	OTHER KINDS: EXCLUDING: (1) Drills				
	(a) HSS and carbon/chrome/vanadium/tungsten steels, right hand helix; (i) Straight shank Jobber length, double and single				
	ended stub length and long series length lmm to 13mm (1/16in. to 1/2in.) (ii) Straight shank long reach length 3mm to 13mm				
	(1/8in. to 1/2in.) (iii) Reduce shank of any diameter including Blacksmith type 33/64in. to 1 1/4in.				
	(iv) Reduced shank of any diameter (metal and wood-				

Tariff Item	Description of Goods	Name and Address of Applicant		Part II Ref.	Appn. Ref. No.	*Category of Appn.
	working) with standard or dowelling bit point 6mm to 13mm					прри
	(1/4in. to 1/2in.) (v) Straight shank (4 flute core type) 3mm to 13mm		•			
	(1/8in. to 1/2in.)					
	(b) Tungsten carbide tipped twist from 2.381mm					
	(c) Drill sets, containing above type drills in diameter ranges;					
	Straight shank;					
	1mm to 13mm 1/16in to 1/2in.					
	Reduced shank;					
	6mm to 20mm					
	1/4in. to 3/4in.					
	(d) Tungsten carbide tipped masonry, drills straight also reduced shank of any shank diameter ''short'' or					
	''long'' overall lengths within diameter range;					
	3mm to 32mm;					
	<pre>1/8in. to 1 1/4in. (e) Countersinks, single flute;</pre>					
	1/2in. shank 15.5mm to 19.5mm					
	(f) Reamers, Parallel Machine, Tungsten Carbide tipped,					
	non-adjustable;					
	straight shank, all sizes under 14.29mm morse taper shank, all sizes over 14.29mm					
	(g) Router bits, with cutting or working faces of high					
	speed steel or of tungsten carbide					
	(h) Milling Cutters;Tungsten Carbide tipped, circular other than throw away					
	tip type					
	(i) Facing Cutters, Tungsten Carbide tipped, circular					
	other than throw away tip type					
	(j) Profile and Cutter Heads, Tungsten Carbide and HSS Tipped for use with woodworking machines					
	(k) Tool bits (pieces) high speed steel;					
	Square 3mm to 16mm, all lengths					
	Round 3mm to 13mm, all lengths					
	Bevel 13mm to 26mm, all lengths Rectangular 4 x 10mm to 12 x 20mm, all lengths					
	(2) Lathe tools (brazed on tips), Tungsten Carbide Tipped,					
	standard pattern					
	(3) Knives-tungsten carbide tipped-steel					
	(4) Bits and reamers, rotary diamond(5) Bits and reamers, rotary, tungsten carbide, excluding;					
	percussion, carbide insert and button types					
2.07	REQUESTED APPROVAL					
	Interchangeable tools for hand tools, for machine tools or for power-operated hand tools (for example, for	Trade Tools Ltd PO Box 3854		99	AK 800284	D VA
	pressing, stamping, drilling, tapping, threading, boring,	AUCKLAND				
	broaching, milling, cutting, turning, dressing, morticing					
	or screw driving), including dies for wire drawing, extrusion dies for metal, and rock drilling bits:					
	OTHER KINDS:					
	EXCLUDING:					
	(1) Drills(a) HSS and carbon/chrome/vanadium/tungsten steels,					
	right hand helix;					
	(i) Straight shank Jobber length, double and single					
	ended stub length and long series length 1mm to 13mm					
	(1/16in. to 1/2in.) (ii) Straight shank long reach length 3mm to 13mm					
	(1/8in. to 1/2in.)					
	(iii) Reduce shank of any diameter including Blacksmith					
	type 33/64in. to 1 1/4in. (iv) Reduced shank of any diameter (metal and wood-					
	working) with standard or dowelling bit point 6mm to 13mm					
	(1/4in. to 1/2in.)					
	(v) Straight shank (4 flute core type) 3mm to 13mm (1/8in. to 1/2in.)					
	(b) Tungsten carbide tipped twist from 2.381mm					
	(c) Drill sets, containing above type drills in diameter					
	ranges;					
	Straight shank;					
	1/16in. to 1/2in.					
× .	Reduced shank;		•			
	6mm to 20mm 1/4in. to 3/4in.				-	
	(d) Tungsten carbide tipped masonry, drills straight					
	also reduced shank of any shank diameter "short" or					
	''long'' overall lengths within diameter range;					
	3mm to 32mm; 1/8in. to 1 1/4in.					
	(e) Countersinks, single flute;					
	1/2in. shank 15.5mm to 19.5mm (f) Reamers, Parallel Machine, Tungsten Carbide tipped,					

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	non-adjustable;	0. 1.ppcom:			
	straight shank, all sizes under 14.29mm	orse taper shank,	*		
	all sizes over 14.29mm	faces of high			
	(g) Router bits, with cutting or working speed steel or of tungsten carbide	races or nigh			
	(h) Milling Cutters;				
	Tungsten Carbide tipped, circular other	han throw away			
	tip type	ad atuantam			
	(i) Facing Cutters, Tungsten Carbide tip other than throw away tip type	ed, circular			
	(j) Profile and Cutter Heads, Tungsten C	rbide and HSS			
	Tipped for use with woodworking machines				
+	(k) Toolbits				
	(i) M42 Cobalt High Speed Steel Imperial sizes				
	1/2 x 3/32 x 4 1/2'' Bevel				
	5/8 x 3/32 x 5'' Bevel				
	3/4 x 1/8 x 6'' Bevel				
	7/8 x 1/8 x 7'' Bevel				
	1 x 3/16 x 8'' Bevel 3/16 x 2 1/2'' Square				
	3/16 x 3'' Square				
	1/4 x 2 1/2'' Square				
	1/4 x 3'' Square				
	1/4 x 4'' Square				
	5/16 x 2 1/2'' Square 5/16 x 3'' Square				
	5/16 x 4'' Square				
	3/8 x 3'' Square				
	3/8 x 4'' Square				
	3/8 x 6'' Square				
	1/2 x 4'' Square				
	1/2 x 6'' Square 5/8 x 4 1/2'' Square				
	3/4 x 5'' Square				
	1 x 7'' Square				
	(ii) M2 High Speed Steel				
	Imperial Sizes				
	3/16 x 2 1/2'' Square 1/4 x 2 1/2'' Square				
	5/16 x 2 1/2'' Square				
	3/8 x 3'' Square				
	1/2 x 4'' Square				
	5/8 x 4 1/2'' Square 3/32 x 3'' Round				
	3/32 x 3'' Round 1/8 x 3'' Round				
	5/32 x 3'' Round				
	3/16 x 4'' Round				
	1/4 x 4'' Round				
	5/16 x 4'' Round 3/8 x 4'' Round				
	7/16 x 4'' Round				
	1/2 x 4'' Round				
	(2) Lathe tools (brazed on tips), Tungste	ı Carbide Tipped,			
	standard pattern				
	(3) Knives-tungsten carbide tipped-steel(4) Bits and reamers, rotary diamond				
	(5) Bits and reamers, rotary translaten ca	bide, excluding;			
	percussion, carbide insert and button typ				
408.10.09	CURRENT APPROVAL				
408.10.09	Nanni marine diesel engine model 4.180, 4 REQUESTED APPROVAL	110, 4.240	99	60206	5J VA
1400.10.00	Nanni marine diesel engine model 4.110, 4	240, 4.180, Brown Brothers Engineers Ltd	99	AK 80123	3E VA
	4.190	C/-MSAS Cargo International Ltd			
		PO Box 357			
		AUCKLAND			
413.70.09	Stainless steel self priming, shallow wel	jet pump Russell Pool Ltd PO Box 548	99	AK 80126	0B A
		ROTORUA			
413.81.19	Air driven air pressure amplifiers	Air Driven Pump Industries (NZ) Ltd	99	AK 80125	BL A
	*	C/-Colebrook Bros Ltd			
		PO Box 1296			
413.81.19	Automatic cycling gas pressure and double	AUCKLAND acting piston Air Driven Pump Industries (NZ) Ltd	90	AK 80125	7B A
.10.01.10	pumps	C/-Colebrook Bros Ltd	00	'm' 00179	n
	• •	PO Box 1296			
		AUCKLAND			
414.80.01	CURRENT APPROVAL		00	000=	1 10
	Compressor outfits, other than vehicle dr EXCLUDING:	wn;	99	682711	7K VA
	(1) Reciprocating types with a piston dis	lacement from			
	0.94 litres/second up to 26 litres/second				
	with working pressures up to 1100 kPa				
	(2) Reciprocating types with a piston dis	lacement from			
	20 litres/second up to 200 litres/second	to at the second			

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	with working pressures from 1500 kPa and above		Kei.	140.	Аррп.
	(3) Reciprocating types with a piston displacement up to 15 litres/second (inclusive) with working pressures exceeding 30,000 kPa				
	(4) Other types with a capacity from 0.47 litres/second				
	up to 18 litres/second (inclusive) free air delivered				
8414.80.01	(FAD) with working pressures up to 1100 kPa REQUESTED APPROVAL				
*************	Compressor outfits, other than vehicle drawn;	Champion Compressors NZ Ltd	99	AV 901224B	***
	EXCLUDING:	C/-Wilkins Customs Agency	33	AK 801324B	VA
	 Reciprocating types with a piston displacement from 94 litres/second up to 26 litres/second (inclusive), 	PO Box 2443			
	with working pressures up to 1100 kPa	AUCKLAND			
	(2) Reciprocating types with a piston displacement from				
	20 litres/second up to 200 litres/second (inclusive),				
	with working pressures from 1500 kPa and above (3) Reciprocating types with a piston displacement up to				
	15 litres/second (inclusive) with working pressures				
	exceeding 30,000 kPa				
+ .	(4) Other types with a capacity from 0.47 litres/second up to 500 litres/second (inclusive) free air delivered				
+	(FAD) with working pressures up to 2000 kPa				
8419.50.00	Heat transfer water coolers having fibre reinforced	Portals NZ Ltd	99	AK 801301C	A
	plastic bodies, size height 1395mm - 6085mm and diameter 720mm - 7600mm	C/-Colebrook Bros Ltd PO Box 1296			
		AUCKLAND			
8419.90.19	Drier drum being for drying animal waste products used in	Rendering Technology ANZ Ltd	99	AK 801224F	A
	the manufacture of high protein animal feed	C/-PO Box 4276			
8421.21.00	Filter assembly manufactured from A B S plastic, complete	AUCKLAND Kingsway Industries Ltd	99	AK 801325L	
	with cleaning brushes	PO Box 51-064	33	AR 601323L	A
		Pakuranga			
8424.81.00	Microcool custom designed fog systems being a climate	AUCKLAND Richard Anderson Greenhouses Ltd	99	WN 820517F	
	control system used in greenhouses	C/-Hammond International Ltd	33	MN 020317F	A
		PO Box 1011			
8428.90.00	Automatic, underground installed, gate operator, 100o	NAPIER Comfort Control Ltd	99	WN 920450E	
	and 1800 opening	PO Box 38-413	33	WN 820459E	A
		Petone			
8428.90.00	Refuse bin lifting arms	WELLINGTON Waste Management NZ Ltd	99	AV 901220D	
	•	Private Bag 19	98	AK 801239D	A
	•	Panmure			
8451.80.00	Carpet cleaning machines other than types with spray	AUCKLAND Advance International Cleaning	99	AK 801223H	A
	injection function and with solution tanks above 22	Systems NZ Ltd	. ••	AR 00122311	^
	litres capacity	C/-PO Box 58229 East Tamaki			
		AUCKLAND			
3465.99.00	Combination spindle moulder/dimension saw with tilting	B Gardiner	99	CH 840170F	A
	arbor on both saw and spindle motor; with sliding table, slot morticing table, thicknesser/planer with 3 x 3 horse	10 Roker Street CHRISTCHURCH 2			
	power motors including 3 speed spindle motor	CARISTONORCH Z			
3479.82.00	Meal screening machine	Rendering Technology ANZ Ltd	99	AK 801222K	A
		C/-PO Box 4276 AUCKLAND			
3479.89.00	Medium density fibre board plant viz continuous press	Fletcher Panel Industries Ltd	99	AK 801256D	· A
	line-trimming and stacking line-finishing line	C/-PO Box 1311			
3479.89.00	Wet and dry vacuum cleaners, sorma models 520, 530, 550	AUCKLAND Sorma Amros (NZ) Ltd	99	AK 801234C	
	for industrial and commercial application not suitable	PO Box 14-064	00	AR 601234C	A
	for carpet shampooing	Panmure			
3481.80.19	Helicopter inflation bag inlet valve	AUCKLAND Lancer Industries Ltd	99	HO 801221A	A
		PO Box 83-136	00	10 001221A	A
		Edmonton			
3501.20.01	.9HP single phase 230 volt electric motor cap start	AUCKLAND 8 Masport Ltd	99	AK 801197E	A
	1100 watt with integral brake mounted within the motor,	C/-W.B. Johns Consulting Ltd		.21 0011072	^
	vertical shaft, max revolutions 2800 rpm	PO Box 1548			
506.11.00	Duracell ID 9030 7-5 volt Alkaline battery	AUCKLAND Duracell NZ Ltd	99	AK 801192D	A
,	Duracell Alkaline button cells	C/-A.R. Tonner (1985) Ltd	30		A
	A76B2, HLR44B, LR41B, LR44B2, LR43B2, LR1120B, LR1130B Duracell 7K67 Alkaline Battery	PO Box 839			
	Duracell MN21 B	AUCKLAND			
K10 20 01	MN1203B PX825				
510.20.01	CURRENT APPROVAL Clippers, - animal hair and sheep-shearing		00	7 4000 ***	
510.20.01)	REQUESTED APPROVAL		99	740096K	VA
510.90.11)	Animal hair and sheep-shearing clippers and blades	Allflex International Ltd	99	WN 820561	VA
		C/-Jarratt Sandes & Co Ltd PO Box 997			
		PALMERSTON NORTH			

Tariff Item	Description of Goods	Name and Address on Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
8515.80.09	Fibre optic cable fusion splicing machines	Ericsson Communications	99	WN 820497	A
3013.30.00	The spite out turns options manner	Wakefield Street NAPIER			
8517.40.00	Computer lead generating system	Mr R.E. Goodwin 2 Reeves Road Pakuranga AUCKLAND	99	AK 801262	A
8517.81.00	Voice activated FM wireless intercoms	David Reid Electronics Ltd PO Box 2630 AUCKLAND	99	AK 801263G	A ,
8530.90.00	Inductive loop vehicle detectors	Traffic Management Services Ltd PO Box 38-330 Howick AUCKLAND	99	AK 801297A	. A
8531.80.00	CURRENT APPROVAL Electric sirens as may be approved, when imported; (1) by a manufacturer on condition that the goods are for use solely in the manufacture of fire alarms, warning and time systems; or (2) by an importer on condition that the goods will be sold only to a manufacturer for use by him solely in the manufacture of fire alarms, warning and time systems; APPROVED: Minimite Miniature 6V-DC, 12V-DC, 24V-DC, 12V-AC, 24V-DC, 100/115V-AC, 200/250V-AC Super Minimite; 12V-DC, 24V-DC Super M: 110V-AC, 240V-AC Heavy Duty; 503-240V, S04-240V		99	560201H	VA
8531.90.09	Minitron Electronic Sounders: 12V-DC, 24V-DC, 50V-DC, 12V-AC, 110V-AC, 240V-AC REQUESTED APPROVAL Electric sirens as may be approved, when imported; (1) by a manufacturer on condition that the goods are for use solely in the manufacture of fire alarms, warning and time systems; or (2) by an importer on condition that the goods will be sold only to a manufacturer for use by him solely in the manufacture of fire alarms, warning and time systems; APPROVED: Minimite Miniature 6V-DC, 12V-DC, 24V-DC, 12V-AC, 24V-DC, 100/115V-AC, 200/250V-AC Super Minimite; 12V-DC, 24V-DC Super M; 110V-AC, 240V-AC Heavy Duty; 503-240V, S04-240V Minitron Electronic Sounders;	Carrel & Carrel Ltd C/-Burnard & Reynolds Ltd PO Box 1387 AUCKLAND	99	AK 8011631	. VA
	12V-DC, 24V-DC, 50V-DC, 12V-AC, 110V-AC, 240V-AC				
+ 85.35) 85.36)	Roshni electronic sounders Circuit breakers; 10KA to 100KA breaking capacity EXCLUDING Moulded case circuit breakers with a breaking capacity less than 35KA at 400V	Comptroller of Customs PO Box 2218 WELLINGTON	99	HO 604178H	I WA
85.35) 85.36)	Circuit breakers, parts and accessories thereof, for pressures exceeding 100 amps	Comptroller of Customs PO Box 2218 WELLINGTON	99	HO 6041841	B WA
8536.20.00	Circuit breakers, including parts and accessories thereof, with the following performance ratings: (i) A rated current exceeding 160 amps or, (ii) A short circuit rating exceeding 35KA on a 230/400 volts, 50 H2 AC system	Comptroller of Customs PO Box 2218 WELLINGTON	99	НО 8800851	F A
8538.90.09	Component parts of arrow hart switches, series 93 and 64, as may be approved; APPROVED: Part No. Goods 8260830 Moving contact 8260831 Moving contact SA10850 Pluger & Spring Assembly A63213 Terminal RH A63303 Terminal LH A63313 Terminal RH A63343 Terminal Strap RH A6350 Terminal Contact Link Assy A63613 Terminal Contact Link Assy A63781 Terminal Clamp	Arrow Hart NZ Ltd C/-Colebrook Bros Ltd PO Box 1296 AUCKLAND	99	AK 8013001	
8544.59.09	18 and 25 core composite cable comprising of a coaxial cable centre surrounded by a second layer of 9 cores	Electronic Navigation Ltd C/-Colebrook Bros Ltd	99	AK 801231.	J A

Tariff		Name and Address		Part II	Appn. Ref.	*Category of
Item	Description of Goods	of Applicant		Ref.	No.	Appn.
	screened, and a further layer of 8 or 15 cores, double	PO Box 1296				
9030.39.00	screened Istat 200 transducers - modular and discrete models	AUCKLAND G.E.C. (NZ) Ltd		99	AK 801310B	A .
0000.00.00		Private Bag 27				
		Penrose				
9030.39.00	Power line impedance stabilization network (5KHz - 1000	AUCKLAND Support Branch (DCT)		99	WN 820402	A
5000.00.00	MHz)	Ministry of Defence			020102	· •
		Private Bag				
0031 00 00	Micro variometers and micro variometer displays	WELLINGTON Scott Donaldson		99	DN 860085G	A
9031.80.00	Micro variometers and micro variometer displays	Parapente NZ	*		DI 0000000	n
		PO Box 12004				
		DUNEDIN			D11 0000000	
9031.80.00	Slope meters of the type used in aircraft	Scott Donaldson Parapente NZ		99	DN 860086E	A
		PO Box 12004				
		DUNEDIN				
9403.60.00	CURRENT APPROVAL			00	603354H	VA
	Ornamental carved campherwood and hand woven fern and bamboo chests			99	003334n	YA .
9403.60.00	REQUESTED APPROVAL					
	Ornamental carved campherwood and hand woven fern, bamboo	Kitt & Associates Ltd		99	AK 801320K	VA
	and rattan chests	C/-PO Box 22329 Otahuhu				
		AUCKLAND				
9405.40.09)	Strobe and scanner lights, cinemagraphic spotlights,	Collector of Customs		99	AK 801169K	A
	lighting effects and professional studio lighting	PO Box 29				
9405.40.21) 9405.40.29)		AUCKLAND				
9403.40.25)	1. Theatrical spotlights					
	2. Profile spotlights under 2.5kw					
	3. Plano-convex spotlights under 2.5kw					
	4. Fresnal luninaires under 2.5kw 5. Cyclorama floodlights under 2.5kw					
9405.40.09)		Collector of Customs		99	AK 801172K	WA
9405.40.21)		PO Box 29				
0405 40 00)	Lighting affects evaluding theatrical enotlights	AUCKLAND Collector of Customs		99	AK 801173H	WA
9405.40.09)	Lighting effects excluding theatrical spotlights	PO Box 29		33	AK GUII7GII	ma.
9405.40.21)		AUCKLAND				
9405.40.19	Strobe and scanner lights, lighting effects excluding	Collector of Customs		99	AK 801174F	WA
	theatrical spotlights	PO Box 29 AUCKLAND				
9405.40.19)	Berkey colortran professional studio lighting equipment	Collector of Customs		99	AK 801175D	WA
9405.40.29)		PO Box 29				
9405 40 19)	De Sisti professional studio lighting equipment	AUCKLAND Collector of Customs		99	AK 801170C	WA
9405.40.29)	De Black brosconer Acesto 119man off-t-	PO Box 29				
		AUCKLAND		••		
9405.40.19) 9405.40.29)	Professional portable studio lighting equipment	Collector of Customs PO Box 29		99	AK 801171A	WA
9403.40.29)		AUCKLAND				
9405.40.29	12 volt garden lighting sets (excluding transformer	PDL Sales Ltd		99	CH 840110B	A
	230v to 12v AC)	C/-Bernard A.W. Hack PO Box 20-158				
		CHRISTCHURCH				
9405.40.29	Modular display and ducting lighting system, fibreglass,	John Gilbert & Co Ltd		99	AK 801204A	A
	impact and flame reistant, of the type specially	C/-Colebrook Bros Ltd		•		
	designed for installation in ceilings of public transport vehicles	PO Box 1296 AUCKLAND				
9405.99.09	CURRENT APPROVAL					
	Tubular lighting systems components as may be approved			99	506073H	VA
	APPROVED: (1) Lampholders					
	(2) Aluminium fittings viz: Louvres, mirrors, crucifix					
	bends, T connectors, bright anodised brass or silver					
	extrusions, bends					
	(3) Rubber fittings viz: Bends(4) Plastic fittings viz: Bends, diffusers					
	(5) Insulated electric wire curly cord					
	(6) Caps, connectors and couplings					
9405.99.09	(7) Terminal blocks REQUESTED APPROVAL					
0.100.00.00	Tubular lighting system components, as may be approved;	Tariff Services Ltd		99	AK 801326J	VA
	APPROVED:	PO Box 4026				
	(1) Aluminium fittings viz: Louvres, mirrors, crucifix bends, T connectors, brass or silver extrusions, bends,	AUCKLAND				
	caps and connectors					
	(2) Rubber fittings viz bends					
0502 10 00	(3) Plastic fittings viz: bends, diffusers Flexible miniature dolls less than 15cm in height complete	Milton Bradley NZ Ltd		99	AK 703120D	
9502.10.00	with wooden dolls furniture and plastic dolls accessories	PO Box 43036			,001#0D	•
		AUCKLAND				
9503.70.00	Animal self inking stamps	Draw Art Supplies		99	AK 800096E	A

Tariff Industry Assistance (Advertisement) Notice No. 1988/41-continued *Category Part Appn. \mathbf{II} Ref. of Name and Address Tariff Ref No. Appn. Description of Goods of Applicant Item C/-PO Box 59-208 Mangere Bridge AUCKLAND AK 801232G Pharmaceutical Sales & Marketing 99 A 9503.90.09 63cm vinvl scarv skeleton C/-J F Ross PO Box 1653 AUCKLAND CURRENT APPROVAL 9503.90.09 640822C Metal toy vehicles, and approved accessories therefore 99 VA APPROVED ACCESSORIES: Trailers Farm implements 9503.90.09 REQUESTED APPROVAL J Yock & Co Ltd 99 AK 703121B VA Metal toy vehicles, whether or not fitted with plastic chassis, and approved accessories therefore, APPROVED ACCESSORIES: Private Bag Pt Chevalier AUCKLAND Trailers Farm Implements Soft drink bottles and crates Figures of humans or animals Fittings such as roll bars, construction equipment, ladders 99 AK 702687A Lincoln Marketing Ltd 9503.90.09 Plastic pushalong toys PO Box 87149 AUCKLAND Milton Bradley NZ Ltd 99 AK 702703G WA Plastic articulated toys 9503.90.09 C/-PO Box 43036 AUCKLAND 9504.90.00 CURRENT APPROVAL 800464B 99 VA Giant plastic chess games (men and boards) size of men 300-600mm high, boards 3.2m x 3.2m 9504.90.00 REQUESTED APPROVAL AK 801195J Susan Salmond Partners 99 V۸ Giant plastic chess, and draughts games with boards to match. Smallest chess piece 200mm high. Draughts pieces 25 Shepherd Road TAUPO to match, minimum 800mm plastic boards from 1.2 x 1.2m up Made in parts Milton Bradley NZ Ltd 99 AK 703230H 9504.90.00 Plastic encased magnetic board game complete with wind-up PO Box 43036 spinner AUCKLAND WN 820556 Exclusive Sports Goods 99 9506.62.00 Soccer balls C/-G.R. Frost (Customs Agents) PO Box 38-405 Petone WELLINGTON WN 820555 Exclusive Sports Goods 99 9506.69.01 Softballs C/-G.R. Frost (Customs Agents) PO Box 38-405 Petone WELLINGTON 99 AK 801201G Slenderizers NZ 9506.91.00 Motorized caliastric tables C/-Tariff Services Ltd CPO Box 4026 AUCKLAND 1 99 WN 820579F Face masks, chest, limb, abdomen and similar protectors Collector of Customs 9506.99.19 PO Box 2218 that are worn on the body WELLINGTON Category of Application: Application for Approval ٧A Application for Variation of Approval WA Application for Withdrawal of Approval D -Application for Determination Application for Variation of Determination Application for Withdrawal of Determination VD WD RUC Revocation of Unused Concessions Continuation of Unpublished Approval CUPA Denotes amendment or addition Comptroller of Customs, PO Box 2218, Wellington но Port: Collector of Customs, Box 29, Auckland ΑK Collector of Customs, PO Box 2218, Wellington CH Collector of Customs, Box 2098, Christchurch

Collector of Customs, Private Bag, Dunedin

Dated at Wellington this 27th day of October 1988.

M.W. TAYLOR, Comptroller of Customs.

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/41
Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice. SCHEDULE 2 Decisions cancelled. The cancellations listed in this schedule take effect fourteen days from Gazette date unless otherwise specified, eg, WEF (date).
- SCHEDULE 3 Limited Decisions
 - Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.
 - This Notice only serves to inform the importing/manufacturing community of the approvals existence.

 (b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette. Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the
- end date is the last day of that month eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

	SCHEDULE 1	
General	Decisions	Annroved

	Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref.	Effect	
1						No.	From	To
	2931.00.09 3506.91.00	Reinforcing agent SI230 Hot melt adhesive as may be approved; APPROVED:	Free Free	Free Free	99	820170G 820171E	8/88 8/88	• •
		Jowatherm 290-60, 283-00, 291-10, 291-40, 296-30, 296-00, 288-50						
	3808.10.19	Agrigard organic insect repellent	Free	Free	99	800776E	9/88	
	3823.90.69	Gelrite	Free	Free	99	800793E	9/88	
	3906.90	Ebecryl 350, 436, 657, 810 and 1436	Free	Free	99	700113E	1/88	
	3906.90.01	Acramin FKLN, being an acrylate-styrene copolymerisate aqueous dispersion	Free	Free	99	820505B	9/88	
	3906.90.01	Acramin SLN 130%, being an acrylate-styrene-acrylamide copolymer	Free	Free	99	820508G	9/88	
	3906.90.01	Baytigan AR	Free	Free	99	820509E	9/88	
	3906.90.01	Desmophen A450, being an hydroxal bearing polyacylate	Free	Free	99	820506L	9/88	
	3907.30.09	Automotive expoxide resin	Free	Free	99	800698K	2/88	
	3909.50.09	Automotive urethane resin HRS4101	Free	Free	99	800699H	2/88	
	3909.50.09	Desmodur El361, being a polyisocyanate prepolymer	Free	Free	99	820504D	9/88	
	3909.50.09	Synthappret LKF, being an aliphatic polyurethane polyisocyanate	Free	Free	99	820507J	9/88	
	3920.42.09	Skin packaging PVdC coated surlyn film	Free	Free	99	806736F	7/88	
	3920.99.39	Leather finishing permeable polyurethane foil	Free	Free	99	820334Ç	9/88	
	3921.90.19	Unprinted unembossed flexible plastic sheeting (non-cellular)	21	AU 5	99	800509F	1/88	
				CA 15 LDC 15			-,	•
	3923.10.09	Double cassette protective cases	Free	Free	99	621751G	1/88	
	3926.90.69	Recording electrode adhesive discs	Free	Free	99	840123D	9/88	
	3926.90.69	Ski-skistick holder	Free	Free	99	840118H	9/88	
	4009.30.00	Air brake hose to SAE R20 9.5mm to 15.7mm	Free	Free	99	840049A	7/88	
	4009.30.00	Creamery hose (white covered), 12.7mm to 25mm	Free	Free	99	840036K	7/88	
	59.03	Unprinted unembossed flexible plastic sheeting (non cellular)	21	AU Free CA 10	99	800508H	1/88	
				LDC 10				
	6117.80.01) 6117.80.19)	Knee, wrist, ankle, back, thigh, elbow and calf supports	Free	Free	99	800786B	9/88	•
	6117.80.29)							
	6217.10.00	Iron-on-motifs of the type used on womens hosiery	Free	Free	99	820297E	8/88	
	6302.31.09	Hand crocheted pillow cases	Free	Free	99	800814A	6/88	
	6403.99.01	Baby shoes consisting of leather uppers and suede soles, sizes 0.4 inclusive only	Free	Free	99	721882G	6/88	
	6405.90.11	Baby shoes consisting of vinyl uppers and suede soles, sizes 0-4 inclusive only	Free	Free	99	721881J	6/88	• • •
	6808.00.00	Non-combustible fire resistant insulating board and ceiling panels	Free	Free	99	721752J	6/88	
	7209.23.00	Cold rolled coil to JIS G 3141 SPCC-2b	Free	Free	99	800816H	9/88	
	72.17	Oil tempered round edged wire	5	AU Free	99	840069F	1/88	٠.,
	7311.00.00	Liquid petroleum gas cylinders up to 22 litre water capacity	Free	Free	99	801314E	10/88	
	7321.12.00	Methylated spirit - methyl alcohol campers stoves	Free	Free	99	800782K	9/88	٠.
	7411.10.19	Copper tube half hard conforming to BS2871 part 3 1972 C106 9.53mm OD x 0.9mm WT	Free	Free	99	800815K	9/88	•
	7606.12.09) 7607.11.00)	Aluminium alloy 5086, 5052, 5182, 5754, 6011 and 6103 painted coil between 0.15 and 0.27mm thickness and 15 to 89mm wide	Free	Free	99	800641F	7/88	• •
	7607.11.00	Aluminium foil, hard temper, unsupported, 20 micron thick which has been PVDC coated	Free	Free	99	820284C	8/88	
	7607.20.00	Printed aluminium foil detectable tape incased in a colour coded inert plastic jacket with a minimum tensile strength	Free	Free	99	800795A	3/88	. • •
	8408.10.09	of 34-45 megapascals (MPA) Vetus marine engines	Free	Free	99	800820F	8/88	
		Models: C4-80HP, CT4-152HP, C6-130HP, CT6-212HP, CT6A-252HP						
	8413.19.00	Grundfos brand, models LM and LP single stage in line	Free	Free	99	721761H	6/88	٠.
		centrifugal pumps with delivery connections exceeding 50mm, excluding electric motors						
	8413.19.00	Grundfos single stage end suction pumps incorporating stainless steel impeller excluding electric motors	Free	Free	99	721762F	6/88	.••
	8413.30.09	Fuel and water pumps specially suited for use with vehicle engines	Free	Free	99	800717K	10/88	
		EXCLUDING: Electric fuel pumps						
	8413.70.09	Grundfos brand, models LM and LP single state in line centrifugal pumps with delivery connections exceeding	Free	Free	99	721761H	6/88	••
		50mm, excluding electric motors						

Tariff Industry Assistance (Decision) Notice No. 1988/41-continued Part Rates of Duty II Ref. Effective Tariff From Normal Ref No. To Description of Goods Item capacity of a kind used for caravans and/or mobile homes 721084B 11/88 Free 99 Cryogenic freezing tunnels Free WN 8418.69.00 EXCLUDING: Blast freezing tunnels and spiral freeze systems 800805B 7/88 Filter press, 31 plate membrane, 800 x 800 cake volume Free Free 99 . . AK 8421.29.00 with electrohydraulic compression device 8/88 Motor vehicle air filters and air filter elements as may be Free Free 99 820245B . . 8421.31.00) WN approved. A list of approved items is held by the Collector 8421.99.01) of Customs, Wellington 800826E 8/88 99 Free Free . . Pneumatic tube conveying systems designed to transport 8428.20.00 AK correspondence 840048G 7/88 Free Free 99 Adjustable camera stand 8428.90.00 CH 820346G 9/88 Electric drivers for windows, roof domes, skylights, 99 Free Free 8428.90.00 WN sunshields, air conditioning systems and adjustment of 800825G 8/88 Free Free 99 8428.90.00 Self propelled, electric document distribution system ΑK 840079C 8/88 Hydraulic hammers, concrete breakers and/or rock breakers Free 99 Free СН 8430.69.00 99 820115D 7/88 Free 8432.29.01 Hydraulic all around weeder, tractor mounting, fully WN automatic with sensoring device qq 800753F 9/88 Tumble dryers, steam, gas or electric heated with a minimum Free 8451.29.00 ΑK load capacity of 68kg Free 99 800754D 9/88 Free Laundry spotting tables AK 8451.80.00 Free Energy screens (including wires, driving mechanisms, various gq 800659.1 8/88 AK 8479.89.00 fitted tubes and cloth) of a type used in heat and light control in glasshouses 800807J 9/88 99 8479.89.00 Printed circuit board etching and stripping machines Free Free ΑK 880055D 8/88 Ceramic temperature and pressure regulating valve cartridges Free Free 99 . . но 8481.80.19 800789G 9/88 99 Parts of ball or roller bearings Free Free . . 8482.91.00) AK 8482.99.00) Internal and external hub to shaft self locking units 99 800769B 9/88 Free Free ΑK 8485.90.09 3/89 99 721458J 4/88 Free Printed circuit boards, completely assembled, for use in Free WN 8529.90.11 the manufacture or repair of television sets 840085H 8/88 99 Free СH 8531.10.00 Motor driven alarm bells 99 800822B 9/88 Free Free VCR anti theft device ΑK 8531.10.00 Free 99 800362K 5/88 Eurolux 81 series soft line rocker switches Free ٠. ΑK 8536.50.00 7/88 Hand propelled tricycle Free Free 99 840044L ٠. 8712.00.09 CH 8600020 Free Free 99 6/88 . . Disturbance recorder printer and parts 9030.81.00 DN 99 840045.1 7/88 Free Free . . Area meter box 9031,40,00 CH 840047E 7/88 Area meter box interface 99 Free Free . . 9033.00.00 CH 840046G 7/88 99 Photographers light-box Free Free . . CH 9405.40.19 860068G 8/88 99 9503.49.00 Toy plastic hair glow bear Free Free . . DN 702899H 11/88 99 ΑK 9503.80.00) Battery operated toys, excluding stuffed plush toys Free Free . . 9503.90.09) 702900E 11/88 Wind up/friction toys, excluding stuffed plush toys Free Free 99 9503.80.00) ΑK 9503.90.09) Free 99 800464B 8/88 Giant plastic chess games (men and boards) ΑK 9504.90.00 size of men 300-600mm high, boards 3.2m x 3.2m Portable water slides comprising unsupported plastic sheeting, Free 99 740702F 6/88 Free CH 9506.99.19 hose adaptor and fixing clips SCHEDULE 2 Decisions Cancelled Ref. Tariff No. Description of Goods Item 721350G Hot ... 291-40 WN 3506.91.00 700113F Ebecryl ... 1436 ΑK 3906.90 621751G ΑK 3926.90.69 Double ... cases 840036K Creamery ... 25mm ٠. . . CH 4009.10.00 680890F 4803.00.01 Immersable ... paper . . ٠, . . но 602942G Knee, ... supports . . 6117.80.19) ΑK 6117.80.29) 203981J . . WN 6808.00.00 Supalux, ... panel 501949E ΑK 7606.12.09) Feedstock ... blinds . . 7607.11.00) 5400531 Grundfos ... motors 8413.19.00 WN Fuel ... other ٠. 682280A ΑK 84.13 8413.70.09 Grundfos ... motors 540053J . . WN 207511D Cryogenic ... tunnels 8418.61.00) WN 8418.69.00) 720810D WN 8428.90.00 Electric ... uses ٠. 926529F Tumble ... 180kg ٠. ΑK 8451.29.00 207502E . . Cissell ... boards ΑK 8451.80.00 . . 800362K Eurolux ... switches . . AK 8536.50.00 ٠. ٠. 581434A 10/88 Wind up/ ... toys 95.03 AK 581427J 10/88 9503.80.00) Battery ... toys AK 9503.90.09) 800464B ΑK 9504.90.00 Giant ... 3.2m 740487F 9506.99.19 Body ... equipment WN SCHEDULE 3 Limited Decisions Approved Part Rates of Duty TT Ref. Effective Tariff Normal Pref. Ref No. From To Item Description of Goods 8/88 11/88 6628 bamboo parasols, paper covered ex Nedlloyd Marseilles V38 Free Free 99 840084K CH 6601.99.00

	Tariff		Rates o	f Dutv	Part II	Ref.	Effect	ive
	Item	Description of Goods	Normat	Pref.	Ref.	No.	From	To
1	6601.99.00	1000 bamboo parasols, paper covered ex Tendai Maru V36	Free	Free	99	840175G	8/88	11/8
Ī	6910.10.00	One (1) only clos-o-mat Samoa, being an automatic water closet	Free	Free	99	820283E		12/8
		suite					-,	,-
)	7411.10.19	ACR (Refrigeration) Hard Drawn Copper Tubing						
		2500 metres 1/2'' OD (12.70mm)	Free	Free	99	880091L	9/88	6/8
		3000 metres 5/8'' OD (15.88mm)						
		2000 metres 3/4'' OD (19.05mm)						
		3000 metres 7/8'' OD (22.23mm)						
		4000 metres 1.1/8'' OD (28.58mm)						
		1500 metres 1.3/8'' OD (34.93mm)						
		1500 metres 1.5/8'' OD (41.28mm)						
		500 metres 2.1/8'' OD (53.98mm)						
		300 metres 2.5/8'' OD (66.68mm)						
		as per order No.15275						
0	7411.10.19	ACR (Refrigeration) Hard Drawn Copper Tubing						
		1000 metres 1/2'' OD (12.70mm)	Free	Free	99	880093G	8/88	6/89
		3035 metres 5/8'' OD (15.88mm)						
		2030 metres 3/4'' OD (19.05mm)						
		3000 metres 7/8'' OD (22.23mm)						
		3105 metres 1.1/8'' OD (28.58mm)						
		1090 metres 1.3/8'' OD (34.93mm)						
		1000 metres 1.5/8'' OD (41.28mm)						
		1500 metres 2.1/8'' OD (53.98mm)						
		500 metres 2.5/8'' OD (66.68mm)						
		175 metres 3.1/8'' OD (79.38mm)						
		as per order No. 15216	_	_				
)	7411.10.19	Refrigeration grade soft drawn copper tube 1080 x 50ft coils	Free	Free	99	880092J	9/88	6/89
		9.53mm OD (3/8'') with .81mm wall (0.32'')						
		700 x 50ft coils 12.70mm OD (1/2'') with .81mm wall (.032'')						
_	4411 10 10	as per order No.15274						
)	7411.10.19	Refrigeration Grade Soft Drawn Copper Tube	P	P	00	0000045	7/00	10/00
		1080 50ft coils 9.53mm 0D (3/8'') with .81mm wall (.032'')	Free	Free	99	880094E	7/88	12/88
0	7411.10.19	800 50ft coils 12.70mm OD (1/2'') with .81mm wall (.032'')						
J	/411.10.19	Refrigeration Grade Soft Drawn Copper Tube	Evac	Proc	99	PRODUKE	E/00	19/00
		240 50ft coils 9.53mm OD (3/8'') with .81mm wall (.032'') 200 50ft coils 12.70mm OD (1/2'') with .81mm wall (.032'')	Free	Free	99	880095C	3/65	12/88
		ACR (Refrigeration) Hard Drawn Copper Tubing						
		2520 metres 1/2' OD (12.70mm)						
		2050 metres 5/8' OD (15.70mm)						
		1625 metres 3/4' OD (19.05mm)						
		2640 metres 7/8'' OD (22.23mm)						
		2010 metres 1.1/8' OD (28.58mm)						
	•	1600 metres 1.3/8' OD (34.93mm)						
		1030 metres 1.5/8'' OD (41.28mm)						
		750 metres 2.1/8'' OD (53.98mm)						
		150 metres 3.1/8' OD (79.38mm)						
		as per order No. 15133						
)	8419.81.00	Two only Abco Food Blanchers imported ex Columbus Wellington V81	Free	Free	99	880088L	11/88	11/88
N	8517.10.00	3 x Kink Delta sample telephones	Free	Free	99	820344L	8/88	8/88
<u></u> -	0011110100							
		SCHEDULE 4 Applications Declined						
	Tariff					Ref.		
	Item	Description of Goods				No.		
ī	3405.90.00	Rubber sponge chemically infused with cleaner additives				840113G		
i	3904.22.00	Plasticised PVC granules viz Vestolt SH1832, SFW105				820239		
ì	3925.30.00	Components of pleated and micro blinds as may be approved				740688G		
•	JULU . 00 . 00	Approved list held by Collector of Customs, Christchurch						
3	5107,10.001	50/50 wool acrylic varn				840141R		
i	5107.10.00) 5107.20.00)	50/50 wool acrylic yarn				840141B		

Dated at Wellington this 27th day of October 1988.

Mobile garage bins

750ml burgundy dead leaf painted wine bottles

75-375kva generator set Infrared/microwave combination movement detectors

Glass reinforced polyester busbar supports

Z storey tearport parking system
Ferus wheel boat/car parking system
Parts for rock drilling tools, i.e. rock bits, hole openers
Lock security, cupboard, lockwood No.691
Bassoon profiling machine

One only stern trawler fishing vessel length approx 25 metres

2 step hydraulic parking system

2 storey carport parking system

Christmas tree lighting sets

M.W. TAYLOR, Comptroller of Customs.

820451

721854

721855

721863

820465

820510

840146C

840136F

800823L

840075L

840107B

820318A

840073D



WN WN WN CHI

CH

CH

CH

7010.90.29

7308.90.00

7308.90.00

7308.90.00

8465.99.00

8502.40.00 8543.80.29

8546.90.09

8716.80.09

8902.00.09

9405.30.00

82.07

8301.40