

The New Zealand Gazette

# **Customs Edition**

WELLINGTON: TUESDAY, 29 NOVEMBER 1988

# **CUSTOMS NOTICES**

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

#### NEW ZEALAND GAZETTE

No. 203

3

#### TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/45 Applications Advertised for Objection Closing Date for Objections 20 December 1988

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the \*\* Port of lodgement indicated by the reference number, before 20 December 1988. All submissions must include:
  - the Tariff Industry Assistance (Advertisement) Notice number;
  - the Tariff item;
  - the Port; and
  - Reference number.

Screw plate Wall plate Сар Bolt cover Bay window gasket Frame seal gasket Sash seal gasket Glazing seal gasket Sill end cap Handles Gears Tilt stav Back/bottom stay Stay extender Gear extender Window keep Tilt corner Tilt keep Brass cylinder lock Door panels **Ridge** crest Ridge crest extension Friction hinge Espagnolettes

- 2 All submissions from local manufacturers must include:
  - the range of alternative goods made locally;
  - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
  - present and potential output;
  - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- All submissions objecting to a request for the imposition of duty must include:
   reasons why the local product on which protection is sought is not a suitable alternative;
  - full technical details of the goods against which tariff protection is sought.
  - Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.
- 5 Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
1108.13.00	Potato starch BP	NZ Starch Products Ltd PO Box 13-024 Onehunga AUCKLAND	99	AK 801589	K WA
2009.80.19	Blackcurrant juice concentrate	AUCKLAND Directus International Ltd PO Box 3854 AUCKLAND	99	AK 801600	D A
2106.90.09	Talin protein - flavouring for animal feed (manufacturing input)	T R Chemicals Aust Pty Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312	<b>99</b>	AK 801615	B A
		Mt Roskill AUCKLAND			* •
3004.10.09	Ospen tablets and/or granules for export only, not for distribution in New Zealand	Glaxo NZ Ltd Private Bag PALMERSTON NORTH	26	WN 830103	A
3004.90.19	Captol SR 160mg tablets	Pacific Pharmaceuticals Ltd PO Box 111-83 Ellerslie AUCKLAND	25	WN 830064	Α
3006.60.00	Mercilon tablets	Pharmaco (NZ) Ltd PO Box 4079 AUCKLAND	26	WN 830097	A
3212.90.01	Animal on-heat mount detectors	Levels Gentech Ltd PO Box 9002 CHRISTCHURCH	99	CH 840158	G A
3402.90.00	Efka 44 (wetting and dispersing agent)	Norfolk Chemicals C/-Carpenter & Wheeler Ltd PO Box 2658 AUCKLAND	99	AK 801591	A A
3808.10.19	Pheromone insect monitoring traps	Fruitfed Ltd Trading Division C/-Ivan W McNicholl Tariff Consultant PO Box 1024 WELLINGTON	99	WN 820512	E A
3925.20.00	Component parts of PVC windows, doors, and frames, irrespective of classification, as may be approved; APPROVED: PVC profiles Bridging channel Glazing block	Dalmarco Enterprises Ltd Fersina Windows NZ Ltd 43B Hyde Road Browns Bay AUCKLAND	99	AK 801618	g a

ì

#### CUSTOMS EDITION

#### Tariff Industry Assistance (Advertisement) Notice No. 1988/45-continued

Tarìff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Categor of Appn.
	Espagnolette handle locking key	· · · · · · · · · · · · · · · · · · ·	·	·····	, <u>-</u>
	Brass espagnolette locking handle				
	Architrave				
	Internal sills Bead				
	U channel window board				
	Lining boards				
	Tilt restriction block				
	Pivot barrier key				
	Friction arm restraint				
	Slot drain caps				
	Grommets				
	Sash lifting block				
	Open out sealing block				
	Arches				
	PVC top corner profile				
	llOmm door hinge				
	Forestay blocks				
	Sash jig				
	Bottom hinge jig				
	Drilling jig				
	Basic fitting kit				
	Patio kit				
	Profile pack				
	Stainless steel bracket				
925.30.01)					
925.30.09)	Components of roller blinds and pleated blinds as may be		99	6036971	. VA
	approved viz: cord lock, cleat rivet				
925.30.09	REQUESTED APPROVAL				
	Components of roller blinds and pleated blinds as may be	Window Treatments NZ Ltd	99	CH 8401861	B VA
	approved	19 Mandeville Street			
	APPROVED:	CHRISTCHURCH 4			
926.90.69	Cord lock, cleat rivet, end cap set and plastic chain				
920.90.09	Insect traps	Gallaway & Bristol Holdings Ltd	99	CH 8400891	. A
		97 Holly Road			
008.11.29	Table protoctive set of collular without	CHRISTCHURCH			
000.11.29	Table protective mat of cellular rubber	Floortex Holdings Ltd	99	AK 8016060	C A
		C/-W.B. Johns Consulting Ltd			
		PO Box 1548			
000 10 00	Noonnone tubing with a 0 long sustaids dispeters 1 0mm inside	AUCKLAND			
009.10.00	Neoprene tubing with a 2.1mm outside diameter, 1.3mm inside		99	AK 801607A	A
	diameter and a wall thickness of 0.4mm	C/-PO Box 4090			
009.30.00	CURRENT APPROVAL	AUCKLAND			
	Fuel line hose as approved, viz 7.9mm to 9.5mm 1.D. rated		99	040007	
	to SAE 3 or 7		99	840037H	I VA
009.30.00	REQUESTED APPROVAL				
	Fuel line hoses as approved viz 5.2mm to 9.5mm 1.D.	Dunlop Flexible Hoses Ltd	99	AK 8015850	S VA
	rated to SAE 3 or 7	PO Box 13-543	50	100 0010000	, <b>,</b> ,
		Onehunga			
		AUCKLAND			
009.30.00	CURRENT APPROVAL				
	Hose EPDM covered nitrile tube 6.4mm to 25.4mm		99	840035A	VA
009.30.00	REQUESTED APPROVAL				
	Hose EPDM or nitrile covered nitrile tube 6.4mm to 25.4mm	Dunlop Flexible Hoses Ltd	99	AK 801584J	VA VA
		PO Box 13-543			
		Onehunga			
		AUCKLAND			
	Balsawood sawn lengthwise, exceeding six (6) millimetres	The 436 Model Shop Ltd	99	WN 820401	Α
407.23.09)	in thickness	PO Box 621			
		NEW PLYMOUTH			
523.90.19	Petit four cake cases	Richard Hislop Ltd	99	WN 820577	A
	-	C/-ASC Flowers Customs Ltd			
		PO Box 4144			
403 E1 00	Matowayala that a second second second	WELLINGTON			
403.51.09	Motorcycle track racing protective boots	Gordon Tocher	99	DN 860098J	A
		C/-Campbell McRae Holdings Ltd			
		PO Box 5556 DUNEDIN			
805.30.19	CURRENT APPROVAL	DUILDIN			
	Hermes BWRB paper wide belts, single join in widths		99	502639D	VA
	exceeding 1370mm		<del>3</del> 3	002039L	, vA
805.30.19	REQUESTED APPROVAL				
	Hermes BWRB, BW112 paper wide belts, single join in widths	Sanding & Grinding Specialtics Itd	99	AK 801619E	VA
	exceeding 1370mm	PO Box 33180		AL OUIDIJE	· • • •
		Takapuna			
		AUCKLAND			
910.90.00	One (1) only twyfords arabian squatting WC pan	Sitruc Marketing & Agencies Ltd	99	WN 820668	A
	· · · · · · · · · · · · · · · · · · ·	PO Box 31176	55	ALL 020000	A
		LOWER HUTT			
326.90.09	CURRENT APPROVAL				
	Heavy duty hose clamps, sizes 32mm to 369mm O.D. hose		99	900631B	VA
					***
26.90.09	REQUESTED APPROVAL				
326.90.09		Dunlop Flexible Hoses Ltd	99	AK 801586E	VA

#### NEW ZEALAND GAZETTE

٦

ŝ

3

ş

đ

á

	Description of Conte	Name and Address	Part II Paf	Appn. Ref.	*Category of
tem	Description of Goods	of Applicant	Ref.	No.	Appn.
		Onehunga AUCKLAND			
419.91.00	Angle type strainers for filtering steam, air and water	Paykel Engineering Ltd	99	AK 801588A	A
	systems	PO Box 5046			
		AUCKLAND			
607.19.00	Hand tempered aluminium foil less than 30 micron (.30mm)	Courtaulds Packaging NZ Ltd	99	WN 820613	A
	in thickness, lacquered and key coated	C/-ASC Flowers Customs Ltd PO Box 4144			
		WELLINGTON			
311.10.00	Welding electrodes - viz alloy C-276	Sandvik NZ Ltd	99	AK 8015870	A
		C/-MSAS Cargo International Ltd			
		PO Box 357			
		AUCKLAND			
407.34.09	Used and reconditioned VW air cooled engines only	Qualitat Autoparts Ltd 271 Mt Smart Road	99	AK 8015744	A A
		Onehunga			
		AUCKLAND			
408.10.09	Sabre marine engines models:	Marine Power & Service Ltd	99	AK 8008191	B A
	85L, 125L, 155L, 190L, 200L, 225L, 275L, 320L, 345L,	PO Box 3492			
	80C, 120C, 150C, 160C, 180C, 212C, 255C, 280C, 310C	AUCKLAND	00		
409.91.01	VW mufflers viz: 1963-65 Beetle 1200 No. 113251053D	Motor Holdings Komatsu Ltd C/-C V J Tariff Consultants	99	AK 8015900	C A
	1966-67 Beetle 1300, 1500, 1600, No. 113251053M	PO Box 59-208			
	1964-65 Kombie 1500 No. 211251-051L	AUCKLAND			
413.81.19	Hammelmann high pressure pumps viz: 60, 80, 110, 160 and	Watertechs Group Ltd	99	AK 801603.	J A
	330 series	PO Box 3854			
		AUCKLAND			
8414.90.29	Stainless steel and/or titanium compressor impellor	Super Still Developments NZ Ltd C/-Ouay Customs Agents Ltd	99	AK 8015990	G A
		PO Box 4342			
		AUCKLAND			
415.82.00	CURRENT APPROVAL				
	Single system air conditioners, not exceeding 3KW cooling		99	8203320	G VA
118 00 00	capacity of a kind used for caravans and/or mobile homes				
415.82.00	REQUESTED APPROVAL Single system air conditioners not exceeding 3KW cooling	Carrier Zonepak Ltd	99	AK 801578	AV C
	capacity	C/-PO Box 1311	33		· 10
		AUCKLAND			
422.40.09	Automatic tray erector and packing machine	C & C Automation Ltd	99	AK 801238	FA
		C.P.O. Box 4305			
400 00 00	Para sailans (windows	AUCKLAND 1	00	AR 001000	
428.90.00	Rope coilers/winders	Mr M.E. Strongman C/-MSAS PO Box 53-104	99	AK 8016021	L A
		AUCKLAND AIRPORT			
4.29)	CURRENT APPROVAL				
4.31)	Excavating machinery, other than machinery of a kind		99	8800160	C VA
	designed for mounting on tractors or other vehicles				
	EXCLUDING: (a) Bulldozer blades, buckets and the like and their				
	activating equipment, eg., hydraulic rams, trunnions,				
	cylinder bracket assemblies and push arms				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types)				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional				
• • •	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights				
• • •	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or				
•	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader)				
	<ul> <li>cylinder bracket assemblies and push arms</li> <li>(b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE</li> <li>Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights</li> <li>(c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe (diggers) and skid steer base</li> </ul>				
•	<ul> <li>cylinder bracket assemblies and push arms</li> <li>(b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE</li> <li>Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights</li> <li>(c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader)</li> <li>(d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four</li> </ul>				
	<ul> <li>cylinder bracket assemblies and push arms</li> <li>(b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE</li> <li>Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights</li> <li>(c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader)</li> <li>(d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid</li> </ul>				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader) (d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any				
	<ul> <li>cylinder bracket assemblies and push arms</li> <li>(b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE</li> <li>Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights</li> <li>(c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader)</li> <li>(d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid</li> </ul>				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader) (d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader) (d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees (e) Four wheel drive, skid steer front end loaders				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader) (d) Tractor mounted backhoe (digger) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees (e) Four wheel drive, skid steer front end loaders (commonly known as Bobcat Loaders)				
	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe (digger) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees (e) Four wheel drive, skid steer front end loaders (commonly known as Bobcat Loaders) (f) Rubber tracted loader with a lifting capacity up to				
4.29)	cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types) whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and Hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader) (d) Tractor mounted backhoe (digger) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees (e) Four wheel drive, skid steer front end loaders (commonly known as Bobcat Loaders)				

7

E

# CUSTOMS EDITION

#### Tariff Industry Assistance (Advertisement) Notice No. 1988/45-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	designed for mounting on tractors or other vehicles	Private Bag			
+ +	EXCLUDING: (a) Bulldozer blades, buckets that have a S.A.E. rated capacity below 1.53m3 and the like and their activating equipment, eg., hydraulic rams, trunnions, cylinder bracket assemblies and push arms (b) Wheeled front end loaders, (excluding track types)	WELLINGTON			
	whether or not assembled, as defined by SAE Standard SAE J1057 (published in the Society of Automotive Engineers, Inc Handbook) which cannot rotate through the horizontal plane without movement of the wheels with a static tipping load in full turn capacity up to and including 12,000 kg as measured to SAE Standard J732c. This measurement shall be applied to these loaders				
	equipped to the manufacturers' worldwide official specifications excluding tyre ballast and optional counterweights (c) Backhoe loaders, whether or not assembled, consisting				
	of a tractor base or wheel loader base, two wheel drive, four wheel drive or crawler type, front or rear wheel steer, pivot steer or skid steer complete with backhoe (digger) mounted in any position whether capable of side				
	(digger) modified in any position whether capable of she shift or not, with king post, swing mechanism, with or without bucket, boom arm assembly (boom linkage) and hydraulic cylinders having a boom swing travel of less than 360 degrees (commonly referred to as a TLB Tractor Loader Backhoe or Backhoe Loader)				
	(d) Tractor mounted backhoe (diggers) and skid steer base mounted backhoe whether or not assembled, two or four wheel drive, front or rear steer, pivot steer or skid steer complete with backhoe (digger) mounted in any				
	position whether capable of side shift or not, with king post, swing mechanism having a boom swing travel of less than 360 degrees				
	<ul> <li>(e) Four wheel drive, skid steer front end loaders</li> <li>(commonly known as Bobcat Loaders)</li> <li>(f) Rubber tracted loader with a lifting capacity up to</li> <li>1000 kg</li> </ul>				
84.65	Machine-tools for working wood, cork, bone, ebonite (vulcanite), hard artificial plastic materials or other hard carving materials, other than machines falling within heading No. 84.67: EXCLUDING:	Comptroller of Customs PO Box 2218 WELLINGTON	99	HO 800413	3H WA
	Edgebanding machines which perform the following functions only viz:- the application of preglued edging tape coils of PVC, melamine or wood veneer to hand fed panels by means of glue reactivation, with or without a tape front and/or				
	end cut off function (Edgebanding machines which have additional functions to those specified above will qualify for this concession provided the additional functions are relevant to edgebanding machines and are catalogued as being for the				
	edgebanders concerned) Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42mma. (Multi-purpose or composite machines incorporating this function fall within this exclusion)				
	Samco model LP15 vertical and bobbin sander Surface planers, buzzers or jointers with blade not exceeding 310mm Thicknessers, with a capacity up to and including 330mm.				
	(Multi-purpose or composite machines incorporating this function fall within this exclusion) Woodturning lathes, for operation with tools held by the hand or semi-automatic (but not including fully automatic) End-matching machines				
	Woodworking machinery; viz: Automatic firewood saws Bandsaws with throat capacity not exceeding 535mm (21in.) Box nailing machines Breast benches				
	Circular breakdown saws Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding 360mm				
	Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500mm (201n.) Docking saws Dovetailing machines with single spindle and manual food				
	Dovetailing machines with single spindle and manual feed Drill presses, wall mounting, radial type not exceeding 22.2mm capacity in mild steel Horizontal dowel boring machines, not exceeding 25mm				
	capacity in mild steel Log cut-off swing saws				

A

A

۸

A

A

VA

VA

WA

WA

WN 820664

99

NEW ZEALAND GAZETTE 5090 Tariff Industry Assistance (Advertisement) Notice No. 1988/45-continued Part Appn. \*Category Name and Address II Ref. of Tariff No. Description of Goods of Applicant Ref Appn. Item Post peelers Precision veneer trimming saws Radial arm saws, overhead crosscut saws, and trenching machines, powered by single phase electric motors Splitting saws Tenoning machines, single spindle Veneer presses manually operated, single daylight, for cold pressing Vertical breakdown saws Wood debarking machines, Rosser head not exceeding 1425mm (56in.) diameter and ring type not exceeding 1275mm (50in.) diameter NB: Any multi-purpose or composite machines incorporating a combination of the above functions are excluded from this concession HO 880115A Machine tools for working wood, cork, bone, hard rubber, Comptroller of Customs 99 84.65 hard plastic or similar hard materials; EXCLUDING PO Box 2218 Sawbenches with sawblades not exceeding 330mm excluding WELLINGTON 1 sliding table sawbenches 2. Radial arm saws, overhead crosscut saws, trenching machines and work centres incorporating a radial arm saw, with blade diameters up to and including 360mm diameter. Excluding radial arm saws with a cutting stroke exceeding 575**m** 3. Pendulum type crosscut saws including spida type for sawblades up to and including 450mm diameter 4. Thicknessers with a width capacity up to and including 330mm 5. Surface planers, buzzers, or jointers with a blade not exceeding 310mm 6. Bandsaws with a throat capacity not exceeding 475m 7. Wood lathes manually operated, with or without copy device 8. Horizontal dowel boring machines with manual feed 9. Drill presses bench or floor mounting, column type. belt driven, manually operated 10. Edgebanding single purpose machines which apply preglued edging tape coils of PVC, melamine or wood veneer to hand fed panels by means of glue reactivation 11. Sawmilling machinery:-Automatic firewood saws Breast benches Circular breakdown saws Docking saws Log cut off swing saws Post peelers Splitting saws Vertical breakdown saws Wood debarking machines, Rosser head not exceeding 1425mm diameter and ring type not exceeding 1020 mm diameter 12. Dovetailing machines with single spindle and manual feed 13. Any composite or multipurpose machine incorporating any of the above excluded machinery or combination of the above excluded machinery HO 880113E 99 Comptroller of Customs HT tobacco conditioning unit 8478.10.00 PO Box 2218 WELLINGTON 99 WN 820413 Cleaning Systems Ltd Vacuum cleaners, other than models incorporating spray 8479.89.00 C/-Banner International Ltd injection and vacuum extraction process PO Box 1744 WELLINGTON Super Still Development NZ Ltd AK 801598J AC motors 230-440v, single phase and three phase, 2 pole, 99 8501.40.01) C/-Quay Customs Agents Ltd high speed 8501.52.01) PO Box 4243 AUCKLAND CH 840193E Ampere Technology Ltd 99 Battery chargers 8504.40.01 C/-Mainfreight International Ltd PO Box 11233 CHRISTCHURCH CURRENT APPROVAL 8507.10.09 210215D 99 Sonnenschien dryfit batteries REQUESTED APPROVAL 8507.10.09) CH 840191J Ampere Technology Ltd 99 Dryfit batteries 8507.20.00) C/-Mainfreight International Ltd PO Box 11233 CHRISTCHURCH WN 820663 Standard Telephones & Cables 99 NTP telephone hybrid system 8517.40 (NZ) Ltd PO Box 40-140

Lane Street UPPER HUTT

(NZ) Ltd

Studer telephone hybrid system

8517.40

Standard Telephone & Cables

#### CUSTOMS EDITION

#### Tariff Industry Assistance (Advertisement) Notice No. 1988/45-continued

ariff tem	Description of Goods	Name and Address	Part II Pof	Ref.	*Category of
Lem	Description of Goods	of Applicant PO Box 40-140	Ref.	No.	Appn.
		Lane Street			
		UPPER HUTT			
531.80.00	Greasby MR 10 baby monitors	Ashburton Round Table No.13 Inc	99	CH 840197H	A
		C/-Brophy Knight & Partners PO Box 314			
		ASHBURTON			
537.10.00	Marposs E5 grinding cycle control system	MSAS Cargo International Ltd	99	AK 801601B	A
		C/-Sandvik (NZ) Ltd			
		PO Box 51-154			
		Pakuranga			
543.30.00	Codium chlorato plant constructed in titanium	AUCKLAND	00	AV 001507	
343.30.00	Sodium chlorate plant constructed in titanium	NZFP Pulp & Paper Ltd Private Bag	99	AK 801597L	A
		Symonds Street			
		AUCKLAND			
543.80.29	Odor neutralizers	Master Valvet Drycleaners	99	CH 840202H	A
		PO Box 9216			
543.80.29	Concore wig ultregenia infer and modulated light	CHRISTCHURCH	00		
943.00.29	Sensors, viz ultrasonic, infra-red, modulated light electronic capacitive, inductive types	N.D.A. Electrade Ltd PO Box 53-085	99	AK 801078B	A
	creation cupacitive; inductive types	AUCKLAND, AIRPORT			
544.41.09	Double-contra helical armored, waterproof, quad co-axial,	NZ Ocean Technology Ltd	99	AK 801610A	A
	quad single cable	PO Box 220			-
	<b>.</b>	OREWA			
705.90.00	Truck mounted hydraulic excavator	Comptroller of Customs	99	HÓ 880117H	A
		PO Box 2218			
. 17	CURRENT APPROVAL	WELLINGTON			
31.80.00)	Drawing, marking-out and mathematical calculating		99	114673E	VA
	instruments, drafting machines, pantographs, slide rules,	·. · · · · · · · · · · · · · · · · · ·			***
	disc calculators, and the like, measuring or checking				
	instruments, appliances and machines, not falling within				
	any other heading of this Chapter (for example, micrometers	,			
	callipers, gauges, measuring rods, balancing machines), profile projectors				
.17)	REQUESTED APPROVAL				
.31)	Drawing, marking-out and mathematical calculating	Burnip Elliot & Co Ltd	9 <del>9</del>	CH 840122F	VA
	instruments, drafting machines, pantographs, slide rules,	PO Box 14-060			
	disc calculators, and the like, measuring or checking	CHRISTCHURCH AIRPORT			
	instruments, appliances and machines, not falling within				
	any other heading of this Chapter (for example,				
	micrometers, callipers, gauges, measuring rods, balancing machines), profile projectors				
03.10.01	Illuminating drawing table complete with stand	Littlejohns Instruments Ltd	99	WN 820647	A
		C/-Ivan McNicholl, Tariff Consultant			
		PO Box 1024			
		WELLINGTON			
405.40.19	Portable illuminating drawing tables, including briefcase	Littlejohns Instruments Ltd	99	WN 820454	A
	types	C/-Ivan McNicholl, Tariff Consultant			
		PO Box 1024 WELLINGTON			
i03.70.00	Toy plastic nursing set, comprising plastic spoon,	Arthur Barnett Ltd	99	DN 860101B	A
	scissors, thermometer, tweezers, bandaid and bandage	Private Bag		541 000101B	n
		DUNEDIN			
03.70.00	Toy stethoscope set, consisting of plastic stethoscope,	Arthur Barnett Ltd	99	DN 860100D	A
	thermometer and syringe	Private Bag			
04 20 00	Coin operated quiz corre-	DUNEDIN	00	B11	
04.30.00	Coin operated quiz games	Silverdale Investments Ltd	99	DN 860099G	. A
		C/-Campbell McRae Holdings Ltd PO Box 5556			
		DUNEDIN			
03.90.19	Carpet shampoo applicator	Annway of NZ Ltd	99	AK 801594F	A
	-	C/-Trade Consultants Ltd			
		PO Box 4287			
02 00 10	linkalatowy akampoo anglisataw	AUCKLAND			
03.90.19	Upholstery shampoo applicator	Annuary of NZ Ltd	99	AK 801593H	A
		C/-Trade Consultants Ltd PO Box 4287			
		AUCKLAND			
12.10.00	Computer and typewriter ribbons	Comptroller of Customs	99	HO 880119D	A
		PO Box 2218			
		WELLINGTON			
rious	Determination: Section 121 of the Customs Act 1966	Comptroller of Customs	••	HO 880112G	VA
	The department has had a request to vary the nominated	PO Box 2218			
	component list to have the following goods deleted: Seat Reclining Mechanisms	WELLINGTON			
	Brake Hoses				
	Note: This will have the effect of making these components				
	'Free' of duty as components of CKD packs.				
	Objections should be referred to the Comptroller of Customs:				

# NEW ZEALAND GAZETTE

Category of Application:	A		Application for Approval
	VA	- ·	Application for Variation of Approval
	WA	-	Application for Withdrawal of Approval
	D	-	Application for Determination
	VD	-	Application for Variation of Determination
	WD	-	Application for Withdrawal of Determination
	RUC	-	Revocation of Unused Concessions
	CUPA		Continuation of Unpublished Approval
	+	-	Denotes amendment or addition
 Port:	HO		Comptroller of Customs, PO Box 2218, Wellington
	AK	-	Collector of Customs, Box 29, Auckland
	WN	-	Collector of Customs, PO Box 2218, Wellington
	CH	-	Collector of Customs, Box 2098, Christchurch
	DN	-	Collector of Customs, Private Bag, Dunedin

Dated at Wellington this 24th day of November 1988.

M.W. TAYLOR, Comptroller of Customs.

3

4

#### CUSTOMS EDITION

#### TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/45

Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice. SCHEDULE 2 - Decisions cancelled. The cancellations listed in this schedule take effect fourteen days from Gazette date unless otherwise specified, eg, WEF (date).

SCHEDULE 3 - Limited Decisions

Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not (a) available for general use.

This Notice only serves to inform the importing/manufacturing community of the approvals existence. (b)

Schedule 3 and 4 will not be published in the Consolidated List of Decisions.

It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette. Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month - eg, 3/88 to 9/89 is 1/3/88 to 30/9/89. 5

SCHEDULE 1

	Tariff Item	Description of Goods	Rates of Normal	-	Part II Pof	Ref.	Effect	
			······································	Pref.	Ref.	No.	From	To
WN	3004.20.09	Ibilex capsules	Free	Free	25	830061F	10/88	••
WN	3004.32.09	Precortisyl tablets	Free	Free	25	830060H	10/88	••
IN N	3004.39.09	Locoid lipocream 30g and/or 100g tubes	Free	Free	25	830052G	9/88	• •
/N	3004.40.09	Endacol-C capsules	Free	Free	26	830058F	9/88	••
/N	3004.40.09	Trental ampoules and/or tablets	Free	Free	26	830032B	7/88	••
ÍN .	3004.50.09	One Alpha (1 mcgm) capsules	Free	Free	25	830034J	8/88	••
N	3004.90.19	Grafco silver nitrate applicators	Free	Free	26	830059D	9/88	••
K	3909.20.09	Additol VXT 3911	Free	Free	99	801153C	9/88	
N	3919.10.00 (39.02.331)	Self adhesive PVC high temperature masking tape	Free	Free	99	820431E	10/87	••
0	3920.42.29	Other kinds of plates, sheets, film, foil and strip other than as determined by the Minister		AU Free	33	880120H	1/88	••
ĸ	3926.90.69	Plastic earring display cards, felt covered	Free	Free	99	801093F	2/88	
ĸ	40.09	Refrigeration charging hoses	Free	Free	99	801095B	9/88	
N	4203.10.09	Motorcycle leather protective suit with plastic protective inserts for elbow, knees and shoulders	Free	Free	99	860074A	10/88	••
ĸ	5603.00.00	Polyethylene coated non woven (spun bonded) polypropylene fabric in weights less than 250 grams/square metre	, Free	Free	99	801575K	11/88	••
N .	6913.10.09	Statuettes and other ornaments of porcelain or china each with an F.O.B. value exceeding NZ\$400	Free	Free	99	860066L	9/88	••
0	7007.11.03) 7007.11.05) 7007.11.09)	Toughened or laminated glass for incorporation into motor vehicles of tariff areas 8701.10, 8701.30, 8701.90 and 87.05		AU Free	33	880122D	7/88	12/8
	7007.21.03) 7007.21.05) 7007.21.09)							
К	7010.90	375ml wine bottles and 750ml amber wine bottles	<b>P</b>	-				
č	72.09	Extra-deep drawing cold-rolled coil and sheet SPCEN-SD,	Free Free	Free Free	99 99	801185A 801152E	10/88 7/88	 
,	7300 33 00	oiled to JIS G3141						
K	7209.23.00	Cold rolled coil to JIS G 3141 SPCC-2D	Free	Free	99	800816H	9/88	••
)	7211.90.01	Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished (including precision made)		AU Free	33	880123B	11/88	12/8
N	7216.22.00	Window sections, as may be approved; APPROVED: WT2-standard tee	Free	Free	99	820498F	9/88	••
N	7304.31.09	Seamless honed cold drawn stress relieved steel hydraulic tube	<b>Fran</b>	<b>P</b>				
N	7309.00.00	Recovery drum, being a steel drum with lid having a capacity of over 300 litres	Free Free	Free Free	99 99	860102L 820461G	9/88 10/88	•••
K	7310.29.01	10 litre petrol cans	<b>D</b>	-				
1	7315.82.19			Free	99	800226G	1/88	••
• . •		Signal chain, 6mm link		Free	99	820462E	10/88	••
	7321.13.00	Bar Be Quick solid fuel disposable cooking stove		Free	99	860069E	10/88	••
N	8403.10.00	Domestic oil fired central heating boilers	Free	Free	99	820359J	9/88	••
K	8414.59.09	Vacuum blower motors, models:- YV222, YV150B, YV130D, YV110A, YV135, YV290, YV240, YV250,	Free	Free	-99	801112F	8/88	•••
J	8414 00 00	YV210, YV310, YV260, YV270, YV300, YV135, YV280						
<b>N</b> 	8414.90.29	Compressor parts for the repair of Mitsubishi compressors		Free	99	860077F	7/88	
N J	8419.89.09	Continuous rotary can pressure cooker/cooler sterilizer		Free	99	820393J	9/88	••
N N	8419.89.09	Oil and gas production testing units		Free	99	820316E	9/88	••
)	8421.39.01	Filtering and purifying machinery and apparatus for gases, excluding those of a kind commonly used with:		AU Free	33	880124L	1/88	••
		<ul> <li>(A) tractors for articulated vehicles, being tractors that are designed for operation solely or principally on the highway; or</li> </ul>						
		(B) vehicles of 87.02, 87.03 and 87.04, other than air-cushioned vehicles or assembled convertible road/rail motor coaches						
1	8421.39.09) 8421.99.01)	Chemically reactivated absorption type compressed air dryers for use in motor vehicle brake systems	Free	Free	99	820486B	10/88	••
	8422.40.09	High speed automatic wraparound tray erector complete system including pack collator, hot melt gluer and blank magazine. PLC controlled modulated in-feed and out-feed	Free	Free	99	801104E	9/88	•••
I	8424.20.00) 8424.30.00)	Waterblasting jetting gun systems	Free	Free	99	820516H	10/88	•••
	8424.89.19)							
	8425.39.00	Multi drum winches	Free 1	Free	99	820435H	9/88	
	8428.39.00	Computerised garment conveyor systems	Free	Free	99	801134G	7/88	
	8438.60.00	Steam process tomato peeler		Free	99	820414E	9/88	
	8479.20.00	De-moisturising twin screw press		Free	99	801579B	8/88	
	8481.90.19	Manufacturing parts of ball or spherical plug valves, sizes		ree	99	820503F	11/88	
		15mm - 50mm excluding: (1) End connectors						-

#### NEW ZEALAND GAZETTE

#### Tariff Industry Assistance (Decision) Notice No. 1988/45-continued

	Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref. No.	Effecti From	ve To
		(2) Bodies and stainless steel balls						
		(3) Parts of general use						
	8504.90.01)	Parts, peculiar for use in making coils and transformers for	Free	Free	99	820488J	10/88	••
	8504.90.09)	telecommunication equipment made in New Zealand	Enee	Free	00	7403305	1/00	
	8507.10.09	Motorcycle batteries as may be approved; APPROVED:	Free	Free	99	740229F	1/88	••
		Model 12N16-4B, Yuasa brand Y60 N24-A						
	8512.20.00	Omnibus step-well lamps	Free	Free	99	820317C	8/88	
	8512.30.29	Keyless electronic vehicle alarms	Free	Free	99	820406D	9/88	
	8515.80.09	Metal spray transfer equipment	Free	Free	99	820386F	9/88	
	8516.79.19	Garment steamer	Free	Free	99	860078D	10/88	••
	8518.40.00	Amateur radio MF/HF power amplifiers using the approved	Free	Free	99	820537L	10/88	••
		amateur radio bands within the frequency range of 1.8MHZ to 30HZ	_	_				
	8525.20.09	Distributed multi processor control centre system incorporating	Free	Free	99	820408L	9/88	••
		digital or analogue audio switching for radio despatch,						
		resource management and trunked despatch trunking switch						
	0500 10 00	controller Sony BVM and PVM range of professional broadcast monitors	Free	Free	99	880116K	11/88	
	8528.10.09	Metalized polyester film capacitor 4 microfarad 250 volt	Free	Free	99	801099E	10/88	
	8532.25.00)	metalized polyester film capacitor 4 microrarad 200 volt	1100		00	0010002	10,00	•••
	8532.29.00) 8539.31.00	38mm cool white fluorescent tubes 40 or 50 watt	Free	Free	99	801158D	10/88	
	8543.80.29	Electronic anti snore device	Free	Free	99	801094D	10/88	
	8706.00.11)	Chassis fitted with engines, for electrically propelled vehicles		AU Free	33	880125J	11/88	
	8706.00.21)				•	_		
	8706.00.29)							
	9031.80.00	Micro vario and micro vario display	Free	Free	99	860085G	10/88	••
	9032.10.09	Single stage type RAD room thermostats for use with air	Free	Free	99	820234G	8/88	••
		conditioning equipment	_	_	_			
	9401.90.19	Component parts of chairs as may be approved:	Free	Free	99	820523L	11/88	• •
		APPROVED:						
		Chair gas lifts with or without operating mechanisms						
		Plastic injection moulded seat shells and/or back shells	Pw	E	00	7010400	9/00	
	9403.90.00	Component parts of FOGA showcases as may be approved:	Free	Free	99	721343D	3/88	••
		APPROVED:						
		Bevel edge locking nut - code 503						
		Clamp coupling - code 608, 608A						
		Connecting kit - code 621A Connecting spigot - code 621ME, 621MD						
		Coupling $-$ code 600, 600R, 610, 611, 624						
		End caps - code T90, T91, T92, T92LR, T60						
		Hinge $-$ code 400						
		Lock for roller carriage - code 405						
		Multi purpose coupling - code 607						
		Parallel coupling - code 618						
		Pivot - code 402						
		Plastic sleeve coupling - code 621S						
		Roller - code 322						
		Shelf holder - code 525		<b>C</b>		600E00W	10/00	
I.	9403.90.00	Metal component parts for drawers, as may be approved;	Free	Free	99	820533H	10/88	••
		APPROVED:						
		1. Traverses						
		2. Railings 3. Traverse clips						
		4. Back adaptor						
		5. 7mm cabinet railing						
	9405.50.31	Ceramic lamps, liquid fuel	Free	Free	99	621693F	1/88	
	9503.49.00	Inflatable non-human creatures	Free	Free	99	801160F	9/88	
	9503.49.00	Toy plastic farm and animals	Free	Free	99	702697J	3/88	
	9503.70.00	Doll houses, outbuildings and pool, made in 1/40 scale,	Free	Free	99	801162B	5/88	• •
		complete with 1/40 scale furniture, furnishings and						
		scale figures		<b>n</b>		001-00-		
	9503.70.00	Plastic hand-cuff and spring operated gun set consisting of a	Free	Free	99	801182G	8/88	. • •
		combination of any of the following: Hand-cuff, gun, watch,						
_		baton, gun-darts, badge, ID card and walkie talkie	Free	Free	99	860080F	10/88	
	9503.70.00	Scale model pipe bands	Free Free	Free	. <del>88</del>	702706A	3/88	••
	9503.70.00	Toy bubble making set Toy nurse and doctor sets with stethoscope	Free	Free	99 99	702711H	3/88	
	9503.70.00 9503.70.00		Free	Free	99	702716J	3/88	
	3303.70.00	conveyor belt						
	9503.70.00	Toy plastic archery sets	Free	Free	99	702718E	3/88	
	9503.70.00	Toy plastic baking sets comprising utensils and shaping moulds	Free	Free	99	702715L	3/88	
	9503.70.00	Toy plastic golf sets	Free	Free	99	702719C		• •
	9503.70.00	Toy plastic hair grooming sets	Free	Free	99	702721E		• •
	9503.70.00	Toy plastic soldiers complete with plastic military vehicles	Free	Free	99	702705C		••
	9503.70.00	Toy plastic vanity sets	Free	Free	99	702714B		••
	9503.70.00	Toy target shooting sets with gun	Free	Free	99	702707K		• •
	9503.90.09	Action army transforming toys	Free	Free	99	703128K		•••
	9503.90.09	Erasable screen drawing toy	Free	Free	99	703513G		• •
:	9503.90.09	Kaleidoscope viewer	Free	Free	99	703512J	-	• •
	9503.90.09	Plastic baby play gym	Free	Free	99	702689H		••
(	9503.90.09	Plastic dolls house	Free	Free	99	703199J		••
C I	9503.90.09	Plastic erasable drawing screen	Free	Free	99	702690A		••
K	9503.90.09	Toy driver sets complete with steering wheel	Free	Free	99	702709F 702694D		••
	9503.90.09	Toy kettles	Free	Free	99			•••
K	9503.90.09	Toy model vehicle play sets including street track and garage	Free	Free	99	702684G	4/88	

! 

ţ

## CUSTOMS EDITION

	Tariff		Rates of	Dutv	Part II	Ref.	Effect	ive
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	То
		service unit				······		
١К	9503.90.09	Toy plastic irons	Free	Free	99	702699E	3/88	
۰. K	9503.90.09	Toy plastic weapons	Free	Free	99	702698G	3/88	
٩.K	9503.90.09	Toy service station sets	Free	Free	. 99	702683J	4/88	
NK NK	9503.90.09	Water pistols	Free	Free	99	702696L	3/88	
-л. 4.К	9503.90.09	3-D image creation toy	Free	Free	99	703514E	6/88	
AK	9504.40.09	OH cards	Free	Free	99	801159B	5/88	
			Free	Free	99	801161D	9/88	
AK	9504.90.00	Desk top dart sets	Free		99	703391F	6/88	
AK	9504.90.00	Plastic dice set which is incorporated into a plastic housing complete with score pad	Free	Free	99	1033911	0/00	••
AK	9505.10.00	Santa Claus, Mrs Santa Claus and similar Xmas characters,	Free	Free	99	801138K	9/88	• •
		with candle and plug facility						
WN	9506.99.19	Polo mallet heads of tipa wood	Free	Free	99	820501K	9/88	<u></u>
		SCHEDULE 2 Decisions Cancelled						
	Tariff					Ref.		
	Item	Description of Goods				No.		
4K	2309.90.19	Choline base				703343F		
۹K	4009.50.19	Refrigeration hoses				602134E		
łO	4802.52.01	Banknote fibres				780866G		
NK NK	5603.00.00)	Polyethylene, fabric				703508L		
<b>.</b>	5903.10.00)	foryethyrene, fabric	••	••	••	1000002	••	
	5903.20.00)							
	5903.90.00)					800816H		
AK	7209.23.00	Cold SPCC-2b	••	••	••	780763F	••	•••
HO	7211.90.01	Bars made)	••	••	••		••	• •
AK	7310.29.01	10 cans	••	••	••	800226G	••	••
WN	84.21)	Absorption reactivation	••	••	••	207877F	• •	••
	8421.31.00)							
	8421.99.01)							
HO	8421.39.01	Filtering coaches	••	••		780781D	•••	
WN	8424.20.00)	Waterblasting guns	• •			682568A		
	8424.30.00)							
ΑK	8427.10.00	Self platform	••			800259C		
ŴN	8481.90.19	Manufacturing use				720698E	••	
WN	8504.90.01)	Parts New Zealand			• •	462415H		
	8504.90.09)							
AK	8507.80.00	Motorcycle N24-A				740229F		
WN	8519.99.11)	Cassette copiers				520171D	••	
	8520.31.00)							-
WN	8525.10.00	Supervisory Wellington				621198E		
HO	8528.10.01	Sony PVM-2010QM				581659K		
HO	8528.10.01	Sony monitors			••	700699D		
HO	8706.00.19	Chassis coaches				780799G	••	
WN			••	••	••	820167G		••
	9401.90.19	Component cylinders	• •	••	••		••	••
NN N	9403.90.00	Metal railing	•••	••	••	800085K	••	••
<b>₩</b>	9405.50.19	Ceramic fuel	••	••	••	621693F	••	••
٩K	9505.10.00	Santa facility	••	••	••	702446A		• •

SCHEDULE 3 Limited Decisions Approved

	Tariff		Rates of	Duty	Part	Ref.	Effect	ive
	Item	Description of Goods	Normal	Pref.	Ref.	No.		То
AK	7612.10.00	5184 empty collapsible aluminium tubes. Order No.1053, size: 31.8mmID x 156mm ex BA09/06	Free	Free	99	801583L	11/88	11/88
DN	8418.21.00	1 only Santo 3110kg refrigerator-freezer	Free	Free	99	860082B	10/88	3/89
CH	8525.20.09	2 Pace brand handheld transceivers	Free	Free	99	840145E	9/88	9/88
HO	8525.20.89	23 cordless (freedom) phones	Free	Free	99	880114C	11/88	12/88
WN	8705.30.00	Two Metz turntable ladder fire appliances for importation by the New Zeland Fire Service	Free	Free	99	721740E	6/88	11/89
WN	8708.70.19	4 only aluminium alloy wheels 13'' diameter spun aluminium	Free	Free	99	820325D	11/88	11/88
DN	9403.70.00	1000 only A.B.S. plastic tops	Free	Free	99	860076H	10/88	7/89
WN	9506.29.00	Ski knee board and surferfor import entry No.1183090001 only	Free	Free	99	820639C	11/88	11/88
WN	9506.91.00	Hand exercisers to cover goods imported ex Nedlloyd Marseilles, entry lodgement No.2082720120, lines 1 and 6	Free	Free	99	820566D	9/88	11/88

SCHEDULE 4

Applications Declined

	Tariff		Ref.
	Item	Description of Goods	No
СН	1905.40.00	Rusk cereal binder specially for meat processing	840139L
WN	3401.11.00	Soap for toilet use (including medicated products in tablets)	820607
CH	3402.90.00	Gem type S.C. standard slipper compound	840138B
WN	3406.00.00	Christmas wreaths	820606
CH	3926.20.22	P.V.C. children's raincoats	840144G
CH	6208.11.01	Square dancing petticoat	840129C
AK	6210.10.01)	Disposable overalls of bonded fibre fabric	801020L
	6210.10.09)		
WN	7216.50.00	Steel window sections	820498
СН	7306.60.00	Rectangular hollow sections	840127G
CH	7321.13.00	Instant disposable barbecue	840125L
СН	7326.90.09	Metal drawing runners	840152H
СН	7604.29.09	Extruded aluminium modular spaceframe	840130G

NEW ZEALAND GAZETTE

No. 203

Tariff Industry Assistance (Decision) Notice No. 1988/45-continued

	Tariff Item	Description of Goods	Ref. No.
(N	82.07	Bits and reamers, rotary, diamond bits and reamers, rotary	 820597
		tungsten carbide, milling cutters, tungsten carbide tipped,	
		and spare parts for above	
H	8428.39.00	Ammercurve process and conveyor belting system	840067K
IN .	8450.19.09	Commercial laundry type washing machines with a capacity of 7kg	820080
		and over	
MN .	8450.20.00	Commercial laundry type washing machines with a capacity of 10kg	820079
		and over	
H I	8504.40.01	Lead acid battery rechargers 12 volt and 240 volt	840083A
ĸ	8543.80.29	Teletext decoder units	800965B
н	8716.90.01	Axle beams	840132C
ĸ	9503.70.00	Toy doctor sets with stethoscope	702710K
AK	9507.90.00	Butterfly and fish nets	702701L

PUBLISHED BY AUTHORITY OF DEPARTMENT OF INTERNAL AFFAIRS: V. R. WARD, GOVERNMENT PRINTER, WELLINGTON, NEW ZEALAND-1988

Price \$3 (incl. GST) 91294H—884