Issue No. 7 • 249



Customs Edition

WELLINGTON: TUESDAY, 24 JANUARY 1989

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1989/2 Applications Advertised for Objection

Closing Date for Objections 14 February 1989

1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 14 February 1989. All submissions must include:

the Tariff Industry Assistance (Advertisement) Notice number;

fashion carry bags designed to be carried in the hand, on

the arm, or off the shoulder

- the Tariff item;

the Port; and

Reference number.

- All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
- details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
 All submissions objecting to a request for the imposition of duty must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
- full technical details of the goods against which tariff protection is sought.

4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.

5 Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
3003.90.09	Lipex powder (36,600 gms only)	Dr R.P. Agnihotri PO Box 2981	26	WN 830122	
3003.90.09	Umine pellets in bulk	AUCKLAND Douglas Pharmaceuticals	26	WN 830119	A
		PO Box 56-001 Dominion Road AUCKLAND			
3004.50.09	Ascorbic acid 500mg/ml (488 vials only)	Dr R.P. Agnihotri PO Box 2981	26	WN 830125	A
004.50.09	B complex (1220 vials only)	AUCKLAND Dr R.P. Agnihotri PO Box 2981	26	WN 830124	A
004.50.09	Cyanocobalmin 1000 mcg/ml (610 vials only)	AUCKLAND Dr R.P. Agnihotri	26	WN 830123	A
004.50.09	Pyridoxine 100 mg/ml (610 vials only)	PO Box 2981 AUCKLAND Dr R.P. Agnihotri	26	WN 020100	
		PO Box 2981 AUCKLAND	20	WN 830126	A
004.90.19	Monphytol 20ml bottle with applicator brush	Stevens KMS Group (NZ) Ltd PO Box 413	26	WN 830121	A
004.90.19	Respolin autohaler	AUCKLAND Riker Laboratories Ltd PO Box 2201	25	WN 830128	A
004.90.19	Zocor 10mg and/or 20mg tablets	AUCKLAND 1 Merck Sharp and Dohme NZ Ltd PO Box 23244	26	WN 830100	A
304.99.00	AS 43 Suntronic Electroderma Electrocosmetologic range of	Papatoetoe AUCKLAND			
	skin care preparations being for treatment of skin scarring	Fashion Associates Ltd PO Box 3854 AUCKLAND	99	AK 8014631	K A
506.10.00) 506.99.00)	adhesives, being a solution of an acrylic resin in methyl methacrylate being for transparent edge and area banding of acrylic glass and other clear plastics	Plastral Trading NZ Ltd C/-PO Box 305 AUCKLAND	99	AK 802033I	A A
926.20.51) 926.20.59)					
926.20.59)	•		99	5806591	D VA
26.20.59)	Baby pilches, being waterproof pants designed to be worn over nappies	Customs Agents (WN) Ltd PO Box 1024 WELLINGTON	99	WN 8208031	E VA
926.90.69	Octopus hose retainers	Pro-Dive NZ Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill	99	AK 8020321	K A
926.90.69	Polycarbonate animal cages of the type used for breeding small animals	AUCKLAND Massey University PALMERSTON NORTH	99	WN 8207724	A
926.90.69	Plastic memo holder comprising pen, note pad, plastic board and suction cup	Hooper Imports PO Box 1656	99	WN 820681	A
26.90.69	Utility holder being a clip on bracket type holder designed for the storage of brooms, mops, rakes and the like	WELLINGTON Hooper Imports PO Box 1656 WELLINGTON	99	WN 820699	A
903.10.00	PVC coated cotton and/or polycotton fabric only for use by a manufacturer in making domestic kitchen and household aprons, tablecloths and placemats: a range of toilet and cosmetic bags and associated accessories namely, cosmetic purses, make-up hold-alls, zipped and drawstring toilet bags and/or pouches, soap bags, tissue holders, spectacle cases, jewellery and/or lingerie rolls and/or pouches, and fashion carry hase designed to be carried in the hord, co	J.G. Seton & Company Ltd PO Box 746 HASTINGS	99	WN 820810	A

2

3

24 JANUARY

CUSTOMS EDITION

Tariff Industry Assistance (Advertisement) Notice No. 1989/2-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
6002.43.11	Knitted polyethylene pallet wrapping netting	Chemiplas NZ Ltd C/-Burnard & Reynolds Ltd PO Box 1387 AUCKLAND	99	AK 8012128	
Chapter 61	CURRENT APPROVAL		00	203758A	VA
Chaptor 61	ROMPERS One piece legless or short legged knitted outer garment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crutch REOVESTED APPROVAL		99	203798A	. VA
Chapter 61	ROMPERS One piece legless or short legged knitted outer garment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crutch. Excluding baby pilches, being waterproof pants designed to	Customs Agents (WN) Ltd PO Box 1024 WELLINGTON	99	WN 820809	VA
+	be worn over nappies				
Chapter 61	CURRENT APPROVAL TROUSERS-SHORT Short legged, legless or romper type trousers suitable for outerwear. Maximum of 51cm, waist-crutch-waist		99	2094101	, VA
Chapter 61 + +	REQUESTED APPROVAL TROUSERS-SHORT Short legged, legless or romper type trousers suitable for outerwear. Maximum of 51cm waist-crutch-waist excluding baby pilches, being waterproof pants designed to be worn over napples	Customs Agents (WN) Ltd PO Box 1024 WELLINGTON	99	WN 820808	VA
61.11	CURRENT APPROVAL Babies pilches		99	5606761	VA
61.11	REQUESTED APPROVAL Baby pilches, being waterproof pants designed to be worn over nappies	Customs Agents (WN) Ltd PO Box 1024 WELLINGTON	99	WN 820804	VA
Chapter 62	CURRENT APPROVAL ROMPERS		99	2037910	. VA
Chapter 62 + +	One piece legless or short legged woven outer garment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crutch REQUESTED APPROVAL ROMPERS One piece legless or short legged woven outer garment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crutch. Excluding baby pilches, being waterproof pants designed to be worn over nappies	Customs Agents (WN) Ltd PO Box 1024 WELLINGTON	99	WN 820806	VA
Chapter 62	CURRENT APPROVAL TROUSERS-SHORT Short legged, legless or romper type trousers, suitable for outerwear, maximum of 51cm, waist-crutch-waist		99	209421	7 VA
Chapter 62 + + +	REQUESTED APPROVAL TROUSERS-SHORT Short legged, legless or romper type trousers suitable for outerwear, maximum of 51cm waist-crutch-waist excluding baby pilches, being waterproof pants designed to be worn over nappies	Customs Agents (WN) Ltd PO Box 1024 WELLINGTON	99	WN 820807	VA
62.09	CURRENT APPROVAL Bables pilches		99	560677	C VA
62.09	REQUESTED APPROVAL Baby pilches, being waterproof pants designed to be worn over nappies	Customs Agents (WN) Ltd PO Box 1024 WELLINGTON	99	WN 820805	
8423.81.01	CURRENT APPROVAL		90	522083	B VA
8423.10.00	REQUESTED APPROVAL				
84.65	Salter electronic scales, models 2000 and 5000 Dovetailing machines	Kerr Cowan Ltd C/-Customs Agents (WN) Ltd PO Box 1024 WELLINGTON Comptroller of Customs PO Box 2218	99	WN 820795 HO 880173	
84.65	Salter electronic scales, models 2000 and 5000	PO Box 1024 WELLINGTON Comptroller of Customs PO Box 2218 WELLINGTON of Approval of Approval ion of Determination of Determination ssions	99 99 99	522083 WN 820795 HO 880173	L

1

Port:
 HO - Comptroller of Customs, PO Box 2218, Wellington
 AK - Collector of Customs, Box 29, Auckland
 WN - Collector of Customs, PO Box 2218, Wellington
 CH - Collector of Customs, Box 2098, Christchurch
 DN - Collector of Customs, Private Bag, Dunedin

Dated at Wellington this 19th day of January 1989.

M.J. BELGRAVE, Chief Executive.

CUSTOMS EDITION

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1989/2

Decisions of the Minister of Commerce in respect of Part I and Part II of the Tariff

Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice. 2

SCHEDULE 2 - Decisions cancelled. The cancellations listed in this schedule take effect fourteen days from Gazette date unless otherwise specified, eg, WEF (date).

3 SCHEDULE 3 - Limited Decisions

Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not (a) available for general use.

This Notice only serves to inform the importing/manufacturing community of the approvals existence. (b)

Schedule 3 and 4 will not be published in the Consolidated List of Decisions.

It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette. Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month - eg, 3/88 to 9/89 is 1/3/88 to 30/9/89. SCHEDULE 1

	Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref. No.	Effect From	ive To
N	2009.20.09	Frozen grapefruit juice, in bulk containers, not containing added sugar	Free	Free	99	820502H	10/88	•••
N	2009.20.19	Frozen grapefruit juice, in other than bulk containers, not containing added sugar	Free	Free	99	820559A	10/88	••
N	3003.90.01	Zoletil 50 and/or 100	Free	Free	26	830063B	10/88	
N	3004.20.01	Betamox LA 100ml injectable solution	Free	Free	26	830030F	8/88	••
N	3004.20.01	Betamox 100ml injectable solution	Free	Free	26	830031D	8/88	
N	3004.20.01	Dog eczema	Free	Free	26	830057H	9/88	
N I	3004.20.01	Norodine 24 100ml vials	Free	Free	26	830026H	8/88	
1	3004.90.01	Baycox 2.5%	Free	Free	26	830020J	7/88	
ł	3004.90.19	Captol SR 160mg tablets	Free	Free	25	830064L	10/88	
I	3006.60.00	Mercilon tablets	Free	Free	26	830097G	10/88	
1	3808.10.19	Pheromone insect monitoring traps	Free	Free	99	820512E	10/88	
1	4008.29.00	Rubber window channel strip incorporating a felt lining by electro-static precipitation of the type used on omnibuses	Free	Free	99	820196L	8/88	••
ł	4407.23.01) 4407.23.09)	Balsawood sawn lengthwise, exceeding six (6) millimetres in thickness	Free	Free	99	820401C	9/88	••
N	7304.41.09	Stainless steel pipe, seamless, to API 54 or DIN 2448 and/or seamless or welded to ANSI B36.19 or DIN 2463	5	AU Free CA Free LDC Free	99	820250J	8/88	••
C	8479.89.00	Spring loaded variable and constant support pipe hangers	Free	Free	99	901731D	1/88	
K	8704.22) 8704.23)	Trucks, for the carriage of logs NOTE:	Free	Free	99	680983K	1/88	••
		Approval will be subject to vehicles being registered as Exempt Class A (EA)						
ζ.	9032.81.00	Liquid level detecting float switches	Free	Free	99	700793A	1/88	
K	9306.10.01	0.22 calibre rim fire cartridge, peculiar to use in captive bolt pistols used for humane stunning	Free	Free	99	461613J	1/88	••

Decisions Cancelled

	Tariff Item	Description of Goods				Ref. No.		
AK	1108.13.00	Potato B.P				100011L		
WN	3004.90.19	Trasicor tablets	••	••		530124G		
AK	8479.90.09	Spring hangers				901731D		••
K	8704.22) 8702.23)	Trucks, (EA)		••	••	680983K		••
K	9026.10.00) 9026.20.09)	Liquid switches		••	••	700793A	••	••
ĸ	9306.10.09	0.22 stunning		••	••	461613J		
		SCHEDU	LE 3					

Limited Decisions Approved

Dart

					Part			
	Tariff		Rates of	Duty	II	Ref.	Effect	ive
	Item	Description of Goods	Norma1	Pref.	Ref.	No.	From	
WN	3004.10.09	Ospen tablets and/or granules, for export only, not for distribution in NZ	Free	Free	26	830103E	11/88	11/90
WN	3004.90.19	SQ 31000 (Pravastatin) tablets	Free	Free	25	830106K	9/88	9/89
WN	Sections VII, Sections IX Sections XIII Sections XV	Building materials imported solely for testing to destruction	Free	Free	99	820732B	11/88	11/90
WN	6910.90.00	One (1) only Twyfords Arabian squatting W.C. pan	Free	Free	99	820668G	10/88	3/89
WN	7304.41.09	Seamless stainless steel pipe to ASTM, ANSI B36.19, as may be approved: APPROVED: 29mm Schedule 10S - 33.4mm O/D x 2.8mm Wall T304L 40mm Schedule 10S - 48.3mm O/D x 2.8mm Wall T304L 25mm Schedule 40S - 33.4mm O/D x 3.4mm Wall T304L 40mm Schedule 40S - 48.3mm O/D x 3.7mm Wall T304L 80mm Schedule 40S - 48.9mm O/D x 5.5mm Wall T304L 100mm Schedule 40S - 114.3mm O/D x 3.4mm Wall T304L 25mm Schedule 40S - 33.4mm O/D x 3.4mm Wall T304L	Free	Free	99	820088G 820249E	8/88	3/89 8/89
	7305.31.19	Welded stainless steel tube, over 406.4mm diameter, to ASTM A312 or ANSI B36.19, as may be approved; APPROVED: 600mm NB x 4.8mm Wall T304L						

750mm NB x 4.8mm Wall T304L

Tariff Industry Assistance (Decision) Notice No. 1989/2-continued

Tomiff		Rates of	Dates	Part II	Ref.	Effect	ivo
Tariff Item	Description of Goods	Normal	Pref.	Ref.	No.	From	
Itçin							<u> </u>
	600mma NB x 4.8mma Wall T316L 500mma NB x 5.54mma Wall T316L						
7306.40.19	Welded stainless steel pipe to ASTM A312, ANSI B36.19 as						
7300.40.19							
	may be approved; APPROVED:						
	50mmn Schedule 10S - 60.3mmn O/D x 2.8mmn Wall T304L						
	Somm Schedule 10S - 88.9mm O/D x 2.0mm Wall T304L						
	100mma Schedule 10S - 114.3mm 0/D x 3.1mm Wall T304L						
	150mm Schedule 105 - 168.3mm 0/D x 3.4mm Wall 1304L						
	200mm Schedule 10S - 219.1mm $O/D \ge 3.8mm$ Wall T304L						
	250mm Schedule 10S - 273.1mm O/D x 4.2mm Wall T304L						
	300mm Schedule 10S - 323.9mm O/D x 4.6mm Wall T304L						
	350mm Schedule 10S - 355.6mm O/D x 4.8mm Wall T304L						
	50mam Schedule 40S - 60.3mm O/D x 3.9mm Wall T304L						
	150mm Schedule 40S - 168.3mm O/D x 7.1mm Wall T304L						
	200mmn Schedule 40S - 219.1mm O/D x 8.2mmn Wall T304L						
	250mm Schedule 40S - 273.1mm O/D x 9.3mm Wall T304L						
	300mmn Schedule 40S ~ 323.9mm O/D x 9.5mm Wall T304L						
	As per Tasman Pulp and Paper Company Ltd						
	order number L6/800042 dated 22/7/88						
8419.81.00	One only Vanmark model 100 pressure fryer shipped on vessel	Free	Free	99	802030C	10/88	10/88
	Boogabilla, voyage 1815 and imported on IE AKS8219329						
	of 20/10/88						

SCHEDULE 4 Applications Declined

		Applications Declined		
	Tariff Item	Description of Goods	Ref. No.	
WN	3004.90.19	Nitrocor transdermal delivery system	830127	
WN	3004.90.19	Temple of Heaven essential balm	830105	
WN	3819.00.00	Trioxitol G inhibited - mixture of polyethylene glycol ethers	820740	
WN	3906.90.01	Collafix PP4 preparte wallpaper adhesive	820558	
WN	3907.20.09	Polyethylene glycol 200, 300, 400 and 600	820743	
WN	3907.20.09	Polypropylene glycol	820742	
WN	3917.40.00	M.D.P.E. pipe fittings	721294B	
WN	3919.10.01	Knitted viscose fabric tape with adhesive on both sides	820801	
WN	8302.49.09	Window and skylight electrically operated openers	820679	
WN	8302.50.00	Plastic coated towel rails	820814	
Date	d at Wellington	this 19th day of January 1989.	M.J. BELGRAVE, Chief Executive.	

Dated at Wellington this 19th day of January 1989.

DETERMINATION OF THE MINISTER OF COMMERCE UNDER SECTION 14 OF THE TARIFF ACT 1988

The goods listed in Column Two of this Notice may be entered as unassembled motor vehicles (Tariff items 8701.20.01, 8703.21.01, (1)8703.22.01, 8703.23.01, 8703.24.01, 8703.31.01, 8703.32.01, 8703.33.01, 8703.90.01, 8704.21.01, 8704.21.09, 8704.22.01, 8704.23.01, 8704.31.01, 8704.31.09, 8704.32.01, 8704.90.01, 8704.90.09, 8706.00.01 and 8706.00.09) provided they are not further manufactured than specified in Column Three. None of the parts entered in these Tariff items shall be used otherwise than in the assembly, completion or manufacture, from the one shipment of parts, of one or more motor vehicles. Separate goods and conditions are determined in this Notice for each of the classes of vehicle identified in Column One.

(2) The Minister may allow goods to be entered at variance with this Determination and may make any such variation conditional.

(3) For the purpose of this Determination an 'omnibus' means a motor vehicle designed solely or principally for the carriage of ten or more seated persons (including the driver).

This Determination shall come into force on the first day of February 1989 and may be amended from time-to-time by notice in the (4) Gazette.

The Determination in the following Gazette is hereby revoked on the first day of February 1989 but shall at all times after (5) revocation continue to apply to goods entered during its currency: The New Zealand Gazette of 26 July 1988 (Customs Edition)

at pages 2965 - 2967

Column One	Column Two	Column Three
Classes of Motor Vehicles	Goods	Condition in which such goods shall be
		imported

(A)	CLASS I:			
	Motor vehicles (other than omnibuses),	(i)	Chassis, consisting of:	These goods (except the engine and
	being sedans, station wagons, utilities,			gearbox) may be built up into a 'frame'
	vans capable of carrying passengers and		A metal underbody, side members,	and the engine and gear box may be fully
	goods or a combination of passengers		end members, cross members, sub-frame,	assembled and attached to a frame. The
	and goods, chassis/cabs, providing that		tank supports, brackets for fixing	frame must not be further assembled but
	the gross vehicle weight of such		engine, springbrackets, engine, and	such other minor fittings, for example,
	vehicles does not exceed 3,500 kg		gearbox.	stays, lugs, and brackets as are
				ordinarily affixed to the frame may be so
				affixed.
		(ii)	Bodies, the following parts:	May be built up into the form of a
				'shell', with doors attached thereto.

Panels, and framework (if any)

The shell may have a coat of grease, oil, red oxide, or similar protective coating, not including cellulose or pyroxylin or similar lacquer. The shell shall not be advanced in manufacture beyond the stage where the necessary welding processes have been performed; for example, the seams shall not be soldered, filled or smoothed.

The shell may not be attached to the model underbody or frame or to parts affixed thereto as referred to in (i)

24 JANUARY

CUSTOMS EDITION

Column One Column Two Column Three Classes of Motor Vehicles Goods Condition in which such goods shall be imported above but may subject to the foregoing restrictions, be imported in such condition as the importer elects. The components nominated below, if imported to be used in the assembly, completion or manufacture of Class I motor vehicles must be entered in accordance with the appropriate Tariff item in Part I of the Customs Tariff: Airdams excluding those which form an integral part of the vehicle body or an integral part of the bumper; Battery cables and earth straps; ''Bull bar'' type bumpers; Driveshafts excluding transaxles; Electric accumulators; Exhaust systems (comprising piping and mufflers); Exterior rear vision mirrors excluding those which are an integral part of the vehicle design or are electrically or manually internally adjusted; and excluding electrically heated rear vision mirrors Glass, curved or flat: Horns: Hub caps, hubcentres, full wheel covers, wheel trim bands and discs and wheel rimbellishers: Ignition coils: Interior trim components of hardboard, cardboard or similar materials, leather and plastic sheetings; viz: Armrests and door-pulls of unhardened vulcanised rubber or artificial plastic materials excluding those integrally moulded into door panels: Door panels excluding base boards moulded to shape and excluding fittings of moulded artificial plastic material and attaching hardware. Floor coverings, cut fabricated or moulded to shape excluding those moulded from plastic or rubber; Head restraints excluding adjustable mechanisms and minor plastic attachments; Headlinings other than those moulded to shape Rear parcel trays other than those moulded to shape. Seat belts; Seat frame and spring frame assemblies including springs therefor; Seat reclining mechanisms; Sunvisors and covers including arms and fixing brackets; Upholsterers' materials (such as flock, wadding, batting, fluting, linters, felts padding and foams) cut, moulded or fabricated to shape (excluding moulded resin bonded felt); Upholsterers' textiles, fabrics, leathers or plastic sheeting, cut moulded or fabricated to shape; Laminated and leaf undercarriage springs (not including shackles therefor); Melt sheets cut to shape; Pneumatic rubber tyres; Radiator pressure caps; Radio broadcast receivers designed for use in motor vehicles; Seat reclining mechanisms, rotary type, being any reclining mechanisms that rely in their principle means of operation on the rotary movement of a planetary geared system of interfacing gears operating a rotary drive, thus enabling an infinitely discrete radial movement of the recliner arms. Spoilers of unhardened vulcanised rubber or artificial plastic materials; Springs, coiled suspension; excluding frustoconical coil springs; Tonneau covers manufactured from upholsterers' textiles, fabrics, leathers or plastic sheetings cut or fabricated to shape; Wiring, looms or harnesses; Wheels of aluminium alloys. (B) CLASS II Commercial motor vehicles and road (i) Chassis, consisting of: These goods shall not be imported in subtractors with a gross vehicle weight assemblies consisting of more than one exceeding 3,500 kg but not exceeding Chassis frames, suspension of the components specified. Nor should 10,500 kg other than omnibuses. assemblies, radiator, engine, the chassis frames (longitudinals) be clutch, gearbox, propellor fitted with any attachment or components. shaft and axles. (ii) Cabs, the following parts of: May be built up into the form of a 'shell'or 'bare cab' with doors attached thereto. They may not be further painted Panels, and framework (if any) than prime coated and may not be fitted or trimmed with any componentry (eg, seats, instruments, window glass, rubber trim, upholstery) other than mounting brackets. The 'bare cab' may not be attached to the chassis but may, subject to the foregoing restrictions be imported in such condition as the importer elects (iii) Cabs built up These cabs may be imported in a fully finished condition provided they are entered under Tariff items 8704.21.19, 8704.22.09, 8704.23.09, 8704.31.19, 8704.32.09 and 8704.90.19 of the Customs Tariff and pay the rates of duty applying under the appropriate item. The components nominated below, if imported to be used in the assembly, completion or manufacture of Class II motor vehicles, must be entered in accordance with the appropriate Tariff item in Part I of the Customs Tariff: ''Bull bar'' type bumpers: type bumpers; Electric accumulators: Exterior rear vision mirrors excluding those which are an integral part of the vehicle design or are electrically or manually internally adjusted; and excluding electrically heated rear vision mirrors Laminated and leaf undercarriage springs (not including shackles therefor);

- Melt sheet cut to shape; Pneumatic rubber tyres;
- Radiator pressure caps;
- Radio broadcast receivers designed for use in motor vehicles;
- Seat belts:
- Seat frame and spring frame assemblies including springs therefor;

	ses of Motor Vehicles	Goods	Column Three
	TO OF MUTOR VEHICLES		Condition in which such goods shall be imported
		<pre>geared system of interfacing gears open the recliner arms. , wadding, batting, fluting, linters, i</pre>	rely in their principle means of operation rating a rotary drive, thus enabling an felts, padding, foams) cut, moulded
• •	Upholsterers' textiles, fabrics, leath CLASS III		or fabricated to shape.
<i>'</i> }	Commercial motor vehicles and road tractors with a gross vehicle weight exceeding 10,500kg other than omnibuses.	 Chassis, consisting of: Chassis frames, suspension as radiator, engine, clutch, ges propellor shaft and axles 	
		(ii) Cabs, the following parts of	: May be built up into the form of a
		Panels, and framework (if an	than prime coated and may not be fitted
			or trimmed with any componentry (eg, seats, instruments, window glass, rubber trim, upholstery) other than mounting brackets. The 'bare cab' may not be attached to t chassis but may, subject to the foregoi restrictions be imported in such condition as the importer elects.
		(iii) Cabs built up.	These cabs may be imported in fully finished condition provided they are entered under Tariff items 8704.21.19, 8704.22.09, 8704.23.09, 8704.31.19, 8704.32.09 and 8704.90.19 of the Customs Tariff and pay the rates of duty applyi under the appropriate item.
	Exterior rear vision mirrors excluding the or manually internally adjusted; and exclu Laminated and leaf undercarriage springs (Pneumatic rubber tyres (excluding steel be diameter and above); Radio broadcast receivers designed for use Seat belts.	uding electrically heated rear vision m (not including shackles therefor); elted and steel corded truck tyres 20'	nirrors
	CLASS IV Motor vehicles being omnibuses.		These goods shall not be imported in sub
		Chassie consisting of	
		Chassis, consisting of: Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles.	es assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted
	-	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi	es assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b
	The components nominated below, if importe entered in accordance with the appropriate Electric accumulators; Exterior rear vision mirrors excluding or manually internally adjusted; and en Laminated and leaf undercarriage spring	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi e Tariff item in Part I of the Customs those which are an integral part of th xcluding electrically heated rearvision gs (not including shackles therefor);	es assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b Tariff: he vehicle design or are electrically a mirrors
	The components nominated below, if importe entered in accordance with the appropriate Electric accumulators; Exterior rear vision mirrors excluding or manually internally adjusted; and en Laminated and leaf undercarriage spring Omnibus body components regardless of the excluding doors and moulded front body Pneumatic rubber tyres (excluding steel	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi e Tariff item in Part I of the Customs those which are an integral part of th xcluding electrically heated rearvision gs (not including shackles therefor); the condition of manufacture (including panels;	 assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b Tariff: he vehicle design or are electrically n mirrors g frame, panel and preformed body components) but
	The components nominated below, if importe entered in accordance with the appropriate Electric accumulators; Exterior rear vision mirrors excluding or manually internally adjusted; and es Laminated and leaf undercarriage spring Omnibus body components regardless of t excluding doors and moulded front body	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi e Tariff item in Part I of the Customs those which are an integral part of th xcluding electrically heated rearvision gs (not including shackles therefor); the condition of manufacture (including panels; 1 belted and steel corded truck tyres 2	es assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b Tariff: he vehicle design or are electrically h mirrors g frame, panel and preformed body components) but
	The components nominated below, if importe entered in accordance with the appropriate Electric accumulators; Exterior rear vision mirrors excluding or manually internally adjusted; and en Laminated and leaf undercarriage spring Omnibus body components regardless of t excluding doors and moulded front body Pneumatic rubber tyres (excluding steel rim diameter and above); Radio broadcast receivers designed for Seat belts.	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi e Tariff item in Part I of the Customs those which are an integral part of th xcluding electrically heated rearvision gs (not including shackles therefor); the condition of manufacture (including panels; 1 belted and steel corded truck tyres 2	es assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b Tariff: he vehicle design or are electrically h mirrors g frame, panel and preformed body components) but
)1a	The components nominated below, if importe entered in accordance with the appropriate Electric accumulators; Exterior rear vision mirrors excluding or manually internally adjusted; and en Laminated and leaf undercarriage spring Omnibus body components regardless of t excluding doors and moulded front body Pneumatic rubber tyres (excluding steel rim diameter and above); Radio broadcast receivers designed for	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi e Tariff item in Part I of the Customs those which are an integral part of th xcluding electrically heated rearvision gs (not including shackles therefor); the condition of manufacture (including panels; 1 belted and steel corded truck tyres 2 use in motor vehicles; ed as nominated components in relation	assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b Tariff: he vehicle design or are electrically a mirrors g frame, panel and preformed body components) but 20'' M W TAYLOR Comptroller of Customs to Class I vehicles.
>1 <i>a</i>	The components nominated below, if importe entered in accordance with the appropriate Electric accumulators; Exterior rear vision mirrors excluding or manually internally adjusted; and en Laminated and leaf undercarriage spring Omnibus body components regardless of t excluding doors and moulded front body Pneumatic rubber tyres (excluding steel rim diameter and above); Radio broadcast receivers designed for Seat belts.	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi e Tariff item in Part I of the Customs those which are an integral part of th xcluding electrically heated rearvision gs (not including shackles therefor); the condition of manufacture (including panels; 1 belted and steel corded truck tyres 2 use in motor vehicles; ed as nominated components in relation	assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b Tariff: he vehicle design or are electrically a mirrors g frame, panel and preformed body components) but 20'' M W TAYLOR Comptroller of Customs to Class I vehicles.
pl≉	The components nominated below, if importe entered in accordance with the appropriate Electric accumulators; Exterior rear vision mirrors excluding or manually internally adjusted; and en Laminated and leaf undercarriage spring Omnibus body components regardless of t excluding doors and moulded front body Pneumatic rubber tyres (excluding steel rim diameter and above); Radio broadcast receivers designed for Seat belts.	Chassis frames, suspension assembli radiator, engine, clutch, gearbox, propellor shafts and axles. ed to be used in the assembly, completi e Tariff item in Part I of the Customs those which are an integral part of th xcluding electrically heated rearvision gs (not including shackles therefor); the condition of manufacture (including panels; 1 belted and steel corded truck tyres 2 use in motor vehicles; ed as nominated components in relation	assemblies consisting of more than one the components specified. Nor should t chassis frames (longitudinals) be fitted with any attachments or components. ion or manufacture of Class IV motor vehicles, must b Tariff: he vehicle design or are electrically a mirrors g frame, panel and preformed body components) but 20'' M W TAYLOR Comptroller of Customs to Class I vehicles.

~~

• • •

x

1.1.

Price \$3 (incl. GST) 92226G—89A