

The New Zealand Gazette

Customs Edition

WELLINGTON: TUESDAY, 1 AUGUST 1989

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1989/28 Applications Advertised for Objection Closing Date for Objections 22 August 1989

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 22 August 1989. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item;
 - the Port; and
 - Reference number.
- All submissions from local manufacturers must include: 2
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
- details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.

 All submissions objecting to a request for the imposition of duty must include:
- - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.

Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of
					Appn.
2507.00.00	Cliffe Vale No.2 body clay	Polychem Marketing Ltd PO Box 9141 WELLINGTON	99	HO ICU	980056F A
3004.90.19	Hypnos capsules 10mg and 20mg	Pacific Pharmaceuticals Ltd PO Box 11183	25	HO ICU	982305A A
		Ellerslie AUCKLAND			
3402.13	Berol 267	Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980067A A
3402.13	Berol 292	LOWER HUTT Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980066C A
3402.13	Berol 295	LOWER HUTT Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980062L A
3402.13	Berol 370	LOWER HUTT Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980069H A
3402.13	Berol 374	LOWER HUTT Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980070A A
3402.13	Berol 799	LOWER HUTT Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980068K A
3402.19	Berol 809	LOWER HUTT Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980063J A
3402.90	Berol 227	LOMER HUTT Robert Chemicals Ltd 175-183 Gracefield Road	99	HO ICU	980071K A
3402.90	Berol 228	LOWER HUTT Robert Chemicals Ltd	99	HO TOU	980064G A
0108.00	25.07.220	175-183 Gracefield Road LOWER HUTT		no ico	50004G A
3804.00.09	Calcium, sodium, ammonium, chrome, ferrochrome and iron lignosulphonates	Pacific Raw Materials Ltd C/-Marshall Custom Services Ltd PO Box 43233	99	HO ICU	980072H A
3919.10.09	Self adhesive, expanded P.T.F.E. tape of a type used for	Mangere AUCKLAND Automotive Components Ltd	99	HO TOU	980081G A
	sealing pipe flanges etc	PO Box 19-025 Avondale	00	110 100	300001 0 A
3920.41.00	Flat rigid PVC sheet over 1mm in thickness	AUCKLAND The Marley Co NZ Ltd	99	HO ICU	980031L WA
		Private Bag Manurewa			
3920.41.00	Rigid PVC film	AUCKLAND The Marley Co NZ Ltd	99	HO ICU	980032J WA
		Private Bag Manurewa AUCKLAND			
3920.41.00	Rigid PVC sheeting not exceeding 1mm	The Marley Co NZ Ltd Private Bag	99	HO ICU	980033G WA
3920.42.29	PVC sheeting finnset C 0.30mm material (capable of highest	Manurewa AUCKLAND Office Efficiency Centre	99	HO ICU	980006K A
	quality offset colour printing -4+ colours) in machine handling capability dimensions of 410mm x 655mm and 400mm x 440mm	PO Box 12-107 WELLINGTON	,		
3923.10.19	Plastic animal carry cages (pet vogaguer)	Gap Imports Ltd C/-Mogalair Ltd PO Roy 72.036	99	HO ICU	980079E A
3926.90.69	Fishing tackle boxes	PO Box 73-036 AUCKLAND INTERNATIONAL AIRPORT Snowbee NZ Ltd	99	HO TOT	980120A A
	A A THE A ROUND OF THE PROPERTY OF THE PROPERT	OHOHOOG 140 Ditt	98	. 10 100	DOUISON A

10mm x 90mm 12mm x 80mm 12mm x 100mm

Tariff Industry Assistance (Advertisement) Notice No. 1989/28-continued Part *Category Appn. Ref. Tariff Name and Address II of of Applicant Ref. No. Appn Item Description of Goods C/-W.B. Johns Consulting Ltd PO Box 1548 AUCKLAND Meshed matting of a type used in erosion control of earth HO TOU 980073F A 3926.90.69 Nexus Packaging Systems 99 A division of Feltex Industries Ltd PO Box 51191 Pakuranga AUCKLAND 99 HO ICU 980074D A 65% polyester 35% cotton rugby knit fabric (6000 metres Society Fashions Ltd 6002.93.09 PO Box 21573 only) Henderson AUÇKLAND WN 820904K Collector of Customs 99 WA 6113.00.01 Babies pilches PO Box 2218 WELLINGTON 6307.90.29 Impregnated cotton cloth bonded to a plastic card Oggi International Ltd 99 HO ICU 980121K A C/-W A Henderson Customs Ltd PO Box 4276 AUCKLAND 6406.99.05 CURRENT APPROVAL 521140K 99 VA Footwear shaped polyethylene pads 6406.99.05 REQUESTED APPROVAL HO ICU 980058B VA 99 Footwear shaped polyethylene and EVA pads Golding Industrial Wear Ltd PO Box 20268 Glen Eden AUCKLAND 6805.30.19 CURRENT APPROVAL 701571C 99 Aluminium oxide sanding discs with velcro backing REQUESTED APPROVAL 6805.30.19 HO ICU 980117A A Aluminium oxide sanding discs, rolls and sheets with velcro Abcorp Industries Ltd PO Box 33-939 backing Takapuna AUCKLAND 10 CURRENT APPROVAL 6806.10.00 99 560724J VA Mineral fibre (rockwool) in resin bonded batts and/or pre-formed pipe sections only having a maximum service temperature greater than 450°C excluding loose rockwool and/or fire proofing compounds 6806.10.00 REQUESTED APPROVAL HO ICU 980043D VA Mineral fibre (Rockwool) Mr M.G. Davis 99 18 Roslyn Road NAPIER Section XV CURRENT APPROVAL Plugs, clips and similar fittings, peculiar to use by 802251J VA builders for fixing articles to concrete or plaster EXCLUDING: Drop in Masonry Flush Anchors, Stainless and Mild Steel with internal thread diameters 6mm to 20mm 10mm 1 2mm 1 Amm 20mm Concrete Inserts, Stainless and Mild Steel with internal thread diameter 6.00mm - 24mm 10mm 1 2mm 16mm 20mm 24mm Self Drilling Masonry Anchors with internal thread diameters 6.00mm - 20mm 6**m**m 10mm 1 2mm 1 6mm 20mm Expansion Sleeve Anchors, Hex Nut, Flat Head, Round Head, Tie Wire, Setlock and made from heat treated, High Tensile or Mild Steel 6**mm** 8**mm** 10mm 1 2mm 16am 20**m** Heavy Duty Stud Anchors, Mild and Stainless Steel in diameters 6.00mm - 24mm

Tariff Industry Assistance (Advertisement) Notice No. 1989/28-continued

	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. *Category Ref. of No. Appn.
	12mm x 140mm			
	16mm x 100mm			
	16mm x 125mm			
	16mm x 175mm			
	20mm x 120mm			
	20mm x 160mm			
	20mm x 215mm			
	24mm x 180mm			
	24mm x 250mm			
	Drive Pins for Power Actuated Fasteners of shank			
	diameters 2.00mm - 4.5mm in the following overall lengths			
	20mm			
	30wn			
	40mm			
	50mm			
	60mm			
	75mm			
	90mm			
	100mm			
	Concrete Nails of Shank Diameters 2.00 - 4.5mm in			
	the following overall lengths			
	20mm			
	25mm			
	30mm			
	40mm			
	45mm			
	50an			
	60m			
	75mm			
	100mm			
ECTION XV	REQUESTED APPROVAL			
	Plugs, clips and similar fittings, peculiar to use by	Ramset Fasteners NZ Ltd	99	HO ICU 980082E VA
	builders for fixing articles to concrete or plaster	PO Box 40-031		
	EXCLUDING:	AUCKLAND		
	Drop in Masonry Flush Anchors made from stainless and mild			
	steel with internal thread diameter from 6.00mm to 20mm			
	Concrete inserts Stainless and Mild Steel with internal			
	thread diameter from 6.00mm to 24mm			
	Self Drilling Masonry Anchors with internal thread			
	diameter from 6.00mm to 20mm			
	Expansion Sleeve Anchors, Hex Nut, Flat Head, Round Head,			
	Tie Wire, Setlock and made from heat trated, high tensile			
	and mild steel with a diameter from 6.00mm to 20mm			
	Heavy Duty Stud Anchors, made from mild and stainless steel			
	in diameters 6.00mm to 24mm with an overall length from			
		•		
	45mm up to and including 250mm			
	Drive Pins for powder actuated tools with shank diameters			
	from 2.00mm to 4.5mm with an overall length from 20mm			
	up to and including 100mm			
	Hardened Concrete Nails of Shank diameters from 2.00mm to			
108.45.00	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm	E Goddard Ltd	99	HO ICU 980137F A
108.45.00	Hardened Concrete Nails of Shank diameters from 2.00mm to		99	HO ICU 980137F A
08.45.00	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401	PO Box 14003	99	HO ICU 980137F A
08.45.00	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401	PO Box 14003 Panmure	99	HO ICU 980137F A
	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5	PO Box 14003 Panmure AUCKLAND	99	
	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd	99	HO ICU 980137F A
	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986	99	
312.10.00	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd	99	
312.10.00 304.10.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986		HO ICU 980078G A
312.10.00 304.10.00) 304.29.01)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986	99 99	
208.45.00 312.10.00 804.10.00) 604.29.01) 804.10.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986		HO ICU 980078G A
312.10.00 304.10.00) 304.29.01) 304.10.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986		HO ICU 980078G A
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd	99	HO ICU 980078G A 602402F VA
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.11.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd	99	HO ICU 980078G A 602402F VA
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.11.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312	99	HO ICU 980078G A 602402F VA
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.11.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill	99	HO ICU 980078G A 602402F VA
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.11.00) 305.21.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312	99	HO ICU 980078G A 602402F VA
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.11.00) 805.21.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill	99	HO ICU 980078G A 602402F VA HO ICU 980052C VA
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.11.00) 305.21.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL CURRENT APPROVAL Chain, fine aluminium	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill	99	HO ICU 980078G A 602402F VA
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.11.00) 305.21.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND	99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA
312.10.00 804.10.00) 804.29.01) 804.29.01) 805.11.00) 805.21.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL CURRENT APPROVAL Chain, fine aluminium	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill	99	HO ICU 980078G A 602402F VA HO ICU 980052C VA
312.10.00 304.10.00) 304.29.01) 304.29.01) 305.11.00) 305.21.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND	99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA
312.10.00 304.10.00) 304.29.01) 304.29.01) 305.11.00) 305.21.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854	99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA
312.10.00 304.10.00) 304.29.01) 304.29.01) 305.11.00) 305.21.00) 316.90.29	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND	99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA
04.10.00 04.10.00) 04.29.01) 04.29.01) 05.11.00) 05.21.00) 06.90.29	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Wit Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd	99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA
12.10.00 04.10.00) 04.29.01) 04.10.00) 04.29.01) 05.11.00) 05.21.00) 16.90.29	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811	99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA
04.10.00 04.10.00) 04.29.01) 04.10.00) 04.29.01) 05.11.00) 05.21.00) 06.90.29 06.90.29	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A
612.10.00 604.10.00) 604.29.01) 604.29.01) 604.29.01) 605.21.00) 616.90.29 616.90.29	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811	99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA
612.10.00 604.10.00) 604.29.01) 604.29.01) 604.29.01) 605.21.00) 616.90.29 616.90.29	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A
312.10.00 304.10.00) 304.29.01) 304.29.01) 304.29.01) 305.11.00) 305.21.00) 316.90.29 316.90.29	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A
812.10.00 804.10.00) 804.29.01) 804.10.00) 804.29.01) 805.21.00) 816.90.29 816.90.29 413.70.09	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for intakes up to a depth of 9 metres	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Wit Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A HO ICU 980095G A
812.10.00 804.10.00) 804.29.01) 804.10.00) 804.29.01) 805.21.00) 816.90.29 816.90.29 813.70.09	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Wt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Emergy Products International Ltd	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A
312.10.00 304.10.00) 304.29.01) 304.10.00) 304.29.01) 305.21.00) 316.90.29 316.90.29 313.70.09	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for intakes up to a depth of 9 metres	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Emergy Products International Ltd PO Box 1316	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A HO ICU 980095G A
812.10.00 804.10.00) 804.29.01) 804.29.01) 805.21.00) 816.90.29 813.70.09 813.70.09	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for intakes up to a depth of 9 metres Heating system circulator pumps	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Wt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Emergy Products International Ltd	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A HO ICU 980095G A
312.10.00 304.10.00) 304.29.01) 304.29.01) 305.11.00) 305.21.00) 316.90.29 316.90.29 313.70.09	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for intakes up to a depth of 9 metres	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Emergy Products International Ltd PO Box 1316	99 99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A HO ICU 980095G A HO ICU 980093L A
312.10.00 304.10.00) 304.29.01) 304.10.00)	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for intakes up to a depth of 9 metres Heating system circulator pumps	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Emergy Products International Ltd PO Box 1316	99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A HO ICU 980095G A
812.10.00 804.10.00) 804.29.01) 804.29.01) 804.29.01) 805.11.00) 805.21.00) 816.90.29 413.70.09 413.70.09	Hardened Concrete Nails of Shank diameters from 2.00mm to 4.5mm with an overall length from 15mmm to 100mm Hot rolled carbon tool (0.85% carbon) sheets JOS.G.4401 SK5 19mm 3 x 9 pre-stressed road barrier rope with fittings attached CURRENT APPROVAL Aluminium redraw rod REQUESTED APPROVAL Aluminium redraw rod and wire CURRENT APPROVAL Chain, fine aluminium REQUESTED APPROVAL Aluminium jewellery chain Centrifugal motor driven pumps equipped with Venturi unit for water levels exceeding 9 metres Centrifugal self priming jet type motor driven pumps for intakes up to a depth of 9 metres Heating system circulator pumps CURRENT APPROVAL	PO Box 14003 Panmure AUCKLAND William Cooke Holdings Ltd C/-PO Box 3986 AUCKLAND NZ Wires & Cables Ltd C/-K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND Emma Page Jewellery Ltd PO Box 3854 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Mono Pumps NZ Ltd C/-PO Box 811 AUCKLAND Emergy Products International Ltd PO Box 1316	99 99 99 99 99	HO ICU 980078G A 602402F VA HO ICU 980052C VA 681428L VA HO ICU 980060D VA HO ICU 980094J A HO ICU 980095G A HO ICU 980093L A

ariff		Name and Address	Part II	Appn. Ref.	*Categor of
tem .	Description of Goods	of Applicant	Ref.	No.	Appn.
	Jetair 85, 100	PO Box 12-136 Penrose			
		AUCKLAND			
119.39.00	Freeze driers	Dynavac NZ Ltd	99	HO ICU S	80126L A
		C/-Marshall Custom Services Ltd PO Box 43233			
		Mangere			
		AUCKLAND			
419.89.09	Combination cooking and pressure extraction machines	New Core Deer Products Ltd	99	HO ICU 9	80098A A
		PO Box 6200 CHRISTCHURCH			
122.30.09	Fertiliser bagging and chemical bagging machines	Pacific Raw Materials Ltd	99	HO ICU S	80046J A
12100.00	TOTALITION PROBLEM AND ONCOME ON ONCOME ON ONCOME	C/-Marshall Custom Services Ltd			
		PO Box 43233			
		Mangere AUCKLAND			
24.89.19	'Dry' fog dust suppression system	Maud Kirk Machinery Ltd	99	HO ICU 8	880941A A
21.00.10	Day 108 Cabb Supplies Store	PO Box 30-165			
		LOWER HUTT	••		
26.91.00	Hiab and Palfinger hydraulic truck mounted crane	Comptroller of Customs Interim Concession Unit	99	HO ICU	740416G WA
	components, other than parts for general use	PO Box 2218			
		WELLINGTON			
128.90.00	Double acting horizontal rise aerial work platform	Ford Motor Co of NZ Ltd	99	HO ICU 9	980075B A
		Private Bag			
451.40.00	Continuous batch washing machines 35-50kg batch size	AUCKLAND Pengelly's Wellington Ltd	99	HO ICU S	980042F A
101.70.00	Continuous patch washing machines 30-30ag vatch Bize	PO Box 14-621			
		Kilbirnie			
		WELLINGTON	00	DO TOU	1000771 4
76.19.00	Penny presser	Equipment Maintenance Ltd PO Box 3064	99	BO ICU :	980077J A
		NEW PLYMOUTH			
81.80.19	CURRENT APPROVAL				
	BALL VALVES OR SPHERICAL PLUG VALVES VIZ;		99	74030	OOD VA
	All ball valves 175mm (7'') and over				
	Trunnion mounted ball valves - all sizes ''V'' port ball valves - all sizes				
	Ball valves with three or more ports - all sizes				
	Metal seated ball valves - all sizes				
	Plastic bodied ball valves of chlorinated polyvinyl				
	chloride (C/PVC), polyvinylidene flouride (PVDF) and polypropylene (PP) - all sizes				
	Other plastic bodied ball valves - below 15mm and				
	above 50mm				
	Brass, bronze and gunmetal bodied - 80mm (3'') and above				
	Cast iron bodied - exceeding one inch				
	Steam jacketed ball valves - all sizes			•	
	Class 150 ANSI over 100mm (4'')				
	Class 300 ANSI — all sizes Class 600 ANSI — 65mm (21/2'') and above				
	Class 800 ANSI up to 2''				
	Class 900 ANSI - 65mm (21/2'') and over				
	Class 1500 and 2500 ANSI flanged				
	Zinc alloyed (diecast) bodied ball valves				
	Aluminium and aluminium alloy bodied valves - 80mm (3'') and over				
	Aluminium and aluminium alloy bodied valves				
	up to and including 60mm (21/4'')				
81.80.19	REQUESTED APPROVAL BALL VALVES OR SPHERICAL PLUG VALVES VIZ;	H J Asmuss & Co Ltd	99	ווים מו	980092B VA
	All ball valves 175mm (7'') and over	C/-PO Box 1617	ų a	100	COUCED IN
	Trunnion mounted ball valves - all sizes	AUCKLAND 1			
	"'V' port ball valves - all sizes				
	Ball valves with three or more ports - all sizes Metal seated ball valves - all sizes				
	Plastic bodied ball valves of chlorinated polyvinyl				
	chloride (C/PVC), polyvinylidene flouride (PVDF) and				
	polypropylene (PP), and thermoplastic polymer (ABS)				
	Other plastic bodied ball valves - below 15mm and above 50mm				
	Brass, bronze and gunmetal bodied -				
	80mm (3'') and above				
	Cast iron bodied - exceeding one inch				
	Steam jacketed ball valves - all sizes Class 150 ANSI over 100mm (4'')				
	Class 300 ANSI – all sizes				
	Class 600 ANSI - 65mm (21/2'') and above				
	Class 800 ANSI up to 2''				
	Class 900 ANSI - 65mm (21/2'') and over Class 1500 and 2500 ANSI flanged				
	Zinc alloyed (diecast) bodied ball valves				
	Aluminium and aluminium alloy bodied valves -				
	80mm (3'') and over				

Tariff Industry Assistance (Advertisement) Notice No. 1989/28-continued

Tariff		Name and Address	Part II	Appn. Ref.	*Categor of
tem	Description of Goods	of Applicant	Ref.	No.	Appn.
-	Aluminium and aluminium alloy bodied valves				
	up to and including 60mm (21/4'')				
481.80.19	Bellows type manually operated isolation valves	Dynavac NZ Ltd	99	HO ICU	980124D A
		C/-Marshall Custom Services Ltd			
		PO Box 43233			
		Mangere			
		AUCKLAND			
3481.80.19	Solenoid valves less than 3/4'' bodied	Dynavac NZ Ltd	99	HO ICU	980125B A
		C/-Marshall Custom Services Ltd			
		PO Box 43233			
		Mangere			
		AUCKLAND			
031.80.00	Portable electrically operated leak detectors	Dynavac NZ Ltd	99	HO ICU	980122H A
		C/-Marshall Custom Services Ltd			
		PO Box 43233			
		Mangere			
		AUCKLAND			
405.50.21	Artificial candles of plastic, containing liquid paraffin,	Vision Enhancement Ltd	99	HO ICU	980115E A
	to act as artificial candles on tables	C/-Prestige Customs Services Ltd			
		PO Box 35439			
		Browns Bay			
	Blates because control dentes	AUCKLAND	. 00	DA 7000	0001601 4
9506.29.00	Diving buoyancy control devices	NZ Underwater Association	99	TO TOD	980160L A
		C/-Flicargo NZ Ltd PO Box 73011			
		AUCKLAND INTERNATIONAL AIRPORT			
	Comments house and accommissions possessor blush contains	Customs Agents Wgtn Ltd	99	HO TOT	980039F A
603.30.00	Cosmetic brush set comprising: powder, blush contour, shading, eye shadow, lipstick, eyeliner, fine eyeliner and	C/-Ivan W McNicholi	98	BO ICO	POULOSE N
	brow/comb brushes	Tariff Consultant			
	A1 A#\ CARC A1 #9#G2	PO Box 1024			
		WELLINGTON			
605.00.00	Make up kit comprising of: cosmetic brushes, toothbrush,	Customs Agents Wgtn Ltd	99	HO ICH	980037K A
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	pencil sharpener, nail file, hair brush, soap container,	C/-Ivan W McNicholl			
	shampoo and conditioner containers, cleansing sponge,	Tariff Consultant			
	eye shadow brushes, plastic carrier bag	PO Box 1024			
	-1 acadmant kuccese au0	WELLINGTON			
9605.00.00	Make up kit comprising: toothbrush, comb, nail file, pencil		99	HO ICU	980038H A
	sharpener, cosmetic brushes, cleansing sponge, plastic	C/-Ivan W McNicholl			
	carrier bag	Tariff Consultant			
		PO Box 1024			
		WELLINGTON		·	
Categor	y of Application: A - Application for Approval				
Caregor	VA - Application for Variation o	f Approval			
	WA - Application for Withdrawal				
	D - Application for Determination				
	VD - Application for Variation o				
	WD - Application for Withdrawal				
	RUC - Revocation of Unused Conces	sions			
	CUPA Continuation of Unpublished	Approval			
	+ - Denotes amendment or additi				
* Port:	HO - Comptroller of Customs, PO	Box 2218, Wellington			
		erim Concession Unit, PO Box 2218,	Wellingt	on	
	AK - Collector of Customs, Box 2	9, Auckland			
	WN - Collector of Customs, PO Bo	x 2218, Wellington			
	CH - Collector of Customs, Box 2	098, Christchurch			
	DN - Collector of Customs, Priva	A. B. C. Demadia			

Dated at Wellington this 27th day of July 1989.

M.J. BELGRAVE, Chief Executive.

HO ICU 6911.10.01)

Description of Goods

Tableware, kitchenware, etc of porcelain or china

No.

880788E

CUSTOMS EDITION

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1989/28

Decisions of the Minister of Commerce in respect of Part I and Part II of the Tariff

Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice. SCHEDULE 2 - Decisions cancelled. The cancellations listed in this schedule take effect fourteen days from Gazette date unless

otherwise specified, eg, WEF (date). SCHEDULE 3 - Limited Decisions

- Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.
- This Notice only serves to inform the importing/manufacturing community of the approvals existence.

 (b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.
- It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the Gazette.
- Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month - eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

	SCHEDULE 1	
General	Decisions	Approved

		General Decisions Approved						
	Tariff		Rates of	Duty	Part II	Ref.	Effect	ive
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	To
O ICU	0712.20.00	Dried onions, whole, cut, sliced, broken or in powder, but not further prepared	Free	Free	99	880885G	5/89	
o ICU	3004.20.01	Ampitras 20% vials 100ml	Free	Free	26	880984E	5/89	
ICU	3004.20.09	Chlomin eye drops 10ml	Free	Free	25	880989F	5/89	
	3004.20.09	Floxan tabs 200mg	Free	Free	26	880992F	5/89	
	3004.20.09	Fucithalmic drops 5g tubes	Free	Free	25	880974H	5/89	• • .
ICU	3004.20.09	Vancoled powder, vials 500mg	Free	Free	25	880966G	5/89	
) ICU	3004.32.09	Pulmicort turbuhaler 200 dose	Free	Free	25	880964L	5/89	
ICU	3004.39.09	Estrapak transdermal patches and tablets	Free	Free	26	880980B	5/89	
ICU	3004.90.19	Cataflam tabs 25mg, 50mg	Free	Free	26	880979J	5/89	
) ICU	3004.90.19	Corwin tabs	Free	Free	26	880981L	5/89	
ICU	3004.90.19	Didronel IV ampoules 6ml	Free	Free	26	880990K	5/89	
ICU	3004.90.19	Haldol decanoate ampoules 1ml and 3ml	Free	Free	26	880991H	5/89	
	3004.90.19	Isoptin SR tabs 240mg	Free	Free	25	880986A	5/89	
	3004.90.19	Liquifilm tears	Free	Free	25	880983G	5/89	
	3004.90.19	Micturol tabs	Free	Free	26	880982J	5/89	
	3004.90.19	Saldac tabs, 100mg, 150mg, 200mg	Free	Free	25	880987K	5/89	
	3004.90.19	Tegretol CR tabs 200mg, 400mg	Free	Free	26	880978L	5/89	• •
	3004.90.19	Zyloric ampoules 200mg	Free	Free	25 25	880975F	5/89	••
, 100 (3917.23.00	C.P.V.C pipe to ASTM F442	Free	Free	99	900002L	6/89	. • •
	3917.40.00	C.P.V.C. pipe to ASIM F442 C.P.V.C. pipe fittings to ASIM F442, F437, F438, F439	Free	Free	99	900003J	6/89	• • •
	3920.99.01)	Self-fusing silicone rubber tape	Free	Free	99 99	880763K		• •
100	3920.99.39)						5/89	••
	6001.92.11) 6001.92.19)	100% polyester warp knitted pile fabric incorporating two yarns, one forming the ground, the other forming the loop which are sheared and cropped and brushed (shevelva type fabric)	Free	Free	99	840289C	1/89	••
	61.11	Babies pilches, being waterproof and/or water resistant pants designed to be worn over nappies	\$0.60 each	CA \$0.60	99	820804C	12/88	••
				each le 7.5				
	8414.10.09	Vacuum pumps, piston type, excluding pumps of 45 litres/min. to 300 litres/min	Free	Free	99	880854G	5/89	••
	8414.80.19	Direct drive air compressors	Free	Free	99	820029H	7/88	••
ICU	8427.10.00	Battery electric order pickers with a lift capacity	Free	Free	99	880624B	5/89	
)	9405.10	up to 1000 kgs Automatic security light control system with infra-red motion sensor	Free	Free	99	880309K	7/89	••
		SCHEDULE 2 Decisions Cancelled					-	· · ·
	Tariff	2001B10HB CRANCUTEC				D-6		
	Item	Description of Goods				Ref. No.		
	0712.20.00	Dehydrated onions	• •	••	• •	802163F	••	• •
IÇU	6002.93.11)	100% fabric)	• •	• •	• •	580319F	••	• •
	6002.93.19)	Dahian mamilan						
	61.11	Babies nappies	• •	• •	• •	820804C	• •	• •
ICU	8414.10.09	Gast 5VDF	• •	• •	• •	930623E	• •	· • •
	8414.80.19	Direct-drive BX	• •	• •	• •	640097D	• •	• •
	8414.80.19	Direct 3HP	• •	• •	• •	640439B		• •
ICU	8421.23.00)	Hydrocarbon cartridges	• •			521949D		
	8421.99.09) 9405.10.00	Automatic sensor				801 799 K		
	***	SCHEDULE 3 Limited Decisions Approved						
1					Part			-
	Tariff		Rates of	Duty	II	Ref.	Effect	ive
	Item	Description of Goods	Norma1	Pref.	Ref.	No.	From	To
-	4909.00.00	180 packs UNICEF greeting cards	Free	Free	99	880310C	7/89	8/89
	8418.69.00	Williams Saphire refrigeration system	Free	Free	99	840287G		
	84.31	Chemical methanol plant equipment regardless of tariff					10/88	
100	O1.01	Classification as per list held by Collector of Customs, Auckland	Free	Free	99	880585H	7/89	••
		SCHEDULE 4 Applications Declined						· - · ·
-	Tariff	Approactions pectified				Ref.		
	Item	Description of Goods				No.		

Tariff Industry Assistance (Decision) Notice No. 1989/28-continued

	Tariff Item	Description of Goods	Ref.
HO ICU	6911.10.09) 6912.00.00	Ceramic tableware, kitchenware etc, other than of	880786J
HO ICU	8479.89.00	porcelain or china Motor vehicle rollover exterior cleaning machines	880599H

Dated at Wellington this 27th day of July 1989.

M.J. BELGRAVE, Chief Executive.

CUSTOMS EXCHANGE RATES NOTICE (NO. 17) 1989

Pursuant to section 143 of the Customs Act 1966, the Comptroller of Customs, in accordance with the power delegated to him by the Minister of Customs under section 9 of that Act, hereby gives the following notice.

NOTICE

- Short Title and commencement (1) This notice may be cited as the Customs Exchange Rates Notice (No. 17) 1989.
 - (2) This notice shall come into force on the 14th day of August 1989.
- 2. Exchange rates Where under any provisions of the Customs Act 1966 any amount which is required to be taken into account for the purpose of assessing duty or any other purpose is not an amount in New Zealand currency, the amount to be so taken into account shall be the equivalent in New Zealand currency of that amount ascertained in accordance with the rate of exchange set out in the Schedule to this notice.
- Revocation The Customs Exchange Rates Notice (No. 16) 1989, published in the New Zealand Gazette, Customs Edition No. 122, dated 18 July 1989, on page 3029 is hereby revoked.

			SCHEDULE		
AU	Australia			0.77	Dollar
AT	Austria	••		7.61	Schilling
BD	Bangladesh	• •		18.53	Taka
BE	Belgium	• •	•••	22.82	B Franc
BR	Brazil	• •		1.15	Cruzado
BU	Burma now Myanmar	• •	•••	3.81	Kyat
CA	Canada	• •	•••	0.69	Dollar
CL	Chile	• •	•••	147.39	Peso
CN	China	• •	• • • • • • • • • • • • • • • • • • • •	2.15	Renminbi or Yuan
DK	Denmark	• •	••	4.22	Krone
EG	Egypt	• •	• • • • • • • • • • • • • • • • • • • •	1.48	E Pound
FJ	Fiji	• •		0.88	F Dollar
FI	Finland	• •		2.44	Markka
FR	France	• •	•• ••	3.68	Franc
PF	French Polynesia	• •		66.88	FP Franc
GR	Greece	• •		94.18	Drachma HK Dollar
HK	Hong Kong	••		4.50	
IN	India	• •	•• ••	9.54	Rupee
ID	Indonesia Ireland	••	•••	1025.31 0.41	Rupiah I Pound
IE IL	Ireland Israel	• • •	•••		Shekel
IT	Italy	••	••	700 TO	Lira
JM	Jamaica	• •	••	3.11	J Dollar
JP	Japan	• • •		01.00	Yen
KR	Korea			004.50	Won
MY	Malavsia	• • • • • • • • • • • • • • • • • • • •			M Dollar (Ringgit)
MX	Mexico			1453.82	Peso
NI.	Netherlands				Florin (Guilder)
NO	Norway				Кголе
PK	Pakistan	••	••	11.00	Rupee
PG	Papua New Guinea				Kina
PH	Philippines			11.98	Peso
PT	Portuga1			92.13	Escudo
SG	Singapore	• •		1.13	S Dollar
ZA	South Africa			1.55	Rand
ES	Spain			67.76	Peseta
LK	Sri Lanka			20.31	Rupee
SE	Sweden			3.71	Krona
CH	Switzerland	• •		0.93	Franc
TW	Taiwan	••	••		Twn Dollar
TH	Thailand				Baht
то	Tonga	• • •	·		Pa'anga
GB ·	United Kingdom		••		Pound
US	U.S.A.	• •			Dollar
DE	West Germany	. • •			Mark
WS	Western Samoa	••	•,• ,••	1.33	Tala

Dated at Wellington this 27th day of July 1989.

M W Taylor, Comptroller of Customs

