



LAND & DEEDS OFFICE

30 MAR 1990

GIBBORNE

The New Zealand
Gazette

Customs Edition

WELLINGTON: TUESDAY, 27 MARCH 1990

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1990/11
Applications Advertised for Objection
Closing Date for Objections 17 April 1990

1. Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference number, before 17 April 1990. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item;
 - the Port; and
 - Reference number.
2. All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
3. All submissions objecting to a request for the imposition of duty must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
4. Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.
5. Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

| Tariff Item | Description of Goods | Name and Address of Applicant | Part II Ref. | Appn. Ref. No. | *Category of Appn. |
|-------------|--|---|--------------|----------------|--------------------|
| 3402.19.00 | Sorpol 3005X | Shell Chemicals Ltd C/- Daniel Silva Ltd PO Box 305 AUCKLAND | 99 | HO ICU 981670E | A |
| 3909.50.09 | Ancarez 300A | Hunt Agencies Ltd C/- PO Box 305 AUCKLAND | 99 | HO ICU 981671C | A |
| 39.20 | CURRENT APPROVAL Polypropylene ribbon and film including flocked and metallised | | 99 | | 980913K VA |
| 3920.20.09) | REQUESTED APPROVAL | | | | |
| 3920.20.29) | Polypropylene ribbon and film including flocked and metallised | Comptroller of Customs Interim Concession Unit PO Box 2218 WELLINGTON | 99 | HO ICU 981767A | VA |
| 4805.80.09 | Jigsaw puzzle one piece cardboard made from white pulp in sheet form with a thickness 1.00mm - 2.00mm and weighing 0.6 - 1.2 kg per square metre | Milton Bradley (NZ) Ltd C/- PO Box 43 036 Mangere AUCKLAND | 99 | HO ICU 981649G | A |
| 6307.90.29 | Bakers piping bags | Choice Catering Equipment Ltd C/- PO Box 3986 AUCKLAND | 99 | HO ICU 521457C | WA |
| 7318.16.00 | Tufnut security nut | Bernard A W Hack Limited PO Box 20 158 CHRISTCHURCH | 99 | HO ICU 981639K | A |
| 8705.90.00 | CURRENT APPROVAL Hydraulic truck cranes | | 99 | | 208609D VA |
| 8705.10.00 | REQUESTED APPROVAL Hydraulic truck cranes | Comptroller of Customs Interim Concession Unit PO Box 2218 WELLINGTON | 99 | HO ICU 981935F | VA |
| 9405.40.19 | Underwater lamps and spares | Proteus Undersea Consultants Ltd C/- Colebrook Bros Ltd PO Box 1296 AUCKLAND | 99 | HO ICU 981819H | A |

| | | | | |
|----------------------------|----------|---------|--|--|
| * Category of Application: | A | - | Application for Approval | |
| | VA | - | Application for Variation of Approval | |
| | WA | - | Application for Withdrawal of Approval | |
| | D | - | Application for Determination | |
| | VD | - | Application for Variation of Determination | |
| | WD | - | Application for Withdrawal of Determination | |
| | RUC | - | Revocation of Unused Concessions | |
| | CUPA | - | Continuation of Unpublished Approval | |
| | + | - | Denotes amendment or addition | |
| | ** Port: | HO | - | Comptroller of Customs, PO Box 2218, Wellington |
| | | HO ICU- | - | Comptroller of Customs, Interim Concession Unit, PO Box 2218, Wellington |
| AK | | - | Collector of Customs, Box 29, Auckland | |
| WN | | - | Collector of Customs, PO Box 11746, Manners Street, Wellington | |
| CH | | - | Collector of Customs, Box 2098, Christchurch | |
| DN | | - | Collector of Customs, Private Bag, Dunedin | |

Dated at Wellington this 22nd day of March 1990.

M.J. BELGRAVE, Chief Executive.

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 11) 1990

I, Michael Richard Turner, Concessions Supervising Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and
- (c) Withdraw with effect fourteen days from the date of this notice the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice; and
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.

FIRST SCHEDULE
Concessions Approved

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|--------------------|--|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| HO ICU 0904.20.09 | Paprika (ground spices) | Free | Free | 99 | 981000F | 6/89 | .. |
| HO 1519.11.00 | Stearic acid | Free | Free | 99 | 207674J | 1/90 | .. |
| HO 1519.11.00) | Isostearic acid | Free | Free | 99 | 400806F | 1/90 | .. |
| HO 1519.19.01) | | | | | | | |
| HO 1519.12.00 | Oleic acid | Free | Free | 99 | 207676E | 1/90 | .. |
| HO 2507.00.00 | Georgia Kaolin, coating and filling grades for use in the manufacture of paper and paperboard | Free | Free | 99 | 401351E | 1/90 | .. |
| HO 2507.00.00 | Kaolin's coating and filling grades of a type used in the manufacture of paper and paperboard | Free | Free | 99 | 701331A | 1/90 | .. |
| HO 3403.99.01 | Wire or metal drawing compounds as may be approved; APPROVED: Fletchlube products Traxit wire drawing compound | Free | Free | 99 | | | |
| | Eulan SPA being a permethine based mothproofing agent | Free | Free | 99 | 104765F | 1/90 | .. |
| HO ICU 3808.10.19 | Lead stabilisers | Free | Free | 99 | 210374F | 1/90 | .. |
| HO 3823.90.69 | Zinc stearate, commercial grade | Free | Free | 99 | 981467B | 12/89 | .. |
| HO 3823.90.69 | | Free | Free | 99 | 210521H | 1/90 | .. |
| HO 3917.29.11 | Polycarbonate tube | Free | Free | 99 | 461820D | 1/90 | .. |
| HO 3919.10.09 | Adhesive backed vinyl non skid (marine) deck tape | Free | Free | 99 | 581053B | 1/90 | .. |
| HO ICU 3920.20.29) | Ornamental or printed ribbons, up to 150mm wide, with cut and sealed edges | Free | Free | 99 | 703029A | 1/90 | .. |
| HO 58.06) | | | | | 981008A | 10/89 | .. |
| HO 3920.42.29 | PVC strip with rounded edges and curved profile | Free | Free | 99 | | | |
| HO ICU 3921.90.19 | Avonite commercial interior and exterior wall panels of cast unsaturated polyester 10mm to 25mm thickness | Free | Free | 99 | 740554F | 1/90 | .. |
| | Closet space saver clothes hanger | Free | Free | 99 | 980943A | 10/89 | .. |
| HO ICU 3926.90.69 | Trawl floats rated for depths of 1000m and deeper | Free | Free | 99 | 981636E | 1/90 | .. |
| HO ICU 3926.90.69 | Motor vehicle tubing and piping, cut, moulded or fabricated to shape excluding car radiator hose, fuel line hose, brake hose and heater hose | Free | Free | 99 | 981034L | 10/89 | .. |
| HO 40.09 | Agricultural tractor tyres and tubes, and agricultural implement tyres and tubes, EXCLUDING the following sizes or their equivalent (irrespective of ply rating, speed rating, tread type, pattern construction or constituent materials): EXPLANATORY NOTES: (1) Sizes have been listed in order from smallest to largest (2) Sizes cover equivalent radial tyres Tyres and Tubes 5.50-16 6.00-16 6.50-16 7.00-16 7.50-16 9.00-16 4.00-19 6.00-19 14.9/13-24 (14.9-24 13-24) 16.9/14-24 Tube Only 11.2/10-28 (11.2-28 10-28) 11.25-28 12.4/11-28 (12.4-28 11-28) 14.9/13-28 (14.9-28 13-28) 16.9/14-30 (16.9-30 14-30) 18.4/15-30 (18.4-30 15-30) 12.4/11-36 (12.4-36 11-36) | Free | Free | 99 | 660438C | 1/90 | .. |
| HO 40.11 | Agriculture tractor tyres 18.4/15 x 30 | Free | Free | 99 | 701837B | 1/90 | .. |
| HO 40.11 | Agricultural tractor tyres 12/11 x 36 | Free | Free | 99 | 701438E | 1/90 | .. |
| HO 40.11 | Industrial tyres and tubes, all sizes, EXCLUDING the following (irrespective of tread type and construction): 16 x 4 4.80-8 7.50-15 Plain roller 8.25-15 700 x 20 750 x 20 825 x 20 900 x 20 1000 x 20 1100 x 20 13.00-24 | Free | Free | 99 | 701234K | 1/90 | .. |
| | | Free | Free | 99 | 681369A | 1/90 | .. |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|----------------|---|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| HO 40.11 | 14.00-24 - 10, 12 and 16 ply 16.9/14-28 (16.9-28 14-28) Lawnmower tyres and tubes sizes 4.80/4.00 x 8.2 and 4 ply patterned traction type tread | Free | Free | 99 | 681263F | 1/90 | .. |
| HO 40.11 | Toy tyres, pneumatic treaded | Free | Free | 99 | 604157E | 1/90 | .. |
| HO 40.11 | 6.00 x 9 boat trailer tyres | Free | Free | 99 | 681367E | 1/90 | .. |
| HO 4011.10.09 | Go kart tyres | Free | Free | 99 | 603152J | 1/90 | .. |
| HO 4011.10.09 | Racing tyres, low pressure grooved or slick | Free | Free | 99 | 603824H | 1/90 | .. |
| HO 4011.10.09 | Treadless racing tyres (slicks) | Free | Free | 99 | 681368C | 1/90 | .. |
| HO 4011.20.11) | Steel belted or steel cord radial truck tyres of 508mm rim | Free | Free | 99 | 681264D | 1/90 | .. |
| HO 4011.20.19) | diameter and above | | | | | | |
| HO 4011.40.00 | Used motorcycle tyres | Free | Free | 99 | 606575G | 1/90 | .. |
| HO 40.12 | Used motorcycle tyres | Free | Free | 99 | 600575G | 1/90 | .. |
| HO 40.13 | Industrial tyres and tubes, all sizes, EXCLUDING the following (irrespective of tread type and construction): 16 x 4 4.80-8 7.50-15 Plain roller 8.25-15 700 x 20 750 x 20 825 x 20 900 x 20 1000 x 20 1100 x 20 13.00-24 14.00-24 - 10, 12 and 16 ply 16.9/14-28 (16.9-28 14-28) | Free | Free | 99 | 681369A | 1/90 | .. |
| HO 4013.10.00 | Tubes of a kind used on motor cars (including station wagons and racing cars), buses and lorries | Free | Free | 99 | 702451H | 1/90 | .. |
| HO 4013.90.00 | Agricultural tractor tyres and tubes, and agricultural implement tyres and tubes, EXCLUDING the following sizes or their equivalent (irrespective of ply rating, speed rating, tread type, pattern construction or constituent materials): EXPLANATORY NOTES: (1) Sizes have been listed in order from smallest to largest (2) Sizes cover equivalent radial tyres Tyres and Tubes 5.50-16 6.00-16 6.50-16 7.00-16 7.50-16 9.00-16 4.00-19 6.00-19 14.9/13-24 (14.9-24 13-24) 16.9/14-24 Tube Only 11.2/10-28 (11.2-28 10-28) 11.25-28 12.4/11-28 (12.4-28 11-28) 14.9/13-28 (14.9-28 13-28) 16.9/14-30 (16.9-30 14-30) 18.4/15-30 (18.4-30 15-30) 12.4/11-36 (12.4-36 11-36) | Free | Free | 99 | 701837B | 1/90 | .. |
| HO 4013.90.00 | Golf trundler tyres and tubes size 317-57 (12 1/2" x 2 1/4") | Free | Free | 99 | 681266L | 1/90 | .. |
| HO 4013.90.00 | Grader and earthmover tyres and tubes, all sizes, EXCLUDING the following: 7.50-15 Plain roller 13.00-24 14.00-24 17.5-25 | Free | Free | 99 | 681259H | 1/90 | .. |
| HO 4013.90.00 | Lawnmower tyres and tubes sizes 4.80/4.00 x 8.2 and 4 ply patterned traction type tread | Free | Free | 99 | 681263F | 1/90 | .. |
| HO 4016.93.00 | Motor vehicle seals, rings | Free | Free | 99 | 680855H | 1/90 | .. |
| HO Chapter 48 | Electrical insulation paper and paperboard | Free | Free | 99 | 780851J | 1/90 | .. |
| HO 48.02 | Acid free archival or restoration papers and paper boards | Free | Free | 99 | 780159K | 1/90 | .. |
| HO 48.02 | Bookbinding paper | Free | Free | 99 | 780160C | 1/90 | .. |
| HO 4802.20.00 | Traveller's cheque paper chemically sensitised against forgery and tampering incorporating special fibres that fluoresce at specific frequencies of ultra violet light | Free | Free | 99 | 880226C | 1/90 | .. |
| HO 4802.52.01 | Bank paper, bible paper and thin opaque printing paper not exceeding 50 g/m ² | Free | Free | 99 | 780858F | 1/90 | .. |
| HO 4802.52.01 | Index, Ivory, Bristol, Antique and similar printer boards weighing not less than 140 g/m ² | Free | Free | 99 | 880227A | 1/90 | .. |
| HO 4802.52.01 | Mimeographic stencil duplicator paper | Free | Free | 99 | 880228K | 1/90 | .. |
| HO 4802.52.01 | Rag fibre artist paper | Free | Free | 99 | 880229H | 1/90 | .. |
| HO 4802.52.01 | Simulated parchment printing paper of a kind normally used for certificates, diplomas and the like | Free | Free | 99 | 880230A | 1/90 | .. |
| HO 4802.52.01 | Tinted cover paper weighing not less than 120 g/m ² being paper of a kind normally used as a soft cover for books, brochures and the like; | Free | Free | 99 | 880231K | 1/90 | .. |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|-------------------|---|---------------|-------|--------------|----------|-----------|-------|
| | | Normal | Pref. | | | From | To |
| | EXCLUDING: White and near white shades commonly described as off white, ivory, cream and similar descriptions, with an ISO brightness of 60% or more | | | | | | |
| HO 4802.52.01 | Tinted offset printing paper, tinted photocopying paper and tinted bond paper; | Free | Free | 99 | 880284L | 1/90 | .. |
| | EXCLUDING: White and near white shades commonly described as off white, ivory, cream and similar descriptions, with an ISO brightness of 60% or more | | | | | | |
| HO 4802.52.01 | Tub sized, air dried drawing cartridge weighing not less than 120 g/m ² | Free | Free | 99 | 880233F | 1/90 | .. |
| HO 4802.52.01 | Watermarked bank and bond paper in sheets | Free | Free | 99 | 880234D | 1/90 | .. |
| HO 4802.52.01 | Watermarked ledger paper weighing not less than 120 g/m ² | Free | Free | 99 | 880235B | 1/90 | .. |
| HO 4802.52.01 | White, shadow watermark security paper, unsensitised, 940mm x 900mm 120 g/m ² , short grain | Free | Free | 99 | 880236L | 1/90 | .. |
| HO 4802.53.01 | Index, Ivory, Bristol, Antique and similar printers boards | Free | Free | 99 | 880237J | 1/90 | .. |
| HO 4802.53.01 | Simulated parchment printing paper of a kind normally used for certificates, diplomas and the like | Free | Free | 99 | 880238G | 1/90 | .. |
| HO 4802.53.01 | Tinted cover paper being paper of a kind normally used as a soft cover for books, brochures and the like; | Free | Free | 99 | 880239E | 1/90 | .. |
| | EXCLUDING: White and near white shades commonly described as off white, ivory, cream and similar descriptions, with an ISO brightness of 60% or more | | | | | | |
| HO 4802.53.01 | Tinted offset printing paper; | Free | Free | 99 | 880240J | 1/90 | .. |
| | EXCLUDING: White and near white shades commonly described as off white, ivory, cream and similar descriptions, with an ISO brightness of 60% or more | | | | | | |
| HO 4802.53.01 | Watermarked ledger paper | Free | Free | 99 | 880241G | 1/90 | .. |
| HO 4802.60.01 | Mechanical and part mechanical paper of which not more than 30% by weight of the total fibre content consists of bleached fibres obtained by a chemical process; other than such papers in reels for use in the manufacture of continuous stationery and computer lineflow (commonly referred to as business forms) | Free | Free | 99 | 880242E | 1/90 | .. |
| HO ICU 4808.30.09 | Creped kraft paper, weighing not less than 98 g/m ² | Free | Free | 99 | 981648J | 2/90 | .. |
| HO 48.09 | Tissue, carbonising (excluding one time carbonising tissue in the substance range 17 g/m ² to 22 g/m ²) | Free | Free | 99 | 780163H | 1/90 | .. |
| HO 48.09) | Paper and paper board, impregnated, coated, surface-coloured, surface-decorated or printed (not constituting printed matter within Chapter 49), in rolls or sheets: | Free | Free | 99 | 681591L | 1/90 | .. |
| HO 48.10) | | | | | | | |
| HO 48.11) | | | | | | | |
| | OTHER KINDS: EXCLUDING: Coated paper weighing not less than 183g/m ² , for use in making boxes, cartons, containers and any other form of packaging OTHER THAN: (1) Clay coated solid bleached paper weighing not less than 183g/m ² , of a kind commonly known as printers boards, for use in the printing industry (2) Two sided clay coated composite paper (made by sticking flat layers together with an adhesive), of a kind commonly known as coated paste boards, weighing not less than 183g/m ² and not more than 500g/m ² | | | | | | |
| HO 4816.20.00 | Self copy paper | Free | Free | 99 | 800667K | 1/90 | .. |
| HO ICU 4821.90.00 | Electronic article surveillance (EAS) security labels with magnetic strip (excluding thermal paper labels) | Free | Free | 99 | 981118E | 10/89 | .. |
| HO Section XI | Sealing strip designed for sealing doors or windows | Free | Free | 99 | 580164J | 1/90 | .. |
| HO 72.08) | Hot rolled abrasion resistant/weathering steels manufactured to AS1205, JISG3114, ASTM A242, BS436 - WR50A, WR50B, WR50C, and all Corten and River Ten steels or equivalent steels on presentation of test certificates | Free | Free | 99 | 800705F | 1/90 | .. |
| HO 72.11) | | | | | | | |
| HO 72.08) | Hot rolled high tensile plate of a maximum thickness of 8mm with a minimum yield point of 350 MPA but less than 450 MPA | Free | Free | 99 | 801352H | 1/90 | .. |
| HO 72.11) | Hot rolled high tensile plate with a minimum yield point of 450 MPA or greater | Free | Free | 99 | 801351K | 1/90 | .. |
| HO 72.08) | Plate for boilers and pressure vessels manufactured to AS1548, BS1501, JISG3118, JISG3126 or equivalent standards on presentation of test certificates | Free | Free | 99 | 800703K | 1/90 | .. |
| HO 72.11) | | | | | | | |
| HO 72.10 | Electrogalvanised or electrolytic zinc coated steel sheet less than 3mm in thickness, other than coiled | Free | Free | 99 | 780705J | 1/90 | 12/99 |
| HO 72.10 | Hot dip galvanised steel sheet having a base metal thickness exceeding 2.00mm and less than 3.00mm, other than coiled | Free | Free | 99 | 780707E | 1/90 | 12/99 |
| HO 72.10) | Hot dip galvanised steel sheet and coil having a base metal thickness exceeding 2.00mm and less than 3.00mm, coiled | Free | Free | 99 | 602918D | 1/90 | .. |
| HO 72.12) | | | | | | | |
| HO 7211.41.01) | Extra-deep drawing cold rolled coil and sheet to specification | Free | Free | 99 | 801475C | 1/90 | .. |
| HO 7211.49.01) | JIS G3141 SPEN-SD, oiled | | | | | | |
| HO 7211.49 | Medium to high carbon cold rolled steel coil and sheet (carbon content 0.42 to 1.00%) to BS 5770, Part 2, JIS G 3311, or AS 1595 - (CK 1045 to CK 1085) | Free | Free | 99 | 801529F | 1/90 | .. |
| HO 72.12 | Electrogalvanised or electrolytic zinc coated steel | Free | Free | 99 | 780698B | 1/90 | 12/99 |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|----------------|--|---------------|-------|--------------|----------|-----------|-------|
| | | Normal | Pref. | | | From | To |
| | hoop and strip having a width exceeding 153 mm, other than coiled | | | | | | |
| HO 72.12 | Electrogalvanised or electrolytic zinc coated steel | Free | Free | 99 | 780700H | 1/90 | 12/99 |
| HO 72.12 | hoop and strip having a width of 153 mm or less | | | | | | |
| HO 72.12 | Hot dip galvanised steel hoop and strip having a base metal thickness exceeding 2.00mm and a width exceeding 153 mm, other than coiled | Free | Free | 99 | 780701F | 1/90 | 12/99 |
| HO 72.12 | Hot dip galvanised steel hoop and strip having a base metal thickness exceeding 2.00 mm and a width of 153 mm or less | Free | Free | 99 | 780702D | 1/90 | 12/99 |
| HO 7212.10 | Flat rolled products of iron or non-alloy steel of a width less than 600mm plated or coated with tin | Free | Free | 99 | 702530A | 1/90 | .. |
| HO 7212.30.01 | Galvanised steel strapping - 32mm wide (maximum), with tensile strength of 750 MPA | Free | Free | 99 | 801252A | 1/90 | .. |
| HO 7213.20.00 | Bright, cold-drawn or ground bars | Free | Free | 99 | 580828G | 1/90 | .. |
| HO 72.14) | Bars and rods of iron or steel, hot-rolled, forged, | Free | Free | 99 | 580919D | 1/90 | .. |
| HO 72.15) | extruded, cold-formed or cold-finished (including precision-made); hollow mining drill steel; | | | | | | |
| | EXCLUDING: | | | | | | |
| | (1) Flat bars and rods, viz: 24mm to less than 110mm in width by 5mm to less than 13mm in thickness and | | | | | | |
| | (2) Hot rolled round bar less than 42mm in diameter with a carbon content less than 0.3% | | | | | | |
| HO 72.14) | Bright, cold-drawn or ground bars | Free | Free | 99 | 580828G | 1/90 | .. |
| HO 72.15) | | | | | | | |
| HO 7214.40.00 | Bars and rods of rectangular cross-section measuring less than 50mm in width | Free | Free | 99 | 801504L | 1/90 | .. |
| HO 7214.40.00 | Hot rolled bar, free cutting quality, less than 42mm in diameter | Free | Free | 99 | 521176L | 1/90 | .. |
| HO 7214.40.00 | Mild steel flat bars; | Free | Free | 99 | 801461C | 1/90 | .. |
| | 30mm x 5mm x 6m | | | | | | |
| | 25mm x 5mm x 6m | | | | | | |
| | 40mm x 5mm x 6m | | | | | | |
| HO 7214.60.00 | Bars and rods of iron or non-alloy steel containing by weight 0.6% or more of carbon | Free | Free | 99 | 702529H | 1/90 | .. |
| HO 7215.20.01) | Cold finished carbon steel bars where they are either: | Free | Free | 99 | 702335K | 1/90 | .. |
| HO 7215.20.09) | over 11.2mm in diameter or over 0.55% carbon, or with a | | | | | | |
| HO 7215.30.01) | size tolerance of less than 0.05mm or non round in shape | | | | | | |
| HO 7215.30.09) | | | | | | | |
| HO 7215.90.00 | Continuous cast iron bars and rods grades 14 to 17 | Free | Free | 99 | 540572G | 1/90 | .. |
| HO 72.16 | Hot rolled steel sections, less than 80mm | Free | Free | 99 | 681163K | 1/90 | .. |
| HO 7216.21.01 | Equal angles, excluding: | Free | Free | 99 | 780806C | 1/90 | .. |
| | 1. Steel equal angles, hot rolled 25mm x 25mm to 40mm x 40mm by 5mm or 6mm thick | | | | | | |
| | 2. Steel equal angles hot rolled 50mm x 50mm to less than 80mm x 80mm by 5mm to 13mm thick | | | | | | |
| | 3. Steel channels, hot rolled 76mm x 38mm x 6.7kg/m | | | | | | |
| HO 7216.60.00 | Angles, shapes and sections not further worked than cold-formed or cold finished 80mm or more angles and tees channels, girders, beams and joists; other | Free | Free | 99 | 702517D | 1/90 | .. |
| HO 7216.60.00 | Cold formed steel section less than 80mm | Free | Free | 99 | 702345G | 1/90 | .. |
| HO 72.17 | Oil tempered round edged wire | Free | Free | 99 | 840069F | 1/90 | .. |
| HO 72.17 | Spheroidised cold heading screw wire made from C1018 rod to AISI specification | Free | Free | 99 | 801833C | 1/90 | .. |
| HO 72.17 | Uncoated stitching wire | Free | Free | 99 | 540750J | 1/90 | .. |
| HO 7217.11.00 | Hard drawn high tensile screen wire | Free | Free | 99 | 702331G | 1/90 | .. |
| | EXCLUDING: | | | | | | |
| | Low carbon wire between 0.9mm to 11.2mm in diameter | | | | | | |
| HO 7217.11.00 | Hard drawn low carbon wire for crosswelding only, 12.50mm diameter | Free | Free | 99 | 109236H | 1/90 | .. |
| HO 7217.11.00 | Round soft blue annealed mild steel florist's wire not exceeding 0.9mm diameter | Free | Free | 99 | 703102F | 1/90 | .. |
| HO 7217.11.00 | Spring wire | Free | Free | 99 | 702516F | 1/90 | .. |
| HO 7217.11.00 | Wire, high density, of 0.48mm, 0.32mm, 0.26mm diameters | Free | Free | 99 | 703136L | 1/90 | .. |
| HO 7217.11.00) | Bead wire of 0.9mm or less and above 11.2mm in diameter | Free | Free | 99 | 702334A | 1/90 | .. |
| HO 7217.12.00) | | | | | | | |
| HO 7217.21.00) | | | | | | | |
| HO 7217.22.00) | | | | | | | |
| HO 7217.11.00) | Round annealed, 0.25mm O.D. to 0.6mm O.D. | Free | Free | 99 | 109249K | 1/90 | .. |
| HO 7217.13.00) | | | | | | | |
| HO 7217.11.00) | High tensile wire | Free | Free | 99 | 702336H | 1/90 | .. |
| HO 7217.21.00) | EXCLUDING: | | | | | | |
| HO 7217.31.00) | 1. Uncoated wire having a tensile strength 850-2000N/mm ² (range 1.00mm to 9.00mm) | | | | | | |
| | 2. Galvanised wire having a tensile strength up to 1550N/mm ² (range 1.00 to 4.00mm) | | | | | | |
| HO 7217.21.00 | Medium carbon, uncoated, steel spring wire (minimum of .45 and less than .60% carbon) to BS5216 HS quality | Free | Free | 99 | 800188L | 1/90 | .. |
| HO 7217.21.00) | Oil tempered round edged wire | Free | Free | 99 | 109243L | 1/90 | .. |
| HO 7217.31.00) | | | | | | | |
| HO 7217.21.00) | High carbon or high tensile wire, when declared by a manufacturer for use by him only in making springs and tynes | Free | Free | 99 | 109313E | 1/90 | .. |
| HO 7217.31.00) | | | | | | | |
| HO 7217.31.00) | High carbon, uncoated, steel spring wire (.60 to .90% carbon) to BS5216 HS quality | Free | Free | 99 | 800189J | 1/90 | .. |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|----------------|--|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| HO 7217.31.00 | High tensile steel wire, when declared by a manufacturer for use by him only in making mattress springs | Free | Free | 99 | 109239B | 1/90 | .. |
| HO 7217.11.00) | Uncoated roping wire - 0.19mm to 4.20mm diameter | Free | Free | 99 | 800635A | 1/90 | .. |
| HO 7217.21.00) | 1370 to 2050 N/mm ² | | | | | | |
| HO 7217.31.00) | | | | | | | |
| HO 7217.32.00 | Drawn zinc coated roping wire as follows: 0.19mm to 0.48mm inclusive 1770 to 2050 N/Mm ² 0.49mm to 2.4mm inclusive 1420 to 2050 N/Mm ² 1.25mm 1370 N/Mm ² 2.25mm 1570 to 1770 N/Mm ² 2.6mm to 4.20mm 1420 to 2050 N/Mm ² | Free | Free | 99 | 800185F | 1/90 | .. |
| HO 7217.32.00) | High carbon, coated, steel spring wire (.60 to .90% carbon) | Free | Free | 99 | 800190B | 1/90 | .. |
| HO 7217.33.00) | to BS5216 HS quality | | | | | | |
| HO 7217.39.00) | | | | | | | |
| HO 73.04 | Cold drawn seamless steel tubing less than 100mm diameter | Free | Free | 99 | 460335E | 1/90 | .. |
| HO 73.04 | Drawn steel seamless steam pipes to A.P.I. grade B5L material and equivalent specifications | Free | Free | 99 | 109353D | 1/90 | .. |
| HO 73.04 | Seamless steel pipe 100mm to 210mm internal diameter | Free | Free | 99 | 461700C | 1/90 | .. |
| HO 73.04 | Steel, seamless to A.P.I. 5L or DIN 2448, and stainless steel ANSI B36.19 or DIN 2463 | Free | Free | 99 | 580806F | 1/90 | .. |
| HO 73.04) | E.R.W. boiler tube to BS3059 | Free | Free | 99 | 503062F | 1/90 | .. |
| HO 73.05) | | | | | | | |
| HO 73.06) | | | | | | | |
| HO 73.04) | Stainless steel schedule 40 and 80 welded or seamless tubing | Free | Free | 99 | 460219G | 1/90 | .. |
| HO 73.05) | | | | | | | |
| HO 73.06) | | | | | | | |
| HO 7304.31.09 | Ammonia pipe, seamless, other than steam | Free | Free | 99 | 202220G | 1/90 | .. |
| HO 7304.31.09 | Carbon steel hollow bar | Free | Free | 99 | 521723H | 1/90 | .. |
| HO 7304.31.09 | Cold drawn seamless steel tubing, 113mm, 127mm, 154mm | Free | Free | 99 | 109346A | 1/90 | .. |
| HO 7304.31.09 | Seamless, cold-drawn, steel hydraulic tube | Free | Free | 99 | 460218J | 1/90 | .. |
| HO 7304.31.09 | Seamless hollow bar | Free | Free | 99 | 603319K | 1/90 | .. |
| HO 7304.31.09 | Tubes and pipes of iron or steel, viz: seamless and welded ammonia tube to B53602 Part 1 1978, grades 360, 410, 460 and 490 NB up to and including 450mm NB | Free | Free | 99 | 203630E | 1/90 | .. |
| HO 7304.31.09) | Seamless carbon steel hollow bar | Free | Free | 99 | 701641H | 1/90 | .. |
| HO 7304.39.09) | | | | | | | |
| HO 7304.39.09 | Heavy wall seamless tube ASTM A106 grade B standard, with a minimum wall thickness of 10mm | Free | Free | 99 | 931315L | 1/90 | .. |
| HO 7304.39.09 | Hot finished, seamless, steel tube | Free | Free | 99 | 460338K | 1/90 | .. |
| HO 7304.41.09 | Preinsulated steam traced tubing consisting of single or multiple process lines of stainless steel tube and single trace line of copper tube, insulated with glass wool in a PVC casing | Free | Free | 99 | 900000D | 1/90 | .. |
| HO 7304.41.09 | Stainless steel capillary tubing under 5mm O.D., seamless, other than steam | Free | Free | 99 | 927539J | 1/90 | .. |
| HO 7304.41.09 | Stainless steel nipple tube, seamless, schedule 5 and schedule 10 | Free | Free | 99 | 910446B | 1/90 | .. |
| HO 7304.41.09 | Stainless steel pipe, seamless, to API 54 or DIN 2448 and/or seamless or welded to ANSI B36.19 or DIN 2463 | Free | Free | 99 | 820250J | 1/90 | .. |
| HO 7304.41.09 | Stainless steel seamless tubing (square or round) | Free | Free | 99 | 931314B | 1/90 | .. |
| HO 7304.41.09) | Stainless steel pipe and tubing, cold drawn seamless, annealed and pickled or softened and descaled, exceeding 76.5mm O.D. | Free | Free | 99 | 560782F | 1/90 | .. |
| HO 7304.49.09) | -AISI, types 304, 310, 316, 321 | | | | | | |
| HO 7304.49.09 | Annealed stainless steel tube, greater than 63.5mm O.D. | Free | Free | 99 | 461063G | 1/90 | .. |
| HO 7304.49.09 | AISI types 304, 316, 321, stainless steel tubing, cold drawn annealed seamless softened and descaled in random lengths, sizes less than 76.5 mm (3 inch) O.D. | Free | Free | 99 | 560382L | 1/90 | .. |
| HO 7304.49.09 | Stainless steel nipple tube, seamless, schedule 5 and schedule 10 | Free | Free | 99 | 910446B | 1/90 | .. |
| HO 7304.49.09 | Stainless steel seamless tubing (square or round) | Free | Free | 99 | 931314B | 1/90 | .. |
| HO 7304.49.09 | Tubes and pipes of stainless steel, round-seamless of nominal internal diameter, less than 100mm and/or nominal diameter 100mm or more viz: specialty stainless steel alloys 223 FAL, 253 MA, 254 SLX, 254 SMO, and 904 L | Free | Free | 99 | 721386H | 1/90 | .. |
| HO 7304.51.09 | Tubes and pipes of iron or steel, viz: seamless and welded carbon and alloy tubes with low temperature properties to BS 3603 410 LT 50, BS 3603 503 LT 100, BS 3603 509 LT 196, up to and including 450mm NB | Free | Free | 99 | 203631C | 1/90 | .. |
| HO 7304.90.09 | Configurated tubes with diameters of less than 102mm | Free | Free | 99 | 109351H | 1/90 | .. |
| HO 7304.90.09 | Stainless steel seamless tubing (square or round) | Free | Free | 99 | 931314B | 1/90 | .. |
| HO 73.05 | Steel, seamless to A.P.I. 5L or DIN 2448, and stainless steel ANSI B36.19 or DIN 2463 | Free | Free | 99 | 580806F | 1/90 | .. |
| HO 73.05 | Welded steel conduit | Free | Free | 99 | 682285B | 1/90 | .. |
| HO 7305.31.19 | Abrasion-resistant steel pipe with an inner lining of alloy steel hardened to a minimum of 600 Brinell, complete with flanges | Free | Free | 99 | 601097A | 1/90 | .. |
| HO 7305.31.19) | Cold drawn welded steel tube 10mm O.D. with 2mm wall | Free | Free | 99 | 560550E | 1/90 | .. |
| HO 7306.30.09) | | | | | | | |
| HO 7306.30.19) | | | | | | | |
| HO 73.06 | Steel, seamless to A.P.I. 5L or DIN 2448, and stainless steel ANSI B36.19 or DIN 2463 | Free | Free | 99 | 580806F | 1/90 | .. |
| HO 73.06 | Welded steel conduit | Free | Free | 99 | 682285B | 1/90 | .. |
| HO 7306.10.00 | ERW API 5L grade B plain steel pipe, all diameters up to 220mm O.D., on condition that the pipe is for use solely for high density polyethylene coating in NZ | Free | Free | 99 | 926684E | 1/90 | .. |
| HO 7306.10.00 | Tubes and pipes of iron or steel, viz; | Free | Free | 99 | 203628C | 1/90 | .. |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | | | | | | | | | | | | | |
|----------------|--|----------------|------------------|----------------|---|--------------|--------|------|--------|-----|--------|------|--------|--|--|--|--|--|--|
| | | Normal | Pref. | | | From | To | | | | | | | | | | | | |
| HO 7306.20.00 | ERW carbon steel linepipe to AP1 51 GR 'B' or equivalent up to and including 80mm NB | Free | Free | 99 | 109355L | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.20.00 | Flush jointed drilling casing | Free | Free | 99 | 560551C | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.30.09 | Cold drawn welded steel propellor shaft tubing to BTM specifications TS16 Part 2 or equivalent | Free | Free | 99 | 480229C | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.30.19 | Hot finished welded steel tubes to BS1387 ends screwed and socketed 8mm N.B. | Free | Free | 99 | 802107E | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.30.19 | Tubes and pipes of iron or steel, viz; (1) ERW carbon steel linepipe to AP1 51 GR 'B' or equivalent up to and including 80mm NB (2) seamless and welded ammonia tube to B53602 Part 1 1978, grades 360, 410, 460 and 490 NB up to and including 450mm NB (3) seamless and welded carbon and alloy tubes with low temperature properties to BS 3603 410 LT 50, BS 3603 503 LT 100, BS 3603 509 LT 196, up to and including 450mm NB (4) cold drawn welded carbon steel tubes, cylinder bore finish SAE 1020 or equivalent, up to and including 150mm NB (5) cold drawn welded hydraulic tubes to BTM specifications, TS23, TS27 or to SAE 1010 or equivalent, sizes 6.4mm O.D. to 60.3mm O.D. | Free | Free | 99 | 203628C 203630E 203631C 203632A 720550D | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.30.19 | Tubes and pipes of other iron or steel viz; Steel water bore casing, 114 to 206mm nominal bore screwed and socketed | Free | Free | 99 | 800076L | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.30.19) | Rectangular hollow sections of approved sizes | Free | Free | 99 | | | | | | | | | | | | | | | |
| HO 7306.60.00) | APPROVED SIZES: Rectangular hollow sections, sizes exceeding 127mm x 51mm Square hollow sections, sizes exceeding 89mm x 89mm | | | | 202533H 202534F | 1/90 1/90 | | | | | | | | | | | | | |
| HO 7306.40.19 | Annealed stainless steel tube, greater than 63.5mm O.D. | Free | Free | 99 | 461063G | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | ASTM A249 evaporator tubes, greater than 63.5mm O.D. | Free | Free | 99 | 461064E | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | Avesta 223 FAL stainless steel tubes and pipes, cold drawn, annealed and descaled, welded | Free | Free | 99 | 440062D | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | Avesta 2205 stainless steel tubes and pipes, cold drawn, annealed and descaled, welded schedule 10 | Free | Free | 99 | 521324L | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | Stainless steel capillary tubing under 5mm O.D., seamless, other than steam | Free | Free | 99 | 927539J | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | Stainless steel pipe, schedule 5, welded to ASTM - A312 or A409 | Free | Free | 99 | 540107A | 1/90 | .. | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>Pipe Size</th> <th>Outside Diameter</th> <th>Wall Thickness</th> <th>Inside Diameter</th> </tr> </thead> <tbody> <tr> <td>6''</td> <td>168.28</td> <td>2.77</td> <td>162.74</td> </tr> <tr> <td>8''</td> <td>219.08</td> <td>2.77</td> <td>213.54</td> </tr> </tbody> </table> <p>Note: All dimensions shown in mm, unless otherwise indicated</p> | Pipe Size | Outside Diameter | Wall Thickness | Inside Diameter | 6'' | 168.28 | 2.77 | 162.74 | 8'' | 219.08 | 2.77 | 213.54 | | | | | | |
| Pipe Size | Outside Diameter | Wall Thickness | Inside Diameter | | | | | | | | | | | | | | | | |
| 6'' | 168.28 | 2.77 | 162.74 | | | | | | | | | | | | | | | | |
| 8'' | 219.08 | 2.77 | 213.54 | | | | | | | | | | | | | | | | |
| HO 7306.40.19 | Stainless steel pipe, welded, schedule 10 or 10S to ASTM-A312 or A409 or A778 | Free | Free | 99 | 800993H | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | Stainless steel capillary tubing under 5mm O.D., seamless, other than steam | Free | Free | 99 | 927539J | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | Tubes and pipes of stainless steel round - seamless of nominal internal diameter, less than 100mm and/or nominal internal diameter 100mm or more viz: specialty stainless steel alloys 223 FAL, 253 MA, 254 SLX, 254 SMO and 904L | Free | Free | 99 | 720579B | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.40.19 | Tubes and pipes of stainless steel, round-welded of nominal internal diameter, less than 100mm and/or nominal internal diameter 100mm or more viz: specialty stainless steel alloys 223 FAL, 253 MA, 254 SLX, 254 SMO and 904 L | Free | Free | 99 | 440298H | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.50.19 | Tubes and pipes of iron or steel, viz; seamless and welded carbon and alloy tubes with low temperature properties to BS 3603 410 LT 50, BS 3603 503 LT 100, BS 3603 509 LT 196, up to and including 450mm NB | Free | Free | 99 | 203631C | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.50.19 | 125mm seamless carbon steel delivery pipe grade ST 52.0 to West Germany standard DIN 1629 | Free | Free | 99 | 800152K | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.50.19) | Ceramic coated flux tubes | Free | Free | 99 | 602601L | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.60.00) | Rectangular hollow sections 64mm x 64mm x 6.3mm 51mm x 51mm x 6.3mm 89mm x 89mm x 6.3mm | Free | Free | 99 | 601555H | 1/90 | .. | | | | | | | | | | | | |
| HO 7306.90.00 | Seamless hollow bar | Free | Free | 99 | 603319K | 1/90 | .. | | | | | | | | | | | | |
| HO 73.07 | Pipe fittings of malleable iron, screwed, black or galvanised | Free | Free | 99 | 560115A | 1/90 | .. | | | | | | | | | | | | |
| HO 73.07 | Screwed steel pipe fittings | Free | Free | 99 | 700480L | 1/90 | .. | | | | | | | | | | | | |
| | <p>EXCLUDING:</p> <p>1. All pipe fittings manufactured to BS1740 in the following sizes;</p> <p>(a) Hex adaptor 6mm to 51mm (b) Hex nipple 6mm to 51mm (c) Hex plug 6mm to 51mm (d) SQ plug 6mm to 51mm (e) Reducing socket 9.5mm x 6mm to 51mm x 38mm (f) Hex bush 9.5mm x 6mm to 51mm x 38mm (g) Hex reducing nipple 9.5mm x 6mm to 51mm x 38mm</p> <p>2. (a) Hydraulic hose fittings and associated adaptors, all</p> | | | | | | | | | | | | | | | | | | |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|-------------------|---|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| | types, sizes up to and including 51mm bores (b) Hydraulic tube fittings and associated adaptors, all types, sizes up to and including 51mm bores Aeroquip cast iron swivel joints | Free | Free | 99 | 420640B | 1/90 | .. |
| HO 7307.11.00) | | | | | | | |
| HO 7307.19.00) | | | | | | | |
| HO 7307.11.00) | High pressure pipe couplings for liquids and gases | Free | Free | 99 | 500356D | 1/90 | .. |
| HO 7307.19.00) | | | | | | | |
| HO 7307.19.00) | Klambon series LP pipe couplings | Free | Free | 99 | 921322J | 1/90 | .. |
| HO 7307.21.01) | | | | | | | |
| HO 7307.22.00) | Stainless steel screwed pipe fittings to DIN11851 specifications | Free | Free | 99 | 560035K | 1/90 | .. |
| HO 7307.29.01) | | | | | | | |
| HO 7307.29.01) | Screwed tube and pipe fittings, drop forged, up to 50.8mm NID to British or American standards | Free | Free | 99 | 461319J | 1/90 | .. |
| HO 7307.29.19 | Stainless steel quick release cam locking couplers | Free | Free | 99 | 602582L | 1/90 | .. |
| HO 7307.99.01 | Bushes or bushings M6 and M8, of zinc coated steel, flanged, knurled externally, threaded internally | Free | Free | 99 | 560783D | 1/90 | .. |
| HO 7307.99.01 | Screwed steel pipe fittings | Free | Free | 99 | 700480L | 1/90 | .. |
| | EXCLUDING: 1. All pipe fittings manufactured to BS1740 in the following sizes; (a) Hex adaptor 6mm to 51mm (b) Hex nipple 6mm to 51mm (c) Hex plug 6mm to 51mm (d) SQ plug 6mm to 51mm (e) Reducing socket 9.5mm x 6mm to 51mm x 38mm (f) Hex bush 9.5mm x 6mm to 51mm x 38mm (g) Hex reducing nipple 9.5mm x 6mm to 51mm x 38mm 2. (a) Hydraulic hose fittings and associated adaptors, all types, sizes up to and including 51mm bores (b) Hydraulic tube fittings and associated adaptors, all types, sizes up to and including 51mm bores | | | | | | |
| HO ICU 7311.00.00 | Liquified petroleum gas cylinders up to 7.5kg water capacity | Free | Free | 99 | 981943G | 2/90 | .. |
| HO 7319.90.00 | Enlarged and steel wire fibres | Free | Free | 99 | 109220A | 1/90 | .. |
| HO 7411.10.19 | Refrigeration grade soft drawn copper tube in the following sizes: 15.88mm (5/8'') OD with .89mm (.035'') wall 19.05mm (3/4'') OD with .89mm (.035'') wall | Free | Free | 99 | 780825K | 1/90 | .. |
| HO 7411.10.19 | Refrigeration grade soft drawn copper tube in the following sizes:- 4.76mm (3/16'') OD with .076mm (.030'') wall 6.35mm (1/4'') OD with .076mm (.030'') wall 7.94mm (5/16'') OD with .081mm (.032'') wall | Free | Free | 99 | 701031B | 1/90 | .. |
| HO ICU 7606.11.09 | Aluminium sheet alloys AA1050 and AA1070 high bright mirror finish protected by a strippable plastic coating, in a thickness range from 0.45mm to 1.6mm | Free | Free | 99 | 980862A | 10/89 | .. |
| HO ICU 7606.12.09 | Aluminium sheet alloys AA1050 and AA1070 high bright mirror finish protected by a strippable plastic coating, in a thickness range from 0.45mm to 1.6mm | Free | Free | 99 | 980861C | 10/89 | .. |
| HO 8301.40.00 | Chubb double rim locks (AVA patented 10-disc detainer mechanism) models 4L 66/67 | Free | Free | 99 | 929453J | 1/90 | .. |
| HO 8301.40.00 | Chubb security locks, models 8K104 and 8002 | Free | Free | 99 | 205988G | 1/90 | .. |
| HO 8301.40.00 | Chubb window security locks, models WS1, 8001 and 8013 | Free | Free | 99 | 461075L | 1/90 | .. |
| HO 8301.40.00 | Double cylinder security screen door locks | Free | Free | 99 | 929256L | 1/90 | .. |
| HO 8301.40.00 | Electrically operated locks and lock sets | Free | Free | 99 | 461077G | 1/90 | .. |
| HO 8301.40.00 | ERA security door and window bolts No. 838 | Free | Free | 99 | 924218L | 1/90 | .. |
| HO 8301.40.00 | Lever sliding door locks and lock sets | Free | Free | 99 | 461078E | 1/90 | .. |
| HO 8301.40.00 | Locks and lock sets, locking latches and locking latch sets, with a minimum of 5 internal levers | Free | Free | 99 | 460207C | 1/90 | .. |
| HO 8301.40.00 | Lockwood 595 and 596 series short back set cylinder mortice locks | Free | Free | 99 | 460224C | 1/90 | .. |
| HO 8301.40.00 | Narrow backset series cylindrical Mortice locks with a backset not exceeding 23 mm | Free | Free | 99 | 504418K | 1/90 | .. |
| HO 8301.40.00 | Sliding door deadlocks and automatic sliding door deadlocks with backsets not exceeding 23 mm | Free | Free | 99 | 504798G | 1/90 | .. |
| HO 8301.40.00 | Union window locks imported from UK | Free | Free | 99 | 520214A | 1/90 | .. |
| HO 8302.10.00 | Base metal fittings for motor vehicles excluding seat reclining mechanisms | Free | Free | 99 | 581238A | 1/90 | .. |
| HO 8302.30.09 | Base metal fittings for motor vehicles excluding seat reclining mechanisms | Free | Free | 99 | 581238A | 1/90 | .. |
| HO 8302.49.01 | Saddlery base metal fittings | Free | Free | 99 | 581239K | 1/90 | .. |
| HO ICU 8303.00.00 | Portable security container | Free | Free | 99 | 981641A | 1/90 | .. |
| HO 8310.00.01 | Sign plates, name plates, badges of base metal for motor vehicles, other than number plates | Free | Free | 99 | 580940B | 1/90 | .. |
| HO ICU 8418.69.00 | Drinking water cooler dispenser | Free | Free | 99 | 981174F | 8/89 | .. |
| HO 8421.39.09 | Cambridge absolute and microtane absolute filters | Free | Free | 99 | 111333L | 1/90 | .. |
| HO 85.01 | Pendulum based vibratory motors | Free | Free | 99 | 540639A | 1/90 | .. |
| HO 85.02 | Generating sets up to and including 5KVA utilising 2 pole type (3000 RPM, for 50 cycles) alternators and running at not less than 2000 and not more than 3600 RPM | Free | Free | 99 | 581554B | 1/90 | .. |
| CH 8516.79.19 | Component parts as may be approved regardless of tariff classification, for making electric fan heaters; APPROVED: PDL INDUSTRIES LTD 1. Thermostats | Free | Free | 99 | 940002J | 11/89 | .. |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11—continued

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|-------------------|---|---------------|-------|--------------|----------|-----------|----|
| | | Normal | Pref. | | | From | To |
| | 2. Elements | | | | | | |
| | 3. Element brackets | | | | | | |
| | 4. Grille earth terminals | | | | | | |
| | 5. Switch supports | | | | | | |
| | 6. Thermostat brackets | | | | | | |
| | 7. Terminal block | | | | | | |
| | 8. Plastic cable lamp | | | | | | |
| | 9. Neon assemblies | | | | | | |
| | 10. Tilt switch | | | | | | |
| | 11. Bernard and Schultz rotary switch | | | | | | |
| | 12. Neon retainer | | | | | | |
| | 13. Upper foot | | | | | | |
| | 14. Lower foot | | | | | | |
| | 15. Spring and plunger assembly | | | | | | |
| | SKOPE INDUSTRIES | | | | | | |
| | 1. Nichrome wire spiral | | | | | | |
| | 2. Terminal | | | | | | |
| | 3. Ceramic supports | | | | | | |
| | 4. Tilt switch | | | | | | |
| | 5. Rotary switch types ELS2916, ELS3076, ELS3286, ELS3422, ELS3515 | | | | | | |
| HO ICU 8528.10.01 | 6. 1101/6 pull cord switch | Free | Free | 99 | 720131B | 1/88 | .. |
| | 37" colour television/monitor, cathode ray tube, RF, composite, RGB driven | | | | | | |
| HO 85.44 | Enamelled winding wire with an insulation of modified polyester under .16mm diameter and over 1.6mm diameter | Free | Free | 99 | 604196F | 1/90 | .. |
| HO 8544.11.01 | Copper winding wire insulated with lacquer or enamel under 0.125mm or over 1.60mm diameter | Free | Free | 99 | 780894B | 1/90 | .. |
| HO 8544.11.01 | Directly solderable enamelled copper winding wire with a varnished insulation based on modified polyurethane, up to a maximum diameter of 0.120mm | Free | Free | 99 | 701534J | 1/90 | .. |
| HO 8544.11.01 | Magnet winding wire insulated with modified polyurethane class 155°C, sizes under 0.160mm and over 1.60mm diameter | Free | Free | 99 | 604198B | 1/90 | .. |
| HO 8544.11.01) | Enamelled winding wire insulated with high temperature polyester amide under 0.160mm and over 1.60mm diameter | Free | Free | 99 | 604199L | 1/90 | .. |
| HO 8544.11.01) | Winding wire having an undercoat of polyester and a top coat of amide-imide under 0.160mm and above 1.60mm diameter | Free | Free | 99 | 604197D | 1/90 | .. |
| HO 87.02) | Air cushioned vehicles designed to travel over land or over both land and water | Free | Free | 99 | 780238C | 1/90 | .. |
| HO 87.03) | | | | | | | |
| HO 87.04) | | | | | | | |
| HO 87.08 | Parts of Air cushioned vehicles | Free | Free | 99 | 780237E | 1/90 | .. |
| HO 9031.80.00 | Load cells, load bars, weigh cells, load transducers, weight transducers, strain gauge transducers, force transducers | Free | Free | 99 | 801188F | 1/90 | .. |
| HO 9032.89.00 | Horticulture climate control computer system | Free | Free | 99 | 740419A | 1/90 | .. |
| HO 9032.89.00 | Horticulture CO ₂ computer system | Free | Free | 99 | 740418C | 1/90 | .. |
| HO 9032.89.00 | Hydroponical computer system | Free | Free | 99 | 740421C | 1/90 | .. |
| HO 9032.89.00 | Temperature transmitters | Free | Free | 99 | 780661C | 1/90 | .. |
| HO 9504.20.09 | Billiard cues | Free | Free | 99 | 581441D | 1/90 | .. |
| HO 9504.90.00 | Indoor bowls | Free | Free | 99 | 581448A | 1/90 | .. |
| HO 9506.91.00 | Discus; javelins, putting shots; throwing hammers; vaulting poles | Free | Free | 99 | 581459G | 1/90 | .. |
| HO 9506.99.19 | Ball throwing machines | Free | Free | 99 | 581470H | 1/90 | .. |
| HO 9506.99.19 | Fencing weaponry | Free | Free | 99 | 581467H | 1/90 | .. |
| HO 9506.99.19 | Lawn bowls, including jacks of a kind used therewith | Free | Free | 99 | 721887H | 1/90 | .. |
| HO 9506.99.19 | Tennis, football and other nets | Free | Free | 99 | 581464C | 1/90 | .. |

SECOND SCHEDULE

Concession Approvals Subject to Prescribed Purposes and Conditions

| Tariff Item | Description of Goods | Rates of Duty | | Part II Ref. | Ref. No. | Effective | |
|-------------------|--|---------------|-------|--------------|----------|-----------|-------|
| | | Normal | Pref. | | | From | To |
| HO ICU 3004.90.19 | Forsinopril tablets | Free | Free | 26 | 982342F | 9/89 | .. |
| HO ICU 7616.90.29 | 4224 subconductor spacers cast from aluminium, covered by order No. 5718 | Free | Free | 99 | 981087A | 11/89 | 12/89 |

THIRD SCHEDULE

Concession Approvals Withdrawn

| Tariff Item | Description of Goods | Ref. No. | Effective | |
|-------------------|-------------------------|----------|-----------|----|
| | | | From | To |
| HO 1519.11.00 | Stearic acid | 207674J | .. | .. |
| HO 1519.11.00) | Isostearic acid | 400806F | .. | .. |
| HO 1519.19.01) | | | | |
| HO 1519.12.00 | Oleic acid | 207676E | .. | .. |
| HO 2507.00.00 | Georgia ... paperboard | 401351E | .. | .. |
| HO 2507.00.00 | Kaolin's ... paperboard | 701331A | .. | .. |
| HO 3403.99.01 | Wire ... compound | 104765F | .. | .. |
| | | 210374F | .. | .. |
| HO ICU 3808.10.19 | Eulan ... agent | 820071J | .. | .. |
| HO 3823.90.69 | Lead stabilisers | 210521H | .. | .. |
| HO 3823.90.69 | Zinc ... grade | 461820D | .. | .. |
| HO 3917.29.11 | Polycarbonate tube | 581053B | .. | .. |
| HO 3919.10.09 | Adhesive ... tape | 703029A | .. | .. |
| HO 3920.42.29 | PVC ... profile | 740554F | .. | .. |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff | Item | Description of Goods | Ref. No. | | |
|--------|----------------|----------------------------------|----------|------------|----|
| HO | 40.09 | Motor .. hose | 660438C | .. | .. |
| HO | 40.11 | Agricultural ... 11-36) | 701837B | .. | .. |
| HO | 40.11 | Agriculture ... 30 | 701438E | .. | .. |
| HO | 40.11 | Agricultural ... 36 | 701234K | .. | .. |
| HO | 40.11 | Go ... tyres | 603152J | .. | .. |
| HO | 40.11 | Industrial ... 14-28) | 681369A | .. | .. |
| HO | 40.11 | Lawnmower ... thread | 681263F | .. | .. |
| HO | 40.11 | Toy ... treaded | 604157E | .. | .. |
| HO | 40.11 | 6.00 ... tyres | 681367E | .. | .. |
| HO | 4011.10.09 | Go ... tyres | 603152J | .. | .. |
| HO | 4011.10.09 | Racing ... slick | 603824H | .. | .. |
| HO | 4011.10.09 | Treadless ... (slicks) | 681368C | .. | .. |
| HO | 4011.20.11) | Steel ... above | 681264D | .. | .. |
| | 4011.20.19) | | | | |
| HO | 4011.40.00 | Used ... tyres | 600575G | .. | .. |
| HO | 40.12 | Used ... tyres | 600575G | .. | .. |
| HO | 40.13 | Industrial ... 14-28) | 681369A | .. | .. |
| HO | 4013.10.00 | Tubes ... lorries | 702451H | .. | .. |
| HO | 4013.90.00 | Agricultural ... 11-36) | 701837B | .. | .. |
| HO | 4013.90.00 | Golf ... 2 1/4'' | 681266L | .. | .. |
| HO | 4013.90.00 | Grader ... 17.5-25 | 681259H | .. | .. |
| HO | 4013.90.00 | Lawnmower ... thread | 681263F | .. | .. |
| HO | 4016.93.00 | Motor ... rings | 680855H | .. | .. |
| HO | Chapter 48 | Electrical ... paperboard | 780851J | .. | .. |
| HO | 48.02 | Acid ... boards | 780159K | .. | .. |
| HO | 48.02 | Bookbinding paper | 780160C | .. | .. |
| HO | 4802.20.00 | Traveller's ... light | 880226C | .. | .. |
| HO | 4802.52.01 | Bank ... 50 g/m ² | 780858F | .. | .. |
| HO | 4802.52.01 | Index, ... 140 g/m ² | 880227A | .. | .. |
| HO | 4802.52.01 | Mimeographic ... paper | 880228K | .. | .. |
| HO | 4802.52.01 | Rag ... paper | 880229H | .. | .. |
| HO | 4802.52.01 | Simulated ... like | 880230A | .. | .. |
| HO | 4802.52.01 | Tinted ... more | 880231K | .. | .. |
| HO | 4802.52.01 | Tinted ... more | 880284L | .. | .. |
| HO | 4802.52.01 | Tub ... g/m ² | 880233F | .. | .. |
| HO | 4802.52.01 | Watermarked ... sheets | 880234D | .. | .. |
| HO | 4802.52.01 | Watermarked ... g/m ² | 880235B | .. | .. |
| HO | 4802.52.01 | White, ... grain | 880236L | .. | .. |
| HO | 4802.53.01 | Index, ... boards | 880237J | .. | .. |
| HO | 4802.53.01 | Simulated ... like | 880238G | .. | .. |
| HO | 4802.53.01 | Tinted ... more | 880239E | .. | .. |
| HO | 4802.53.01 | Tinted ... more | 880240J | .. | .. |
| HO | 4802.53.01 | Watermarked ... paper | 880241G | .. | .. |
| HO | 4802.60.01 | Mechanical ... forms) | 880242E | .. | .. |
| HO | ICU 4808.30.09 | Creped ... 100 g/m ² | 800252F | .. | .. |
| HO | 48.09 | Tissue, ... g/m ²) | 780163H | .. | .. |
| HO | 48.09) | Paper ... 500g/m ² | 681591L | .. | .. |
| | 48.10) | | | | |
| | 48.11) | | | | |
| HO | 4816.20.00 | Self ... paper | 800667K | .. | .. |
| HO | Section XI | Sealing ... windows | 580164J | .. | .. |
| HO | ICU 7019.31.00 | E-Glass ... mat | 801826L | Wef 1/1/91 | |
| HO | ICU 7019.31.00 | Emulsion-bonded ... matting | 980819B | Wef 1/1/91 | |
| HO | 72.08) | Hot ... certificates | 800705F | .. | .. |
| | 72.11) | | | | |
| HO | 72.08) | Hot ... 450 MPA | 801352H | .. | .. |
| | 72.11) | | | | |
| HO | 72.08) | Hot ... greater | 801351K | .. | .. |
| | 72.11) | | | | |
| HO | 72.08) | Plate ... certificates | 800703K | .. | .. |
| | 72.11) | | | | |
| HO | 72.10 | Electrogalvanised ... coiled | 780705J | .. | .. |
| HO | 72.10 | Hot ... coiled | 780707E | .. | .. |
| HO | 72.10) | Hot ... coiled | 602918D | .. | .. |
| | 72.12) | | | | |
| HO | 7211.41.01) | Extra-deep ... oiled | 801475C | .. | .. |
| | 7211.49.01) | | | | |
| HO | 7211.49 | Medium ... 1085) | 801529F | .. | .. |
| HO | 72.12 | Electrogalvanised ... coiled | 780698B | .. | .. |
| HO | 72.12 | Electrogalvanised ... less | 780700H | .. | .. |
| HO | 72.12 | Hot ... coiled | 780701F | .. | .. |
| HO | 72.12 | Hot ... less | 780702D | .. | .. |
| HO | 7212.10 | Flat ... tin | 702530A | .. | .. |
| HO | 7212.30.01 | Galvanised ... MPA | 801252A | .. | .. |
| HO | 7213.20.00 | Bright, ... bars | 580828G | .. | .. |
| HO | 72.14) | Bars ... 0.3% | 580919D | .. | .. |
| | 72.15) | | | | |
| HO | 72.14) | Bright, ... bars | 580828G | .. | .. |
| | 72.15) | | | | |
| HO | 7214.40.00 | Bars ... width | 801504L | .. | .. |
| HO | 7214.40.00 | Hot ... diameter | 521176L | .. | .. |
| HO | 7214.40.00 | Mild ... 6m | 801461C | .. | .. |
| HO | 7214.60.00 | Bars ... carbon | 702529H | .. | .. |
| HO | 7215.20.01) | Cold ... shape | 702335K | .. | .. |
| | 7215.20.09) | | | | |
| | 7215.30.01) | | | | |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11—continued

| Tariff Item | Description of Goods | Ref. No. |
|----------------|--------------------------------|----------|
| 7215.30.09) | | |
| HO 7215.90.00 | Continuous ... 17 | 540572G |
| HO 72.16 | Hot ... 80mm | 681163K |
| HO 7216.21.01 | Equal ... 6.7kg/m | 780806C |
| HO 7216.60.00 | Angles, ... other | 702517D |
| HO 7216.60.00 | Cold ... 80mm | 702345G |
| HO 72.17 | Oil ... wire | 840069F |
| HO 72.17 | Spheroidised ... specification | 801833C |
| HO 72.17 | Uncoated ... wire | 540750J |
| HO 7217.11.00 | Hard ... diameter | 702331G |
| HO 7217.11.00 | Hard ... diameter | 109236H |
| HO 7217.11.00 | Round ... diameter | 703102F |
| HO 7217.11.00 | Spring wire | 702516F |
| HO 7217.11.00 | Wire, ... diameters | 703136L |
| HO 7217.11.00) | Bead ... diameter | 702334A |
| 7217.12.00) | | |
| 7217.21.00) | | |
| 7217.22.00) | | |
| HO 7217.11.00) | Round ... 0.6mm O.D. | 109249K |
| 7217.13.00) | | |
| HO 7217.11.00) | High ... 4.00mm) | 702336H |
| 7217.21.00) | | |
| 7217.31.00) | | |
| HO 7217.21.00 | Medium ... quality | 800188L |
| HO 7217.21.00) | Oil ... wire | 109243L |
| 7217.31.00) | | |
| HO 7217.21.00) | High ... tynes | 109313E |
| 7217.31.00) | | |
| 7217.39.00) | | |
| HO 7217.31.00 | High ... quality | 800189J |
| HO 7217.31.00 | High ... springs | 109239B |
| HO 7217.11.00) | Uncoated ... N/mm ² | 800635A |
| 7217.21.00) | | |
| 7217.31.00) | | |
| HO 7217.32.00 | Drawn ... N/Mm ² | 800185F |
| HO 7217.32.00) | High ... quality | 800190B |
| 7217.33.00) | | |
| 7217.39.00) | | |
| HO 73.04 | Cold ... diameter | 460335E |
| HO 73.04 | Drawn ... specifications | 109353D |
| HO 73.04 | Seamless ... diameter | 461700C |
| HO 73.04 | Steel, ... 2463 | 580806F |
| HO 73.04) | E.R.W. ... BS3059 | 503062F |
| 73.05) | | |
| 73.06) | | |
| HO 73.04) | Stainless ... tubing | 460219G |
| 73.05) | | |
| 73.06) | | |
| HO 7304.31.09 | Ammonia ... steam | 202220G |
| HO 7304.31.09 | Carbon ... bar | 521723H |
| HO 7304.31.09 | Cold ... 154mm | 109346A |
| HO 7304.31.09 | Seamless, ... tube | 460218J |
| HO 7304.31.09 | Seamless ... bar | 603319K |
| HO 7304.31.09 | Tubes ... NB | 203630E |
| HO 7304.31.09) | Seamless ... bar | 701641H |
| 7304.39.09) | | |
| HO 7304.39.09 | Heavy ... 10mm | 931315L |
| HO 7304.39.09 | Hot ... tube | 460338K |
| HO 7304.41.09 | Preinsulated ... casing | 900000D |
| HO 7304.41.09 | Stainless ... steam | 927539J |
| HO 7304.41.09 | Stainless ... 10 | 910446B |
| HO 7304.41.09 | Stainless ... 2463 | 820250J |
| HO 7304.41.09 | Stainless ... round) | 931314B |
| HO 7304.41.09) | Stainless ... 321 | 560782F |
| 7304.49.09) | | |
| HO 7304.49.09 | Annealed ... 63.5mm O.D. | 461063G |
| HO 7304.49.09 | AISI ... O.D. | 560382L |
| HO 7304.49.09 | Stainless ... 10 | 910446B |
| HO 7304.49.09 | Stainless ... round) | 931314B |
| HO 7304.49.09 | Tubes ... 904 L | 721386H |
| HO 7304.51.09 | Tubes ... NB | 203631C |
| HO 7304.90.09 | Configurated ... 102mm | 109351H |
| HO 7304.90.09 | Stainless ... round) | 931314B |
| HO 73.05 | Steel, ... 2463 | 580806F |
| HO 73.05 | Welded ... conduit | 682285B |
| HO 7305.31.19 | Abrasion-resistant ... flanges | 601097A |
| HO 7305.31.19) | Cold ... wall | 560550E |
| 7306.30.09) | | |
| 7306.30.19) | | |
| HO 73.06 | Steel, ... 2463 | 580806F |
| HO 73.06 | Welded ... conduit | 682285B |
| HO 7306.10.00 | ERW ... NZ | 926684E |
| HO 7306.10.00 | Tubes ... NB | 203628C |
| HO 7306.20.00 | Flush ... casing | 109355L |
| HO 7306.20.00 | Oilwell ... pipe | 580551C |
| HO 7306.30.09 | Cold ... equivalent | 480229C |

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Ref. No. |
|-------------------|------------------------------|----------|
| HO 7306.30.19 | Hot ... N.B. | 802107E |
| HO 7306.30.19 | Tubes ... O.D. | 203628C |
| | | 203630E |
| | | 203631C |
| | | 203632A |
| | | 720550D |
| HO 7306.30.19 | Tubes ... socketed | 800076L |
| HO 7306.30.19) | Rectangular ... 89mm | 202533H |
| 7306.60.00) | | 202534F |
| HO 7306.40.19 | Annealed ... O.D. | 461063G |
| HO 7306.40.19 | ASTM ... O.D. | 461064E |
| HO 7306.40.19 | Avesta ... welded | 440062D |
| HO 7306.40.19 | Avesta ... 10 | 521324L |
| HO 7306.40.19 | Stainless ... steam | 927539J |
| HO 7306.40.19 | Stainless ... indicated | 540107A |
| HO 7306.40.19 | Stainless ... A778 | 800993H |
| HO 7306.40.19 | Stainless ... steam | 927539J |
| HO 7306.40.19 | Tubes ... stainless | 720579B |
| HO 7306.40.19 | Tubes ... 904 L | 721385K |
| HO 7306.40.19 | Tubes ... SMO | 440298H |
| HO 7306.50.19 | Tubes ... NB | 203631C |
| HO 7306.50.19 | 125mm ... 1629 | 800152K |
| HO 7306.50.19) | Ceramic ... tubes | 602601L |
| 7306.60.00) | | |
| HO 7306.60.00 | Rectangular ... 6.3mm | 601555H |
| HO 7306.90.00 | Seamless ... bar | 603319K |
| HO 73.07 | Pipe ... galvanised | 560115A |
| HO 73.07 | Screwed ... bores | 700480L |
| HO 7307.11.00) | Aeroquip ... joints | 420640B |
| 7307.19.00) | | |
| HO 7307.11.00) | High ... gases | 500356D |
| 7307.19.00) | | |
| HO 7307.19.00) | Klambon ... couplings | 921322J |
| 7307.91.09) | | |
| HO 7307.21.01) | Stainless ... specifications | 560035K |
| 7307.22.00) | | |
| 7307.29.01) | | |
| HO 7307.29.01 | Screwed ... standards | 461319J |
| HO 7307.29.19 | Stainless ... couplers | 602582L |
| HO 7307.99.01 | Bushes ... internally | 560783D |
| HO 7307.99.01 | Screwed ... bores | 700480L |
| HO 7319.90.00 | Enlarged ... fibres | 109220A |
| HO 7411.10.19 | Refrigeration ... wall | 780825K |
| HO 7411.10.19 | Refrigeration ... wall | 701031B |
| HO 8301.40.00 | Chubb ... 66/67 | 929453J |
| HO 8301.40.00 | Chubb ... 8002 | 205988G |
| HO 8301.40.00 | Chubb ... 8013 | 461075L |
| HO 8301.40.00 | Double ... locks | 929256L |
| HO 8301.40.00 | Electrically ... sets | 461077G |
| HO 8301.40.00 | ERA ... 838 | 924218L |
| HO 8301.40.00 | Lever ... sets | 461078E |
| HO 8301.40.00 | Locks ... levers | 460207C |
| HO 8301.40.00 | Lockwood ... locks | 460224C |
| HO 8301.40.00 | Narrow ... 23 mm | 504418K |
| HO 8301.40.00 | Sliding ... 23 mm | 504798G |
| HO 8301.40.00 | Union ... UK | 520214A |
| HO 8302.10.00 | Base ... mechanisms | 581238A |
| HO 8302.30.09 | Base ... mechanisms | 581238A |
| HO 8302.49.01 | Saddlery ... fittings | 581239K |
| HO 8310.00.01 | Sign ... plates | 580940B |
| HO 8421.39.09 | Cambridge ... filters | 111333L |
| HO 85.01 | Pendulum ... motors | 540639A |
| HO 85.02 | Generating ... RPM | 581554B |
| CH 8516.79.19 | Component ... switch | 981294G |
| HO ICU 8528.10.01 | 37'' ... driven | 720131B |
| HO 85.44 | Enamelled ... diameter | 604196F |
| HO 8544.11.01 | Copper ... diameter | 780894B |
| HO 8544.11.01 | Directly ... 0.120mm | 701534J |
| HO 8544.11.01 | Magnet ... diameter | 604198B |
| HO 8544.11.01) | Enamelled ... diameter | 604199L |
| 8544.19.01) | | |
| HO 8544.11.01) | Winding ... diameter | 604197D |
| 8544.19.01) | | |
| HO 87.02) | Air ... water | 780238C |
| 87.03) | | |
| 87.04) | | |
| HO 87.08 | Parts ... vehicles | 780237E |
| HO 9031.80.00 | Load ... transducers | 801188F |
| HO 9032.89.00 | Horticulture ... system | 740419A |
| HO 9032.89.00 | Horticulture ... system | 740418C |
| HO 9032.89.00 | Hydroponical ... system | 740421C |
| HO 9032.89.00 | Temperature transmitters | 780661C |
| HO ICU 9405.10 | Automatic ... sensor | 880309K |
| HO 9504.20.09 | Billiard cues | 581441D |
| HO 9504.90.00 | Indoor bowls | 581448A |
| HO 9506.91.00 | Discus; ... poles | 581459G |

Wef 30/11/90

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1990/11-continued

| Tariff Item | Description of Goods | Ref. No. |
|---------------|----------------------|---------------|
| HO 9506.99.19 | Ball .. machines | 581470H |
| HO 9506.99.19 | Fencing weaponry | 581467H |
| HO 9506.99.19 | Lawn ... therewith | 721887H |
| HO 9506.99.19 | Tennis, ... nets | 581464C |

FOURTH SCHEDULE

Applications for Concessions Declined

| Tariff Item | Description of Goods | Ref. No. |
|-------------------|----------------------------------|----------|
| HO ICU 6305.31.09 | Leno weave woven mesh onion bags | 981192D |
| HO ICU 6307.20.00 | Lifeline capsule jacket | 980677G |
| HO ICU 6506.10.09 | Snell 1970 standard bell helmets | 980678E |

NOTE

The purposes and conditions prescribed for the concessions granted in relation to the goods listed in the Second Schedule to this notice may be obtained from the Ministry of Commerce on request.

Declined applications for concessions as listed in the Fourth Schedule to this notice, and the concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice, will not be published in the Consolidated List of Decisions.

Any concession approved may be withdrawn or modified by notice in the *Gazette*.

Dated at Wellington this 22nd day of March 1990.

M.R. TURNER, Ministry of Commerce.

CUSTOMS EXCHANGE RATES NOTICE (NO. 8) 1990

Pursuant to section 143 of the Customs Act 1966, the Comptroller of Customs, in accordance with the power delegated to him by the Minister of Customs under section 9 of that Act, hereby gives the following notice.

NOTICE

1. Short Title and commencement - (1) This notice may be cited as the Customs Exchange Rates Notice (No. 8) 1990.

(2) This notice shall come into force on the 9th day of April 1990.

2. Exchange rates - Where under any provisions of the Customs Act 1966 any amount which is required to be taken into account for the purpose of assessing duty or any other purpose is not an amount in New Zealand currency, the amount to be so taken into account shall be the equivalent in New Zealand currency of that amount ascertained in accordance with the rate of exchange set out in the Schedule to this notice.

3. Revocation - The Customs Exchange Rates Notice (No. 7) 1990, published in the *New Zealand Gazette*, Customs Edition No. 37, dated 13 March 1990, on page 771 is hereby revoked.

SCHEDULE

| | | | | | | |
|----|------------------------|----|----|----|---------|--------------------|
| AU | Australia | .. | .. | .. | 0.77 | Dollar |
| AT | Austria | .. | .. | .. | 6.87 | Schilling |
| BD | Bangladesh | .. | .. | .. | 19.64 | Taka |
| BE | Belgium | .. | .. | .. | 20.46 | B Franc |
| BR | Brazil | .. | .. | .. | 19.59 | Cruzado |
| BU | Burma now Myanmar | .. | .. | .. | 3.66 | Kyat |
| CA | Canada | .. | .. | .. | 0.68 | Dollar |
| CL | Chile | .. | .. | .. | 149.19 | Peso |
| CN | China | .. | .. | .. | 2.73 | Renminbi or Yuan |
| DK | Denmark | .. | .. | .. | 3.77 | Krone |
| EG | Egypt | .. | .. | .. | 1.50 | E Pound |
| FJ | Fiji | .. | .. | .. | 0.88 | F Dollar |
| FI | Finland | .. | .. | .. | 2.31 | Markka |
| FR | France | .. | .. | .. | 3.32 | Franc |
| PF | French Polynesia | .. | .. | .. | 60.22 | FP Franc |
| GR | Greece | .. | .. | .. | 93.99 | Drachma |
| HK | Hong Kong | .. | .. | .. | 4.51 | HK Dollar |
| IN | India | .. | .. | .. | 9.87 | Rupee |
| ID | Indonesia | .. | .. | .. | 1050.61 | Rupiah |
| IE | Ireland | .. | .. | .. | 0.37 | I Pound |
| IL | Israel | .. | .. | .. | 1.06 | Shekel |
| IT | Italy | .. | .. | .. | 722.50 | Lira |
| JM | Jamaica | .. | .. | .. | 3.98 | J Dollar |
| JP | Japan | .. | .. | .. | 88.93 | Yen |
| KR | Korea | .. | .. | .. | 401.74 | Won |
| MY | Malaysia | .. | .. | .. | 1.57 | M Dollar (Ringgit) |
| MX | Mexico | .. | .. | .. | 1609.73 | Peso |
| NL | Netherlands | .. | .. | .. | 1.10 | Florin (Guilder) |
| NO | Norway | .. | .. | .. | 3.79 | Krone |
| PK | Pakistan | .. | .. | .. | 12.20 | Rupee |
| PG | Papua New Guinea | .. | .. | .. | 0.56 | Kina |
| PH | Philippines | .. | .. | .. | 12.46 | Peso |
| PT | Portugal | .. | .. | .. | 86.75 | Escudo |
| SG | Singapore | .. | .. | .. | 1.08 | S Dollar |
| ZA | South Africa | .. | .. | .. | 1.51 | Rand |
| ES | Spain | .. | .. | .. | 62.57 | Peseta |
| LK | Sri Lanka | .. | .. | .. | 23.19 | Rupee |
| SE | Sweden | .. | .. | .. | 3.54 | Krona |
| CH | Switzerland | .. | .. | .. | 0.88 | Franc |
| TW | Taiwan | .. | .. | .. | 15.32 | Twn Dollar |
| TH | Thailand | .. | .. | .. | 14.88 | Baht |
| TO | Tonga | .. | .. | .. | 0.75 | Pa'anga |
| GB | United Kingdom | .. | .. | .. | 0.36 | Pound |
| US | U.S.A. | .. | .. | .. | 0.58 | Dollar |
| DE | West Germany | .. | .. | .. | 0.98 | Mark |
| WS | Western Samoa | .. | .. | .. | 1.31 | Tala |
| EU | European Currency Unit | .. | .. | .. | 0.48 | Euro Dollar |

Dated at Wellington this 22nd of March 1990.

M W TAYLOR

Comptroller of Customs

