

The New Zealand Gazette

Customs Edition

WELLINGTON: TUESDAY, 30 APRIL 1991

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

3

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1991/15 Applications Advertised for Objection

Closing Date for Objections 21st May 1991

Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this 1 (04) 734-638 indicated by the reference number, before 21st May 1991. All submissions must include:
 the Tariff Industry Assistance (Advertisement) Notice number;

- the Tariff item; and
- Reference number.

2 All submissions from local manufacturers must include:

- the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
- details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content. All submissions objecting to a request for the withdrawal of a concession must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Commerce where the application was lodged quoting the details in paragraph 1 above.
- Any submission not supported by the information required in the paragraphs above will be considered invalid. 5

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
3208.10.29	Schekolin offset lacquer	Tubepack Limited	99	TCU 9854	91G A
		C/- Divers & Leonard Ltd			
		PO Box 53085			
		AUCKLAND INTERNATIONAL AIRPORT			
05.40.00	Scouring compound of a type used for button manufacture	Master Buttons (NZ) Limited	99	TCU 9854	79H A
		C/- MSAS Cargo International PO Box 2427			
		WELLINGTON			
05.90.00	Polishing compound of a type used for button manufacture	Master Buttons (NZ) Limited	99	TCU 9854	80A A
	Torrowing compound of a type used for batton menaracture	C/- MSAS Cargo International	00	100 0004	oun n
		PO Box 2427			
		WELLINGTON			
907.30.09	Shobond BK, Shobond DD, Shobond grout, Shobond 101,	Equus Industries Ltd	99	TCU 9855	34D A
	Shobond BL, Shobond MKL, Shobond BL-soft, specialised	PO Box 601			
	epoxy resins	BLENHEIM			
916.20.00	Extruded blown PVC plastic of a type used for picture	Avon Picture Mouldings Ltd	99	TCU 9847	06F A
	mouldings	PO Box 2127			
		CHRISTCHURCH			
924.10.09	Plastic milk sachet jugs as entered on IE AKS0056607 and	Dupont (NZ) Limited	99	TCU 9854	89E A
	IE AKS0142434. 5000 jugs only	C/- Divers & Leonard Ltd			
		PO Box 53085 AUCKLAND INTERNATIONAL AIRPORT			
008.11.29	Protective rubber mouse mat	Banner Tariff & Trade Consultants	99	TCU 9847	40F A
		PO Box 1744	00	100 0047	
		WELLINGTON			
010.91.00	Black rubber heat resistant conveyor belting rated to	Paykel Engineering Ltd	99	TCU 9855	39E A
	handle materials with a maximum temperature up to	PO Box 5046			
	400 degrees C	AUCKLAND			
21.90.19	Hardwood pegs and cubes for use in the manufacture of	Master Buttons (NZ) Limited	99	TCU 9854	78K A
	buttons	C/- MSAS Cargo International			
		PO Box 2427			
		WELLINGTON			
	Uncoated printing and writing papers	W B Johns Consulting Ltd	99	TCU 9852	18C A
303.53.01)		PO Box 1548			
802.52.01)	Uncoated printing and writing papers, register white bond,	AUCKLAND W B Johns Consulting Ltd	99	TCU 9855	45V 4
302.52.01)		PO Box 1548	30	100 9000	45K A
	cartridge, white envelope kraft, kraft envelope manilla	AUCKLAND			
811.90.00	Dulkote - being woven fabric laminated to cardboard	Eunice Taylor Ltd	99	TCU 9855	44A A
		C/- PO Box 43-036			
		AUCKLAND			
819.50.00	Video cassette storage unit viz: video library of five	Customs Agents WN Ltd	99	TCU 9851	86A A
	video folders in a display box	PO Box 1024			
		WELLINGTON			
602.10.00	Industrial needle loom filter felt	Sunbeam Corp Ltd	99	TCU 9855	42E WA
		Private Bag			
00 00 00	Handmada aiatuwa winga	PALMERSTON NORTH	00	1011 0054	
703.30.09	Handmade picture rings	School Art Concepts C/- Divers & Leonard Ltd	99	TCU 9854	88G A
		C/- Divers & Leonard Ltd PO Box 53085			
		AUCKLAND AIRPORT			
306.32.00	Woven bar code labels in continuous rolls	Scanalog Systems Ltd	99	TCU 9855	41G A
	NOTE OF OND INCOME IN CONCLUSION INTO	C/- J W Grieve Ltd			v n
		PO Box 3986			
		AUCKLAND			
001.92.29	Crushed velour velvet 88% polyester 12% spandex	Ackmead Holdings Limited	99	TCU 9855	36L A
		PO Box 38			
		AUCKLAND			
1.16	CURRENT APPROVAL				
10	Ladies fashion gloves		99	9811	37A VA
1.16	REQUESTED APPROVAL	Winiatry of Company	00	TCH 00PP	
	Ladies fashion gloves NOTE: This concession excludes	Ministry of Commerce	99	TCU 9855	50F VA
	work gloves, sports gloves, and plain gloves being undyed and undecorated	Tariff Concessions Unit PO Box 1473			
	and underviated	WELLINGTON			
		WELLINGI ON			

30 APRIL

CUSTOMS EDITION

Tariff Industry Assistance (Advertisement) Notice No. 1991/15-continued

fariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn Ref. No.		Category of Appn.
3305.31.09	Knitted polyethylene rachel knitted bags	Burlington Customs Brokerage PO Box 1296	99		984053C	A
6403.99.19)	Cycle racing footwear	AUCKLAND	99		703359B	VA
i4.02) i4.03) i4.04)	REQUESTED APPROVAL Cycle racing footwear	Ninness Sports Ltd C/- PO Box 3230	99	TCU	985392J	VA
3404.19.19		AUCKLAND DSIR Antarctic Division C/- Pengelly's PO Box 14621 Kilbirnie WELLINGTON	99	TCU	982728F	A
•	CURRENT APPROVAL Jewellers findings		99		680050F	VA
Section VII)	REQUESTED APPROVAL Jewellers findings	Prints & Imports Ltd C/- Prestige Customs Services Ltd PO Box 35-439 Browns Bay AUCKLAND	99	TCU	984658B	VA
Section XV	CURRENT APPROVAL Plugs, clips and similar fittings peculiar to use by builders for fixing articles to concrete or plaster		99		981949F	VA
Section XV	EXCLUDING: Drop in Masonry Flush Anchors made from stainless or mild steel with internal thread diameter from 6.00mm to 20mm Concrete Inserts stainless or mild steel with internal thread diameter 6.00mm to 24mm Self Drilling Masonry Anchors with internal thread diameter from 6.00mm to 20mm Expansion Sleeve Anchors, Hex Nut, Flat Head, Round Head, Tie Wire, Setlock and made from heat treated, high tensile or mild steel with a diameter from 6.00mm to 20mm Heavy Duty Stud Anchors, made from mild or stainless steel in diameters 6.00mm to 24mm with an overall length from 45mm up to and including 250mm Drive Pins for power actuated tools with shank diameters from 2.00mm to 4.5mm with an overall length from 20mm up to and including 100mm Hardened Concrete Nails of shank diameters from 2.00mm to 4.5mm with an overall length from 15mm to 100mm REQUESTED APPROVAL Plugs, clips and similar fittings peculiar to use by builders for fixing articles to concrete, plaster, plaster board etc EXCLUDING: Concrete Inserts stainless or mild steel with internal thread diameter 6.00mm to 24mm Self Drilling Masonry Anchors with internal thread diameter from 6.00mm to 20mm Expansion Sleeve Anchors, Hex Nut, Flat Head, Round Head, Tie Wire, Setlock and made from heat treated, high tensile or mild steel with a diameter from 6.00mm to 20mm Heavy Duty Stud Anchors, made from mild or stainless steel in diameters 6.00mm to 24mm with an overall length from 45mm up to and including 250mm	Alan H Reid Engineering Ltd PO Box 60-112 Titirangi AUCKLAND 7	99	TCU	985543C	VA
/307.29. 11	Drive Pins for power actuated tools with shank diameters from 2.00mm to 4.5mm with an overall length from 20mm up to and including 100mm Hardened Concrete Nails of shank diameters from 2.00mm to 4.5mm with an overall length from 15mm to 100mm Barbed pipe fittings in low sulphur content 300 series	Crown Equipment Ltd	99	TCU	985485B	A
308.30.00	stainless steel Roll formed 115mm steel folding door panels	C/- PO Box 2658 AUCKLAND 1 Won Door (NZ) Ltd	99		983127E	
		C/- Source Customs Ltd PO Box 100-150 North Shore Mail Centre AUCKLAND	33	100	JUU14/E	n
326.90.09	Flame arresters of a type used for insertion into pipelines		99	TCU	985482H	A
326.90.09	Galvanised steel panel anchors being perforated 20 gauge	George Forman & Sons Ltd Box 12149 Penrose	99	TCU	984479B	A
		AUCALAND				
7606.12.09	Coiled sheet, alloys 5005 and 5251, O temper, thickness 3.125mm, width 1260mm. Limited to 19 tonnes on	AUCKLAND Alcan New Zealand Ltd PO Box 308 WELLINGTON	99	TCU	985475E	A

NEW ZEALAND GAZETTE

Tariff Industry Assistance (Advertisement) Notice No. 1991/15-continued

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. * Ref. No.	Category of Appn.
	between 500mm and 650mm, outside coil diameter between	WELLINGTON			лрри
10.90.00	900mmm and 1000mm Alumminium arbours being frame covered with fabric	Scanform Furnishings Ltd C/- Burnip Elliott (AK) Ltd PO Box 3230 AUCKLAND	99	TCU 985272H	A
13.81.19	CURRENT APPROVAL Dia pumpen/electric, petrol or diesel driven diaphragm pumps sizes 50mm to 150mm		99	7033108	VA
13.50.09) 13.81.19)	REQUESTED APPROVAL Electric, petrol or diesel driven diaphragm pumps sizes 50mm to 150mm	Wacker Machinery NZ Ltd PO Box 76052 Wiri	99	TCU 985487J	VA
4.90.49	Forward curve centrifugal blower wheels — size 269.875mm dia x 269.875mm	AUCKLAND Temperzone Ltd Private Bag Otahuhu	99	TCU 985537J	A
24.89.19	BICS injector - for automatic dispensing of epoxy grout into structural concrete cracks	AUCKLAND Equus Industries Ltd PO Box 601	99	TCU 985533F	A
26.91.00	''M816 Wrecker'' hydraulic crane assembly designed for mounting on road vehicles	BLENREIM Parks Garage PO Box 1163 CHRISTCHURCH	99	TCU 985535B	A
79.89.00	Commercial vehicle washers for heavy industrial vehicles only	Karcher Pty Ltd C/- Compass Customs Agents Ltd PO Box 73-097	99	TCU 984533L	A
2.11.00	12v or 24v underwater hydro electric power generator	AUCKLAND INTERNATIONAL AIRPORT Quay Marine & Electronics Ltd 94 Railside Ave Henderson AUCKLAND	99	TCU 985193D	A
8.40.00	Recorder/amplifier with dual channel, remote volume control and record reset, and separate output vuemeters for voice and music	Orange City Square Dance Club Inc PO Box 2510 TAURANGA	99	TCU 984433D	A
5.90.00	2 only roto-mix left hand drive trucks with feed mixing units	Five Star Beef Limited C/- Hammond International Ltd PO Box 3349 WELLINGTON	99	TCU 985532H	A
2.10.00	CURRENT APPROVAL			1. A.	
2.10.00	Handcrafted porcelain dolls only when accompanied by a certificate of authenticity showing the following: Makers name, owners name, name of doll, total number of dolls in the limited REQUESTED APPROVAL		99	640538L	VA
	Handcrafted porcelain dolls only when accompanied by a certificate of authenticity showing the following: Designer and creators name, name of doll, total number of dolls in the limited edition collection	Allied Customs Agents Ltd PO Box 5556 DUNEDIN	99	TCU 985477A	VA
03.70.00	Screen printing starter kit Lino printing kit Glass decoration kit Simple marbling kit Creative greetings card kit Simple weaving with cards Quilling activity kit Coaster design kit Flower pressing kit Craft compendium	Rainbacryl Products Limited Private Bag North Shore Mail Centre AUCKLAND 10	99	TCU 985494A	A
	Colour bead starter kit Decorative paper making kit Candle making starter kit Glass engraving starter kit Cold enamelling starter kit Table decoration kit				
	Lacemakers starter kit Origami design packs Finger puppet sets Christmas colourglass			•	
3.90.09	Colourglass miniatures Standard colourglass Modelling balloons with a length in excess of 230mm and a diameter less than 8mm when deflated	Mr J V Reilly 16 Lugton Street	99	TCU 985190K	A -
8.39.09	Caligraphy starter kit	HAMILTON 2001 Rainbacryl Products Limited Private Bag North Shore Mail Centre AUCKLAND 10	99	TCU 985552B	یں ج برہ
Categor	y of Application: A - Application for Approval VA - Application for Variation of WA - Application for Withdrawal D - Application for Determinati	of Approval of Approval			
	VD - Application for Variation of WD - Application for Withdrawal RUC - Revocation of Unused Concer	of Determination of Determination			

CUSTOMS EDITION

••	Port:	CUPA + - HO - TCU - AK - WN - CH -	Continuation of Unpublished Approval Denotes amendment or addition Comptroller of Customs, PO Box 2218, Wellington Tariff Concessions Unit, Ministry of Commerce, PO Box 1473, Wellington Collector of Customs, Box 29, Auckland Collector of Customs, PO Box 11746, Manners Street, Wellington Collector of Customs, Box 2098, Christchurch	
		DN -	Collector of Customs, Private Bag, Dunedin	
		AK — WN — CH —	Collector of Customs, Box 29, Auckland Collector of Customs, PO Box 11746, Manners Street, Wellington Collector of Customs, Box 2098, Christchurch	

Dated at Wellington this 24th day of April 1991.

M.J. BELGRAVE, Chief Executive.

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 15) 1991

I, Michael Richard Turner, Concessions Supervising Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
 (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified to this notice the purposes and conditions which I prescribe; and
- (c) Withdraw with effect fourteen days from the date of this notice the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice; and
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.

FIRST SCHEDULE Concessions Approved

	Tariff		Rates of	Duty	Part II	Ref.	Effecti	ive
	Item	Description of Goods	Norma1	Pref.	Ref.	No.	From	То
U	2102.30.00	Prepared baking powders viz: Emulpan 102, K84	Free	Free	99	984628L	12/90	
U	2106.90.09	Ensulac	Free	Free	99	984555A	12/90	
U	2715.00.01	Poly-fibre sealant	Free	Free	99	984589F	12/90	
Ŭ	2715.00.01	Roadsaver 221 sealant	Free	Free	99			••
Ŭ	3004.10.01	Bomastrep injectable				984590K	12/90	••
			Free	Free	26	984810L	7/90	••
U	3004.20.01	Trimsulp powder	Free	Free	26	984879H	2/91	••
U	3402.11.00	Emphos PS 810	Free	Free	99	984616G	1/91	••
U	3402.12.00	Bardac twin chain quarternary compounds viz: Bardac 2050/2080, Bardac 2250/2280	Free	Free	99	984578L	12/90	••
J	3402.12.00	Carsoquat hair conditioning quarternary compounds	Free	Free	99	984577B	12/90	
J	3402.12.00	Lonzaine HCS, used as a foaming agent and detergency enhancer	Free	Free	99	984580B	12/90	
J	3402.19.00	Pursept detergent	Free	Free	99	984678G	12/90	
	3402.90.00	CK337 C80, organic nitrogen compound in solvent	Free	Free	99	984674D	12/90	
	3808.10.19	Applaud 250W insecticide	Free	Free	99	984669H	1/91	
1	3808.20.00	Delvocid	Free	Free	99	984624H	12/90	••
,	3808.90.00							••
		Rabbit and deer repellant, liquid	Free	Free	99	984671K	1/91	••
	3823.90.69	Blue crystal Omega swimming pool sanitizer and algicide	Free	Free	99	984407E	11/ 9 0	••
	3823.90.69	Blue crystal swimming pool water test kit	Free	Free	9 9	984408C	11/90	••
	3823.90.69	Hollister karaya paste and powder	Free	Free	99	984675B	12/90	
	3823.90.69	Softisan 649	Free	Free	99	984630B	1/91	
	3823.90.69	Spray drift retardant	Free	Free	99	984670A	1/91	
	3823.90.69	Vaporgard	Free	Free	99	984615J	12/90	
	3917.32.08)	Acrylic tube						••
	3917.39.08)		Free	Free	99	984606K	1/91	••
I	3917.39.08	Textile braided hose, double or single braided, resistant to agro-chemicals, distortion or kinking	Free	Free	99	984603E	1/91	••
J	3920.51.09) 3920.51.29)	Polymethyl methacrylate sheet, extruded, non patterned	Free	Free	99	984647G	1/91	••
!	3921.19.09) 3925.30.09	Retractable arm awning fittings, as may be approved:- APPROVED:	Free	Free	99	984401F	11/90	
	2028 10 00	Roller tube End fittings Tape drums	R			0045011	10/00	
 	3926.10.09) 3926.10.19)	Plastic pouches for laminating machines	Free	Free	99	984581L	12/90	••
J	3926.90.69 3926.90.69	Cod triggers being plastic entrances for fish and shellfish traps and identifiable parts thereof Plastic interleading entries containing of lattern and	Free	Free	99	984684A	1/91	••
		Plastic interlocking pricing system consisting of letters and numbers	Free	Free	99	984597G	12/90	••
1 1	3926.90.69 3926.90.69	Reinforced plastic meat storage containers Surgical warming cover of a type designed to maintain body	Free Free	Free Free	99 99	983475D 984379F	8/90 12/90	•••
J	4418.10.00	temperature during surgery Double glazed, air tight fixed sash roof window with tinted	Free	Free	99	984585C	12/90	
		toughened glass	_	_				
J	4802.52.01	MG poster paper	Free	Free	99	984676L	12/90	••
	4823.90.19	Decorative paper cushioning of a type used in packing boxed confectionery	Free	Free	99	984625F	12/90	••
	6307.10.00	Synthetic chamois	Free	Free	99	984642F	11/90	
	6506.91.00	Individually wrapped, lightweight disposable showercaps	Free	Free	99	984644B	1/91	·
	6804.22.00	Grinding wheel being a spare part peculiar for use on Hartridge nozzle grinding machine	Free	Free	99	984650G	1/91	
	6903.90.00	Ceramic rollers	Free	Free	99	984576D	12/90	
			Free	Free				••
	6909.11.00	Laboratory porcelainware	Free	Free	99	984556K	12/90	••
	7007.11.02) 7007.11.09)	Motor vehicle glass, as may be approved APPROVED:	Free	Free	99	984641H	1/91	••
		Motor Company Model Part No. Mitsubishi Galant liftback MB 594039 ME 594040 MB 594041						
		MB 594042 Mitsubishi Lancer liftback MB 566941 MB 566942 MB 608435						
		MB 608436 MB 677784						
		MB 677785 MB 677786 MB 677787						
		MB 677804						
		MB 677805						
	Section XV	Jewellers findings	Free	Free	99	984509H	12/90	

30 APRIL

CUSTOMS EDITION

Tariff Concession Approvals, Withdrawls and Declines Notice No. 1991/15-continued

	Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref. No.	Effect From	tiv T
J	Section XV	Jigs and other specialized tooling catalogued for assembly,	Free	Free	99	984305B	11/90	
		repair or servicing of helicopters	Free	Enco	99	984596J	12/90	
ſ	7320.90.09	Coiled suspension and seat springs for motorcycles Stable accessories, viz: saddle racks (wall mounting type),	Free Free	Free Free	99 99	984396J 984396F	11/90	
	7326.90.09	bridle hanging tack bars, harness holders	Tiee	TTEE	33	2040201	11,00	
	7407.22.01	Copper nickel bars and rods	Free	Free	99	984646J	1/91	
	8207.80.00	Ceramic cutting tips	Free	Free	99	520781K	1/88	
	8414.80.01	Direct drive air compressors; models Airmate 85, 100, Jetair 85, 100, Abac B980, B1800, V3800, Finn MK250, Corsair 200, 255,	Free	Free	99	984411C	11/90	
	8423.82.09)	Polaris 250, Silver 210, Squirrel 260 and Polair P200 Grain yieldcart featuring an electronic load cell for accurate	Free	Free	99	984613B	12/90	
	8423.89.00) 8424.81.00	weighing of test plots in seed trials Agricultural and horticultural sprinklers viz: pop up, whirling,	Free	Free	99	984607H	1/91	
	8424.89.19	oscillating or mobile water irrigation sprinklers Water blasters capable of operating at pressures of 7500 p.s.i	Free	Free	99	984429F	12/90	
		or higher	Free	Free	99	984604C	1/91	
	8424.90.29	Component parts as may be approved for manufacturing orchard and crop sprayers, excluding knapsack types: APPROVED: Orchard sprayer kit	1166	1166	55	2010010	1/81	
		Controls Fan unit						
		Agricultural tractor spray pumps						
		Filtration equipment						
I	8425.19.00)	Foldup booms, excluding horizontal and diagonal fold up types Headsail furling and reefing systems	Free	Free	99	984664G	12/90	
I	8425.39.00) 84.29	Angle dozers, tiltdozers, levellers, scrapers, mechanical	Free	Free	99	984617E	12/90	
I	8429.40.09	shovels and tamping machines Mechanically propelled road rollers/compactors other than	Free	Free	99	984619A	12/90	
		pedestrian controlled vibratory rollers						
	8477.80.00	Plastic film bag making machines, fully automatic	Free	Free	99	984702C	11/90	
	8479.82.00	Industrial recycling tub grinder of a type used for the	Free	Free	99	984612D	12/90	
	8479.89.00	grinding of pallets, tree stumps, demolition debris etc Industrial gelcoat tinter machine	Free	Free	99	984665E	12/90	
	8479.89.00	Letraset colourtags	Free	Free	99	984609D	12/90	
	8479.89.00	Ships and boats machinery viz: hydraulic controls/actuators	Free	Free	99	984667A	11/90	
		for marine transmissions						
	8480.30.09 8481.80.19	Rotational mould patterns GATE VALVES VIZ;	Free Free	Free Free	99 99	984703A 984470J	5/90 12/90	
		SLIDE GATE AND PARALLEL DOUBLE DISC GATE VALVES viz; Brass, bronze or gunmetal bodied - 125mm (5'') and over Cast iron bodied - 125mm (5''), 225mm (9'') and over 600mm (24'') Dezincification resistant brass alloy bodied 8mm						
		(¼") to 50mm (2'') Forged or cast carbon steel or stainless steel and cast						
		iron without internal trim of parent metal or copper based alloys - all sizes						
		iron without internal trim of parent metal or copper based alloys — all sizes Plastic bodied — 32mm (1¼") and above Parallel slide gate valves — all sizes						
		iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - $32mm$ (1 ¹ / ₄ ") and above						
		iron without internal trim of parent metal or copper based alloys — all sizes Plastic bodied — 32mm (1¼") and above Parallel slide gate valves — all sizes SLUICE VALVES:						
		iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1 ¹ /4") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes						
		iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES:						
		iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1 ¹ /4") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes						
		<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¹/₄") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes</pre>						
	8481.80.19	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¹/4") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes</pre>	Free	Free	99	984608F	12/90	
	8481.80.19 85.01	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air,</pre>	Free Free	Free Free	99 99	984608F 984618C	12/90	
	85.01 8503.00.01)	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¹/4") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only</pre>						
	85.01	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems</pre>	Free	Free	99	984618C	12/90	
	85.01 8503.00.01) 8503.00.09)	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly</pre>	Free Free	Free Free	99 99	984618C 984621C	12/90 12/90	
	85.01 8503.00.01) 8503.00.09)	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters</pre>	Free Free	Free Free	99 99	984618C 984621C	12/90 12/90	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.40.00 8517.90.09	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to to one converters Multi-line voice processing boards</pre>	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99	984618C 984621C 984403B 984455E 984568C	12/90 12/90 1/88 12/90 12/90	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.40.00 8517.90.09 8528.10.09	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors</pre>	Free Free Free Free Free Free	Free Free Free Free Free Free	99 99 99 99 99 99 99	984618C 984621C 984403B 984455E 984568C 984634E	12/90 12/90 1/88 12/90 12/90 12/90	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.90.09 8528.10.09 8530.80.00	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors Road traffic signal heads (lanterns)</pre>	Free Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99 99 99	984618C 984621C 984403B 984455E 984568C 984634E 985278G	12/90 12/90 1/88 12/90 12/90 12/90 2/91	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.40.00 8517.90.09 8528.10.09	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors Road triaffic signal heads (lanterns) XF9 series resetable limit switches with ratings from 25 amp</pre>	Free Free Free Free Free Free	Free Free Free Free Free Free	99 99 99 99 99 99 99	984618C 984621C 984403B 984455E 984568C 984634E	12/90 12/90 1/88 12/90 12/90 12/90	
1	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.90.09 8528.10.09 8530.80.00	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors Road traffic signal heads (lanterns)</pre>	Free Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99 99 99	984618C 984621C 984403B 984455E 984568C 984634E 985278G	12/90 12/90 1/88 12/90 12/90 12/90 2/91	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.40.00 8517.90.09 8528.10.09 8530.80.00 8536.50.00	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors Road traffic signal heads (lanterns) XF9 series resetable limit switches with ratings from 25 amp up to and including 1000 amp Plug and socket systems conforming to IEC 309-1, IEC 309-2 of the following ratings and configurations:- 125A-3P</pre>	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99 99 99 99	984618C 984621C 984403B 984455E 984568C 984634E 985278G 984454G	12/90 12/90 1/88 12/90 12/90 12/90 2/91 12/90	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.40.00 8517.90.09 8528.10.09 8530.80.00 8536.50.00 8536.69.00 8536.90.00	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors Road traffic signal heads (lanterns) XF9 series resetable limit switches with ratings from 25 amp up to and including 1000 amp Plug and socket systems conforming to IEC 309-1, IEC 309-2 of the following ratings and configurations:- 125A-3P 125A-5P Contact suspension unit</pre>	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99 99 99	984619C 984621C 984403B 984455E 984568C 984634E 985278G 984454G 984409A 984409A	12/90 12/90 1/88 12/90 12/90 12/90 2/91 12/90 11/90	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.40.00 8517.90.09 8528.10.09 8536.80.00 8536.69.00 8536.69.00 8536.90.00 8543.30.00	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors Road traffic signal heads (lanterns) XF9 series resetable limit switches with ratings from 25 amp up to and including 1000 amp Plug and socket systems conforming to IEC 309-1, IEC 309-2 of the following ratings and configurations:- 125A-3P 125A-5P Contact suspension unit Electrolytic chlorinators</pre>	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99 99 99 99	984618C 984621C 984403B 984455E 984568C 984634E 985278G 984454G 984409A 984409A	12/90 12/90 1/88 12/90 12/90 12/90 2/91 12/90 11/90	
	85.01 8503.00.01) 8503.00.09) 8517.10.00 8517.40.00 8517.90.09 8528.10.09 8530.80.00 8536.50.00 8536.69.00 8536.90.00	<pre>iron without internal trim of parent metal or copper based alloys - all sizes Plastic bodied - 32mm (1¼") and above Parallel slide gate valves - all sizes SLUICE VALVES: Iron bodied - 700mm (28'') and over Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes KNIFEGATE VALVES: Cast iron bodied - all sizes Brass, bronze or gunmetal bodied - all sizes Carbon, alloy and stainless steel bodied - all sizes Titanium-all sizes Quick release couplings of steel for use with compressed air, female thread, 1/4 inch taper only Hollow shaft electric motors Parts of electric motors viz: rotor assembly, stator assembly Closed circuit building security telephonic intercom systems excluding telephones capable of operation on public/commercial telephone exchange systems Digital pulse to tone converters Multi-line voice processing boards Industrial RGB multi-data monitors Road traffic signal heads (lanterns) XF9 series resetable limit switches with ratings from 25 amp up to and including 1000 amp Plug and socket systems conforming to IEC 309-1, IEC 309-2 of the following ratings and configurations:- 125A-3P 125A-5P Contact suspension unit</pre>	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99 99 99	984619C 984621C 984403B 984455E 984568C 984634E 985278G 984454G 984409A 984409A	12/90 12/90 1/88 12/90 12/90 12/90 2/91 12/90 11/90	

NEW ZEALAND GAZETTE

Tariff Concession Approvals, Withdrawls and Declines Notice No. 1991/15-continued

	Tariff		D -+	D 4	Part	D . 6	-	
	Item	Description of Goods	Rates of Normal	Duty Pref.	II Ref.	Ref. No.	Effect Froma	ive To
1	Chapter 89	Catalogued spare parts of water skimming jet bikes classified	Free	Free	99	985551D	4/91	
		within tariff item 8903.92.00 may be admitted under Part I						
		approval, Part II duty concession granted in respect regardless						
		of tariff classification with the following exceptions;					· · ·	
		(1) Parts of general use						
		(2) Any part which is subject to a specific determination						
		of the Minister						
		(3) Hoses with fittings attached						
	9004.90.01	Swimming and sports goggles incorporating opthalmic lenses	Free	Free	99	985301E	2/91	••
	9403.20.00	Metal cabinets with a grounding terminal and antistatic	Free	Free	99	984611F	12/90	••
		drawers of a type used for the storage and protection of integrated circuits						
	9403.20.00	Portable staging platforms and risers of a type used for	Free	Free	99	0952020	10/00	
	0100.20.00	performing groups	riee	FICE	88	985302C	10/90	••
	9502.10.00	Dolls not exceeding 30cm in height complete with bike	Free	Free	99	984689B	1/91	
	9502.10.00	Textile doll incorporating hood tie, zip button, dome and watch	Free	Free	99	984685K	1/91	••
		strap				001000	-, • •	••
	9503.20.00	''Flying'' model rocket construction sets	Free	Free	99	984626D	12/90	
	9503.49.00	Roll along toy plastic animals, self righting	Free	Free	99	984686H	1/91	
	9503.80.00)	Slotcars, slotcar sets and accessories	Free	Free	99	984557H	12/90	
	9503.90.09)							
	9503.90.09	Erasable drawing screen and accessories	Free	Free	99	984687F	1/91	••
	9503.90.09	Textile doll carrier	Free	Free	99	984688D	1/91	••
	9503.90.09	Toy plastic bike for doll	Free	Free	99	984698A	1/91	••
	9505.90.00	Cake decorations	Free	Free	99	984599C	12/90	••
	9505.90.00	Feather masks	Free	Free	99	984645L	1/91	••
	95.06	Mountaineering hardware as may be approved, regardless of	Free	Free	99	985553L	4/91	••
		Tariff Classification:						
		APPROVED: Crampons						
		Crampon straps						
		Footfangs						
		Crampon protectors						
		Crampon spare parts						
		Rope descenders						
		Rope ascenders						
		Jumars						
		Fig and descenders						
		Sticht plates						
		Karabiners						
		Belay plates						
		Friends						
		Rocks						
		Stoppers						
		Hexentrics Biton						
		Piton Snarge						
		Ice screws						
		Rescue pulleys						
		Nutcrackers						
		R P nuts						
		Whaletails						
		Fiffi hooks						
		Hammer hoisters						
		Safety harness						
		Climber slings						
	9506.62.00	Balls (excluding balls of leather) with stitched seams and	Free	Free	99	984361C	11/ 9 0	••
		bladders. Rubber/PVC covered and nylon wound viz:						
		Soccer balls 41-45cm circumference						
		Soccer balls 41-45cm circumference Soccer balls 48cm circumference						
		Soccer balls 41-45cm circumference	ses and Co	nditions				
		Soccer balls 41-45cm circumference Soccer balls 48cm circumference SECOND SCHEDULE	ses and Co	nditions	Part			
	Tariff	Soccer balls 41-45cm circumference Soccer balls 48cm circumference SECOND SCHEDULE Concession Approvals Subject to Prescribed Purpor	Rates of	Duty	II	Ref .	Effect	
		Soccer balls 41-45cm circumference Soccer balls 48cm circumference SECOND SCHEDULE				Ref. No.	Effect From	ive To

TCU	6001.22.29) 6001.92.29)	$15,000\ metres\ 100\%$ polyester knitted fabric, brushed, sheared and cropped on one side only	Free	Free	99	983594G	10/90	5/91
TCU	6002.43.09) 6001.92.29	700 metres only 100% polyester panne velour ex Kwang Tung V1788	Free	Free	99	984636A	12/90	1/91
100	0001.02.20	order No. 1481	1166	1166		204030A	12/30	1/91
TCU	6203.31.01	19 Argyle kilt jackets	Free	Free	99	985251E	1/91	1/91
TCU	8483.40.09	Three only multi speed gearboxes. Type B252SN ratio 2/1 reduction and 0.84375 increase. Imported per airfreight. Import entry AKS0048851	Free	Free	99	984620E	12/90	12/90
		THIRD SCHEDULE						

			Concession Approvals Withdrawn					
	Tariff Item	Description of Goods				Ref. No.		
TCU	3004.20.01	Bomastrep injectable	••			984810L		••
TCU	3402.12.00	CK 337 C80			••	204396D	••	••
TCU	3823.90.69	Hollister paste			••	462008K	••	••
TCU	3917.31.00	Flexible ID	••	••		503160F	••	••
TCU	3917.31.00	Sewer psi		••	••	540875L	••	••

30 APRIL

CUSTOMS EDITION

	Tariff					Ref.			
	Item	Description of Goods				No.			
TCU	3917.32.08	Acrylic tube	••		••	581065F			
TCU	3920.51.09)	Polymethylmethacrylate non-patterned		••	••	462453L		••	
	3920.51.29)								
	3921.19.09)								
TCU	3926.10.09)	Plastic machines			••	540660K			
	3926.10.19)								
TCU	4421.90.19	Rotation patterns			••	982831B			
TCU	68.04	Cup diameter	••		••	504080K		••	
TCU	68.04	Grinding thickness	••			108907C			
TCU	68.04	Preformned 25.4mm			••	108910C			
TCU	68.04	Rubber wheels	••		••	601167F			
TCU	68.04	Thick thickness	••		••	204038H			
TCU	68.04	Type wheels	••		••	204039F			
TCU	68.04	Type 75mm	••	••	••	420376D			
TCU	68.04	Type less			••	504079F			
TCU	68.04	Type 63mm	••	••		504084B		••	
TCU	6804.21.00)	Bonded thickness			••	681055B		·	
	6804.22.00)								
TCU	6804.22.00	Ceramic tips				520781K			
TCU	6804.22.00	Fortuna diameter			••	701607H			
TCU	6804.22.00	Grindstones, machines				700676E			
TCU	6804.22.00	Polyvinyl wheels			••	922555C			
TCU	6804.22.00	Rubber wheels			••	930227B			
TCU	6804.22.00	Traverse 149 ID mm			••	620931K			
TCU	6804.22.00	Vitrified 31.5mm				202602D			
TCU	6804.22.00)	Grinding shaped			•••	601641D			
	6804.23.00)				÷ .				
TCU	7326.20.19	Coated wire			••	983319G			
TCU	8414.80.01	Direct V3800			••	983227A			
TCU	8423.89.00	Unverferth trials	••		••	981542C			
TCU	8424.81.00	Agricultural mobile			••	800440E			
TCU	8424.90.29	Component types				621917K			
TCU	84.29	Angle machines			••	880281F			
TCU	8429.40.09	Mechanically rollers			••	880312K			
TCU	8481.80.19	GATE sizes			••	983336G			
TCU	85.01	Vertical motors			••	461129C			
TCU	8503.00.09	Parts assembly			••	981377C	••		
TCU	85.15)	Plastic automatic	••	••	•••	926535L			
	8515.80.09)							• •	
TCU	8517.10.00	Building systems		••		620608F		• • •	
TCU	8704.22.09	Self vehicles			••	780059C			
TCU	Chapter 89	Catalogue attached				602807B			
TCU	9503.80.00)	Slotcars		••		601966J			
	9503.90.09)							-1. j	
TCU	9503.90.09	Erasable screen	••		•••	801935F			
TCU	9506.99.19	Mountaineering Christchurch				740635F			

			••	••	 7406331		••
		FOURTH SCHEDULE Applications for Concessions Declined	i				
	Tariff Item	Description of Goods			Ref. No.		ана на Алена Алена
TCU	1901.20.09	Credifrost - being a bread and pastry improver			 984635C		
TCU	2106.90.09	Food emulsifiers viz: Palsgaard 5810, 5822, 4125, 4110, 5802			984627B		
TCU	4008.21.19	Acrylonitrile based butadiene rubber sheet jointing BS2751			 984673F	1. 1997 - 17	
TCU	5705.00.00	Bonded monofilament PVC fibre floor covering mats and matting			984682E	501 6 1	and an
TCU	6911.10.01	Tableware, plain white, of porcelain or china, when imported by			984374E		
		an approved manufacturer, for decoration and refiring APPROVED:					
		Arnold's Agencies, Palmerston North					
tcu	6911.10.01	Tableware, plain white, of porcelain or china, when imported by an approved manufacturer, for decoration and refiring:			985116L		
		APPROVED:					
		Shand China Co, Wanganui					
TCU	7211.41.01	Cold rolled steel strip AS1595 CU 70 T-TG temper 2 rockwell B70-80 25.4mmm x 0.89mm coil			984602G		
TCU	7326.90.09	Garden kneelers			984643D		
TCU	7606.11.09	Aluminium plates, sheets and strip, of a thickness exceeding			984623K		
		0.2mm rectangular, not worked, coiled; viz: aluminium coil 1350					
		H14, coil weights 1300kg max, coil ID 400mm					
TCU	8419.89.09	Wax warming unit (industrial 1000cc capacity)			984648E		
TCU	8424.20.00	Spray lances and guns lever type, as may be approved, for powered pesticide sprayers: APPROVED:			984605A		
		Bertani models having a capacity of 3.5 to 8 litres					
		per minute at pressures 35 to 100 psi					
		Matabi models having a capacity of 3.5 to 8 litres					
		per minute at pressures 35 to 100 psi					
		Arag models having a capacity of 3.5 to 8 litres per					
		minute at pressures 35 to 100 psi					
TCU	8431.20.00	Component parts for the manufacture of elevating or			984075B		
		stacking trucks (not being Rule 2A machines) and/or			304073B		
		catalogued spare parts for the repair of such machines EXCLUDING:					
		Axle shafts					
		Battery containers and battery plates					$X_{i} = \{i_i\}_{i \in I}$
		Brake cables and brake drums					

NEW ZEALAND GAZETTE

No. 63

Tariff Concession Approvals, Withdrawls and Declines Notice No. 199	1/15-continued
---------------------------------------------------------------------	----------------

Tarif	-	Ref.	
Item	Description of Goods	<u>No.</u>	
	Bushes and bearings		
	Chassis		
	Decals Electric controllers		
	Electric controllers Exhaust systems		
	Floor mats		
	Fuel tanks		
	Borns		
	Lamp bulbs		
	Parts of general use		
	Pneumatic tyres		
	Radiators		
	Rubber pedal mats		
	Wiring looms		
	This list of exclusions applies to component and spare parts.		
	All parts must be entered under their substantive Tariff		
	Item but will be admitted under the above concession		
8431.	20.00 Parts for the manufacture and repair of elevating or	984074F	
	stacking trucks (not being Rule 2(a) machines)		
	EXCLUDING:		
	Axle shafts		
	Battery containers and battery plates		
	Brake cables and brake drums		
	Bushes and bearings		
	Chassis		
	Decals		
	Electric controllers		
	Exhaust systems		
	Floor mats		
	Fuel tanks		
	Korns		
	Lamp bulbs		
	Parts of general use		
	Pneumatic tyres		
	Radiators		
	Rubber pedal mats		
	Wiring looms		
,	This list of exclusions applies to component and spare parts. All parts must be entered under their substantive Tariff		
	Items but will be admitted under their substantive faring		
8516.		0948400	
8517.	······································	984649C 983143G	
8518.		984629J	
8525.		984640K	
	10.00 60 motor vehicle shells	984690F	

NOTE

The purposes and conditions prescribed for the concessions granted in relation to the goods listed in the Second Schedule to this notice may be obtained from the Ministry of Commerce on request.

Declined applications for concessions as listed in the Fourth Schedule to this notice, and the concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice, will not be published in the Consolidated List of Decisions. Any concession approved may be withdrawn or modified by notice in the *Gazette*.

Dated at Wellington this 24th day of April 1991.

M.R. TURNER, Ministry of Commerce.



PUBLISHED BY AUTHORITY OF DEPARTMENT OF INTERNAL AFFAIRS: GP PRINT LIMITED, WELLINGTON, NEW ZEALAND-1991 ISSN 0111-5650 Price \$3.10c (incl. GST) 23728G—91A