Issue No. 121 • 2605



A DEEDS OFFICE

The New Zealand Gazette

# **Customs Edition**

WELLINGTON: TUESDAY, 13 AUGUST 1991

# **CUSTOMS NOTICES**

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

2

3

# NEW ZEALAND GAZETTE

#### TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1991/30 Applications Advertised for Objection Closing Date for Objections 3rd September 1991

Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this 1 notice. Any person wishing to lodge an objection must do so in writing, to the Ministry of Commerce, PO Box 1473, Wellington, Fax (04) 734-638 indicated by the reference number, before 3rd September 1991. All submissions must include:

- the Tariff Industry Assistance (Advertisement) Notice number;
- the Tariff item; and
- Reference number.

All submissions from local manufacturers must include:

- the range of alternative goods made locally;
- the grounds on which objection is made (including reasons why the local product is a suitable alternative);
- present and potential output; - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content. All submissions objecting to a request for the withdrawal of a concession must include:
  - reasons why the local product on which protection is sought is not a suitable alternative;
- full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a 4 copy of the enquiry to the Ministry of Commerce where the application was lodged quoting the details in paragraph 1 above.
- Any submission not supported by the information required in the paragraphs above will be considered invalid. 5

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	Category of Appn.
			99	986011J	A
309.10.09	Hills prescription diet products	Pitman-Moore NZ Ltd C/- NZ Import Services	88	9000113	A
		PO Box 13-438			
		WELLINGTON			
715.00.19	Pavement sealer or rubberised coal tar pitch emulsion	Fraser Brown & Stratmore Ltd	99	986056J	A
/15.00.19	Pavement sealer of fubberised coal tal pitch emulaton	C/- Customs Agents WN Ltd			
		PO Box 1024			
		WELLINGTON			1
003.90.01	Rilexine 75, Relexine 300 tablets	Techvet Laboratories Ltd	26	985989G	A
		PO Box 4090			
		AUCKLAND			
003.90.01	Uptite clay poultice	Mainland Minerals	26	985952H	A
		C/- Bernard A W Hack Ltd			
		PO Box 20158			
•		CHRISTCHURCH		0050010	
004.20.09	Nix creme rinse	Wellcome New Zealand Ltd	26	985961G	A
		PO Box 22-258			
		Otahuhu AUCKLAND 6			
	United and the second sec	Douglas Pharmaceuticals Ltd	25	985964A	A
004.90.19	Vypen tablets	PO Box 45-027	20	200204A	А
		Lincoln			
		AUCKLAND 8			
605.00.01	Matches in boxes	Beehive (NZ) Ltd	99	986039J	A
505.00.01	matches in boxes	PO Box 3854			
		AUCKLAND			
808.20.00	Plantvax fungicide	Meadows Freight Limited	99	986029A	A
	· · · · · · · · · · · · · · · · · · ·	PO Box 53-012			
	1	AFCAB Complex			
		AUCKLAND INTERNATIONAL AIRPORT			
808.30.08	Portman weedmaster	Elliott Chemicals Ltd	99	986030E	A
		C/- Jenners Customs & Freight Ltd			
		PO Box 73-073			
		AUCKLAND		986027E	A
808.30.19	Bonzi plant growth regulator	Meadows Freight Limited	99	980027E	A
		PO Box 53-012 AFCAB Complex			
		AUCKLAND INTERNATIONAL AIRPORT			
808.30.19	Clipper plant growth regulator	Meadows Freight Limited	99	986028C	A
808.30.18	Clipper plant growth regulator	PO Box 53-012			
		AFCAB Complex			
		AUCKLAND INTERNATIONAL AIRPORT			
823.90.69	Armeen DMOD	Polychem Marketing Ltd	99	985998F	A
		PO Box 6435			
		AUCKLAND		•	
823.90.69	Caplit plant growth regulator based on forchlorfenuron	Jatra Corporation Ltd	99	986019D	A
		PO Box 8240			
		CHRISTCHURCH			
823.90.69	CURRENT APPROVAL			0024465	VA
	Casting/covering powders for use in steel productions viz:		99	982446E	VA
	Accutherm T3, Accutherm T, Accutherm ST, C39/4PS-BS,				
	Accutherm ST-C39/W25-A, Glutin BAS 90/BG-3				
	Accutherm STC 39/4PS-B4				
000 00 00	Accutherm STC 39/4PS-B3 REQUESTED APPROVAL	•			
823.90.69	Casting/covering powders for use in steel productions viz:	New Zealand Steel Ltd	99	986050K	VA
	Accutherm T3, Accutherm T, Accutherm ST, C39/4PS-BS,	Private Bag			
	Accutherm ST-C39/W25-A, Glutin BAS 90/BG-3	AUCKLAND			
	Accutherm STC 39/4PS-B3				
	Accutherm STC 39/4PS-B4	•			
	Accutherm STC 39/4PS-B7				
-	Accutherm STC 39/4PS-B8				
F	Accutherm STC 39/4PS-B9				
3905.11.00	Binder dispersion VT532 based on polyvinyl acetate	Ciba Geigy NZ Ltd	99	986065H	A
0000.11.00	bindet dispersion time in provide the	C/- Daniel Silva Ltd			

# CUSTOMS EDITION

# Tariff Industry Assistance (Advertisement) Notice No. 1991/30-continued

2607

	Tariff				Name and Address	Part II	Appn. Ref.	*Category of
	Item	Description of Goods			of Applicant	Ref.	No.	Appn.
	3907.30.09	Epomik R114, R710, R1	47, R139, R144		PO Box 305 AUCKLAND Polychem Marketing Ltd PO Box 6435 AUCKLAND	99	985997H	A
	3917.40.00) 3926.90.61) 3926.90.69)		stic fittings			99	820837K	VA
		REQUESTED APPROVAL Shoketsu or Pisco pus	sh fit plastic fittings		J W Grieve Ltd PO Box 3986	99	985986B	VA
	3919.10.01	Adhesive tape, polyes	ster (double sided)		AUCKLAND Venture Products Ltd C/- PO Box 53-020 AUCKLAND AIRPORT	99	986000C	A
	3923.50.00	Squeeze and turn cap			Carter Holt Harvey Plastic Products Group Private Bag HN3044 HAMILTON	99	986035F	A
	3924.10.09	Plastic jugs — 6500 j	jugs only		Prepac Australasia Ltd C/- W A Henderson Customs Ltd PO Box 53-002	99	986009G	A
)	3926.10.19	Track-type wall mount articles	ted filing trays, shelv	es and similar	AUCKLAND INTERNATIONAL AIRPORT Wiljef Stationery Ltd C/- A B Jamieson Ltd PO Box 4118 AUCKLAND	99	986004F	A
	3926.90.69	CURRENT APPROVAL Car rear view vision	mirrors			99	621932C	VA
	3926.90.69	REQUESTED APPROVAL Motor vehicle rear vi	iew vision mirrors		Banner Tariff & Trade Consultants PO Box 1744 WELLINGTON	99	986049F	VA
	4006.90.09	CURRENT APPROVAL Conveyor belt rubber	repair solutions		· ·	99	681674G	VA
	4005.20.00	REQUESTED APPROVAL Conveyor belt rubber	repair solutions		Paykel Engineering Ltd PO Box 53003	99	986053D	VA
	6002.30	Screen printed warp l yarns	knit fabric containing	elastomeric	AUCKLAND AIRPORT Ministry of Commerce PO Box 1473 WELLINGTON	99	985816E	A
		be approved: APPROVED: Motor Company Toyota	vehicle assembly glass Model Corolla 1970-75 Corolla 1975-80 Corolla 1975-80 Corolla 1975-80 Corolla 1978-80 Corona 1978-82 XT Corona SW 1979-82 Corona 1976-79 XD Corona SW 1979-82 Corona 1977-79 Corona 1977-79 Corona 1974-79 Corona 1970-73 Hi Ace Van 1970-77 Datsun 1974-79 Z Ltd Telstar/ 626 part	Part No 68111-12130 68113-12060 68105-13030 68123-13040 68131-13090 62714-13060 68124-91257 62711-91259 68113-21010 62712-91258 68113-21010 62712-91258 68112-20072 64811-20340 68123-20171 68111-20090 68131-95662 68124-20091		99	983600E	VA
)	70.07	Mazda REQUESTED APPROVAL Curved or flat motor be approved: APPROVED: Motor Company Toyota	121 323 626 929 MX 5 MX 6 7 RX 9 E 1400 E 1600 E 1800 E 2000 Vehicle assembly glass Model Part No. List availab	Part No	Toyota New Zealand Ltd PO Box 46 PALMERSTON NORTH	99	9859541	) <b>VA</b>

# NEW ZEALAND GAZETTE

## Tariff Industry Assistance (Advertisement) Notice No. 1991/30-continued

	Description of Goods	Name and Address of Applicant	II Ref.	Ref. No.	of Appn.
	Collector of Customs, Wellington Nissan Datsun 1974-79 68124-20091 Vehicle Assemblers NZ Ltd Telstar/ 626 part Nos:- GN32-63-930B GM10-63-930B				
	G225-63-930 Mazda 121 )				
	323 )				
	626 ) Part No 929 ) list				
	MX 5 ) available				
	MX 6 ) from				
	RX 7 ) Tariff RX 9 ) Concessions				
	RX 9 ) Concessions E 1400 ) Ministry of				
	E 1600 ) Commerce				
	E 1800 ) E 2000 )				
19.20.00	Glass bead steriliser of a type specially suited for	Michev Medical Ltd	99	986040B	A
	use with medical and surgical instruments	PO Box 53-003			
21.21.00	Antimicrobial water purifiers operating by combining	AUCKLAND AIRPORT	99	0000570	
21.21.00	Antimicrobial water purifiers operating by combining microfiltration with a tri-iodine resin matrix	Hydraflow Industrial Ltd C/- Customs Agents WN Ltd	99	986057G	A
		PO Box 1024			
21.39.09	CURRENT APPROVAL	WELLINGTON			
	Component parts of electro static precipitators,		99	640153J	VA
	as may be approved				
	APPROVED: H.T. power pack				
	High voltage leads				
	Tungsten springs				
	Air transmission equipment Automatic washing system parts				
	Vibrator system parts				
	Cell connecting springs				
21.39.09	Ioniser wire REQUESTED APPROVAL				
	Component parts of electro static precipitators,	Fletcher Woodpanels Ltd	99	986010L	VA
	as may be approved	PO Box 243			
	APPROVED: H.T. power pack	KUMEU			
	High voltage leads				
	Tungsten springs				
	Air transmission equipment Automatic washing system parts				
	Vibrator system parts				
	Cell connecting springs Ioniser wire				
	High voltage electrodes				
	Inlock for locking and tripping electrical circuits				
	Mist eliminators Manholes				
	High voltage insulators				
22 20 00	Tube sheet	Mellennene I tel		000000	
122.30.09	Webomatic vacuum sealing machines	McHerrons Ltd PO Box 5182	99	986002K	A
		CHRISTCHURCH			
125.49.29	Screw jack stage lifting system	Schindler Lifts NZ Ltd C/- Burlington Air Express	99	986015A	A
		PO Box 14357			
	Auto Read las annulas	WELLINGTON	00	0000000	
28.90.00	Auto-feed log carriage	Nissho Iwai (NZ) Ltd C/- Banner Tariff & Trade Consultants	99 :	986068B	A
		PO Box 1744	•		
190 00 00	Notal can depending mechings	WELLINGTON	00	0900049	
28.90.00	Metal can denesting machines	National Can Panmure Division C/- K A Hobbs Customs Agents Ltd	99	986064K	A
		PO Box 27-312			
		Mt Roskill AUCKLAND			
32.21.00	CURRENT APPROVAL	AUVALANU			
	Harrows with discs of 24 inches or greater and an overall		99	881303F	VA
32.21.00	width of 21 feet or greater REQUESTED APPROVAL				
	Harrows with discs of 600mm or greater and an overall width	J I Case (NZ) Ltd	99	986008J	VA
÷ .	of 4.80 metres or greater	C/- Burlington Ocean Express (NZ) Lto	1		
	,	PO Box 1296 AUCKLAND 1			
		National Can Panmure Division	99	986067D	
62.10.00	One only automatic redraw, mould and trim press of a type				
62.10.00	suited for the manufacture of metal cans and imported on	C/- K A Hobbs Customs Agents Ltd			
62.10.00					

# CUSTOMS EDITION

# Tariff Industry Assistance (Advertisement) Notice No. 1991/30-continued

ariff		Name and Address	Part II Pof	Appn. Ref. No	*Category of
tem	Description of Goods	of Applicant	Ref. 99	No. 720136C	Appn. VA
	Laboratory equipment; Diluters		33	,201300	10
	Dispensers (including microlitre pipettes)				
	Granulators				
	Hydrogenisers				
479.82.00	Stirrers, counter rotating type only REQUESTED APPROVAL				
4/3.02.00	Laboratory equipment;	Dow Elanco (NZ) Ltd	99	985992G	VA
	Diluters	C/- Alpha Customs Services			
	Dispensers (including microlitre pipettes)	PO Box 360			
	Granulators Hydrogenisers	NEW PLYMOUTH			
	Kneaders				
	Stirrers, counter rotating type only				
479.89.00	Roller device of a type specially designed for the recovery		99	986033K	A
	or containment of spilt liquid fuels, water, chemicals or similar	PO Box 36-152 Northcote			
	9 **** * ***	AUCKLAND 9			
481.80.19	Pistonless hydraulic self-closing mains pressure valves,	G Methven & Co Limited	99	984484J	WA
	taps and faucets including flush valves	374 Andersons Bay Road			
481.90.19	Ceramic discs of a type designed for use with domestic	DUNEDIN G Methven & Co Ltd	99	986020H	A
101.30.13	washerless taps and faucets	C/- Allied Customs Agents Ltd			
		PO Box 5556			
		DUNEDIN		0000505	
502.20.00	Gas powered generating sets exceeding 900kw. Excluding the following components:	Entec Services Ltd PO Box 53–003	99	986052F	A
	(i) Fuel tank	AUCKLAND AIRPORT			
	(ii) Water separator filters				
	(iii) Fuel line and fittings				
	(iv) Exhaust pipe and fittings				
	<ul><li>(v) Transmission ducting</li><li>(vi) Anti vibration mounts</li></ul>				
516.10.00	Water heating device for vehicle windscreen washers	L V Martin & Sons Ltd	99	986014C	A
		C/- Burlington Air Express			
		PO Box 14357			
		Kilbirnie WELLINGTON			
527.21.09	CURRENT APPROVAL				
	AM/FM radio cassette with CD auto-changer control and		99	985566B	VA
527.21.09	10 disc auto-changer REQUESTED APPROVAL				
527.21.09	AM/FM radio cassette with CD auto-changer control and	Alpine Electronics of NZ Ltd	99	986032A	VA
	either 6 or 10 disc auto-changer	PO Box 3854			
		AUCKLAND		0000107	
530.10.00	Automatic vehicle and coupled in-motion weighing equipment and parts	Manager Corporate Purchasing	99	986016K	A
	cderbacut and barto	NZ Rail			
		Private Bag			
		WELLINGTON	00	0000001	
\$531.80.00	Portable rechargeable LPG/CNG gas monitor/emergency lighting unit	Thorn Lighting C/- Tariff Services Ltd	99	986003H	A
	Tigating unit	CPO Box 4026			
		AUCKLAND 1			
	CURRENT APPROVAL		00	9031605	VA
	Sockets, and plugs therefor, wire and cable connectors and the like		99	802169E	VA
	EXCLUDING:				
	1. Part II Duty Free concession already approved				
	under Tariff Item				
	<ol> <li>Aluminium compression fittings, peculiar for use in jointing and terminating aluminium wire and</li> </ol>				
	cable				
	EXCLUDING:				
	Fittings, when declared by a manufacturer for use on;				
	<ul> <li>(a) Three core sector cable</li> <li>(b) Four core sector cable exceeding 185mm+ cross-</li> </ul>				
	sectional area				
	3. Battery isolators, peculiar for use on all types				
	of storage batteries including automotive and marine batteries				
	4. Co-axial plugs, car-radio type				
	5. Industrial and protected type plugs, sockets,				
	cable couplers				
	<ol> <li>Appliance inlets and switch sockets, rated 110 to 415 volts and up to 63 amps;</li> </ol>				
	EXCLUDING:				
	Aluminium clad industrial plugs, sockets, cable				
	couplers appliances inlets and switch sockets,				
	with maximum voltage rating of 500 V AC/DC, from 16-63 amps continuous rated current, flat formation				
	(i.e. round pins in a straight line) pin/socket				
	configuration				
	7. Plugs, sockets, tap-ons, cord extension sockets.				

7. Plugs, sockets, tap-ons, cord extension sockets, 250 volts, 15 amp maximum rating

# 2610

# NEW ZEALAND GAZETTE

## Tariff Industry Assistance (Advertisement) Notice No. 1991/30-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of
	8. Sockets and plugs therefor, wire and cable				Appn.
	connectors and the like: of a kind commonly used with:				
	(A) tractors for articulated vehicles, being				
	tractors that are designed for operation solely or principally on the highway; or				
	(B) vehicles of 87.02 other than air-cushioned				
	vehicles or assembled convertible road/rail motor coaches				
	9. Split bolt, bolt on type overhead line tap				
	connectors suitable for tap connections on copper lines, having overall diameters from 2.74mm to				
	14.76mm (0.108in. to 0.58in.) and split				
	bolt, bolt on type overhead line tap connectors suitable for tap connections on aluminium lines				
	having overall diameters from 6.35mm to 14.61mm				
	(0.250in. to 0.575in.) 10. Trailer plugs and sockets, viz;				
	4 pole, 5 pole and 7 pole				
	<ol> <li>Uninsulated connectors, lugs and links, of copper construction for conductors up to 185mm<sup>2</sup></li> </ol>				
	square cross sectional area				
	<ol> <li>12. Wire connectors in strips</li> <li>13. Single telephones jack points and blocks, including</li> </ol>				
85.35)	single jack point boxes				
85.36)	REQUESTED APPROVAL Sockets, and plugs therefor, wire and cable	Hella-New Zealand Limited	99	986001A	VA
	connectors and the like EXCLUDING:	PO Box 51-427			
	LACLODING: 1. Part II Duty Free concession already approved	Pakuranga AUCKLAND			
	under Tariff Item				
	<ol><li>Aluminium compression fittings, peculiar for use in jointing and terminating aluminium wire and</li></ol>				
	cable EXCLUDING:				
	Fittings, when declared by a manufacturer for use on;				
	<ul> <li>(a) Three core sector cable</li> <li>(b) Four core sector cable exceeding 185mm+ cross-</li> </ul>				
	sectional area				
	<ol> <li>Battery isolators, peculiar for use on all types of storage batteries including automotive</li> </ol>				
	and marine batteries				
	<ol> <li>Co-axial plugs, car-radio type</li> <li>Industrial and protected type plugs, sockets,</li> </ol>				
	cable couplers				
	<ol> <li>Appliance inlets and switch sockets, rated 110 to 415 volts and up to 63 amps;</li> </ol>				
	EXCLUDING:				
	Aluminium clad industrial plugs, sockets, cable couplers appliances inlets and switch sockets,				
	with maximum voltage rating of 500 V AC/DC, from				
	16-63 amps continuous rated current, flat formation (i.e. round pins in a straight line) pin/socket				
	configuration 7. Plugs, sockets, tap-ons, cord extension sockets,				
	250 volts, 15 amp maximum rating				
	<ol> <li>Sockets and plugs therefor, wire and cable connectors and the like: of a kind commonly</li> </ol>				
	used with:				
	(A) tractors for articulated vehicles, being tractors that are designed for operation solely				
	or principally on the highway; or				
	(B) vehicles of 87.02 other than air-cushioned vehicles or assembled convertible road/rail				
	motor coaches				
	9. Split bolt, bolt on type overhead line tap connectors suitable for tap connections on copper				
	lines, having overall diameters from 2.74mm to				
	14.76mm (0.108in. to 0.58in.) and split bolt, bolt on type overhead line tap connectors				
	suitable for tap connections on aluminium lines				
	having overall diameters from 6.35mm to 14.61mm (0.250in. to 0.575in.)				
+	10. 11. Uninsulated connectors, lugs and links, of				
	copper construction for conductors up to $185 \text{nm}^2$				
	square cross sectional area 12. Wire connectors in strips				
	13. Single telephones jack points and blocks, including				
8543.80.29	single jack point boxes Hair removal devices of a type using R.F. energy to operate	Tariff Services Ltd	99	985985D	A
	the active of a cycl works with choras to operate	PO Box 4026		2000000	н
8705.90.00	Three wheeled mechanical sweeper with the capacity to	AUCKLAND 1 G J Lauder	99	985980C	٨

No. 121

# CUSTOMS EDITION

Tariff Industry Assistance (Advertisement) Notice No. 1991/30-continued

Tariff Item	Description of Goods		Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	of 30 cubic metres every ki turning radius of 4572mm	lometre and maximum sweeping	PO Box 9319 Newmarket AUCKLAND			
9506.99.19	Aerobic rings and triangles of a type designed for thro	s, of polycarbonate and rubber, owing	Be & Cee Creations Ltd PO Box 7059 TARADALE	99	985999D	A
9506.99.19	Cricket bats		Dunlop Slazenger (NZ) Ltd C/- Owens International Freight Customs Division PO Box 73036 AUCKLAND AIRPORT	99	985090L	A
96.06	Buttons excluding those sol (a) Nylon (b) Polyester (c) Cassein	lely of	Abbey Buttons Ltd C/- J F Ross PO Box 1653 AUCKLAND	99	986034H	A
* Categor	y of Application: A - VA - WA - RUC - + -		of Approval ssion			

Dated at Wellington this 8th day of August 1991.

M.J. BELGRAVE, Chief Executive.

# NEW ZEALAND GAZETTE

#### Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 30) 1991

I, Vincent Anthony Manks, Executive Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

(a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
 (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the

- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and
- (c) Withdraw with effect fourteen days from the date of this notice the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice; and
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.

#### FIRST SCHEDULE Concessions Approved

Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref. No.	Effect From	ive To
3004.20.09	Erythrocin 250mg tablets, 500mg tablets and 250mg capsules	Free	Free	25	984919L	5/91	
3004.32.09	Synalor cream	Free	Free	25	102034L	1/88	
3004.32.09	Synalor gel	Free	Free	25	102036G	1/88	
3004.32.09	Synalor ointment	Free	Free	25			
	•				102038C	1/88	•
3004.39.09	Synarel nasal spray	Free	Free	26	984936L	6/91	•
3004.90.19	SQ31000 Pravastatin tablets	Free	Free	26	984939E	9/90	•
3208.10.29)	Intumescent flame retardant varnish coatings	Free	Free	99	985659F	5/91	
3208.20.29)							
3208.90.29)							
3208.90.19	One component, moisture curing, isocyanate based primer designed to promote adhesion between sealants and glass windshields	Free	Free	99	985787H	5/91	
3808.30.19	Cultar	Free	Free	99	522433A	1/88	
3907.30.09							•
3807.30.08	Shobond BK, Shobond DD, Shobond grout, Shobond 101, Shobond BL, Shobond MKL, Shobond BL.soft, specialised epoxy resins	Free	Free	99	985534D	3/91	•
3907.30.09	Unmodified bisphenol A epichlorohydrin epoxide resin	Free	Free	99	985309L	1/91	
3910.00.09	Polydimethyl siloxane hydrolysate	Free	Free	99	880217D	3/89	
3923.29.28	Pollen excluder bags	Free	Free	99	985546H	4/91	
							•
3926.90.69	Pentic NGK105 Roller Barker product pricing system	Free	Free	99	984505E	11/90	•
4202.99.00	Ski carry case	Free	Free	99	983601C	10/90	•
4407.23.09	End grain balsa blocks in sheet or bevelled strip form,	Free	Free	99	985906H	6/91	
	attached to a fibreglass scrim cloth						
5701.10.01	Handknotted woollen rugs	Free	Free	99	982002H	3/90	
5806.32.00	Nylon taffeta woven edged dress ribbon	Free	Free	99	984136K	10/90	
6116.93.00	Cut resistant glove liners constructed of polyethylene fibres	Free	Free	99	985786K	6/91	
6217.10.00	Cotton embroidered lace collars	Free	Free	99	985809B	6/91	
6307.90.29							•
	Polyester fibre web, skin scourer	Free	Free	99	985779G	6/91	
8406.99.05	Athletic, orthopaedic footwear inserts, foam arch cookies	Free	Free	99	985805K	6/91	•
5808.00.00	Granwood composite flooring blocks of large aggregate sawdust, fillers, pigments and linseed oil	Free	Free	99	985761D	6/91	•
7007.19.00	Toughened, heat resistant float glass panels	Free	Free	99	985780L	2/91	
Section XV	Plugs, clips and similar fittings peculiar to use by builders	Free	Free	99			
Section AV	for fixing articles to concrete, plaster, plasterboard	FICE	riee	88	985668E	11/91	•
7309.00.00	Glass coated steel storage tanks and silos	Free	Free	99	984448B	6/90	
7312.10.00	Stranded wire rope all sizes and construction covered in	Free	Free	99	985790H	6/91	
	either nylon or vinyl						
7312.10.00) 7312.90.00)	Stranded wire, cables, cordage, ropes, plaited bands, slings and the like of iron or steel wire, but	Free	Free	99	985754A	6/91	•
····,	excluding insulated electric cables EXCLUDING:						
	Conventional or compacted carbon steel round strand						
	wire rope of tensile grades 350 to 2050 mpa, bright						
	or coated, and conventional stainless steel wire						
	rope to A.I.S.I. specifications of the following types:						
	1. Conventional stainless steel strand of 1 to 6 strands						
	(excluding core) from 1.0mm to 11.0mm diameter inclusive						
	NB: Including ropes 7mm diameter and less, described as						
	$7 \times 7$ , or $7 \times 19$ , having a central main core of the						
	$7 \times 7$ , or $7 \times 19$ , having a central main core of the same construction as the 6 outer rope strands						
	$7 \times 7$ , or $7 \times 19$ , having a central main core of the						
	$7 \times 7$ , or $7 \times 19$ , having a central main core of the same construction as the 6 outer rope strands						
	7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mme</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm to 35mm diameter, inclusive</li> <li>4. Six strand (excluding core) conventional of 1.5mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> </ul>						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 43mm diameter, inclusive; compacted of 9.0mm to 43mm diameter, inclusive; compacted of 9.0mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>5. Eight strand (excluding core) conventional of 1.5mm</li> </ul>						
	7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive 3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive 4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 5. Eight strand (excluding core) conventional of 1.5mm to 22mm diameter, inclusive; compacted of 9.00mm to 22.0mm						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive: compacted of 9.00mm to 44mm diameter MB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>5. Eight strand (excluding core) conventional of 1.5mm to 22.0mm diameter, inclusive; compacted of 9.00mm to 42mm diameter, inclusive; compacted of 9.00mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>5. Eight strand (excluding core) conventional of 1.5mm to 22.0mm diameter, inclusive; compacted of 9.00mm to 42.0mm diameter, inclusive; compacted of 9.00mm to 42.0mm to 42.0mm diameter, inclusive; compacted of 9.00mm to 42.0mm diameter, inclusive; compacted o</li></ul>						
	7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive 3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive 4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 5. Eight strand (excluding core) conventional of 1.5mm to 22mm diameter, inclusive; compacted of 9.00mm to 22.0mm						
	<ul> <li>7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive</li> <li>3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive: compacted of 9.00mm to 44mm diameter MB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>5. Eight strand (excluding core) conventional of 1.5mm to 22.0mm diameter, inclusive; compacted of 9.00mm to 42mm diameter, inclusive; compacted of 9.00mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands</li> <li>5. Eight strand (excluding core) conventional of 1.5mm to 22.0mm diameter, inclusive; compacted of 9.00mm to 42.0mm diameter, inclusive; compacted of 9.00mm to 42.0mm to 42.0mm diameter, inclusive; compacted of 9.00mm to 42.0mm diameter, inclusive; compacted o</li></ul>						
	7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive 3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive 4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 5. Eight strand (excluding core) conventional of 1.5mm to 22mm diameter, inclusive; compacted of 9.00mm to 22.0mm diameter, inclusive 6. Conventional, or compacted multi-strand crane ropes up to and including 18 principal strands (excluding						
8413.50.091	7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive 3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive 4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mme diameter NB: Including core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mme diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 5. Eight strand (excluding core) conventional of 1.5mm to 22mm diameter, inclusive; compacted of 9.00mm to 22.0mm diameter, inclusive 6. Conventional, or compacted multi-strand crane ropes up to and including 18 principal strands (excluding core) of 8.0mm to 26mm diameter, inclusive	Free	Free	90	9857266	5/91	
	7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive 3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive 4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mm diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 5. Eight strand (excluding core) conventional of 1.5mm to 22mm diameter, inclusive; compacted of 9.00mm to 22.0mm diameter, inclusive 6. Conventional, or compacted multi-strand crane ropes up to and including 18 principal strands (excluding	Free	Free	99	985726F	5/91	
8413.50.09) 8413.60.09) 8419.39.00	7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 2. Three strand (excluding core) conventional of 1.5mm to 38mm diameter, inclusive; compacted of 3.0mm to 32mm diameter, inclusive 3. Four strand (excluding core) conventional of 2.0mm to 35mm diameter, inclusive; compacted of 9.0mm to 35mm diameter, inclusive 4. Six strand (excluding core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mme diameter NB: Including core) conventional of 1.5mm to 56mm diameter, inclusive: compacted of 9.00mm to 44mme diameter NB: Including ropes 7mm diameter and less, described as 7 x 7, or 7 x 19, having a central main core of the same construction as the 6 outer rope strands 5. Eight strand (excluding core) conventional of 1.5mm to 22mm diameter, inclusive; compacted of 9.00mm to 22.0mm diameter, inclusive 6. Conventional, or compacted multi-strand crane ropes up to and including 18 principal strands (excluding core) of 8.0mm to 26mm diameter, inclusive	Free Free	Free Free	99 99	985726F 985760F	5/91 6/91	

# CUSTOMS EDITION

Tariff Concession Approvals, Withdrawls and Declines Notice No. 1991/30-continued

Item 84.24 8463.90.00	Description of Goods Hot water or steam pressure cleaners complete with self	Norma1	Pref.	Ref.	No.	From	То
	-	Free	Free	99	980958K	10/89	
	contained water heating units	Free	Free	99	985796G	6/91	
8479.89.00	Hydraulic hose swaging and crimping machines Liquid soap and/or other skin care preparation dispensers	Free	Free	99 99	985679L	5/91	
8479.89.00	Venturi eductors of a type suited for use in pneumatic	Free	Free	99	985764J	4/91	
8516.71.09	conveying Component parts of Russell Hobbs electric kettles. In kit or	Free	Free	99	985807F	6/91	
8517.30.00)	individual form Membrane switch keyboards	Free	Free	99	440323B	1/88	
8536.50.00) 8529.90.29	Component parts as necessary to manufacture underwater	Free	Free	99	985808D	6/91	
8533.29.00	telephone units for the ANZAC frigate contract Resistor brakes of tungsten wire, of a type capable of handling	Free	Free	99	985794L	6/91	
85.35)	500 watts and above Limit proximity switches; limit position switches	Free	Free	99	985784C	6/91	
85.36) 8544.59.09	Dedicated 7 wire (1 shielded) audio cable	Free	Free	99	985802E	6/91	
87.08	Parts and accessories of motor vehicles falling within heading No. 87.01, 87.02, 87.03, 87.04 or 87.05 EXCLUDING: Adaptor plates to fit Isusu and Cummins engines	Free	Free	99	985379A	3/91	10/91
	Air dams Arm rests						
	Automatic transmission oil cooler other than aluminium wafer type coolers and amphibious vehicle automatic						
	transmission oil coolers						
	Axle assemblies, viz: brake drums, hubs (stud and spoked), brake shoes, Camshafts, brake spiders, back plate assemblies, brake shoe pins, brake shoe springs, brake shoe rollers, bushes, bearing housings, camshaft brackets, dust covers, wheel studs,						
	wheel nuts, axle nuts and axle washers Bonded brake shoes						
	Bonnetguards Brake cables						
	Bull bars Bumpers, other than bumper ends and bumper rubbers						
	Bumpers, other than plating rejects or bare base steel bumpers (i.e. not chromed or similarly coated)						
	Canopies Clutches complete, whether made up or in kit form						
	Clutch covers (pressure plate) Clutch plates (friction plates, clutch discs) Clutch repair or reconditioning kits which include						
	any of the following:- Clutch plate (clutch disc or friction plate)						
	Clutch cover (pressure plate) Couplings, trailer and truck (other than semi-trailer						
	fifth wheel couplings)						
	Disc brake pad assemblies and disc pad kits Door control systems, air, air-bleed or vacuum operated, viz: single/double folding (jacknife), single/double gliders						
	Exhaust pipes Exhaust systems (comprising piping and mufflers)						
	External luggage racks						
	Glare stops Headlight covers						
	Hubcaps, hub centres, full wheel covers, wheel trims, (other than those with the following dimensions 22 1/2''						
	(57.15cm) complete with brackets), bends and discs, and wheel trim rimbellishers						
	Interior trim components of hardboard, cardboard or similar materials, leather or plastic sheetings, cut to shape						
	Melt sheet, cut to shape Moulded wellside deckliners other than those for Chevrolet						
	and Ford F series vehicles Nose cuts						
	Radiator cores and assemblies Safety grills (ie dog guards) for fencing off the front						
	seat from the back Seat belts						
	Spoilers of plastic Steering wheels						
	Sunroofs						
	Towballs Unholsterers materials (such as flock wadding batting fluting						
	Upholsterers materials (such as flock, wadding, batting, fluting, linters, padding, foam) cut, moulded or fabricated to shape		•				
	Upholsterers textiles, fabrics, leather, or plastic sheetings,						
	cut, moulded or fabricated to shape Weathershields						
	Wheel balance weights						
	Wheel spinners for use on steering wheels						
	Wheels of magnesium, aluminium alloys, (less than 20'' (51cm) in diameter), whether one piece construction						
	or composite Wheels of steel with tyres thereon						

# 2614

# NEW ZEALAND GAZETTE

#### Tariff Concession Approvals, Withdrawls and Declines Notice No. 1991/30-continued

Tariff Item	Description of Goods	Rates of Normal	Pref.	II Ref.	Ref. No.	Effective From To
87.08	Parts and accessories of motor vehicles falling within bending No. 87 01 87 02 87 03 87 04 or 87 05	Free	Free	99	984213G	11/91 .
	heading No. 87.01, 87.02, 87.03, 87.04 or 87.05 EXCLUDING:					
	Adaptor plates to fit Isusu and Cummins engines					
	Air dams					
	Arm rests					
	Automatic transmission oil cooler other than aluminium					
	wafer type coolers and amphibious vehicle automatic transmission oil coolers					
	Axle assemblies, viz: brake drums, hubs (stud and spoked),					
	brake shoes, camshafts, brake spiders, back plate assemblies,					
	brake shoe pins, brake shoe springs, brake shoe rollers, bushes, bearing housings, camshaft brackets, dust covers, wheel studs,					
	bearing housings, camshaft brackets, dust covers, wheel studs, wheel nuts, axle nuts and axle washers					
	Bonded brake shoes					
	Bonnetguards					
	Brake cables Bull bars					
	Bumpers, other than bumper ends and bumper rubbers					
	Bumpers, other than plating rejects or bare base steel					
	bumpers (i.e. not chromed or similarly coated)					
	Canopies Clutches complete, whether made up or in kit form					
	Clutches complete, whether made up of in kit form Clutch covers (pressure plate)					
	Clutch plates (friction plates, clutch discs)					
	Clutch repair or reconditioning kits which include					
	any of the following:- Clutch plate (clutch disc or friction plate)					
	Clutch cover (pressure plate)					
	Couplings, trailer and truck (other than semi-trailer					
	fifth wheel couplings) Disc brake and essemblies and disc and kits					
	Disc brake pad assemblies and disc pad kits Door control systems, air, air-bleed or vacuum operated, viz:					
	single/double folding (jacknife), single/double gliders					
	Exhaust pipes					
	Exhaust systems (comprising piping and mufflers)		4			
	External luggage racks Glare stops					
	Headlight covers					
	Hubcaps, hub centres, full wheel covers, wheel trims,					
	(other than those with the following dimensions 22 1/2'' (57.15cm) complete with brackets), bends and discs, and wheel					
	(57.15cm) complete with brackets), bends and discs, and wheel trim rimbellishers		*			
	Interior trim components of hardboard, cardboard or similar					
	materials, leather or plastic sheetings, cut to shape Melt sheet, cut to shape					
	Meit sheet, cut to snape Moulded wellside deckliners other than those for Chevrolet					
	and Ford F series vehicles					
	Mufflers, silencers, resonators					
	Nose cuts Radiator cores and assemblies					
	Safety grills (ie dog guards) for fencing off the front					
	seat from the back					
	Seat belts Spoilers of plastic					
	Spoilers of plastic Steering wheels					
	Sunroofs					
	Towballs					
	Upholsterers materials (such as flock, wadding, batting, fluting, linters, padding, foam) cut, moulded or fabricated to shape					
	linters, padding, foam) cut, moulded or fabricated to shape Upholsterers textiles, fabrics, leather, or plastic sheetings,					
	cut, moulded or fabricated to shape					
	Weathershields					
	Wheel balance weights Wheel spinners for use on steering wheels					
	wheel spinners for use on steering wheels Wheels of magnesium, aluminium alloys, (less than					
	20'' (51cm) in diameter), whether one piece construction					
	or composite Wheels of steel with tures thereon					
9004.90.09	Wheels of steel with tyres thereon Eyewear retainers of a type used for securing eyewear	Free	Free	99	985791F	6/91 .
JJJ1100108	during sporting activities				550701F	-, • i
9032.89.00	Cryogenic regulators of a type used to maintain pressure	Free	Free	99	985772K	5/91 .
0400 00	regulation	Pass	Pro		0050105	E /03
9403.20.00	Safety cabinets and accessories, twin wall, vented of a type for the storage of flammable liquids in approved	Free	Free	99	985810F	5/91 .
	type for the storage of flammmable liquids in approved containers to a maximum nominal capacity of 45 US gallons					
9608.99.01	Spring loaded pen holder with matching pen	Free	Free	99	986054B	2/91 .
	-					
	SECOND SCHEDULE					
	Concession Approvals Subject to Prescribed Purpos	ses and Co	onditions			
Tonife		Rates of	* Du+	Part II	Ref.	Effective
Tariff	Description of Goods	RALES O.	uuty	11	Bell .	

Tariff				Duty	11	Ref.	Effecti	ve
I	tem	Description of Goods	Normal	Pref.	Ref.	No.	From	То
7	117.19.00	7500 only gold plated necklace and bracelets in felt bag	Free	Free	99	985765G	4/91	4/91

# CUSTOMS EDITION

#### Tariff Concession Approvals, Withdrawls and Declines Notice No. 1991/30-continued

Tariff Item	Description of Goods	Rates of Normal	f Duty Pref.	Part II Ref.	Ref. No.	Effect From	
 7208.42)	380,586kgs wide steel plate imported on lodgement No's:	Free	Free	99	980546L	12/88	4/90
7208.43) 8421.39.01) 8421.39.09)	2201020107, 7293490003, 7290260002, 2290480003, 2290760007 One only A.P.S. separator and one only cyclone set as accessories for fluid bed dryer imported on WNS1003971	Free	Free	99	986060G	7/91	•••
8428.39.00	of 23 July 1991 Vibratory conveyors — accessories for use with fluid bed dryer — 2 only as imported on WNS1003971 of 23 July 1991	Free	Free	99	986059C	7/91	
8901.90.21	One only ''yankee'' airboat	Free	Free	99	985793B	6/91	••

#### THIRD SCHEDULE

#### ncession Approvals Withdra

		Concession	Approvals Withdrawn					
Tari						Ref. No.		
Iter	m	Description of Goods						
3004	4.10.09)	Synalor cream	••	••	••	102034L	••	••
3004	4.90.19)							
3004	4.10.09)	Synalor gel		••	••	102036G	••	••
3004	4.90.19)							
3004	4.10.09)	Synalor ointment	••	••		102038C	••	
3004	4.90.19)							
3004	4.20.09	Erythrocin capsules		••		984919L	••	••
3208	8.10.29)	Intumescent coatings		••	••	985659K	••	••
3208	8.20.29)							
320	8.90.29)							
380	8.90.00	Cultar	••	••	••	522433A	••	••
390	7.30.09	Unmodified resin	••	• •	••	985309L	••	••
391	0.00.09	Dimethyl hydrolysale	••	••	• •	880217D	••	••
392	6.90.69	Pentic system	••	••	••	984505E	••	••
420	2.12.00	Ski case	••	••	••	983601C	••	••
570	1.10.01	Handmade \$100 psm	••	••		980390E		••
600	2.30.12)	Screen fabric	••	••	••	702264G	••	• •
600	2.30.21)							
600	2.30.29)							
600	2.30.35)							
640	6.99.05)	Athletic, cookies		••	••	985119E	••	
640	6.99.09)							
Sec	tion XV	Plugs, 100mm		••		981949F	••	10/9
731	2.10.00	Stranded covering				981604G	••	
731	2.10.00)	Stranded inclusive	••	••		985754A	••	••
731	2.90.00)							
841	3.50.09)	Mono pumps		••		502956C		
841	3.60.09)							
841	3.60.09	Seepex series		••		502650E		• •
841	4.80.19	Bare etc		••		602669K	••	••
842	4.89.19	Hot units	••			980958K	••	••
842	4.89.19	Liquid dispensers				505565C		
846	3.90.00	Finn-power machines	••	••	••	780319C	••	• •
851	7.30.00	Membrane keyboards				440323B	• •	
852	9.10.19	Directive antenna		••		721583F	••	••
85.	35)	Switches proximity		••		204374C		
85.	36)	· ·						
854	3.80.29	Electric collar				881355J		
87.	08	Parts composite				985379A		
87.		Parts composite				984213G		
960	8.10.01)	Retractable set				985263J		
	8.10.09)							

#### FOURTH SCHEDULE

#### Applications for Concessions Declined

Tariff Item	Description of Goods	Ref. No.
3924.90.09	Melamine trays, cutting boards and heat resistant stands	986021F
6002.30	Screen printed fabric containing lycra	985816E
8414.80.01	Broomwade 6000 series air compressors fitted with	985471B
	electronic controls	
8414.80.01	Rotary vane air compressors	985469C
8419.81.00	Pressureless steam cookers of a type for commercial use	985811D
	which can also cook with hot air	
8609.00.09	ISO containers	985797E

#### NOTE

÷

The purposes and conditions prescribed for the concessions granted in relation to the goods listed in the Second Schedule to this notice may be obtained from the Ministry of Commerce on request.

Declined applications for concessions as listed in the Fourth Schedule to this notice, and the concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice, will not be published in the Consolidated List of Decisions. Any concession approved may be withdrawn or modified by notice in the *Gazette*.

Dated at Wellington this 8th day of August 1991.

V.A. MANKS, Ministry of Commerce.

#### CUSTOMS EXCHANGE RATES NOTICE (NO. 17) 1991

Pursuant to section 143 of the Customs Act 1966, the Comptroller of Customs, in accordance with the power delegated to him by the Minister of Customs under section 9 of that Act, hereby gives the following notice.

#### NOTICE

1. Short Title and commencement - (1) This notice may be cited as the Customs Exchange Rates Notice (No. 17) 1991.

(2) This notice shall come into force on the 26th day of August 1991.

2. Exchange rates - Where under any provisions of the Customs Act 1966 any amount which is required to be taken into account for the purpose of assessing duty or any other purpose is not an amount in New Zealand currency, the amount to be so taken into account shall be the equivalent in New Zealand currency of that amount ascertained in accordance with the rate of exchange set out in the Schedule to this notice.

3. Revocation - The Customs Exchange Rates Notice (No. 16) 1991, published in the *New Zealand Gazette*, Customs Edition No. 113, dated 30 July 1991, on page 2479 is hereby revoked.

SCHEDULE

		3	CHEDULE			
AU	Australia		••		. 73	Dollar
AT	Austria			••	6.82	Schilling
BD	Bangladesh				20.30	Taka
BE	Belgium				19.97	B Franc
BR	Brazil	••		••	195.80	Cruzado
CA	Canada	••	••	••	0.65	Dollar
CL	Chile	••	••	••	193.35	Peso
CN	China	••	••	••	3.04	Renminbi or Yuan
DK	Denmark	••	••	••	3.76	Krone
EG	Egypt	••	••	••	1.84	E Pound
FJ	Fiji	••	••	••	0.85	F Dollar
FI	Finland	••	••	••	2.34	Markka
FR	France	••	••	••	3.30	Franc
PF	French Polynesia	••	••	••	59.99	FP Franc
DE	Germany Fed. Rep. of	••	••	••	0.97	Mark
GR	Greece	••	••	••	107.35	Drachma
HK	Hong Kong	••	••	••	4.41	HK Dollar
IN	India	••	••	••	14.55	Rupee
ID	Indonesia	••	••	••	1115.30	Rupiah
IE	Ireland	••	••	••	0.36	I Pound
IL	Israel	••	••	••	1.36	Shekel
IT	Italy	••	••	••	725.10	Lira
JM	Jamaica	••	••	••	5.64 76.96	J Dollar Yen
JP	Japan	••	••	••		Yon
KR	Korea	••	••	••	410.39 1.58	
MY MX	Malaysia Mexico	••	••	••	1.58	M Dollar (Ringgit) Peso
MM	Myanmar	••	••	••	3.63	Kyat
man. NL	Netherlands	••	••	••	1.09	Florin (Guilder)
NO	Norway	••	••	•••	3.79	Krone
PK	Pakistan	••	••	••	13.90	Rupee
PG	Papua New Guinea		••		0.54	Kina
PH	Philippines	••	••		15.02	Peso
PT	Portugal				83.84	Escudo
SG	Singapore				0.98	S Dollar
ZA	South Africa				1.62	Rand
ES	Spain				60.53	Peseta
LK	Sri Lanka				22.70	Rupee
SE	Sweden				3.52	Krona
CH	Switzerland		••	••	0.85	Franc
T₩	Taiwan	••	••		15.22	Twn Dollar
TH	Thailand	••	••	••	14.53	Baht
то	Tonga	••	••	••	0.72	Pa'anga
GB	United Kingdom		••		0.33	Pound
US	U.S.A.	••		••	0.57	Dollar
WS	Western Samoa	••	••	••	1.32	Tala
EU	European Currency Unit	••	••	• •	0.47	Euro Dollar

Dated at Wellington this 7th day of August 1991.

G. W. LUDLOW, Comptroller of Customs.

PUBLISHED BY AUTHORITY OF DEPARTMENT OF INTERNAL AFFAIRS: GP PRINT LIMITED, WELLINGTON, NEW ZEALAND-1991 ISSN 0111-5650 Price \$3.10c (incl. GST 27643D—91A