



The New Zealand
Gazette

Customs Edition

WELLINGTON: TUESDAY, 8 JUNE 1993

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1993/20
Applications Advertised for Objection
Closing Date for Objections 29th June 1993

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the Ministry of Commerce, PO Box 1473, Wellington, Fax (04) 473-8949 indicated by the reference number, before 29th June 1993. All submissions must include:
- the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item; and
 - Reference number.
- 2 All submissions from local manufacturers must include:
- the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 All submissions objecting to a request for the withdrawal of a concession must include:
- reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Commerce quoting the details in paragraph 1 above.
- 5 Any submission not supported by the information required in the paragraphs above will be considered invalid.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
3004.90.19	Odrik (trandolapril) capsules	Roussel (NZ) Ltd PO Box 9819 Newmarket AUCKLAND	26	989023J	A
3906.90.09	Liquid resins of a type suitable for manufacture of	Morrison Printing Inks & Machinery Limited	99	987708J	A
3909.40.09	UV printing ink or heat set ink viz:				
3909.50.09	Aronix M8530 (Olygo-ester-acrylate) Aronix M8560 (Olygo-ester-acrylate) SR 355 (Di-trimethylol propane tetraacrylate) W-119V (Alkyd/phenol resins) W-156V (Alkyd/phenol resins) W-166V (Phenol resin)	C/- Burnard & Reynolds Limited PO Box 1387 AUCKLAND			
3907.91.09	Polylite 33-540 (unsaturated polyester resin)	A C Hatrick (NZ) Ltd PO Box 2359 AUCKLAND	99	989054J	A
3924.10.09	Mugs, acrylic, double wall insulated	Gallery International Limited C/- Tariff Services Limited CPO Box 4026 AUCKLAND	99	989059K	A
3926.90.69	Protectors being self adhesive shapes and mountings of moulded polyurethane	3M New Zealand Ltd PO Box 33246 AUCKLAND	99	989064F	A
4420.90.09	Coat-hooks and/or bookends, wooden, screen printed with	Tree Toys Ltd	99	989061A	A
4421.90.19	cartoon characters	C/- KK Customs Agency Ltd PO Box 23-703 Hunters Corner Papatoetoe AUCKLAND			
8419.81.00	Popcorn machines	The Confectionary Palace C/- Crawford & Walker Customs Brokers Ltd PO Box 1116 Shortland Street AUCKLAND 1	99	989057C	A
8422.30.09	Automatic sealing machine specially suited for packaging diapers	Caxton Products Ltd C/- Burlington Air Express PO Box 97-088 South Auckland Mail Centre AUCKLAND	99	989067L	A
8422.30.09	CURRENT APPROVAL: Ice cream container filling, packaging or wrapping machines		99	111517A	V
8422.30.09	REQUESTED APPROVAL: Filling, packing or wrapping machines, specially suited for use with dairy products	Sutton Distributors Ltd C/- A J Brown & Co Ltd PO Box 1036 AUCKLAND	99	989058A	V
8422.40.09	Tester, seal, specially suited to test the integrity of pharmaceutical blister packs	Glaxo NZ Ltd Private Bag 11018 PALMERSTON NORTH	99	989065D	A
8705.10.00	Crane, one only Coles Colossus HLT4000, specially suited for loading/unloading shipping containers	Port Nelson Ltd PO Box 844 NELSON	99	989066B	CE
Chapter 90	CURRENT APPROVAL: Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; EXCLUDING: (1) Electric current controllers/indicators, up to 240v (2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square (3) Milk cryoscopes (4) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliammeters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class		99	987179K	V

Tariff Industry Assistance (Advertisement) Notice No. 1993/20-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	<p>1.5 and having face size of 72mm or 96mm square</p> <p>(5) Moving iron ammeters and voltmeters including milliammeters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to 144mm square inclusive</p> <p>(6) Pressure, humidity and moisture control and measuring devices</p> <p>(7) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz</p> <p>(8) Variable speed controllers for A.C. motors, sizes up to and including 255 kw</p> <p>(9) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure</p> <p>EXCLUDING:</p> <p>Public water supply data logging equipment</p> <p>(10) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units</p> <p>(11) Bin and hopper level control instruments and apparatus</p> <p>(12) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive</p> <p>(13) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs</p> <p>(14) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand</p> <p>(15) Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue</p> <p>(16) Power factor meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 1.5 and having face size of 72mm or 96mm square</p> <p>(17) Rectangular style moving coil and moving coil/rectifier ammeters and voltmeters including milliammeters having a face with a long side falling between 80mm and 92mm and a short side falling between 72mm and 84mm</p> <p>(18) Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms</p> <p>(19) Post payment self-service petrol dispensing systems</p> <p>(20) Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately</p> <p>(21) Telemetry system designed for the remote control measuring and indicating of physical and electrical data, such as voltage, current, power and position status</p> <p>(22) Electronic taximeters</p> <p>(23) Ripple signal control equipment</p> <p>(24) Parts of electrical weight or load measuring equipment; viz: load cells, load bars, weigh cells, load transducers, weight transducers, strain gauge transducers, force transducers</p> <p>Other than:</p> <p>Hermetically sealed transducers (being gas tight), shock proof transducers (being without fittings or attachments), explosion proof transducers, load pins, shackle pins, cannister cells, single point cells, pancake cells, dual cantilever, straight types</p> <p>(25) Electrical transducers including signal converters and isolators. Transducers are devices that measure an electrical quantity and converts it into a directly related load-independent DC current or voltage. The input may be current, voltage, power, phase angle frequency, resistance or other such electrical quantity</p>				
Chapter 90	<p>REQUESTED APPROVAL:</p> <p>Electrical measuring, checking, analysing or automatically controlling instruments and apparatus;</p> <p>EXCLUDING:</p> <p>(1) Electric current controllers/indicators, up to 240v</p> <p>(2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square</p> <p>(3) Milk cryoscopes</p> <p>(4) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliammeters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class 1.5 and having face size of 72mm or 96mm square</p> <p>(5) Moving iron ammeters and voltmeters including milliammeters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to</p>	<p>PDL Electronics Limited C/- Bernard A W Hack Ltd PO Box 20-158 CHRISTCHURCH</p>	99	989052B	V

Tariff Industry Assistance (Advertisement) Notice No. 1993/20—continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
+	<p>144mm square inclusive</p> <p>(6) Pressure, humidity and moisture control and measuring devices</p> <p>(7) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz</p> <p>(8) Variable speed controllers for A.C. motors, sizes up to and including 600 kw</p> <p>(9) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure</p> <p>EXCLUDING:</p> <p>Public water supply data logging equipment</p> <p>(10) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units</p> <p>(11) Bin and hopper level control instruments and apparatus</p> <p>(12) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive</p> <p>(13) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs</p> <p>(14) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand</p> <p>(15) Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue</p> <p>(16) Power factor meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 1.5 and having face size of 72mm or 96mm square</p> <p>(17) Rectangular style moving coil and moving coil/rectifier ammeters and voltmeters including milliammeters having a face with a long side falling between 80mm and 92mm and a short side falling between 72mm and 84mm</p> <p>(18) Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms</p> <p>(19) Post payment self-service petrol dispensing systems</p> <p>(20) Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately</p> <p>(21) Telemetry system designed for the remote control measuring and indicating of physical and electrical data, such as voltage, current, power and position status</p> <p>(22) Electronic taximeters</p> <p>(23) Ripple signal control equipment</p> <p>(24) Parts of electrical weight or load measuring equipment; viz: load cells, load bars, weigh cells, load transducers, weight transducers, strain gauge transducers, force transducers</p> <p>Other than:</p> <p>Hermetically sealed transducers (being gas tight), shock proof transducers (being without fittings or attachments), explosion proof transducers, load pins, shackle pins, canister cells, single point cells, pancake cells, dual cantilever, straight types</p> <p>(25) Electrical transducers including signal converters and isolators. Transducers are devices that measure an electrical quantity and converts it into a directly related load-independent DC current or voltage. The input may be current, voltage, power, phase angle frequency, resistance or other such electrical quantity</p>				
9502.99.00	Dolls glasses	Lindsay Walkinshaw Ltd C/- PO Box 504 DUNEDIN	99	989068J	A
9603.90.19	Scraper, barbecue grill, one piece combination with brass bristle brush	Amalgamated Hardware Merchants Ltd PO Box 985 AUCKLAND	99	989053L	A
* Category of Application:	A	General Approval			
	CE	Capital Equipment			
	IM	Inputs to Manufacturing - Inability to Supply			
	IP	Inadequate Production			
	MS	Manufacturers' Samples			
	RUC	Revocation of Unused Concession			
	S	Shortfall			
	SS	Special Situation			
	V	Variation of Existing Concession			
	W	Withdrawal of Concession			
	+	Denotes amendment or addition			

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 20) 1993

I, Vincent Anthony Manks, Executive Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and
- (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice; and
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.

FIRST SCHEDULE
Concessions Approved

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
A 2106.90.09	Vitalzin premix	Free	Free	99	988795E	4/93	..
A 3004.20.09	Apatef (Cefotetan)	Free	Free	26	988763G	3/93	..
A 3004.20.09	Lyclear cream	Free	Free	26	987260E	4/93	..
X 3004.39.09	Provette tablets	Free	Free	26	988623A	2/93	..
A 3004.90.19	Cataflam	Free	Free	26	988764E	3/93	..
A 3004.90.19	Foradil	Free	Free	26	988765C	3/93	..
A 3004.90.19	Orgaran	Free	Free	26	988777G	3/93	..
V 3208.10.29)	Schekolin offset lacquer	Free	Free	99	988782C	4/93	..
	3208.20.29)						
A 3402.11.00	Mackadet CBC	Free	Free	99	988793J	4/93	..
A 3801.30.00	BVM 51 solids	Free	Free	99	988741F	2/93	..
A 3808.40.00	Baquacil swimming pool sanitiser	Free	Free	99	988749A	3/93	..
A 3823.90.69	Alox 575	Free	Free	99	988776J	3/93	..
A 3823.90.69	BVM 51 hardener	Free	Free	99	988742D	3/93	..
A 3823.90.69	Sorane ISO S2000 and/or Sorane A42000/14 prepolymer	Free	Free	99	988748C	3/93	..
A 3907.30.09	BVM 51 epoxy resin	Free	Free	99	988743B	3/93	..
A 3919.90.09	Plastic stickers, printed with motifs, characters or pictorial representations, or shapes representing characters or pictorial representations	Free	Free	99	988753K	3/93	..
V 3920.42.29)	Ammeraal brand PVC conveyor belting of the following types	Free	Free	99	988751C	3/93	..
	3921.90.19)						
	with a minimum width of 1800mm: fabric 2M0364, fabric 2M0201, felt IM0097, flexam 1060, flexam 2M0115 A32, flexam 2M0576, flexam 2M0580 AO, flexam 2M0632, flexam 2T3365, flexam 3T3635, Lamislip 50mm wide nonex IM009 FDA, nonex 2M0286 A15, nonex 2M1523 FDA, nonex 2T3377 A13, nonex 2T3415 FDA, nonex 2T3415 A13 FDA, nonex 2T3508 FDA, nonex 3M0542 FDA, nonex 3T3383 FDA, ropanyl IM0432 FDA, ropanyl IM0978 FDA, ropanyl 2M0873 FDA, ropanyl 2M1719 FDA, and ropanyl 2M1792						
A 3924.90.09	Hinged plate display stands	Free	Free	99	988791B	4/93	..
A 4009.20.00	Suction/discharge hose I.D. 450mm, L1100mm, wall thickness 27mm, with vulcanised rubber/steel flange	Free	Free	99	987958H	9/92	..
V 4015.19.09	Gloves, rubber	Free	Free	99	988767K	3/93	..
A 4016.99.99	Polybutadiene bags	Free	Free	99	988761L	3/93	..
A 4810.29.01	Clay-coated printing and writing paper having a mechanical pulp content of more than 10 percent and weighing not more than 67gsm	Free	Free	99	988720C	9/92	..
A 4810.29.01	Clay coated printing and writing paper, weighing more than 67gsm and having a mechanical pulp content of less than 55 percent	Free	Free	99	988721A	9/92	..
A 5603.00.00	Non woven polyester fibre fleece	Free	Free	99	988728J	3/93	..
A 6002.93.09	Chinon natural protein/acrylonitrile knitted fabric	Free	Free	99	988800E	4/93	..
V 6307.90.28	Knitted or crocheted tasselled fringe and braid	Free	Free	99	988774B	3/93	..
A 7616.90.29	Salmon egg incubators	Free	Free	99	988803K	4/93	..
V 8416.20.00)	Burners gas/oil combination suited for all types of boilers and furnaces	Free	Free	99	988781E	4/93	..
	8417.80.01)						
	NOTE: Any burners imported under this concession must be fitted with the following; oil pump and liquid fuel connections, nozzles and defusers for both types of fuel, essential gas train componentary						
A 8428.90.00	Live floor conveyor system of a type specially suited for the conveying, loading or unloading, of bulk cargo on road transport vehicles	Free	Free	99	987502G	6/92	..
X 8428.90.00	Stairlifts	Free	Free	99	720262J	1/88	..
A 8479.89.00	Ball-point pen refill manufacturing machine	Free	Free	99	988797A	4/93	..
A 8481.80.19	Valves specially suited for mixing steam with cold water	Free	Free	99	988596L	2/93	..
A 8485.10.00	Controllable pitch ships' propellers units with propeller size exceeding 965mm diameter and parts thereof	Free	Free	99	988462K	1/93	..
A 8509.40.19	Electric foodmixers, handheld	Free	Free	99	988798K	4/93	..

SECOND SCHEDULE
Concession Approvals Subject to Prescribed Purposes and Conditions

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
IM 3910.00.09	1800kgs Union Carbide cellseal 44 silicone sealant	Free	Free	99	988835H	4/93	3/94
IM 6002.30.35	Nylon lycra, knitted mesh fabric, 1500 metres only	Free	Free	99	988790D	4/93	3/94
IM 6805.20.19	11,200 only sanding belts, 1320mm width or wider; of a type used in the manufacture and overlay of medium density fibreboard and particle board reconstituted wood panels	Free	Free	99	988771H	3/93	9/94
CE 8421.39.00	Controlled atmosphere storage equipment viz: CO ₂ and ethylene scrubbers including identifiable accessories therefor Supplier: Isolcell Italia S.P	Free	Free	99	988827G	4/92	4/93

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1993/20—continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	Importer: Independent Coolstores, Kerikeri, lodgement number 5020980008						
MS 8809.00.09	One only second hand 20 foot length ISO type refrigerated container — not for resale	Free	Free	99	988792L	1/93	..

THIRD SCHEDULE
Concession Approvals Withdrawn

Tariff Item	Description of Goods			Ref. No.		
3004.39.09	Provette tablets	988623A
3208.10.29	Schekolin ... lacquer	985491G
3920.42.29)	Ammeraal ... wide	982767G
3921.90.19)						
4015.19.09	Butyl gloves	984544F
4015.19.09	Cold .. gloves	986828D
4015.19.09	Electricians ... volts	520629E
4015.19.09	Electrician ... volts	985498D
4015.19.09	Electricians ... voltage	503400A
4015.19.09	Electricians ... volts	560161E
4015.19.09	Goalkeepers gloves	740025L
4015.19.09	Lead ... gloves	505570K
4015.19.09	Medical ... gloves	986577C
4015.19.09	Rubber ... gloves	986748B
6307.90.28	Knitted ... braids	983688J
8416.10.00)	Burners ... componentary	931493J
8417.80.01)						
8428.60.00	Stairlifts	720262J

FOURTH SCHEDULE
Applications for Concessions Declined

Tariff Item	Description of Goods	Ref. No.
3402.19.00	Silagen cleaning solvents (based on alkylbenzene)	988725D
3907.91.09	One and two component polyester resins and glues viz: Kemperol V210; Kemperol V210 repair-pack; Siladyn special glue; Kemperol S210; Kemperol S210 repair-pack; Kemperol PHC-5; Kemperol BR; Siladyn pur glue; Siladyn pur glue thix; Silasol	988726B
3909.30.09	One component solvent based polyurethane primer viz: Kemperol repair primer, Silagen X-primer	988727L
3909.50.09	Two component polyurethane primers viz: Kemperol primer 'D' Silagen primer 'D' Silagen top floor	988723H
3919.10.01	Duct tape — being fabric reinforced polyethylene tape	988805F
3926.90.69)	Cable glands rated at IP68	987964B
7326.90.09)		
4823.11.00	High temperature automotive masking tape	988757B
Chapter 61)	Interlock type skivvies made of either poly/cotton or cotton	988778E
Chapter 62)	with a maximum chest measurement of 56cm — measured armpit to armpit	
7210.49.31	Hot dip galvanised coil and sheet 2.0mm thickness	988758L

Category of Decision:	Code	Description
	A	General Approval
	CE	Capital Equipment
	GT	Goods in Transit
	IM	Inputs to Manufacturing — Inability to Supply
	IP	Inadequate Production
	MS	Manufacturers' Samples
	RUC	Revocation of Unused Concession
	S	Shortfall
	SS	Special Situation
	V	Variation of Existing Concession
	X	Administrative Amendment

NOTE

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice and declined applications for concessions as listed in the Fourth Schedule to this notice will not be published in the Consolidated List of Decisions.

Any concession approved may be withdrawn or modified by notice in the Gazette.

Dated at Wellington this 3rd day of June 1993.

V.A. MANKS, Ministry of Commerce.

