



The New Zealand Gazette

Customs Edition

WELLINGTON: TUESDAY, 17 AUGUST 1993

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1993/30 Applications Advertised for Objection Closing Date for Objections 7th September 1993

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the Ministry of Commerce, PO Box 1473, Wellington, Fax (04) 473-8949 indicated by the reference number, before 7th September 1993. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item; and
 - Reference number.
- 2 All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
 All submissions objecting to a request for the withdrawal of a concession must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.

1. Baking trays and sheets being flat bakeware with up to

2.5cm sides: maximum size 43.8cm x 29.2cm
2. Pizza pans and crispers being round trays with or without holes in bottom and up to 1.3cm high sides,

- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Commerce quoting the details in paragraph 1 above.
- Any submission not supported by the information required in the paragraphs above will be considered invalid.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
3214.10.09	Sealant, leakmaster, water swelling of rubber polymer	Fraser Brown & Strathmore Ltd C/- Kapiti Customs Brokers Ltd PO Box 848 WELLINGTON	99	989382C	A
3402.13.00	CURRENT APPROVAL: Antimussol SF liquid		99	931275H	v
3402.13.00	REQUESTED APPROVAL: Antimussol SF and HTS liquids	Chemcolour Industries (NZ) Ltd PO Box 100-145 North Shore Mail Centre AUCKLAND	99	989381E	v
3406.00.00	Candles incorporating music-maker	K & G International Commodities C/- PO Box 35-066 Naenae LOWER HUTT	99	989383A	A
3823.90.69	Oilwell facturing and stimulation chemicals viz: carbo-lite (proppant), CL-11, CL-18, CL-28, CLA-STA FS, CLA-STA XP, Clayfix II, FR-28LC, FR-26L, FR-26LC, FR-7, Hyflo IV, HYG-5, K-38, LGC-V, Matriseal II, MO-55A, MO-56, Musol A, NF-3, Pen-5, Optiflo-III, Pen 88, SEM-7, SGA-HT, SSO-21, TB-71, TB-91, TBA-110, TBA-350, WGI1, WAC-12L, WG-17, WG-19, WG-21, WLC-4, WS36		99	989380G	A
3823.90.69	Trigonox 101-50D-pd	Polychem Marketing Limited PO Box 6435 AUCKLAND	99	989374B	A
3923.90.12	Containers, of BOPS (biaxially oriented polystyrene), of a type suited for bakery products	Elmark Industries Ltd PO Box 51-037 East Tamaki AUCKLAND	99	989289D	IM
3926.10.09	CURRENT APPROVAL: Polypropylene multi clear pockets		99	521667C	v
3926.10.09	REQUESTED APPROVAL: Polypropylene/PVC multi clear pockets	Klipbind Systems Ltd C/- Banner Tariff & Trade Consultant PO Box 1744 WELLINGTON	99 s	989378E	v
4823.11.00	Self adhesive belting tape in rolls $6mm$ wide and $500\ metres$ long		99	989364E	A
5607.49.01	Braided fishing line	JPB Furley & Co Ltd C/- Transtec Ocean Express PO Box 1296 AUCKLAND 1	99	989387D	A
5806.40.00	Tape of a type used for rejoining kraft paper	NZFP Pulp & Paper Ltd C/- J A Barber & Co Ltd PO Box 858 AUCKLAND	99	989354H	A
7312.10.00) 7312.90.00)		Ministry of Commerce PO Box 1473 WELLINGTON	99	989373D	A
7323.99.00	Hollow tinware decorated by a powder coating process	Harrison Trading Co Ltd C/- Meadows Freight Ltd PO Box 1344 HAMILTON	99	989386F	A
7323.99.00	Wine racks of wrought iron or steel	Zelanda Imports Ltd C/- Kapiti Customs Brokers Ltd PO Box 848 WELLINGTON	99	989366A	A
7615.10.00	CURRENT APPROVAL: Domestic bakeware, teflon or silicone coated, as may be approved; APPROVED:		99	987330K	V

CUSTOMS EDITION

Tariff		Name and Address	Part II Ref.	Appn. Ref. No.	*Category of Appn.
Item	Description of Goods maximum diameter of 31.1cm	of Applicant	Rei.	NO.	друп.
	3. 6 cup muffin pans, maximum muffin hole size of 7.6cm diameter 4. Bread and loaf pans, oblong shaped only, maximum size 23.5cm x 13.3cm 5. Heart shaped pans				
7615.10.00	6. Covered roast pans, 33cm x 22.9cm x 5.1cm deep 7. Roast and bake pans, 36.8cm x 26.7cm x 5.1cm deep 8. Square bake pans, 20.3cm x 20.3cm x 5.1cm deep 9. Oblong cake pans, 33cm x 22.9cm x 5.1cm deep 10. Muffin pans, 6 large cups, 8.8cm diameter x 4.4cm deep 11. Biscuit pans, 27.3cm x 17.8cm x 3.8cm deep 12. Round cake pans, 20.3cm diameter x 3.8cm deep 13. Round cake pans, 22.9cm diameter x 3.8cm deep REQUESTED APPROVAL:				
	Domestic bakeware, teflon or silicone coated, of the following types: 1. Baking trays and sheets being flat bakeware with up to 2.5cm sides: maximum size 43.8cm x 29.2cm 2. Pizza pans and crispers being round trays with or without holes in bottom and up to 1.3cm high sides, maximum diameter of 31.1cm 3. 6 cup muffin pans, maximum muffin hole size of 7.6cm diameter	Australasian International PO Box 73-111 AUCKLAND AIRPORT	99	989385H	V
•	4. Bread and loaf pans, oblong shaped only, maximum size 23.5cm x 13.3cm 5. Heart shaped pans 6. Covered roast pans, 33cm x 22.9cm x 5.1cm deep 7. Roast and bake pans, 36.8cm x 26.7cm x 5.1cm deep 8. Square bake pans, 20.3cm x 20.3cm x 5.1cm deep 9. Oblong cake pans, 33cm x 22.9cm x 5.1cm deep 10. Muffin pans, 6 large cups, 8.8cm diameter x 4.4cm deep 11. Biscuit pans, 27.3cm x 17.8cm x 3.8cm deep 12. Round cake pans, 20.3cm diameter x 3.8cm deep 13. Round cake pans, 22.9cm diameter x 3.8cm deep 14. Fluted tube pan 24.1cm				
8418.61.00	One only Torry Tunnel freezer entered on CHS3002417 of 14 July 1993	Parimar Holdings Ltd C/- Beacon Customs PO Box 1295 CHRISTCHURCH	99	989360B	CE
8428.39.00	Overhead conveyor systems with a maximum capacity per hanger of 60lbs with up to a maximum separation of 230mm (9'')	Jonassen Industrial Projects Ltd C/- Owens International Customs Ltd PO Box 4144 WELLINGTON	99	989359J	A
8428.90.00	Automatic cardboard feeder, specially suited for use with a cardboard carton making machine	Printpac UEB Case Auckland PO Box 59-012 Mangere Bridge AUCKLAND	99	989358L	A
8428.90.00	CURRENT APPROVAL: Electric drivers for windows, roof domes, skylights, sunshields, air conditioning systems and adjustment of spotlights		99	820346G	v
8428.90.00	REQUESTED APPROVAL: Electric drivers for windows, roof domes, skylights, sunshields, air conditioning systems, adjustment of spotlights and marine hatch lifters	The Bays Box Company C/- J A Barber & Co Ltd PO Box 858 AUCKLAND	99	989355F	v
8479.82.00	Wood fuel hogger	Radiata Components NZ Ltd C/- Allied Customs Agents Ltd PO Box 504 DUNEDIN	99	989350E	A
8479.89.00	Cleaning system, dry steam powered, microprocessor controlled, complete with accessories	Mr D H Simpson Unit 1 1 Rarangi Road St Heliers AUCKLAND	99	989353K	A
	CURRENT APPROVAL: Check valves (valves which prevent reversal of flow) viz; In line steel bodied check valves — over (3/4 in.), SWING, TILITING DISC AND DUAL PLATE: Brass, or gunmetal bodies — 125 mm (5 in.) and above Bronze, 21/2 in., 5 in. and above Cast steel bodied ANSI class 600 — sizes 400 mm (16 in.) and 500 mm (20 in.) Iron or steel bodies 40 mm (11/2 in.) and below Iron or steel bodies — 900 mm (36 in.) and over Plastic bodied — all sizes excluding aerosol types Stainless steel bodied — 40 mm (11/2 in.) and below Stainless steel bodied 500 mm (20 in.) and over Stainless steel bodied sith flanged end connections — all sizes LIFT, GLOBE OR PISTON: (Non Hydraulic)		99	780902G	v

Tariff Industry Assistance (Advertisement) Notice No. 1993/30-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Cast iron, steel and stainless steel bodied - all				
	Sizes	•			
	BALL CHECK: Cast iron, brass, bronze, gunmetal and plastic bodied				
	(excluding aerosol types) - all sizes				
	Steel and stainless steel bodied - 40 mm (11/2 in.)				
	and over				
	Back flow preventors, reduced pressure principle				
	FOOT VALVES: Cast iron, carbon steel or stainless steel bodied -				
	350 mm (14 in.) and over				
	Brass, bronze or gunmetal bodied - 65 mm (21/2 in.)				
	and over				
	UL (underwriters laboratory) approved valves for				
9491 00 00\	LPG service				
	REQUESTED APPROVAL: Check valves (valves which prevent reversal of flow) viz;	Grinnell Supply Sales	00	0003516	v
1401.00.18)	In line steel bodied check valves - over 3/4 in.,	Grinnell Supply Sales PO Box 15-492	99	989351C	V
	SWING, TILTING DISC AND DUAL PLATE:	New Lynn			
	Brass, or gunmetal bodies - 125 mm (5 in.) and	AUCKLAND			
	above			-	
	Bronze, 21/2 in., 5 in. and above				
	Cast steel bodied ANSI class 600 - sizes 400 mm				
	(16 in.) and 500 mm (20 in.) Iron or steel bodies 40 mm (11/2 in.) and below				
	Iron or steel bodies - 900 mm (36 in.) and over				
	Plastic bodied - all sizes excluding aerosol types				
	Stainless steel bodied - 40 mm (11/2 in.) and				
	below				
	Stainless steel bodied 500 mm (20 in.) and over				
	Stainless steel bodied with flanged end connections				
	- all sizes LIFT, GLOBE OR PISTON: (Non Hydraulic)				
	Aluminium bodied - all sizes				
	Brass, bronze or gunmetal bodied - 200 mm (8 in.)				
	and above				
	Cast iron, steel and stainless steel bodied - all				
	sizes				
	BALL CHECK:				
	Cast iron, brass, bronze, gunmetal and plastic bodied (excluding aerosol types) - all sizes				
	Steel and stainless steel bodied - 40 mm (11/2 in.)				
	and over				
٠	POPPET CHECK:				
	Back flow preventors, reduced pressure principle				
	FOOT VALVES:				
	Cast iron, carbon steel or stainless steel bodied - 350 mmm (14 in.) and over				
	Brass, bronze or gunmetal bodied - 65 mm (21/2 in.)				
	and over				
	UL (underwriters laboratory) approved valves for				
	LPG service				
3507.90.00	CURRENT APPROVAL:		••	5005000	
	Battery cases of polypropylene with covers and vent plugs of the following types only: N100, N120, N150, types 389,		99	702533F	V
	386/387, N70Z, N200, NS70, N50Z				
3507.90.00	REQUESTED APPROVAL:				
	Battery cases, of polypropylene, covers and vent plugs,	Yuasa JRA Batteries Ltd	99	989369F	V
	of the following types only: N100, N120, N150 types 389,	C/- PO Box 73-043			
	386/387, N70Z, N200, NS70, N50Z	AUCKLAND INTERNATIONAL AIRPORT			
3516.10.00	Aquarium heaters, thermostatically controlled	Gap Imports	99	989357B	A
		C/- Owens International Customs Ltd PO Box 4144			
		WELLINGTON			
3516.79.19	Presses, tie	Convenience Products Ltd	99	989365C	A
		C/- Customs Agents (WN) Ltd			••
		PO Box 1024			
		WELLINGTON			
	Audio equipment, digital disk recorder, with or without	Australis Music NZ Ltd	99	989361L	A
3537.10.00)	remote controller and accessory boards	C/- K A Hobbs Customs Agents Ltd			
		PO Box 27312 AUCKLAND			
520.90.19)	Audio equipment, digital sampler, with or without	Australis Music NZ Ltd	99	989362J	A
	remote controller and accessory boards	C/- K A Hobbs Customs Agents Ltd	•••	0000023	n
,		PO Box 27312			
		AUCKLAND			
3544.20.00	Co-axial cable, T1011 and T106, incorporating centre	Telecom New Zealand Ltd	99	989388B	SS
	conductor of copper clad steel and outer conductor of	C/- MSAS Cargo International			
	aluminium tape and 2 end outer conductor of aluminium	PO Box 53104			
	braid 53% covered PE and or PVC sheathed, with attenuation of 15.5dB/100m (RG-6) and 10.5dB/100m (RG-11) at 550mhz	AUCKLAND AIRPORT			
403.20.00	Wine bars, wrought iron	Zelanda Imports Ltd	99	989367K	A
		C/- Kapiti Customs Brokers Ltd		/A	
		PO Box 848			
		WELLINGTON			
9403.90.00	CURRENT APPROVAL:				
	Component parts for the manufacture of Modulo 3 furniture		99	420610L	V

17 AUGUST

CUSTOMS EDITION

Tariff Item	Description of Goo	ods			Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
9403.90.00	as may be approved Wellington REQUESTED APPROVAL		held	by Collector of Customs,				
				re of Modulo 3 furniture, of Customs, Wellington	Area Office Supplies Ltd C/- Transtec Ocean Express Ltd PO Box 3424 WELLINGTON	99	989368H	V
9503.90.19	Green slime				Croner Toys Limited C/- PO Box 9319 Newmarket AUCKLAND	99	980370K	A
9503.90.19	Plastic carry/stor incorporating a ba	-		rs in creature face shapes ed screech device	Croner Toys Limited C/- PO Box 9319 Newmarket AUCKLAND	99	989372F	A
Categor	of Application:	A	-	General Approval				
		CE	-	Capital Equipment				
		IM	-	Inputs to Manufacturing -	Inability to Supply			
		IP MS	-	Inadequate Production Manufacturers' Samples				
		RUC	_	Revocation of Unused Conce	esion			
		S	_	Shortfall	331011			
		SS	_	Special Situation				
		v	_	Variation of Existing Cond	ession			
		W	-	Withdrawal of Concession				
		+	_	Denotes amendment or addit	ion :			

Dated at Wellington this 12th day of August 1993.

V.A. MANKS, Ministry of Commerce.

989194D

99

Free

Free

6/93

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 30) 1993

- I, Vincent Anthony Manks, Executive Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:
- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
 (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and
 (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in

	FIRST SCHEDULE						
 	Concessions Approved		<u> </u>				
			-	Part			•
Tariff	Description of Cooks	Rates of Normal	-	II Ref.	Ref.	Effect From	1Ve To
 Item	Description of Goods		Pref.		No.		
2106.90.09	Glucerna specialised nutrition with fibre	Free	Free	99	989191K	6/93 6/93	• • •
3004.20.09 3823.90.69	Mycobutin (Rifabutin) Hardener D/Vertnetzer D	Free Free	Free Free	26 99	989172C 989176F	6/93	••
3909.50.09	Daotan VTW 1234	Free	Free	99	989193F	6/93	• •
3920.69.29	Dielectric coated polyester film of a type suited for	Free	Free	99	988893E	4/93	• • • • • • • • • • • • • • • • • • • •
••	chemi-thermal printing						
3926.90.89	Holder, drinking tumbler, foldaway	Free	Free	99	989182L	6/93	
3926.90.69	Prototype models of a type suited for production of tooling	Free	Free	99	989180D	6/93	
4421.90.19	Toasted white oak wood chips, granules, shavings or the like	Free	Free	99	988884F	3/93	
4805.29.09	Suspension file paperboard, coloured dark green, weighing	Free	Free	99	989179L	6/93	• •
	215 g/m ² plus or minus 5 percent		_				
4823.90.19	Photograph mounting corners	Free	Free	99	989197J	6/93	• •
4908.90.09	Body art transfers	Free	Free	99	989196L	6/93	• •
6001.92.29	One hundred percent polyester circular knit jacquard pile fabric		Free	99	989151L	6/93	• •
7117.90.19	Imitation jewellery: baby, wrist and ankle bracelets and	Free	Free	99	989074C	5/93	• •
7212 10 00	neckwear	Fran	Penn	99	989178B	6/93	
7312.10.00	Six strand wire rope with solid plastic fluted core in sizes 14mm - 56mm diameter inclusive	Free	Free	98	9091700	0/83	• •
7323.99.00	23cm spring form baking tin	Free	Free	99	989199E	6/93	
7323.99.00	Domestic bakeware, teflon or silicone coated, viz:	Free	Free	99	989198G	6/93	
7020100100	1. Baking trays and sheets being flat bakeware with up			•••		.,	
	to 2.5cm sides; maximum size 43.8cm x 29.2cm						
	2. Pizza pans and crispers being round trays with or						
	without holes in bottom and up to 1.3cm high sides;						
	maximum diameter of 31.1cm						
	3. 6 cup muffin pans, maximum muffin hole size of 7.6cm						
	diameter						
	4. Bread and loaf pans, oblong shaped only; maximum size						
	23.5cm x 13.3cm						
	5. Heart shaped pans 6. Covered roast pans 33cm x 22.9cm x 5.1cm deep						
	7. Roast and bake pans 36.8cm x 26.7cm x 5.1cm deep						
	8. Square bake pans 20.3cm x 20.3cm x 5.1cm deep						
	9. Oblong cake pans 33cm x 22.9cm x 5.1cm deep						
	10. Muffin pans 6 large cups 8.8cm diameter x 4.4cm deep						
	11. Biscuit pans 27.3cm x 17.8cm x 3.8cm deep						
	12. Round cake pans 20.3cm diameter x 3.8cm deep						
	13. Round cake pans 22.9cm diameter x 3.8cm deep						
	 Pie pan (with shaped rim, including formed handles) 						
	22.9cm						
	15. Springform cake tin 26.0cm						
	16. Patty/tart tray 12 cup size						
	17. Fluted tube pan 24.1cm						
	18. Muffin pan 12 hole size						
	19. Mini muffin pan 12 hole size 20. Loaf/cake tin; approximately 6cm deep						
	21. Sandwich tin						
	22. Ring cake pan 24cm						
	23. Fluted cake pan 22cm						
	24. 3 piece (2 in 1 set) springform pan and fluted						
	tube base 25cm						
	25. 25cm bundt tin						
7616.90.29	Mandrels of tapered hard anodised aluminium with a minimum	Free	Free	99	989195B	6/93	•
	length of 2 metres, in one piece	_	_				
8422.30.09	Filling, packing or wrapping machines specially suited for	Free	Free	99	989058A	4/93	•
0484 00 00	use with dairy products	Pass	Page	00	989202J	6/93	
8474.39.00	Spindle roller machine, hydraulic, of a type specially suited for use in the production of ceramicware	Free	Free	99	9692023	0/83	•
DE14 OO OO	Components for electric furnaces, ie, elements, being solid	Free	Free	99	922688F	1/88	
8514.90.00	rods of silicon carbide and fittings	FIEC	1166	88	022GGGI	1,00	•
8515.19.00)	Soldering and/or desoldering stations temperature controlled	Free	Free	99	503785K	1/88	
8515.80.09)	50.407 40.507 40.507 40.507 40.507 40.507 40.507 40.507 40.507 40.507						
8516.80.00	Elements for electric furnaces, in which the resistance	Free	Free	99	207635H	1/88	
	is composed of silicon carbide or molybdenum disicide						
8518.29.00	Loudspeakers, excluding tweeter and mid range units, to a	Free	Free	99	988152C	10/92	
	maximum peak power of 5W, comprising the following sizes;						
	50mm diameter, 36mm diameter, 92mm square, 71mm x 41mm and						
	125mm x 78mm		_				
8536.69.00	Plugs, fitted with 13 amp fuse	Free	Free	99	989089A	5/93	•
8541.60.01	Crystals, quartz, surface mount, 2 mhz to 20 mhz,	Free	Free	99	989187A	6/93	٠
	variation up to + 100 ppm, of a type suitable for use in						
	communications equipment						

communications equipment

Tone diallers

8543.80.29

CUSTOMS EDITION

Tariff Concession Approvals, Withdrawls and Declines Notice No. 1993/30-continued

Tariff		Rates of	•	Part II	Ref.	Effect	
Item	Description of Goods	Normal	Pref.	Ref.	No.	From	То
8705.90.00	Cementer truck, double pump, high pressure, of a type suitable	Free	Free	99	989184G	6/93	
	for use in oilfields						
9405.91.00	Chandelier glass drops, mounted on metal clasps	Free	Free	99	989186C	6/93	• •
9502.10.00)	Puppets	Free	Free	99	988905B	4/93	• •
9503.49.00)							
9503.50.00)	Toys, plastic, specially suited for holding/dispensing	Free	Free	99	989177D	6/93	• •
9503.90.19)	confectionery	_			0000000	5 (00	
9503.90.09)	Balls of any material composition, excluding hollow or	Free	Free	99	988255D	7/92	• •
 9503.90.19)	inflatable types THIRD SCHEDULE						-
	Concession Approvals Withdrawn	1					
Tariff					Ref.		
 Item	Description of Goods				No.		
4421.90.19	Toasted like	••			988884F	• •	
7117.90.19	Imitation ornaments	• •			989074C		
7323.99.00	Domestic 25cm	• •			988557K	• •	
8422.30.09	Filling, products	• •			989058A	• •	
8514.40.00	Components fittings				922688F	• •	
85.15	Elements disicide			• •	207635H		
8515.11.00	Cordless irons				622180H		
8515.11.00	Dual iron			••	702869F		
8515.11.00	Manual iron				702868H		
8515.11.00	Soldering controlled				503999B		
8515.19.00)	Soldering controlled				501319E	• • •	• • •
8515.80.09)	Soldering controlled	••	••	•••	0010102	• •	• •
	Coldoning/Depoldening controlled				503785K		
8515.19.00	Soldering/Desoldering controlled	• •			988152C		• •
8518.29.00	Loudspeakers, 75mm	• •	• •	• •		• •	2/0
8525.20.09	MX 2000 unit	• • •	• •	• •	721680H	• •	2/9
8536.50.00	Plugs, fuse	• •	• •	• •	989089A	• •	• •
8541.60.01	Surface 100ppm	• •	• •	••	988445K	• •	• •
9503.49.00	Hand mechanism	• •	• •	• •	603199E	• •	• •
9503.49.00	Wooden puppets		• •	• •	720526A	• •	• •
9503.49.00)	Vinyl puppets	• •			988555C		
9503.90.19)							
 9503.90.19	Balls, types	••			987644J	••	• •
	FOURTH SCHEDULE Applications for Concessions Decl:	ined					
 Tariff					Ref.		
Item	Description of Goods				No.		
4421.10.00	Press to clip clothes hangers				989201L		-
7323.99.00	Bendable clothes hanger, having a wire core and neoprene rubber				989200B		
	outer						
8483.30.09	Bearing housings made from cast iron, stainless steel and pressed steel				989188K		
Category of De							
	CE - Capital Equipment						
	GT - Goods in Transit						
	IM - Inputs to Manufacturing - Inability to S	Supply					
	IP - Inadequate Production						
	MS - Manufacturers' Samples						
	RUC - Revocation of Unused Concession						
	S - Shortfall						
	SS - Special Situation						
	V - Variation of Existing Concession						

NOTE

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice and declined applications for concessions as listed in the Fourth Schedule to this notice will not be published in the Consolidated List of Decisions.

Any concession approved may be withdrawn or modified by notice in the ${\it Gazette}.$

Dated at Wellington this 12th day of August 1993.

 $\label{eq:V.A. MANKS, Ministry of Commerce.} \\$

