

New Zealand Gazette

CUSTOMS EDITION

WELLINGTON: TUESDAY, 1 FEBRUARY 1994

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1994/3 Applications Advertised for Objection

Closing Date for Objections 22nd February 1994

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the Ministry of Commerce, PO Box 1473, Wellington, Fax (04) 473-8949 indicated by the reference number, before 22nd February 1994. All submissions must include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item; and
 - Reference number.
 - All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
 All submissions objecting to a request for the withdrawal of a concession must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Commerce quoting the details in paragraph 1 above.
- 5 Any submission not supported by the information required in the paragraphs above will be considered invalid.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
3405.20.00	Dri Wash'n Guard being an antistatic cleaner/sealant of a type suited for use with light fittings	Camlyn Distributors C/- MSAS Cargo International	99	989815J	A
1823.90.69	Hydraflo granular wetting agent	PO Box 53-104 AUCKLAND AIRPORT Carann Agencies Ltd	99	990022F	A
020.00.00	nyurarro granurar wetting agent	C/- Aironaut Customs Brokers Ltd PO Box 37-718 Parnell AUCKLAND	39	8800221 [.]	Δ
823.90.69	Sealant, puncture, of a type suited for tyres	Mr O K Stensness C/- Whangarei Customs Agency PO Box 888 WHANGAREI	99	990020K	A
926.90.69	Dispenser, ticket, lockable, of moulded polycarbonate with co-polymer stand	Media Projects International NZ Ltd C/- Trimode Global & Ass Ltd PO Box 4407 AUCKLAND	99	990021H	A
926.90.69	Organisers being containers or covered trays specially suited for holding thread or other embroidery or sewing requisites	Coats Patons (NZ) Ltd PO Box 58-447 Greenmount AUCKLAND	99	990023D	A
016.99.99	Puncture repair kits	Amalgamated Hardware Merchants PO Box 985 AUCKLAND	99	990024B	A
202.20.00	CURRENT APPROVAL: Carbon steel bandsaw blade in the strip		99	980991A	v
202.20.00	REQUESTED APPROVAL: Carbon steel bandsaw blade in the strip, less than 60mm or greater than 400mm in width	Levin Sawmakers PO Box 1066 LEVIN	99	989333E	v
305.20.00	Wire staples, insulated 0.59mm thickness, 1.25mm width	Toolware Sales Limited PO Box 37006 AUCKLAND	99	989945G	A
hapter 85	Components and parts of perimeter fence and building protection equipment viz: Guardwire series	James Hardie Building Automation C/- HTL Shipping & Customs Ltd PO Box 58-770 Greenmount	99	989964C	A
525.20.09	Repeater amplifier, UHF two way linear system (406–418mhz)	AUCKLAND Telecom Mobile Communications Ltd	99	990025L	A
525.20.05	Repeater amplifier, our two way findar system (100-110mm2)	PO Box 550 WELLINGTON	00	3300202	A
537.20.00	Ring main units, suitable for use at 22000 volts nominal system voltage	Schneider Limited C/- Gateway Customs Ltd PO Box 53074 AUCKLAND	99	990015C	A
703.21.38	Go-karts, 2 seater types	K A Hobbs Customs Agents Ltd PO Box 27-312 Mt Roskill AUCKLAND	99	990009J	A
87.08	CURRENT APPROVAL: Parts and accessories of motor vehicles falling within heading No. 87.01, 87.02, 87.03, 87.04 or 87.05 EXCLUDING: Adaptor plates to fit Isusu and Cummins engines		99	989635L	v
	Air dams Arm rests Automatic transmission oil cooler other than aluminium wafer type coolers and amphibious vehicle automatic transmission oil coolers				
	Axle assemblies, viz: brake drums, hubs (stud and spoked), brake shoes, camshafts, brake spiders, back plate assemblies brake shoe pins, brake shoe springs, brake shoe rollers, bushes, bearing housings, camshaft brackets, dust covers, wheel studs, wheel nuts, axle nuts and axle washers				

2

3

1 FEBRUARY

CUSTOMS EDITION

Tariff Industry Assistance (Advertisement) Notice No. 1994/3-continued

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Bonnetguards				_
	Brake cables Bull bars				
	Bumpers, other than bumper ends and bumper rubbers				
	Bumpers, other than plating rejects or bare base steel				
	bumpers (i.e. not chromed or similarly coated)				
	Canopies Clutches complete, whether made up or in kit form				
	Clutch covers (pressure plate)				
	Clutch plates (friction plates, clutch discs)				
	Clutch repair or reconditioning kits which include any of the following:-				
	Clutch plate (clutch disc or friction plate)				
	Clutch cover (pressure plate)				
	Couplings, trailer and truck (other than semi-trailer fifth wheel couplings)				
	Cut segments of motor vehicles apart from nose cuts.				
	(The nose cut of a motor vehicle is the front panel				
	assembly forward of and including the radiator support				
	rail but not including the radiator. Radiators included in the nose cut remain subject to duty)				
	Disc brake pad assemblies and disc pad kits				
	Door control systems, air, air-bleed or vacuum operated,				
	viz: single/double folding (jacknife), single/double				
	gliders Exhaust pipes				
	Exhaust systems (comprising piping and mufflers)				
	External luggage racks				
	Glare stops				
	Headlight covers Hubcaps, hub centres, full wheel covers (other than				
	plastic), wheel trims (other than those of 57.15cm				
	diameter complete with brackets), bends and discs, and				
	wheel trim rimbellishers (other than plastic) Interior trim components of hardboard, cardboard or similar				
	materials, leather or plastic sheetings, cut to shape				
	Melt sheet, cut to shape				
	Moulded wellside deckliners other than those for Chevrolet				
	and Ford F series vehicles Mufflers, silencers, resonators				
	Radiator cores and assemblies				
	Seat belts				
	Spoilers of plastic				
	Steering wheels Sunroofs				
	Towballs				
	Upholsterers materials (such as flock, wadding, batting,				
	fluting, linters, padding, foam) cut, moulded or fabricated to shape				
	Upholsterers textiles, fabrics, leather, or plastic				
	sheetings, cut, moulded or fabricated to shape				
	Weathershields				
	Wheel balance weights Wheel spinners for use on steering wheels				
	Wheels of magnesium, aluminium alloys, (less than				
	20'' (51cm) in diameter), whether one piece construction				
	or composite				
	Wheels of steel with tyres thereon (excluding; space saver wheels, with tyres attached, of the following sizes, viz:				
	T105/80D13, T105/70D14, T115/70D14, T125/70D15,				
	T135/90D15, T125/70D16)				
7.08	REQUESTED APPROVAL: Parts and accessories of motor vehicles falling within	Honda (NZ) Ltd	99	989916C	v
	heading No. 87.01, 87.02, 87.03, 87.04 or 87.05	C/- PO Box 9319	50	0000100	
	EXCLUDING:	Newmarket			
	Adaptor plates to fit Isusu and Cummins engines	AUCKLAND			
	Air dams Arm rests				
	Automatic transmission oil cooler other than aluminium				
	wafer type coolers and amphibious vehicle automatic				
	transmission oil coolers				
	Axle assemblies, viz: brake drums, hubs (stud and spoked), brake shoes, camshafts, brake spiders, back plate				
	assemblies brake shoe pins, brake shoe springs, brake				
	shoe rollers, bushes, bearing housings, camshaft				
	brackets, dust covers, wheel studs, wheel nuts, axle nuts and axle washers				
	and axie washers Bonded brake shoes				
	Bonnetguards				
	Brake cables				
	Bull bars Bumpers, other than bumper ends and bumper rubbers				
	Bumpers, other than plating rejects or bare base steel				
	bumpers (i.e. not chromed or similarly coated)				

NEW ZEALAND GAZETTE

ariff		Name and Address	Part II	Appn. Ref.	*Category of
tem	Description of Goods	of Applicant	Ref.	No.	Appn.
	Clutch plates (friction plates, clutch discs)				
	Clutch repair or reconditioning kits which include any of the following:-				
	Clutch plate (clutch disc or friction plate)				
	Clutch cover (pressure plate)				
	Couplings, trailer and truck (other than semi-trailer fifth wheel couplings)				
	Cut segments of motor vehicles apart from nose cuts.				
	(The nose cut of a motor vehicle is the front panel				
	assembly forward of and including the radiator support rail but not including the radiator. Radiators included				
	in the nose cut remain subject to duty)				
	Disc brake pad assemblies and disc pad kits Door control systems, air, air-bleed or vacuum operated,				
	viz: single/double folding (jacknife), single/double				
	gliders				
	Exhaust pipes Exhaust systems (comprising piping and mufflers)				
	External luggage racks				
	Glare stops				
	Headlight covers Hubcaps, hub centres, full wheel covers (other than				
	plastic), wheel trims (other than those of 57.15cm				
	diameter complete with brackets), bends and discs, and wheel trim rimbellishers (other than plastic)				
	Interior trim components of hardboard, cardboard or similar				
	materials, leather or plastic sheetings, cut to shape				
	Melt sheet, cut to shape Moulded wellside deckliners other than those for Chevrolet				
	and Ford F series vehicles				
	Mufflers, silencers, resonators				
	Radiator cores and assemblies Seat belts				
	Spoilers of plastic (excluding those for Honda, CBU motor				
	vehicles, viz: Integra, Prelude, CRX, NSX)				
	Steering wheels Sunroofs				
	Towballs				
	Upholsterers materials (such as flock, wadding, batting, fluting, linters, modding, form) out, moulded or				
	fluting, linters, padding, foam) cut, moulded or fabricated to shape				
	Upholsterers textiles, fabrics, leather, or plastic				
	sheetings, cut, moulded or fabricated to shape Weathershields				
	Wheel balance weights				
	Wheel spinners for use on steering wheels				
	Wheels of magnesium, aluminium alloys, (less than 20'' (51cm) in diameter), whether one piece construction				
	or composite				
	Wheels of steel with tyres thereon (excluding; space saver				
	wheels, with tyres attached, of the following sizes, viz: T105/80D13, T105/70D14, T115/70D14, T125/70D15,				
	T135/90D15, T125/70D16)				
apter 89	Spare and service parts of the vessel "Quickcat II"	Gulf Ferries Ltd	99	990010B	A
	regardless of tariff classification with the following exceptions:	C/- Gilbert-CCA Ltd PO Box 73-129			
	(1) Parts of general use	AUCKLAND			
	(2) Any part which is subject to a specific Determination of the Minister				
	(3) Ball, needle and roller bearings				
	(4) Fans and blowers				
	(5) Parts of machines approved for entry under Part II concessions 20, 60, 70, 80, 81				
	(6) Buckets, shovels and grabs				
	(7) Hydraulic hoses with fittings attached				
	(8) Articles of needleloom felt(9) Interchangeable tools e.g. tool bits, saw blades,				
	grinding wheels				
	(10) Tyres and tubes				
	(11) Electric accumulators(12) Electric lamps and tubes				
	(13) Knives and cutting blades				
	(14) Engines (15) Transmission shafts flexible				
	(15) Fransmission snarts flexible (16) Power take off shafts				
apter 89	Spare and service parts for the vessel ''Seaflyte''	Gulf Ferries Ltd	99	990016A	٨
	regardless of tariff classification with the following exceptions:	C/- PO Box 73-129 AUCKLAND			
	(1) Parts of general use	0999ALAIW			
	(2) Any part which is subject to a specific Determination				
	of the Minister (3) Ball, needle and roller bearings				
	(4) Fans and blowers				
	(5) Parts of machines approved for entry under Part II				
	concessions 20, 60, 70, 80, 81 (6) Buckets, shovels and grabs				
	(7) Hydraulic hoses with fittings attached				

(7) Hydraulic hoses with fittings attached

No. 8

1 FEBRUARY

CUSTOMS EDITION

Tariff Industry Assistance (Advertisement) Notice No. 1994/3-continued

Tariff Item	Description of Goo	ods			Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	grinding wheels (10) Tyres and tul (11) Electric accu (12) Electric lamm (13) Knives and cu (14) Engines (15) Transmission	e tools mulator os and t itting b shafts	s ubes lades flexit	tool bits, saw blades,				
9030.89.00	(16) Power take off shafts Transducer, of a type suitable for use in measuring shaft speeds			for use in measuring shaft	NSK — RHP Bearings Ltd C/- Crawford & Walker Customs PO Box 1116 AUCKLAND	99	990008L	A
9401.20.00	Seats, of a kind used for motor vehicles, orthopedic restraint types			• vehicles, orthopedic	Group Pharmaceuticals Ltd C/- Burlington Air Express PO Box 97088 South Auckland Mail Centre AUCKLAND	99	990018H	A
9403.60.00	Riddling tables, of a type suitable for the manufacture of wines			able for the manufacture of		99	989999F	A
9503.90.19 9503.49.00)	CURRENT APPROVAL: Plastic toys, push REQUESTED APPROVAL		nd/or	pullalong		99	984328A	v
	Toys pushalong and		lalong		Williams & Associates Tariff Consultancy PO Box 6667 Te Aro WELLINGTON	99	990017 K	v
• Categor	y of Application:	A CE IM IP MS RUC S SS V W +		General Approval Capital Equipment Inputs to Manufacturing - Inadequate Production Manufacturers' Samples Revocation of Unused Conce Shortfall Special Situation Variation of Existing Conc Withdrawal of Concession Denotes amendment or addit	ression			

Dated at Wellington this 27th day of January 1994.

V.A. MANKS, Ministry of Commerce.

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 3) 1994

I, Vincent Anthony Manks, Executive Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

(a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
(b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the

(b) In accordance with Part II of the Part if approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and

(c) Withdraw with effect fourteen days from the date of this *Gazette*, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice; and

(d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.
 (e) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Fifth Schedule to this notice the exemption from duty of such goods with effect from the first day of the month so specified.

		FIRST SCHEDULE							
	Concessions Approved								
	Tariff		Rates of	Duty	Part II	Ref.	Effect	ive	
	Item	Description of Goods	Norma1	Pref.	Ref.	No.	From	То	
A	2106.90.09	Bilbury extract tablets containing anthocyanosides	Free	Free	99	989846J	11/93		
x	3004.90.19	Taxol (Paclitaxel) injection	Free	Free	26	989529K	9/93		
A	3402.11.00	Galenol 1618 DSN	Free	Free	99	989844B	11/93		
A	3917.40.00	Polyethylene tapping saddles, bolt on type, exceeding 160mm O.D	Free	Free	99	989845L	11/93	••	
X	3921.12.00	Sheet, polyurethane coated PVC with a non woven polyester- viscose backing	Free	Free	99	989606G	9/93	••	
A.	3926.10.19	Card protectors being sleeves or pockets of polyethylene and comic protectors of polyethylene	Free	Free	99	989848E	11/93		
A	3926.10.19	Polyethylene hologram albums	Free	Free	99	989847G	11/93		
۹.	4002.31.01	Butyl rubber strip up to 50mm in width	Free	Free	99	989830B	11/93	••	
ĸ	6306.91.09	Hammocks of cotton	Free	Free	99	989253C	6/93		
4	6307.90.28	Belt of a type used for back support	Free	Free	99	989812D	11/93	•••	
ł	7007.11.02) 7007.11.09)	Laser glass, part numbers B500 58511, B500 59511	Free	Free	99	989811F	11/93	••	
A	7326.90.09	Hydraulically operated jack stands, ratchet type	Free	Free	99	989401C	8/93		
(8214.90.09	Animal and human hair clipping or shearing machine combination and cutter blades	Free	Free	99	740043J	1/88	••	
•	8419.50.00	Heat exchangers, stainless steel, helically corrugated, consisting of straight tubes of circular cross section in 3m or 6m lengths surrounded by a cylindrical jacket	Free	Free	99	988713L	3/93	2/94	
[8479.82.00	Stationary type crusher for use in converting NZ beach bark into boiler fuel	Free	Free	99	521178G	1/88	••	
í	8536.50.00	C and K brand range of switches excluding; series C and D power rocker switches and passive infra red sensors	Free	Free	99	700242E	1/88	••	
[8536.50.00	Switches of a rated current carrying capacity not exceeding 3 amperes, excluding; passive infra red sensors	Free	Free	99	800620C	5/88		
ſ	8536.50.00	Switches of a rated current carrying capacity not exceeding 3 amperes, excluding; 3 heat double pole non-illuminating rocker type cord switches, illuminating rocker switches, daylight switches, miniature toggle switches (illuminated and non-illuminated), rocker switches capable double throw, push button switches and passive infra red sensors	Free	Free	99	700172L	1/88		
[8536.50.00) 8536.90.00)	Electronic capactive sensors, excluding; passive infra red sensors	Free	Free	99	910314H	1/88	•••	
	8536.50.00) 8536.90.00)	Photo-electric detectors and inductive proximity detectors for use on conveyor systems, excluding; passive infra red sensors	Free	Free	99	460871C	1/88	••	
[8902.00.09	Second hand commercial fishing vessels exceeding 25 metres in overall length but not exceeding 40 metres in overall length	Free	Free	99	880295F	1/89	••	
	9401.20.00) 9404.21.00) 9404.90.00)	Therapy bed system; including therapy mat, relaxer, functional cervical support, back pillow support, functional lower thigh support, optimed seat	Free	Free	99	989797G	11/93	••	
•	9405.40.31	Lights, navigation, of a type suitable for use on seagoing vessels	Free	Free	99	989795L	11/93	••	
(9503.30.00	Plastic ''snap in'' construction toys	Free	Free	99	985361J	3/91		
•	9503.90.19	Toy jewellery, of plastic, with or without metal fittings attached	Free	Free	99	989792F	11/93	••	

SECOND SCHEDULE Concession Approvals Subject to Prescribed Purposes and Conditions

	Tariff		Rates of	Dutv	Part II	Ref.	Effect	ive
	Item	Description of Goods	Norma 1	Pref.	Ref.	No.	From	To
IM	0811.90.11	Passionfruit pulp, frozen, 100 tonnes only	Free	Free	99	989819A	11/93	12/93
ĨM	2002.90.09	Tomato paste, 400 tonnes (in bulk)	Free	Free	99	989143K	4/93	1/94
IM	2009.80.11) 2009.80.31)	Passionfruit juice, frozen, unsweetened, 25 tonnes only	Free	Free	99	989818C	11/93	12/93
IM	60.02	Weft knitted fabric containing wool mix viz: Loose knit - 90% wool, 10% polyamide - 400m Boucle knit - 90% wool, 10% polyamide - 130m Aztec pattern - 46% wool, 45% polyamide, 9% nylon - 480m Plain knit - 50% wool, 50% acrylic - 900m	Free	Free	99	989805A	11/93	3/94
IM	6002.30.12	Circular knitted fabric, 150 denier, 90 percent acetate, 10 percent lycra, 3600 metres only	Free	Free	99	990019F	6/93	3/94
IM	6002.30.12	Dakota 0460, 85% polyamide, 15% elastan, velvet finish, 1200m total	Free	Free	99	989807H	11/93	3/94
IM	6002.91.18	Patterned wool polyester design 38750, - 55% wool, 15% polyacryl, 15% polyamid, and 15% fasern. Blue 1000m, green 1000m	Free	Free	99	989809D	11/93	3/94
IM	6002.93.09	Plain wool angora, design 61948, 80% polyacryl, 14% wool, 6% angora, 10,000m	Free	Free	99	989808F	11/93	3/94
IM	6002.93.09	Polyacrylic/wool weft knitted fabric;	Free	Free	99	989806K	11/93	3/94

1 FEBRUARY

CUSTOMS EDITION

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1994/3-continued

	Tariff				Rates of	•	Part II	Ref.	Effecti	
	Item	Description of Goods			Norma1	Pref.	Ref.	No.	From	То
		Type 35594 - 30% woo Type 35595 - 23% woo								
		Type 35595 - 23% woo								
		Type 35597 - 30% woo								
		Type 35598 - 30% woo								
	6002.93.09	Weft knitted fabric,	predominantly	of wool, qualities 38725,	Free	Free	99	989804C	11/93	2/94
		38724, 38723 and 387	07, being a tot	al of 2600 metres, shipped						
		per Balandra V2, loc				D	00	0000035	11/02	2/04
	6002.93.09	Weft knitted fabrics			Free	Free	99	989803E	11/93	3/94
		Type 38735 - 50% woo								
		Type 38736 - 50% woo								
		Type 36768 - 75% woo								
		Type 38723 - 60% pol Type 38725 - 75% pol								
		Type $38725 - 75\%$ point Type $38707 - 60\%$ point								
		Type 36766 - 75% woo								
		Type 38724 - 75% po								
				1, 15% polyamide, 15% O.F						
		Type 38737 - 70% wo	ol, 30% polyamid	e						
		Type - 70% ac	rylic, 30% wool							
			ol, 70% acrylic							
		total meterage, 280	0		F	Du + + +	00	989810H	11/93	3/94
1	8303.00.00	Safe deposit locker	, modular system	, comprising 2866 boxes	Free	Free	99	969610n	11/83	5/54
		manufactured from m	ild steel, steel	doors, bronze hinges and						
			nipped Direct Ke	a V.162, lodgement number						
	8002 00 00	1240180564	ist fiching vecs	els exceeding 25 metres in	Free	Free	99	989796J	11/93	
5	8902.00.09	overall length but	not exceeding 40	metres in overal length viz:						
		Makandra type, stee	l construction,	LOA 85 ft, beam 22 ft, draught	:					
		12 ft 6 inches, shr				_				
			<u>.</u>	THIRD SCHEDULE						
			Co	ncession Approvals Withdrawn						
	2004 00 10	Taxol injection	4 g/ 2					989589K		
	3004.90.19 3921.90.01)	Sheet, backing						989606G		
	3921.90.19)	Sheet, backing								
	6307.90.28	Hammocks cotton						989253C		
	8214.90.09	Animal blades						740043J		
	8474.20.00	Stationary fuel					••	521178G		
	8536.50.00	C switches						700242E	••	• •
	8536.50.00	Switches ampere	s		••	••	••	800620C	••	••
	8536.50.00	Switches switch	es		••	••	••	700172L	••	••
	8536.50.00)	Electronic sens	ors		••	••	••	910314H	••	••
	8536.90.00)							4000710		
	8536.50.00)	Photo-electric	systems		••	••	••	460871C	••	••
	8536.90.00)	6						880295F		
	8902.00.09 9503.70.00	Second viz: Plastic toys			••			985361J		
		1103010 1095		FOURTH SCHEDULE						·····
					ned					
			Annl					Ref.	<u></u>	
			Appl	cations for Concessions Decli				Kel.		
	Tariff			cations for concessions been				No		
	Tariff Item	Description of Good	ls					No.	_	
		Invalid carriages,	s manually pushed	operated, having a gross				No. 989798E		
	Item	Invalid carriages, weight not exceeding	is manually pushed ng l6kg when ful	operated, having a gross ly assembled. NB gross weight						
	Item	Invalid carriages, weight not exceedir covers complete cha	ls manually pushed ng l6kg when ful ir inclusive of	/operated, having a gross y assembled. NB gross weight arm rests (where fitted) and					-	
	Item 8713.10.00	Invalid carriages, weight not exceedir covers complete cha foot rests but does	s manually pushed g 16kg when ful ir inclusive of not include ou	operated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging				989798E		
	Item	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl	s manually pushed g 16kg when ful ir inclusive of : not include ou othed, with com	/operated, having a gross y assembled. NB gross weight arm rests (where fitted) and	8				_	
	Item 8713.10.00	Invalid carriages, weight not exceedir covers complete cha foot rests but does	s manually pushed g 16kg when ful ir inclusive of : not include ou othed, with com	operated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin				989798E		
	Item 8713.10.00	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl	s manually pushed g 16kg when ful ir inclusive of : not include ou othed, with com	Yoperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE	8			989798E		
	Item 8713.10.00 9503.41.00	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3	manually pushed g l6kg when ful ir inclusive of not include ou othed, with com WOcm high	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters		ion eng	nes excee	989798E 990014E	which ma	ay be
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 mg is a list of filter	manually pushed g l6kg when ful ir inclusive of not include ou othed, with com NOcm high	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna	l combust	ion eng;	nes excee	989798E 990014E	which ma	ay be
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 mg is a list of filten y free under Part II	manually pushed ig 16kg when ful ir inclusive of not include ou othed, with com Worm high rs oil, air, or of the tariff -	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading	l combust	ion eng	nes excee	989798E 990014E	which ma	
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 ng is a list of filter y free under Part II	manually pushed g l6kg when ful ir inclusive of not include ou othed, with com NOcm high	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna	l combust	ion eng	nes excee	989798E 990014E		ive Da
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 mg is a list of filten y free under Part II	manually pushed ig 16kg when ful ir inclusive of not include ou othed, with com Worm high rs oil, air, or of the tariff -	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unles	ive Da1 /93)
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 mg is a list of filten y free under Part II	manually pushed ng l6kg when ful ir inclusive of not include ou othed, with com W0cm high rs oil, air, or of the tariff -	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading	l combust	ion eng	nes excee	989798E 990014E	Effect is (2) Unless Other	ive Dat (93) s wise
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 mg is a list of filten y free under Part II	manually pushed ng l6kg when ful ir inclusive of not include ou othed, with com W0cm high rs oil, air, or of the tariff -	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unles	ive Dat (93) s wise
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedin covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 mg is a list of filten y free under Part II	manually pushed ng l6kg when ful ir inclusive of not include ou othed, with com Occm high rs oil, air, or of the tariff -	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading	l combust	ion eng	nes excee	989798E 990014E	Effect is (2) Unless Other	ive Da /93) s wise
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 ig is a list of filter y free under Part II Model 0 The following addit	manually pushed ng l6kg when ful ir inclusive of not include ou othed, with com Occm high rs oil, air, or of the tariff -	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application Application	l combust	ion eng	nes excee	989798E 990014E	Effect: is (2 Unles: Other State	ive Da /93) s vise d
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 ing is a list of filter y free under Part II Model 0 The following addin Model 0	is manually pushed ig 16kg when ful ir inclusive of inot include ou othed, with com Occm high 's oil, air, or of the tariff _)/E Number	Yoperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unless Othern States	ive Da /93) s wise d
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 ig is a list of filter y free under Part II Model 0 The following addin Model 1 TOYOTA 1	Is manually pushed og 16kg when ful ir inclusive of not include ou othed, with com Ocm high Ts oil, air, or of the tariff - D/E Number 2300-11040 23300-15010	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unless Othern States NOV 9 NOV 9	ive Da /93) s wise d 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 g is a list of filter y free under Part II Model 0 The following addir Model 0 TOYOTA 1 TOYOTA 1	is manually pushed og 16kg when ful ir inclusive of inot include ou othed, with com Occm high 's oil, air, or of the tariff - D/E Number 23300-1040 23300-15010 23300-15010	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect: is (2, Unles: Othern States NOV 9, NOV 9,	ive Da /93) s wise d 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 g is a list of filter y free under Part II Model 0 The following addin Model 0 TOYOTA 1 TOYOTA 1 TOYOTA 1	is manually pushed ig 16kg when ful ir inclusive of inot include ou othed, with com Ocm high 's oil, air, or of the tariff - D/E Number 23300-11040 23300-15010 23300-19015 23300-19015	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect: is (2, Unles: Othern States NOV 9. NOV 9. NOV 9. NOV 9.	ive Da /93) s wise d 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than (g is a list of filter y free under Part II Model (TOYOTA TOYOTA TOYOTA TOYOTA TOYOTA	Is manually pushed ug 16kg when ful ir inclusive of not include ou othed, with com locm high "s oil, air, or of the tariff - D/E Number 23300-11040 23300-19015 23300-19025 23300-19025	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect: is (2) Unles: Othern States NOV 9 NOV 9 NOV 9 NOV 9 NOV 9	ive Da /93) s wise d 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 ig is a list of filter y free under Part II Model 0 The following addir Model 0 TOYOTA 1 TOYOTA 1	Is manually pushed og 16kg when ful ir inclusive of not include ou othed, with com Ocm high Ts oil, air, or of the tariff - D/E Number 23300-15010 23300-15010 23300-19015 23300-19135 23300-19135	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect: is (2) Unles: Othern State NOV 9. NOV 9. NOV 9. NOV 9. NOV 9. NOV 9. NOV 9.	ive Da /93) s wise d 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 g is a list of filter y free under Part II Model 0 The following addi Model 0 TOYOTA 1 TOYOTA 1 TOY	Is manually pushed ng 16kg when ful ir inclusive of int inclusive of int include ou othed, with com Occm high Ts oil, air, or of the tariff - D/E Number 2007 Number 23300-15010 23300-19015 23300-19025 23300-19155 23300-19155 23300-19155	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unless Othern States NOV 9 NOV 9 NOV 9 NOV 9 NOV 9 NOV 9 NOV 9 NOV 9	ive Da /93) s wise d 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 g is a list of filter y free under Part II Model 0 The following addir Model 0 TOYOTA 1 TOYOTA 1 TO	is manually pushed ig 16kg when ful ir inclusive of inot include ou othed, with com Ocm high 's oil, air, or of the tariff - D/E Number 23300-1015 23300-19015 23300-19015 23300-19155 23300-19165 23300-19165	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unles: Otherr States NOV 9 NOV 9	ive Da (93) s wise d 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than (g is a list of filter y free under Part II Model (TOYOTA ()) (T	Is manually pushed ug 16kg when ful ir inclusive of a not include ou othed, with com locm high "s oil, air, or of the tariff - 0/E Number 23300-11040 23300-19015 23300-19025 23300-19155 23300-19155 23300-19155 23300-19165 23300-19265 23300-19265	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unles: Othern States NOV 9 NOV 9	ive Da /93) s wise d 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 ig is a list of filter y free under Part II Model 0 The following addir Model 0 TOYOTA 1 TOYOTA 1 TO	Is manually pushed og 16kg when ful ir inclusive of not include ou othed, with com 00cm high Ts oil, air, or of the tariff - D/E Number 23300-15010 23300-15010 23300-19015 23300-19155 23300-19155 23300-19165 23300-19265 23300-24050	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unles: Otherr States NOV 9 NOV 9	ive Da /93) s wise d 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 g is a list of filter y free under Part II Model 0 ToyotA 1 ToyotA 1 TOY	Is manually pushed og 16kg when ful ir inclusive of anot include ou othed, with com Ocm high Ts oil, air, or of the tariff - D/E Number 2300-15010 23300-19015 23300-19015 23300-19135 23300-19135 23300-19185 23300-19185 23300-19265 23300-19265 23300-24050 23300-24050	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unless Other State NOV 9 NOV 9	ive Da /93) s wise d 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 g is a list of filter y free under Part II Model 0 The following addir Model 0 TOYOTA 1 TOYOTA 1 TO	Is manually pushed og 16kg when ful ir inclusive of int include ou othed, with com Occm high Ts oil, air, or of the tariff - D/E Number 23300-19015 23300-19015 23300-19015 23300-19155 23300-19155 23300-19155 23300-19155 23300-19155 23300-19165 23300-19265 23300-19265 23300-24050 23300-24051-C 23300-25020	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unles: Othern Stated NOV 9 NOV 9 NO	ive Dav /93) swise 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than (g is a list of filter y free under Part II Model (TOYOTA (TOYO	Is manually pushed ug 16kg when ful ir inclusive of a not include ou othed, with com locm high Ts oil, air, or of the tariff - 0/E Number 23300-11040 23300-19015 23300-19025 23300-19025 23300-19155 23300-19155 23300-19155 23300-19165 23300-19265 23300-24050 23300-24051-C 23300-25020	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application Application FUEL FUEL FUEL FUEL FUEL FUEL FUEL FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unless Othern States NOV 9 NOV 9 NO	ive Dav /93) swise 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	Item 8713.10.00 9503.41.00 The followin	Invalid carriages, weight not exceedir covers complete cha foot rests but does Stuffed toy dog, cl device, less than 3 ig is a list of filter y free under Part II Model 0 The following addir Model 0 TOYOTA 1 TOYOTA 1 TO	Is manually pushed og 16kg when ful ir inclusive of int include ou othed, with com Occm high Ts oil, air, or of the tariff - D/E Number 23300-19015 23300-19015 23300-19015 23300-19155 23300-19155 23300-19155 23300-19155 23300-19155 23300-19165 23300-19265 23300-19265 23300-24050 23300-24051-C 23300-25020	Voperated, having a gross ly assembled. NB gross weight arm rests (where fitted) and tside packaging pression activated sound makin FIFTH SCHEDULE Automotive Filters fuel suited for use on interna Ref 988082J - Tariff heading Application FUEL	l combust	ion eng	nes excee	989798E 990014E	Effect is (2 Unles: Othern States NOV 9 NOV 9 NO	ive Dat /93) s wise d 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3

550	NEW ZEALAND GAZETTE					
Tariff Concession	Approvals, With	drawals and Declines Not	ice No. 1994/3-continued			
	Mode1	O/E Number	Application			

Model	O/E Number	Application	Effective Date is (2/93) Unless Otherwise Stated
ΤΟΥΟΤΑ	23030-24031	FUEL	NOV 93
TOYOTA	23030-24032	FUEL	NOV 93
ΤΟΥΟΤΑ	23030-25010	FUEL	NOV 93
TOYOTA	23030-31013	FUEL	NOV 93
TOYOTA	23030-31014	FUEL	NOV 93
ΤΟΥΟΤΑ	23030-31021	FUEL	NOV 93
TOYOTA	23030-31030	FUEL	NOV 93
TOYOTA	23030-31040	FUEL	NOV 93
TOYOTA	23030-31050	FUEL	NOV 93
TOYOTA	23300-26050	FUEL	NOV 93
TOYOTA	23300-26060	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-29015	FUEL	NOV 93
TOYOTA	23300-30012	FUEL	NOV 93
TOYOTA	23300-31011	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-34100	FUEL	NOV 93
TOYOTA	23300-36020	FUEL	NOV 93
TOYOTA	23300-38010	FUEL	NOV 93
TOYOTA	23300-39015	FUEL	NOV 93
TOYOTA	23300-41031	FUEL	NOV 93
TOYOTA	23300-44060	FUEL	NOV 93
TOYOTA	23300-49045	FUEL	NOV 93
TOYOTA	23030-44011	FUEL	NOV 93
TOYOTA	23030-44012	FUEL	NOV 93
TOYOTA TOYOTA	23030-44013	FUEL	NOV 93
TOYOTA	23030-44014 23030-44050	FUEL FUEL	NOV 93
TOYOTA	23030-44060	FUEL	NOV 93
TOYOTA	23030-45012	FUEL	NOV 93
TOYOTA	23030-45012	FUEL	NOV 93 NOV 93
ΤΟΥΟΤΑ	23030-45020	FUEL	NOV 93
ΤΟΥΟΤΑ	23030-45022	FUEL	NOV 93
ТОУОТА	23030-60030	FUEL	NOV 93
ΤΟΥΟΤΑ	23030 - 79025	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-49065	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-49145	FUEL	NOV 93
TOYOTA	23300-49155	FUEL	NOV 93
TOYOTA	23300-49165	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-50020	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-54080	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-61060	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-61080	FUEL	NOV 93
TOYOTA	23300-65010	FUEL	NOV 93
TOYOTA	23300-66020	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-66030	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-69035	FUEL	NOV 93
TOYOTA	23300-69045	FUEL	NOV 93
TOYOTA	23300-75020	FUEL	NOV 93
TOYOTA	23300-78020	FUEL	NOV 93
TOYOTA	23300-79015	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-79046	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-79055	FUEL	NOV 93
ΤΟΥΟΤΑ	23300-79085	FUEL	NOV 93
Category of Decision:	A - General A	Approval	
	CE - Capital E		
	GT - Goods in	Transit	
	IM - Inputs to	Manufacturing - Inability to Supply	
		te Production	
		irers' Samples	
		on of Unused Concession	
	S - Shortfall		
	SS – Special S	Situation	
	V – Variation	1 of Existing Concession	

NOTE

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice, declined applications for concessions as listed in the Fourth Schedule to this notice and goods listed in the Fifth Schedule to this notice will not be published in the Consolidated List of Decisions.

Any concession approved may be withdrawn or modified by notice in the Gazette.

Dated at Wellington this 27th day of January 1994.

V.A. MANKS, Ministry of Commerce.



DEPARTMENT OF INTERNAL AFFAIRS TE TARI TAIWHENUA

PUBLISHED BY AUTHORITY OF DEPARTMENT OF INTERNAL AFFAIRS: GP PRINT LIMITED, WELLINGTON, NEW ZEALAND-1994

ISSN 0111-5650 Price \$3.10c (incl. GST) 49204F-94A