

# New Zealand Gazette

### **CUSTOMS EDITION**

WELLINGTON: TUESDAY, 15 APRIL 1997

## TARIFF CONCESSION NOTICES

(INCLUDING OTHER NOTICES UNDER THE TARIFF ACT 1988 AND THE CUSTOMS AND EXCISE ACT 1996)

#### TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1997/13

Applications Advertised for Objection Closing Date for Objections 6th May 1997

- Notice is bereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection should do so in writing, to the Ministry of Commerce, PO Box 1473, Wellington, Fax 0-4-473-8949 indicated by the reference number, before 6th May 1997. All submissions should include:
  - the Tariff Industry Assistance (Advertisement) Notice number;
  - the Tariff item; and
  - Reference number.
- 2 All submissions from local manufacturers should include:
  - the range of alternative goods made locally;
  - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
  - present and potential output;
  - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 All submissions objecting to a request for the withdrawal of a concession should include:
  - reasons why the local product on which protection is sought is not a suitable alternative;
  - full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Commerce quoting the details in paragraph 1 above.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
2106.90.90	Wip-treme 360 INS topping base	Hansells NZ Ltd C/- Mainfreight International PO Box 12-485 Penrose AUCKLAND	99	994344Н	A
<b>3004.90</b> .19	Ditropan syrup	Australasian International PO Box 73-111 AUCKLAND AIRPORT	26	994600E	Α
3004.90.19	Rapilysin 10.u (reteplase 10.u and diluent)	Boehringer Mannheim NZ Ltd C/- Cunningham Gill Ltd PO Box 73140 AUCKLAND INTERNATIONAL AIRPORT	26	994601C	A
3004.90.19	Ticlid tablets	Roche Products C/- Circle International PO Box 53095 AUCKLAND AIRPORT	26	994463L	Α
3402.11.00	Sermul EA151 and EA188 surfactants (sodium norylphenol polyglycolether sulphates)	Swift New Zealand Ltd PO Box 53004 AUCKLAND INTERNATIONAL AIRPORT	99	994686B	A
3506.91.00	CURRENT APPROVAL; Krones colfix HM414 synthetic polymer based hotmelt adhesive		99	986339H	v
3506.91.00	REQUESTED APPROVAL: Krones colfix HM414 and HM1195 synthetic polymer based hot melt adhesives	Guthrie Moyes Ltd C/- M S International Customs & Forwarding PO Box 59-150 Mangere Bridge AUCKLAND	99	994693E	v
Sect VII) Sect XIII) Sect XV) Sect XVI) Sect XVIII)	Machinery for 24MW power station known as Rotokawa Geothermal Combined Cycle Power Plant comprising the following principal components:  Brine driven/steam driven turbine unit Generator unit Steam turbine unit Heat recovery steam generator (vaporiser) Water systems Condensor units (air coolers) Emission monitoring system Fire detection and protection system Plant control and monitoring system Central station control Transformers Pumps Motors Fans Circuit breakers Electrical shelters Switchboard	Rotokawa Generation Limited C/- PO Box 1690 AUCKLAND	99	994687L	CE

Tariff Item	Descrigition of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
теп	Description of Goods	ог Аррисала	NGI.	NO.	друн.
39.05	CURRIENT APPROVAL: Taevak: n 706K, 705, 705K, 707, 707K, 709, 721, 808		99	992002B	v
39.05	REQUISTED APPROVAL: Taeval: n 706J, 706K, 705, 705K, 707, 707K, 709, 721, 808	Swift New Zealand Ltd C/- PO Box 53004 AUCKLAND INTERNATIONAL AIRPORT	99	994685D	v
3909.50.09	Polyure hane resins, viz: Ureol 5:100 A/B, Ureol 5201 A/B, Ureol 5202 A/B, Ureol 5203 A/B	Ciba Speciality Chemicals Ltd C/- Daniel Silva Ltd PO Box 305 AUCKLAND	99	994485A	A
(4005.91.00) (010.12.00)	Convey it belt hamaheat NH150 S-90 600mm x 4P x 7mm x 1.6mm, 220 metres only and splice kit to suit	Paykel Ltd C/- Malcolm Customs & Cargo Ltd PO Box 53003 AUCKLAND AIRPORT	99	994692G	IM
4010.12.00	Convey in belt AS-M EP250 1524mm x 6P x 9.6mm x 1.6mm, 12 metus only	Paykel Ltd C/- Malcolm Customs & Cargo Ltd PO Box 53003 AUCKLAND AIRPORT	99	9946913	IM
401,6.99.99	Extrude: I butyl rubber containing desiccants and an aluminium spacer, in lengths : uited for sealing windows	Smith & Smith Limited C/- Gilco International PO Box 73-129 AUCKLAND AIRPORT	99	994624B	A
51.12	73% wo al, 20% polamide, 7% cashmere - 900m <sup>2</sup> only	Ormond Taylor Ltd PO Box 4118 AUCKLAND	99	9947101	M
5603.13.00	Cleanin $\S$ wipes manufactured from polyester and wood pulp fibres	Du Pont NZ Ltd C/- PO Box 53-085 AUCKLAND AIRPORT	99	9947071	A
5702.10.00	CURRENT APPROVAL: Handma le woollen Kelems having an FOB or Customs value exceeding \$20 psm		99	981257B	V
5702.10.00	REQUESTED APPROVAL: Handma le woollen kelems having an FOB or Customs value exceeding \$10 psm	Richard Pointon C/- AEI PO Box 1744 WELLINGTON	99	994705B	v
(0.01) (0.02)	1. Ref: WIJ-RP903 85% polynosic, 15% polyester – 1700 metres 2. Ref: 237 94% polyester, 6% spandex – 354 metres 3. Ref: 91180 100% nylon – 800 metres 4. Ref: 91180 100% nylon – 800 metres 5. Ref: 91184 73% acetate, 6% spandex – 500 metres 6. Ref: 91184 73% acetate, 20% metallic, 7% polyester – 500 metres 6. Ref: 9182 80% acetate, 20% metallic – 400 metres 7. Ref: 1 1865/14868 100% polyester supersuede – 10000 metres 8. Ref: Gazza 45% cotton, 25% viscose, 15% angora, 15% nylon – 637 metres 9. Ref: folage 45% cotton, 25% viscose, 15% angora, 15% nylon – 143 metres 10. Ref: 1691 71% triacetate, 29% polyamide – 200 metres 11. Ref: 33104 92% polyester, 8% spandex velour – 10000 metres 12. Ref: -732 94% polyester, 6% lycra – 800 metres 13. Ref: -737 94% acetate, 6% lycra – 178 metres 14. Ref: -758 95% polyester, 5% lycra – 817 metres 15. Ref: -18 94.5% polyester, 55% clastic – 1202 metres 16. Ref: -762 95% polyester, 5% lycra – 1070 metres 17. Ref: -41 80% viscose, 20% polyester – 695 metres	Import Management Ltd PO Box 1167 AUCKLAND	99	994711G	IM
50.02	80% aceiste, 17% polyamide, 3% lycra – 1000 metres 83% aceiste, 14% polyamide, 3% lycra – 1000 metres 50% polyamide, 50% polycotton – 1000 metres 100% viscose – 2000 metres 85% viscose, 15% polyamide – 1000 metres 90% viscose, 10% polyamide – 1000 metres	Ormond Taylor Ltd PO Box 4118 AUCKLAND	99	994709E	IM

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
6002.93.09	Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, 950 metres only	Moontide International Ltd C/- International Services Ltd PO Box 73110 AUCKLAND AIRPORT	99	994704D	IM
5002.93.09	Polyester (100%) micro boucle, 23000m² only	Topsco International Ltd C/- Union-Transport (NZ) Ltd PO Box 1296 AUCKLAND	99	994677C	IM
70.10	Jars – embossed, vacuum sealed preserving type – 250ml to 1 litre capacity	ACI NZ Glass Manufacturing Ltd C/- Schenker NZ Ltd PO Box 73 012 AUCKLAND AIRPORT	99	994676E	A
7210.49.31	Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm SGCD1 – ZSCX to JISG – 330294 drawing grade soft A grade. Quantity: 75 tonnes, 3/97 to 3/98	DJ Agencies Ltd C/- PO Box 1167 AUCKLAND	99	994712E	IM
7307.22.00) 7307.23.01) 7307.29.01)	CURRENT APPROVAL: Stainless steel welding fittings to specifications ASTM A182 grades 304, 304L, 316, 316L, 321, 347 for use with pipe specifications ASTM, A312, grades 304, 304L, 316, 316L, 321 and 347 excluding RJT and CIP sanitary union fittings		99	991997L	v
7307.23.01) 7307.29.01)	REQUESTED APPROVAL: Stainless stee! welding fittings to specifications ASTM A182 grades 304, 304L, 316, 316L, 321, 347 for use with pipe specifications ASTM, A312, grades 304, 304L. 316, 316L, 321 and 347 excluding RJT and CIP sanitary union fittings	NZF Stainless Ltd C/- Burlington Air Express NZ Ltd PO Box 97088 SOUTH AUCKLAND MAIL CENTRE	99	994703F	V
326,19.19	Stakes, being plastic coated steel tube	D A Suckling Ltd PO Box 11303 CHRISTCHURCH	99	9947 <b>0</b> 6L	A
419.99.19	Brass fronted coffee display bins	Asia Pacific Specialty Chemicals Ltd PO Box 53-012 AUCKLAND AIRPORT	99	994714A	A
615.19.00	Die cast radiators in aluminium alloy	Aquaheat Industries C/- Union Transport NZ Ltd PO Box 3424 WELLINGTON	99	994675G	A
806.00.00	Self adhering lead X-ray markers	Inmed Medical NZ Ltd C/- W B Johns Consulting Ltd PO Box 1548 AUCKLAND	99	994715K	A
305.20.00	$88/8$ staples being $18mm$ galvanised staples with $11.9mm$ outside crown – $3/97\ to\ 3/98$	Jambro Ltd C/- PO Box 4118 AUCKLAND	99	994708G	A
413.81.19	CURRENT APPROVAL: Hanning pumps for use solely in making clothes and dish washing machines		99	910031J	v
413.81.19	REQUESTED APPROVAL: Pumps solely for use in making clothes and dish washing machines	Fisher & Paykel Ltd Range & Dishwasher Division C/- Allied Customs Agents Ltd PO Box 504 DUNEDIN	99	994720F	٧
3414.80.19	Integrally-geared single stage centrifugal compressors	Anglian Water NZ Ltd C/- Kapiti Customs Brokers Ltd PO Box 848 WELLINGTON	99	994716H	A
3417.80.01	Expander/dryer machine for continuous honeycomb doors	Carter Holt Harvey Panels Overlay C/- HTL Shipping & Customs Ltd PO Box 58-770 Greenmount AUCKLAND	99	994386C	<b>A</b> .

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
8421.39.09	l x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolaeli Spa Italy	Aongatete Coolstores Ltd C/- Hammond International Ltd PO Box 1011 NAPIER	99	994688J	CE
8421.39.09	1 x catt lytic ethylene converter for supply to NZ Fruits Ltd, ex Isolcell Spa Ita: y	NZ Fruits Ltd C/- Hammond International Ltd PO Box 1011 NAPIER	99	994690L	CE
8421.39.09	1 x cat: lytic ethylene converter for supply to Omega Pack and Cool, ex Isol: ell Spa Italy	Omega Pack & Cool Ltd C/- Hammond International Ltd PO Box 1011 NAPIER	99	994689G	CE
8425.42.29	Vehicle lifting system with a lifting capacity of 14.6 tonnes and above	Waltons Garage & Service Station Ltd 285 Church St Onehunga AUCKLAND	99	994722B	Α
8479.89.00	Automatic reblading machine as used on fleshing machine cylinders	Gorrie Engineering 1983 Ltd C/- N J Crisp Ltd PO Box 1377 INVERCARGILL	99	994678A	A
8479.89.00	Fine but ble aeration system of a type used for wastewater treatment	Anglian Water NZ Ltd C/- Kapiti Customs Brokers Ltd PO Box 848 WELLINGTON	99	994717F	A
8479,89. <b>00</b>	Machin rry for the construction of a medium density fibreboard plant, being a third line located at Nelson Pine Industries, Nelson Plant, viz the following:  125' TCi log crane  14' x 9[' drum debarker  60' det rker infeed conveyor Hydraulic gate  55' chi; per infeed conveyor Prentio: loader Control house Chipper coupling  48' 8K rechipper  G-360 knife grinder Vibrating conveyors Rotor Hogg	Fulghum New Zealand Ltd C/- A J Brown & Co Ltd PO Box 1036 AUCKLAND	99	994694C	CÉ
8479.89.00	Wine b: ttle capsule forming machine	Enological Supplies Ltd C/- Burlington Air Express PO Box 97088 South Auckland Mail Centre MANUKAU CITY	99	994719B	A
8517.50	ISDN to minal adaptors built as cards for use in a computer	Australasian International PO Box 73-111 AUCKLAND AIRPORT	99	994700A	Α
8537.10) 8537.20) 8517.50)	Powers: ition and substation monitoring and control equipment including related tele-communication apparatus	Transpower NZ Limited C/- MSAS Cargo International Ltd PO Box 2427 WELLINGTON	99	994682K	A
8544.49.09) 8544.59.09)	CURRI: NT APPROVAL: Flexible multistrand audio cables with each pair of strands having individual aluminium foil shields		99	988036E	v
8544.49.09) 8544.59.09)	REQUI: STED APPROVAL: Flexible multistrand audio cables with each pair and quad of strands having individual aluminium foil shields	A & Z Technologies Ltd PO Box 73-013 AUCKLAND AIRPORT	99	994701K	v
8708.29.29	Leather ar seat kits manufactured to OEM specifications	NSV Automotive C/- Daniel Silva Ltd PO Box 305 AUCKLAND	99	994699D	A

Tariff Item	Description of Goods				Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
9403.90.00	CURRENT APPRO Component parts for held by Collector of	the manufact		Modulo 3 furniture as per list n		99	989368 <b>H</b>	v
9403.90.00	REQUESTED APP Component parts for held by Collector of	the manufact		Modulo 3 furniture as per list n	Area Office Systems Ltd C/- Union Transport NZ Ltd PO Box 3424 WELLINGTON	99	994702H	v
9503.70.00		handbag, pias	stic imi	abination of any of the following: tation headband, wand, tiara, ne, comb and brush	Mattel NZ Ltd C/- Jenners Customs & Freight Ltd PO Box 73-073 AUCKLAND AIRPORT	99	994718D	<b>A</b>
* Category	of Application:	A CE IM IP MS RUC S SS V		General Approval Capital Equipment Inputs to Manufacturing - Inabil Inadequate Production Manufacturers' Samples Revocation of Unused Concession Shortfall Special Situation Variation of Existing Concession Withdrawal of Concession Denotes amendment or addition	on.			

Dated at Wellington this 10th day of April 1997.

V.A. MANKS, Ministry of Commerce.

#### **CUSTOMS EDITION**

Tariff Act 1988

#### TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 13) 1997

- I, Vincent Anthony Manks, Executive Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:
- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and
- (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule :) this notice; and
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.
- (e) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Fifth Schedule to this notice the exemption from duty of such goods with effect from the first day of the month so specified.

FIRST SCHEDULE
Concessions Approved

Tariff		Dates of	Duty	Part II	Ref.	Effecti	ve
		Rates of	•				
 Item	Description of Goods	Normal	Pref.	Ref.	No.	From	To
2107.00.00			_				
2106.90.90	Fortifuice nutritional supplement	Free	Free	99	994539D	1/97	**
2106.90.90	Fortimel nutritional supplement	Free	Free	99	994542D	1/97	
2106.90.90	Nutricia carbohydrate free mixture	Free	Free	99	994541F	1/97	
2106.90.90	Nutri concentrated 75	Free	Free	99	994538F	1/97	
2106.90.90	Nutrison high protein/high glutamine	Free	Free	99	994540H	1/97	
3004.90.19	Combivent respules (UDV's)	Free	Free	26	9945621	2/97	
3506.91.00	Plexus methacrylate adhesives with activator, viz: MA300, MA320,	Free	Free	99	993719G	6/96	
3300.71.00	MA330, MA340, AO420, MA550, MA555, MA600	FIEC	rice	72	<i>333113</i> G	U/JU	
3506.91.00			<b>-</b>	00	0044037	1.07	
	Terokal 4520 – 34 US	Free	Free	99	994493B	1/97	
3824.90.90	Eurepox RV-K	Free	Free	99	9944951	1/97	
3824.90.90	Fire retardant preparations, viz: firetrol 934, firetrol 936, firefoam 103	Free	Free	99	994494L	1/97	
3908.90.09	Polymer G E	Free	Free	99	994416J	12/96	
3909.50.09	Roskydal UA TPLS 2220	Free	Free	99	994496G	1/97	
391 <b>7.32.08</b>	Telecommunication and electrical application, heat shrinkable splice closures	Free	Free	99	801097J	9/88	
3920.10.09	Metallised co-extruded oriented high density polyethylene film	Free	Free	99	994523H	1/97	
3926.90.61)	Radiotherapy quality assurance phantoms	Free	Free	99	994563G	1/97	
3926.90. <b>69</b> )	- management demonstration burness	1100	1100	• • • • • • • • • • • • • • • • • • • •	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,7,	
3926.90.69	Plantiniand or an Indiana books duty indicated burling	F	E	99	994497E	1/97	
	Plasticised or polypropylene, heavy duty industrial buckets	Free	Free				
3926.90.69	Polyurethane jack and pressure distribution pads	Free	Free	99	802009E	11/88	**
4810.31.0 <b>0</b>	Bleached kraft paper, one sided coating consisting mainly of kaolin pigment and	Free	Free	99	994499A	1/97	
	calcium carbonate, in reels, not less than 40 g/m <sup>2</sup> or not more than 80 g/m <sup>2</sup>						
5602.29.00	Civil engineering fabric	Free	Free	99	994535A	1/97	
6001.10.25)	100% wool or synthetic B.O.A. knitted fabric on polyester backing	Free	Free	99	992130D	6/95	
6001.10.35)							
6306.12.00	Motor vehicle twist sun shades	Free	Free	-99	994510F	2/97	
7326.90.09)	Components for use in the manufacture of tunnel ventilation fans, viz:	Free	Free	99	994534C	1/97	••
7616.99.90)	a) Impellers, aluminium, 75 inch diameter, and	rice	rice	22	224334C	1171	
8414.90.49)	b) Dampers of aluminium or iron and steel	_	_		00.4		
8414.80.01	Compressor outfits, other than vehicle drawn: EXCLUDING	Free	Free	99	994575L	2/97	
:	(inclusive) with working pressures exceeding 30,000 kPa Note: For the purposes of this concession, a "compressor outfit" is a compressor (pump), primemover (motor), either an air receiver or a separator to store the compressed air, a chassis or mounting plate, often utilising the air receiver itself, and some form of pressure control to limit automatically the maximum discharge pressure by either stopping the						
	compressor or otherwise causing it to cease or reduce pumping						
8419.81.00		-	_	00	0045317	1.00	
0419.01.00	Deglazing tunnel of a type suited for removal of surface glaze	Free	Free	99	9 <del>94</del> 531J	1/97	
	from frozen food portions						
8424.89.18							
8428.10.00	Spraying and projecting units designed to apply aggregate	Free	Free	99	994721D	5/97	
0.20.10.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg,	Free Free	Free Free	99 99	994721D 880651K	5/97 5/89	
				99		5/89	
8428.33.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg,						
	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system	Free	Free	99	880651K	5/89	
8428.33.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer	Free Free Free	Free Free Free	99 99	880651K 994570K	5/89 2/97	
8428.33.00 8433.60.09 8468.80.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable	Free Free Free	Free Free Free	99 99 99 99	880651K 994570K 994569F 994533E	5/89 2/97 2/97 1/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99	880651K 994570K 994569F 994533E 994529G	5/89 2/97 2/97 1/97 1/97	
8428.33.00 8433.60.09 8468.80.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the	Free Free Free	Free Free Free	99 99 99 99	880651K 994570K 994569F 994533E	5/89 2/97 2/97 1/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the manufacture of paint brushes	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H	5/89 2/97 2/97 1/97 1/97 2/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the manufacture of paint brushes  Globe control valves, fitted with actuators viz:	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99	880651K 994570K 994569F 994533E 994529G	5/89 2/97 2/97 1/97 1/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H	5/89 2/97 2/97 1/97 1/97 2/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied	Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H 994532G	5/89 2/97 2/97 1/97 1/97 2/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H	5/89 2/97 2/97 1/97 1/97 2/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied	Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H 994532G	5/89 2/97 2/97 1/97 1/97 2/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:	Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H 994532G	5/89 2/97 2/97 1/97 1/97 2/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system Potato scooper, designed for the loading/unloading of potatoes Potato handling equipment viz: dirt eliminator and sizer Cold pressure welding machines for use in the manufacture of electric cable Filter belt presses specially suited for sludge dewatering Synthetic filament wet tipping and flagging machine, suited for use in the manufacture of paint brushes Globe control valves, fitted with actuators viz: (a) 2 inch cast carbon alloy bodied (b) 3 inch cast carbon alloy bodied Spare and service parts for 2200kw generator based at Arapuni Power Station viz: Stator cores, stator windings, stator frame, rotor poles Carlo Gavazzi "E" system range of modules with relay output	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99	994570K 994569F 994533E 994529G 994571H 994532G 994501G	5/89 2/97 2/97 1/97 1/97 2/97 1/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00 8716.80.09)	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:  Stator cores, stator windings, stator frame, rotor poles  Carlo Gavazzi "E" system range of modules with relay output  Hand powered storage and transport barrow/trolley having a carrying capacity not	Free Free Free Free Free Free Free	Free Free Free Free Free Free	99 99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H 994532G	5/89 2/97 2/97 1/97 1/97 2/97 1/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00 8716.80.09) 9403.20.00)	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system Potato scooper, designed for the loading/unloading of potatoes Potato handling equipment viz: dirt eliminator and sizer Cold pressure welding machines for use in the manufacture of electric cable Filter belt presses specially suited for sludge dewatering Synthetic filament wet tipping and flagging machine, suited for use in the manufacture of paint brushes Globe control valves, fitted with actuators viz: (a) 2 inch cast carbon alloy bodied (b) 3 inch cast carbon alloy bodied Spare and service parts for 2200kw generator based at Arapuni Power Station viz: Stator cores, stator windings, stator frame, rotor poles Carlo Gavazzi "E" system range of modules with relay output	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99	994570K 994569F 994533E 994529G 994571H 994532G 994501G	5/89 2/97 2/97 1/97 1/97 2/97 1/97	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00 8716.80.09) 9403.20.00)	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:  Stator cores, stator windings, stator frame, rotor poles  Carlo Gavazzi "E" system range of modules with relay output  Hand powered storage and transport barrow/trolley having a carrying capacity not  exceeding 600lbs (272.2kgs) with not less than two wheels (excluding golf trolleys)	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H 994532G 994501G 994502E 994233F	5/89 2/97 2/97 1/97 1/97 2/97 1/97 2/97 1/97 10/96	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00 8716.80.09) 9403.20.00) 9403.90.00) 9401.80.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:  Stator cores, stator windings, stator frame, rotor poles  Carlo Gavazzi "E" system range of modules with relay output  Hand powered storage and transport barrow/trolley having a carrying capacity not exceeding 600lbs (272.2kgs) with not less than two wheels (excluding golf trolleys)  High chairs, folding, height adjustable	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99	994570K 994569F 994533E 994529G 994571H 994532G 994501G 994502E 994233F	5/89 2/97 2/97 1/97 1/97 2/97 1/97 2/97 1/97 10/96	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00 8716.80.09) 9403.20.00)	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:  Stator cores, stator windings, stator frame, rotor poles  Carlo Gavazzi "E" system range of modules with relay output  Hand powered storage and transport barrow/trolley having a carrying capacity not  exceeding 600lbs (272.2kgs) with not less than two wheels (excluding golf trolleys)  High chairs, folding, height adjustable  Swimming pool games viz: underwater dart game, volleyball, floating	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99	880651K 994570K 994569F 994533E 994529G 994571H 994532G 994501G 994502E 994233F	5/89 2/97 2/97 1/97 1/97 2/97 1/97 2/97 1/97 10/96	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00 8716.80.09) 9403.20.00) 9403.90.00) 9401.80.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:  Stator cores, stator windings, stator frame, rotor poles  Carlo Gavazzi "E" system range of modules with relay output  Hand powered storage and transport barrow/trolley having a carrying capacity not  exceeding 600lbs (272.2kgs) with not less than two wheels (excluding golf trolleys)  High chairs, folding, height adjustable  Swimming pool games viz: underwater dart game, volleyball, floating  basketball game, dive and relay sticks, water polo set, porpoise slalom	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99	994570K 994569F 994533E 994529G 994571H 994532G 994501G 994502E 994233F	5/89 2/97 2/97 1/97 1/97 2/97 1/97 2/97 1/97 10/96	
8428.33.00 8433.60.09 8468.80.00 8479.89.00 8479.89.00 8481.80.19 8503.00.19 8536.49.00 8716.80.09) 9403.20.00) 9403.90.00) 9401.80.00	Ladder, lifts extendable to 19m height, to lift bricks, tiles, etc., loads up to 150kg, cable and trolley system  Potato scooper, designed for the loading/unloading of potatoes  Potato handling equipment viz: dirt eliminator and sizer  Cold pressure welding machines for use in the manufacture of electric cable  Filter belt presses specially suited for sludge dewatering  Synthetic filament wet tipping and flagging machine, suited for use in the  manufacture of paint brushes  Globe control valves, fitted with actuators viz:  (a) 2 inch cast carbon alloy bodied  (b) 3 inch cast carbon alloy bodied  Spare and service parts for 2200kw generator based at Arapuni Power Station viz:  Stator cores, stator windings, stator frame, rotor poles  Carlo Gavazzi "E" system range of modules with relay output  Hand powered storage and transport barrow/trolley having a carrying capacity not  exceeding 600lbs (272.2kgs) with not less than two wheels (excluding golf trolleys)  High chairs, folding, height adjustable  Swimming pool games viz: underwater dart game, volleyball, floating	Free Free Free Free Free Free Free Free	Free Free Free Free Free Free Free Free	99 99 99 99 99 99 99	994570K 994569F 994533E 994529G 994571H 994532G 994501G 994502E 994233F	5/89 2/97 2/97 1/97 1/97 2/97 1/97 2/97 1/97 10/96	

Tariff Concession Approvals. Withdrawals and Declines Notice No. 1997/13-continued

CECOND	SCHEDIT	Æ.

Tariff		Concession Approvals Subject to Prescribed Pur	Rates o		Part II	Ref.	Effective	
	tem	Description of Goods	Normal	Pref.	Ref.	No	From	То
5	112.11.08	Wool 96%, elastane 4% – 800m <sup>2</sup>	Free	Free	99	994658G	2/97	11/9
5	5112.11.08	Wool 100% – 100m <sup>2</sup>						
5	5112,11.08	Wool 100% 100m <sup>2</sup>						
	5112.11.08	Wool 100% – 200m <sup>2</sup>						
	5112.11.08	Wool 100% – 300m <sup>2</sup> Wool 100% – 400m <sup>2</sup>						
	5112.11.08 5112.11.08	Wool 100% – 500m <sup>2</sup>						
	5112.11.08	Wool 100% - 3000m <sup>2</sup>						
	5112.19.00	Wool 98%, polyester 2% - 160m <sup>2</sup>						
5	112.19.00	Wool 100% - 200m <sup>2</sup>	_	_	-00	00466011	2/97	11/
	5112.11.08	Wool 98%, elastane 2% – 800m <sup>2</sup>	Free	Free	99	994652H	491	117
	5112.11.08	Wool 100% – 3000m <sup>2</sup> Wool 100% – 100m <sup>2</sup>						
	5112.19.00 5112.19.00	Wool 100% – 100m <sup>2</sup>						
	5112.19.00	Wool 100% – 100m <sup>2</sup>						
	5112.19.00	Wool $100\% - 100m^2$						
	5112.19.00	Woo! 100% - 100m <sup>2</sup>						
5	5112.19.00	Wool 100% 100m <sup>2</sup>						
	5112.19.00	Wool 100% 600m <sup>2</sup>						
	5112,30.08	Wool 80%, polyester 20% – 280m²	Free	Free	99	994655B	3/97	12/
	5112.11.08	Wool 100% 400m <sup>2</sup> Wool 90%, polyamide 10% 150m <sup>2</sup>	rice	1166	"	77-0555	3,7,	
	5112.19.00 5112.19.00	Wool 90%, polyamide 10% – 130m Wool 90%, polyamide 10% – 300m <sup>2</sup>						
	5112.19.00	Wool 100% – 300m <sup>2</sup>						
	5112.19.00	Wool $100\% - 450m^2$						
5	5112.19.00	Wool 100% - 500m <sup>2</sup>						
	5112.19.00	Wool 100% - 900m <sup>2</sup>						
	5112.19.00	Wool 100% – 1200m²						
	5112.30.08	Wool 60%, viscose 40% – 600m²						
	5112.30.08 5112.11.08	Woo! 65%, viscose 35% – 300m <sup>2</sup> Woo! 100% – 1000m <sup>2</sup>	Free	Free	99	994660J	3/97	12/
	5112.19.00	Wool 90%, polyamide 10% – 200m <sup>2</sup>			• •			
	5112.19.00	Wool 90%, polyamide 10% – 1050m <sup>2</sup>						
5	5112.19.00	Wool 98%, polyamide 2% - 150m <sup>2</sup>						
5	5112.19.00	Wool 98%, polyamide 2% – 480m <sup>2</sup>						
	5112.19.00	Wool 100% – 120m <sup>2</sup>						
	5112.19.00	Wool 100% – 220m²						
	5112.19.00	Wool 100% 300m <sup>2</sup> Wool 60%, polyester 40% 200m <sup>2</sup>						
	5112.30.08 5112.30.08	Wool 60%, polyester 40% – 200m <sup>2</sup>						
	5112,11.08	Wool 100% - 1220m <sup>2</sup>	Free	Free	99	994656L	3/97	12/
5	5112.19.00	Wool 90%, nylon 10% – 2900m <sup>2</sup>						
	5112.19.00	Wool 100% - 570m <sup>2</sup>						
	5112.19.00	Wool 100% – 600m <sup>2</sup>						
	5112.19.00 5112.19.00	Wool 100% – 600m <sup>2</sup> Wool 100% – 600m <sup>2</sup>						
	5112.19.00	Wool 100% – 600m <sup>2</sup>						
	5112.19.00	Wool 100% - 650m <sup>2</sup>						
	5112.19.00	Wool 100% - 650m <sup>2</sup>						
5	5112.19.00	Wool 100% - 670m <sup>2</sup>						
	5112.11.08	Wool 100% - 4000m <sup>2</sup>	Free	Free	99	994659E	3/97	12
	5112.19.00	Wool 85%, polyester 15% – 220m²						
	5112.19.00	Wool 90%, polyamide 10% – 200m² Wool 100% – 240m²						
	5112.19.00 5112.19.00	Wool 100% - 240m <sup>2</sup> Wool 100% - 480m <sup>2</sup>						
	5112.30.08	Wool 70%, polyester 30% – 330m <sup>2</sup>						
	5112.30.08	Wool 75%, cotton 15%, polyester 5%, polyamide 5% - 330m <sup>2</sup>						
	5112.90.08	Wool 60%, conton 40% - 220m <sup>2</sup>						
	5112.90.08	Wool 61%, silk 39% – 900m <sup>2</sup>						
	5112.90.08	Wool 65%, silk 35% – 400m <sup>2</sup>	-	P	00	0046616	2 107	10
	5112.30.08	Wool 80%, rayon 20% – 500m <sup>2</sup>	Free	Free	99 99	994661G 994653F	3/97 3/97	12/ 12/
	5515.13.29 5515.13.29	Wool 45%, polyester 55% – 2000m <sup>2</sup> Wool 45%, polyester 55% – 6900m <sup>2</sup>	Free	Free	77	77 <del>70</del> 33F	2121	12
	50.01)	Ref: 97122 oner, 94% polyester, 6% spandex – 2200 metres	Free	Free	99	994508D	1/97	12/
	60.02)	Ref: 97098 kenzo, 70% polynosic, 30% polyester – 3000 metres			•			-
	ŕ	Ref: 97154 evita, 70% rayon, 30% polyester - 1700 metres						
		Ref: R1035 70% polyester, 18% nylon, 12% spandex - 1000 metres						
		Ref: 2395/559 90% rayon, 10% polyester terry burnout - 3000 metres						
		Ref: maxime 100% polyester – 151 metres						
		Ref: Genevieve 81% nylon, 19% spandex ~ 1000 metres						
		Ref: 13702 50% polyactylic, 50% viscose – 310 metres  Ref: 14776 50% cotton 50% polyactylic – 75 metres						
		Ref: 14776 50% cotton, 50% polyacrylic – 75 metres Ref 15710 50% polyacrylic, 50% viscose – 304 metres						
		Ref: CWT 60% rayon, 40% polyester – 1000 metres						
		Ref: J55 90% viscose, 10% polyester - 310 metres						
		Ref: J116 100% nylon – 369 metres						
		Ref: J119 100% polyester - 106 metres						
		Ref: J145 100% polyester velour - 70 metres						
	6001.92.29	Polyester spandex velvet plain dyed - 1600 metres only	Free	Free	99	994515G	1/97	12

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1997/13-continued

				_	Part				
Tariff			Rates of Duty		п	Ref.	Effecti		
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	То	
1	60.02	Ref: 799 100% polyester knit fabric - 41 lineal metres	Free	Free	99	994506H	1 <i>1</i> 97	12/9	
		Ref: 803 100% polyester knit fabric - 160 lineal metres							
		Ref; 829 100% polyester knit fabric – 60 lineal metres							
		Ref: 821 100% polyester knit fabric – 62 lineal metres							
		Ref: 812 100% polyester knit fabric - 60 lineal metres							
		Ref: 598 72% viscose, 28% nylon knit fabric - 350 lineal metres							
1	60.02	Ref: 9995 80% cotton, 15% polyester, 5% lycra - 450 lineal metres	Free	Free	99	994505K	1/97	12/9	
		Ref. 9966 80% cotton, 15% polyester, 5% lycra - 250 lineal metres							
		Ref: 3738 45% polyamide, 25% wool, 25% viscose, 5% elastane -							
		450 lineal metres							
		Ref: 3072 50% wool, 40% polyacrylic, 10% polyamide – 650 lineal metres							
1	6002.30.12	Polyester/spandex drop needle knit 2400 metres (4051 MTV)	Free	Free	99	994514J	1/97	12/9	
M	6002.30.12	Warp knitted nylon/tycra 32 gauge style No 97.957 – 900m <sup>2</sup>	Free	Free	99	994537H	1/97	12/9	
		style No 97.720 – 25500m²							
		style No 97.616 – 12750m <sup>2</sup>							
1	6002.93.09	100% polyester knitted terry jacquard P/D = 7737 m <sup>2</sup> only	Free	Free	99	994507F	1/97	12/9	
1	6002.93.09	4047 camelot polyester/viscose leaf jacquard - 1600 metres	Free	Free	99	994512B	1/97	12/9	
И	70.10	Preserving jars, pint and quart sizes	Free	Free	99	994504A	1/97	2/97	

#### THIRD SCHEDULE

Concession Approvals Withdrawn

				Part			
Tariff		Rates of	Rates of Duty		Ref.	Effectiv	ve
Item	Description of Goods	Normal	Pref.	Ref.	No.	From	To
3926.90.61	Solid resin	.,			990772G		
3926.90.69	Plasticised buckets				801782E		
8414.80.01	Compressor pumping	n	••		990233D		
8424.89.18	Spraying finishes	••			988637A		
8536.49.00	Electromatic output	••			931107G		
8547.20.00	Telecommunication closures				801097J		
8716.80.09)	Hand trolleys)	••	•-		994233F		
9403,20.00)	• ,						
9403.90.00)							
9506.29.00	Swimming rings	**			840039D		

#### FOURTH SCHEDULE

Applications for Concessions Declined

Tariff		Ref.
Item	Description of Goods	No.
39.26)	Surgical operating drapes	994384G
48.18)		
4817.10.00	Printed paper compact disc envelope/sleeves	994517C
8419.81.00	Water spray retort with thermal process management system	994476B
8462.21.00	One only upstroke pressbrake fine bender Amada FBD11 to arrive before	994574B
	31 May 1997	
8504.40.01	Battery charger/adapter, suitable for use with lithium ion batteries	994566A
8525,20.09	Transceivers, trunking, with built in paging transmitter and 68 character	994564E
	alpha - numeric display	
9306.21.01	12 gauge shotgun cartridges with Gordon recoil system	994565C

#### FIFTH SCHEDULE

Automotive Filters

The following are amen iments to the list of filters oil, air, or fuel suited for use on internal combustion engines which may be admitted duty free under Part II of the tariff - Ref 993778B - Tariff heading 84.21.

Model	O/E Number	Application	Effective Date
			is (8/96)
			Unless Otherwise
			Stated

The following deletions effective from 29 April 1997:

AC	8941017690	AIR FILTER ELEMENT
AC	8970215760	OIL
AC	ACA9057	AIR
AC	ACL9029	OIL
AMC	HA671	AIR
AMC	MO525	OIL
AMC	NO232	OIL
CLARK	1810143	HYDRAULIC
CLARK	3779851	FUEL
DONALDSON	P14-0633	AIR
DONALDSON	P52-6752	AIR

Model	O/E Number	Application	Effective Date is (8/96) Unless Otherwise Stated
		OIL	
DONALDSON	P55-0021	FUEL	
DONALDSON	P55-0028		
DONALDSON	P55-0034	OIL	
DONALDSON	P55-0056	FUEL	•
DONALDSON	P55-0225	FUEL	
DONALDSON	P554017	OIL AIR	
DONALDSON	P90-0571		
FENDT	F284 201 310 040	OIL	
FLEETGUARD	AF4046	AIR	
FLEETGUARD	AF4696	AIR	
FLEETGUARD	AF483	AIR FUEL	u u
FLEETGUARD	FF5099	OIL	
FLEETGUARD	LF3332	AIR	
FORD	E6NN-9B618-BA	AIR	
FRAM	LA657S		
FRAM	L0728K	OIL.	
FRAM	PH5126	OIL	
FRAM	PH5190	OIL	
FRAM	PH5529	OIL	
FRAM	PH5583	OIL	
HITACHI	4294841	OIL	
KRALINATOR	LA1110F	AIR	
LIEBHERR	7004209	OIL	
MICRO	T-3152	OIL	
MICRO	T-8212	OIL OIL	
NISSAN	15208-20NO2		
NISSAN	15208-40LOO	OIL	
RYCO	IF0288	AIR	
RYCO	IFO317	OIL	
RYCO	IFO318	OIL	
RYCO	IFO325	OIL	
RYCO	Z402UBZ	OIL	
RYCO	Z415UBZ	OIL	
RYCO	Z416UBZ	OIL	
тсм	A15274-99289	OIL	
* Category of Approval:	A - General A		
	CE - Capital E		
	GT – Goods in		
	IM - Inputs to Manufacturing - Inability to Supply		
	IP - Inadequate Production		
	MS - Manufacturers' Samples  RUC - Revocation of Unused Concession		
		on or Unused Concession	
		S - Shortfall	
	SS - Special Si		
		of Existing Concession	
	X – Administr	rative Amendment	

#### NOTE

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice, declined applications for concessions as listed in the Fourth Schedule to this notice and goods listed in the Fifth Schedule to this notice will not be published in the Consolidated List of Approvals.

Dated at Wellington this 10th day of April 1997.

V.A. MANKS, Ministry of Commerce

