

New Zealand Gazette

CUSTOMS EDITION

WELLINGTON: TUESDAY, 27 MAY 1997

TARIFF CONCESSION NOTICES

(INCLUDING OTHER NOTICES UNDER THE TARIFF ACT 1988 AND THE CUSTOMS AND EXCISE ACT 1996)

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1997/19

Applications Advertised for Objection Closing Date for Objections 17th June 1997

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection should do so in writing, to the Ministry of Commerce, PO Box 1473, Wellington, Fax 0-4-473-8949 indicated by the reference number, before 17th June 1997. All submissions should include:
 - the Tariff Industry Assistance (Advertisement) Notice number;
 - the Tariff item; and
 - Reference number.
- 2 All submissions from local manufacturers should include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
 - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 All submissions objecting to a request for the withdrawal of a concession should include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Commerce quoting the details in paragraph 1 above.

Tariff	5 11 45 1	Name and Address	Part II	Appn. Ref.	*Category of
em	Description of Goods	of Applicant	Ref.	No.	Appn.
4.02	Triton ethoxylated surfactants, viz: SP-135, SP-140, SP-160, SP-175, SP-190	Union Chemicals Limited Private Bag 102-960 North Shore Mail Centre AUCKLAND	99	994 8 58K	Α
402.13.00	Lakeland AMA LF40 surface active agent (alkylamine carboxcylate mono alkali metal salt)	Pacific Raw Materials Limited C/- Hawk Customs & Freight NZ Ltd PO Box 73 070 AUCKLAND AIRPORT	99	994885G	A
402.13.00	Lakeland AMA 0 and AMA 38 surface active agent (monosodium salts of an alkylamine carboxylate)	Pacific Raw Materials Limited C/- Hawk Customs & Freight NZ Ltd PO Box 73 070 AUCKLAND AIRPORT	99	994884J	Α
202.99.00) 115.99.29) 116.99.00) 203.19.01) 203.39.01) 203.49.01) 405.90.29)	Clothing and accessories of a type worn or used when assembling or repairing high tension power lines viz: 1. KV Gard conductive suits – 60 2. KV Gard jackets – 30 3. KV Gard trousers – 45 4. KV Gard gloves – 120 pairs 5. KV Gard boots – 120 pairs 6. KV Gard socks – 120 pairs 7. KV Gard accessory bags – 60 period 5/97 to 5/99	Electropar Limited C/- Cunningham Gill Limited PO Box 73-140 AUCKLAND INTERNATIONAL AIRPORT	99	994882B	IM
305.60.09	Sodium carboxymethyl cellulose paper, water soluble, specially suited for use in TIG (tungsten inert gas) welding	Weldwell NZ Ltd C/- Hammond International PO Box 1011 NAPIER	99	994829F	A
607.50.11	16 strand braidedpol polyethylene twine and rope 7mm/10mm/16mm/20mm	Motueka Nets Ltd PO Box 916 NELSON	99	994862H	A
002.93.09	Acetate/mylar sheer knit	Select Laces Ltd C/- Charles Parsons (NZ) Ltd PO Box 38 AUCKLAND	99	994877F	A
002.93.09	Knitted, 96% polyester, 4% spandex fabric	Wiltex Ltd C/- PO Box 53004 AUCKLAND AIRPORT	99	994874A	A
002.93.09	100% polyester high twist crepe – 2600 metres only	Charles Parsons (NZ) Ltd PO Box 38 AUCKLAND	99	994873C	IM
002.93.09	100% polyester interlock – 7000 metres only	Select Laces Ltd C/- Charles Parsons (NZ) Ltd PO Box 38 AUCKLAND	99	994872E	IM
9.10	Ceramic sinks, wash basins, wash basin pedestals, baths, bidets, water closet pans, flushing cisterns, urinals and similar sanitary fixtures	Robertson Agencies Ltd C/- Divers & Leonard Ltd PO Box 53-085 AUCKLAND AIRPORT	99	994883L	A

CUSTOMS EDITION

Tariff Industry Assistance (Advertisement) Notice No. 1997/19 - continued

Tariff Item	Description of Goods	3		Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
7007.11.09	Motor vehicle glass, 1 95BBF215K62AA 95BBF215K63AA 95BBF262K46AA 95BBF262K47AA 95BBN262K46AA 95BBN262K47AA 96BBF42006AA 96BBA42006BC 96BBN42006BA	Ford viz: RH Front LH Front RH Rear LH Rear RH Rear LH Rear Rear BL Tailgate Tailgate	Sedan Hatch Wagon Sedan Hatch Wagon Sedan Hatch Wagon	Ford Motor Company of NZ Limited Private Bag 76 912 MANUKAU CITY	99	994878D	IM
7325.90.00	Fibreglass reinforced moulding process	plastic gratings, p	roduced using a compression	Kernohan Engineering Ltd PO Box 5057 PORT NELSON	99	994871G	Α
7419.99.19	Enamelled, pure copp	er, trinket boxes a	nd ornaments	National Customs & Travel Consultants Ltd PO Box 22329 Otahuhu AUCKLAND	99	994875K	Α
82.01	Tool handles and fittings with snaplock devices to permit the interchange of a range of gardening tools			Aorangi Merchants PO Box 2082 Washdyke TIMARU	99	994879B	A
8414.80.01	Air/gas driven oxyger circuit breathing appa		f a type used for recharging closed	New Zealand Defence Force (Asst G3 C & T) C/- Headquarters Support Command Private Bag 901 UPPER HUTT	99	994863F	CE
8426.99.00	Two electro hydraulic	e deck cranes for in	stallation on the Amatal Atlantis	Amatal Fishing Co PO Box 916 NELSON	99	994861K	CE
8465.99.00	Plywood composer ma	achine		Carter Holt Harvey Plywood C/- PO Box 73-111 AUCKLAND AIRPORT	99	994864D	CE
8535.21.00	SF6 circuit breakers, 12KV and above, up to 3150 amps (indoor type only) including mounting hardware		ABB Switchgear Division C/- Burlington Air Express PO Box 97088 SOUTH AUCKLAND MAIL CENTRE	99	994868G	A	
8546.90.09	CURRENT APPRO Bushings, condensor t		and above	•	99	988191D	v
8546.20.09) 8546.90.09)	REQUESTED APPR Bushings, insulator co), rated 23KV and above	Transpower NZ Limited C/- MSAS Cargo International Limited PO Box 2426 WELLINGTON	99	994867J	v
8708.99.39	Lockable ski/snowboa lockable, gutterless typ		ies for fitting to roof racks and carriers	Brian Phillips Ltd C/- Anglo Pacific Int Ltd PO Box 14107 CHRISTCHURCH 5	99	994859Н	A
Chapter 89	classification with the 1. Parts of general use 2. Fans and blowers 3. Parts of machines ap 70, 80, 81 4. Buckets, shovels an 5. Hydraulic hoses wit 6. Articles of needleloo	pproved for entry to d grabs h fittings attached om felt ls e.g., tool bits, sa rs r discharge lamps a blades s flexible	under Part II concessions, 20, 60, w blades, grinding wheels	F V Sea Hunter C/- PO Box 1804 CHRISTCHURCH	99	994869E	A

Tariff Industry Assistance (Advertisement) Notice No. 1997/19 - continued

Tariff					Name and Address	Part II	Appn. Ref.	*Category of
Item	Description of Good	s			of Applicant	Ref.	No.	Appn.
9503.70.00	Boxed activity sets in	naarnaratina	a CD I	2am	Danac Pacific Ltd	99	994865B	Α
9505.70.00	Boxed activity sets in	ncorporating	a CD i	Com	C/- Burlington Air Express NZ Ltd		33.000-	
					PO Box 97 088			
					SOUTH AUCKLAND MAIL CENTRE			
					SOUTH ACCREASE WALL CERTRE			
9504.90.00	Table soccer/footbal	l game and/or	r spare	parts and accessories	The Limit Ltd	99	994866L	Α
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	14010 00001110010	- B	r		PO Box 37207			
					Parnell			
					AUCKLAND			
* Catego	ory of Application:	A CE IM IP MS RUC S	- - - - -	General Approval Capital Equipment Inputs to Manufacturing - Ir Inadequate Production Manufacturers' Samples Revocation of Unused Con Shortfall				
		SS	_	Special Situation				
				Variation of Existing Conc	ecion			
		V	_	Variation of Existing Conc	201011			
		V W	_	Withdrawal of Concession				

Dated at Wellington this 22nd day of May 1997.

V.A. MANKS, Ministry of Commerce.

Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 19) 1997

- I, Vincent Anthony Manks, Executive Officer, Ministry of Commerce, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:
- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe; and
- (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice.
- (d) Decline to approve in respect of the goods listed in the Fourth Schedule to this notice concessions for which application was made.

FIRST SCHEDULE

					Part			
	Tariff		Rates of	f Duty	11	Ref.	Effectiv	ve
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	То
A	2106.90.90	Wip-treme 360 INS topping base	Free	Free	99	994344H	11/96	
4	3004.90.19	Ditropan syrup	Free	Free	26	994600E	2/97	
Ā	3004.90.19	Rapilysin 10.u (reteplase 10.u and diluent)	Free	Free	26	994601C	2/97	
Ā	3004.90.19	Ticlid tablets	Free	Free	26	994463L	1/97	.,
Ā	3402.11.00	Sermul EA151 and EA188 surfactants	Free	Free	99	994686B	3/97	
7	3506.91.00	Krones colfix HM414 and HM1195 synthetic polymer based hot melt adhesives	Free	Free	99	994693E	3/97	
7	39.05	Taevalon 705, 705K, 706J, 706K, 707, 707K, 709, 721, 808	Free	Free	99	994685D	3/97	
	3909.50.09	Polyurethane resins, viz: Ureol 5200 A/B, Ureol 5201 A/B, Ureol 5202 A/B, Ureol 5203 A/B	Free	Free	99	994485A	1/97	
(3926.10	Pockets of clear polypropylene, including those with two sealed sides forming the letter L, whether or not multi-punched	Free	Free	99	991235F 10/94		
	4016.99.99	Extruded butyl rubber containing desiccants and an aluminium spacer, in lengths, suited for sealing windows	Free	Free	99	994624B	2/97	
	4823.70.00	Moulded pulp produce trays 600mm x 400mm	Free	Free	99	994420G	12/96	
	5603.13.00	Cleaning wipes manufactured from polyester and wood pulp fibres	Free	Free	99	9947073	3/97	
	5702.10.00	Handmade woollen Kelems having an FOB or Customs value exceeding \$10 psm	Free	Free	99	994705B	3/97	
	Chapter 62	Gore-tex suits, jacket and trousers of a type for motorcycle riding only	Free	Free	99	994887C		
	70.10		Free	Free	99			
		Jars – embossed, vacuum sealed preserving type – 250ml to 1.5 litre capacity	Free	Free	99			
	7307.22.00)	Stainless steel welding fittings to specifications ASTM A182 grades 304,	rree	rree	99	994703F	3/97	••
	7307.23.01)	304L, 316, 316L, 321, 347 for use with pipe specifications ASTM, A312,						
	7307.29.01)	grades 304, 304L, 316, 316L, 321 and 347 excluding RJT and CIP						
	7307.29.11)	sanitary union fittings	_	_				
	7326.19.19	Stakes, being plastic coated steel tube	Free	Free	99	994706L	3/97	••
	7419.99.19	Brass fronted coffee display bins	Free	Free	99	994714A	2/97	
	7806.00.00	Self adhering lead X-ray markers	Free	Free	99	994715K	3/97	••
	8305.20.00	88/8 staples being 18mm galvanised staples with 11.9mm outside crown	Free	Free	99	994708G		
	8413.81.19	Pumps solely for use in making clothes and dish washing machines	Free	Free	99	994720F	3/97	
	8417.80.01	Expander/dryer machine for continuous honeycomb doors	Free	Free	99	994386C	12/96	
	8424.10.00)	Apparatus for dispensing liquids, powder and finely divided solids (sand)	Free	Free	99	993921A	8/96	
	8424.20.00)	in a gaseous form using high air pressure, including any of the following: impulse gun, backpack, trolley, vehicle mounted cannons, hose reel						
	8425.42.29	Vehicle lifting system with a lifting capacity of 14.6 tonnes and above	Free	Free	99	994722B	1/97	
	8426.91.00	Tadano stiff boom truck mounted cranes: model/series ZF500, ZF603	Free	Free	99	993520H	5/96	
	8465.99.00	Wood mini lathes having a bed length of less than 500mm and a length between centres of less than 450mm	Free	Free	99	993108C	12/96	
	8479.89.00	Automatic reblading machine as used on fleshing machine cylinders	Free	Free	99	994678A	3/97	
	8479.89.00	Wine bottle capsule forming machine	Free	Free	99	994719B	2/97	
	8524.53.10	Recorded video tapes 8mm wide and above	Free	Free	99	980896F	9/89	
	8530.80.00	Portable traffic light systems (i.e., operated without the need for inter unit cabling or radio transmission) incorporating programmable memory modules	Free	Free	99	994415L	12/96	
	8609.00.09	Damaged second hand 20 foot and 40 foot shipping containers (imported for repair)	Free	Free	99	994605F	2/97	
	9503.70.00	Childrens dress up sets comprising a combination of any of the following: shoulder cape, sash, handbag, plastic imitation headband, wand, tiara, necklace, earrings,		Free	99	994718D	3/97	
	9503.70.00)	cell phone, microphone, comb and brush Diecast toy weapons whether or not in sets	Free	Free	99	994104F	9/96	
,	9503.90.19) 9506.99.19	Inflatable water play equipment	Free	Free	99	994672B	2/97	

SECOND SCHEDULE

Concession Approvals Subject to Prescribed Purposes and Conditions

					Part			
	Tariff		Rates of	Duty	п	Ref.	Effectiv	ve
	Item	Description of Goods	Normal	Pref.	Ref.	No.	From	То
M	4005.91.00)	Conveyor belt Hamaheat NH150 S-90 600mm x 4P x 7mm x 1.6mm,	Free	Free	99	994692G	3/97	3/97
	4010.12.00)	220 metres only and splice kit to suit						
M	4010.12.00	Conveyor belt AS-M EP250 1524mm x 6P x 9.6mm x 1.6mm,	Free	Free	99	994691J	3/97	3/97
		12 metres only	•					
(5111.20.08	Wool 80%, polyamid 20% – 4700m ²	Free	Free	99	994289A	11/96	7/97
M	5112.11.08	Wool 98%, polyamide 2% – 760m ²	Free	Free	99	994831H	4/97	12/9
	5112.11.08	Wool 100% – 2000m ²						
	5112.19.00	Wool $100\% - 500\text{m}^2$						
	5112.19.00	Wool $100\% - 600\text{m}^2$						
	5112.19.00	Wool 100% - 600m ²						

Tariff Concession Approvals, Withdrawals and Declines Notice No. 1997/19-continued

Fibreglass strips, bearings, grommet bush

Description of Goods	Tariff		Rates of	•	Part II	Ref.	Effectiv	
13112.19.00 Wood 100% - 1400m²	 ltem	Description of Goods	Normal	Pref.	Ref.	No.	From	То
13112.19.00 Wood 100% - 1400m²	5112 10 00	Wool 1000/ 1000m ²						
1311249.00 Wood 100% - 1400m² Wood 50%, linear 65%, polymoria 20% - 900m²								
\$112,90.08 Wood 596, lines 258, polyamide 5%, polynosis 2075 - 900m ² \$112,112.08 Wood 100% - 5000m ² Prec Prec 99 904830K \$112,112.09 Wood 100% - 5000m ² Prec Prec 99 904830K \$112,112.09 Wood 100% - 5000m ² Prec 10000m ² \$60,011 1. Ret V W1,RP903,859 polyamics 1,5% polyester - 1700 metres \$60,011 1. Ret V W1,RP903,859 polyester, 6% spander - 500 metres \$7. Ret 97,9713 94% sectas, 6% spander - 500 metres \$8. Ret 97,9713 94% sectas, 6% spander - 500 metres \$8. Ret 19713 1948 500 metallic, 7% polyester - 500 metres \$9. Ret 1,1445,745 800 (100, polyester) 15% angers, 15% nylon - 637 metres \$9. Ret 1,1445,745 800 (100, polyester) 15% angers, 15% nylon - 637 metres \$10. Ret 1,1445,745 800 (100, polyester) 15% angers, 15% nylon - 637 metres \$11. Ret 1,1745,745 90 polyester, 5% years - 10000 metres \$12. Ret 1,1745,745 90 polyester, 5% years - 10000 metres \$13. Ret 1,1717,745 80 sectas, 6% lycs - 178 metres \$14. Ret 1,775 95% polyester, 5% years - 10000 metres \$15. Ret 1,1845,745 polyester, 5% years - 1000 metres \$15. Ret 1,1845,745 polyester, 5% years - 1000 metres \$15. Ret 1,185 94,5% polyester, 5% years - 1000 metres \$15. Ret 1,185 94,5% polyester, 5% years - 1000 metres \$15. Ret 1,175 94% sectas, 6% years - 1000 metres \$16. Ret 1705,745 96% sectas, 6% years - 1000 metres \$17. Ret 1705,745 96% sectas, 6% years - 1000 metres \$18. Ret 1707,1305 100% viscose - 33 metres \$19. Ret 1707,1305 100% viscose - 33 metres \$19. Ret 1707,1305 100% viscose - 33 metres \$10. Ret 1707,1305 100% viscose - 30 metres \$20. Ret 1707,1305 100% viscose - 30 metres \$20. Ret 1707,1305 100% viscose - 33 metres \$21. Ret 1707,1305 100% viscose - 300 metres \$22. Ret 1707,1305 100% viscose - 300 metres \$23. Ret 1707,1305 100% viscose - 300 metres \$24. Ret 1707,1305 100% viscose - 300 metres \$25. Section 1705 100 100 metres \$25. Section 1705 100 100 100 100 metres \$25. Section 1705 100 100 100 100 100 100 100 100 100 1								
\$112,10.00		•						
131121.108 Wood 10076 - 60000m² Prec Free 99 994530X Wood 10076 - 50000m² Polysasz 1006, wood 40%, other 10% - 10000m²								
1512.19.00 Wood 100% - 5500m Signature 10% - 10000m* Signature 10% - 10000m* Signature 10% - 10000m* Signature Signatu			Trans	Ema	00	00492012	4407	12
Solidar Polyester 10% polyester 10% polyester 1700 metres Prec Prec 99 994711G			rree	rree	99	99483UA	4/97	12/
60.021 1. Ref. WH-RF9018 85% polyosacis. 15% polyseters —1700 merces 3. Ref. 97118 900% system. 2800 merces 4. Ref. 97118 94% securat., 6% spandex —500 merces 5. Ref. 97118 94% securat., 6% spandex —500 merces 7. Ref. 14869-1488 securat., 6% spandex —500 merces 8. Ref. Gazza 45% contex., 25% spandex —500 merces 8. Ref. Gazza 45% contex., 25% viscose., 15% angora, 15% nylon — 637 merces 9. Ref. 14869-1488 100% polyseter unpersader —10000 merces 18. Ref. Gazza 45% contex., 25% viscose., 15% angora, 15% nylon — 133 merces 10. Ref. 5917 1% sicosea., 20% polyseter —600 merces 11. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 13. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 13. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 13. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 13. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 13. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 15. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 15. Ref. 1510 945% polyseter. 6% spandex valous —10000 merces 16. Ref. 1762 95% polyseter. 6% spandex valous —10000 merces 17. Ref. 141 80% viscose. 200 percer. —1070 merces 18. Ref. 60 9123 95% polyseter. 6% spandex —50 merces 19. Ref. 60 9123 95% polyseter. 6% spandex —50 merces 20. Ref. 07/1303 100% viscose.—2000 merces 20. Ref. 07/1303 90% polyseter.—1000 merces 20. Ref. 07/1303 90% polyseter.—2000 merces 20. R								
6.0.02) 2. Ref. 279 44% polyester, 64% spander. – 350 metres 4. Ref. 9718 1070 stylon – 800 metres 5. Ref. 9718 1070 stylon – 800 metres 6. Ref. 9718 278% accessa, 64% spander. – 500 metres 6. Ref. 9718 278% accessa, 20% metallic. – 400 metres 7. Ref. 14865-1488 1096 polyester, supersucke – 1000 metres 8. Ref. 14865-1488 1096 polyester, 15% augora, 15% nylon – 143 metres 10. Ref. 15861 978 polyester, 84% spander velour – 10000 metres 11. Ref. 183104 978 polyester, 84% spander velour – 10000 metres 11. Ref. 183104 978 polyester, 84% spander velour – 10000 metres 11. Ref. 183104 978 polyester, 85% spander velour – 10000 metres 11. Ref. 183104 978 polyester, 85% spander velour – 10000 metres 11. Ref. 183104 978 polyester, 55% polyester, 85% spander velour – 10000 metres 11. Ref. 183104 978 polyester, 55% polyester, 55% metres 13. Ref. 1762 95% polyester, 55% static – 1200 metres 14. Ref. 1762 95% polyester, 55% static – 1200 metres 15. Ref. 1762 95% polyester, 55% static – 1200 metres 18. Ref. 091/283 95% polyester, 55% polyester – 550 metres 19. Ref. 071/385 100% visicoue, 10% polyymide – 60 metres 20. Ref. 071/385 95% polyester, 55% polyester – 550 metres 19. Ref. 071/385 95% polyester, 55% polyester – 550 metres 19. Ref. 071/385 95% polyester, 55% polyester – 550 metres 20. Ref. 071/385 95% polyester, 55% polyester – 550 metres 21. Ref. 071/385 95% polyester, 55% polyester – 550 metres 22. Ref. 071/385 95% polyester, 55% polyester – 550 metres 23. Ref. 071/385 95% polyester, 55% polyester – 550 metres 24. Ref. 071/385 95% polyester, 55% polyester – 550 metres 25% visione, 10% polyester, 55% polyeste			.		00	0047116	2.07	
3. Ref. 97180 100% systom - 800 metres 4. Ref. 9718 4978 secutate, 0% spandex - 500 metres 5. Ref. 9718 4738 secutate, 0% spandex - 500 metres 6. Ref. 9718 200% secutate, 20% metallite, 740 potyster - 500 metres 7. Ref. 1465674468 100% polyseute supersuede - 10000 metres 8. Ref. 9718 200% secutate, 20% metallic, 400 metres 9. Ref. 160kge 45% costom, 25% viscose, 15% angora, 15% nylon - 143 metres 10. Ref. 5901 71% triacetate, 20% polyseuter 10000 metres 11. Ref. 1732 34% polyseuter, 5% viscose, 15% angora, 15% nylon - 143 metres 11. Ref. 1732 34% polyseuter, 6% lyear - 800 metres 11. Ref. 1732 34% polyseuter, 6% lyear - 810 metres 12. Ref. 1732 34% polyseuter, 5% viscose, 15% natives 13. Ref. 184 65% polyseuter, 5% lyear - 810 metres 13. Ref. 184 65% polyseuter, 5% lyear - 810 metres 13. Ref. 184 65% polyseuter, 5% lyear - 1070 metres 15. Ref. 184 65% polyseuter, 5% lyear - 1070 metres 17. Ref. 141 80% viscose, 20% polyseuter - 650 metres 18. Ref. 6001233 95% polyseuter, 5% lyear - 1070 metres 19. Ref. 07768 37% word 40% viscose, 10% polyseuter - 650 metres 19. Ref. 07768 37% word 40% viscose, 10% polyseuter - 650 metres 19. Ref. 07768 50% polyseuter, 5% lyear - 1000 metres 10. Ref. 174 polyseutide, 3% lyear - 1000 metres 10. Ref. 174 polyseutide, 3% lyear - 1000 metres 100% viscose - 2000 metres			Free	rree	99	994/11G	3/97	3/
4. Ref. 971178 94% scenta, 0.0% realitil % polysetter 300 metres 5. Ref. 9718 17 978 scenta, 20% restallit % polysetter 300 metres 6. Ref. 9718 240% scenta, 20% restallit % polysetter 3000 metres 7. Ref. 1485/1486 100% polysetter supersacide - 10000 metres 8. Ref. Gazza 45% cotton, 25% viscose, 15% angera, 15% nylon - 143 metres 10. Ref. 1589 1718 fracetate, 25% polysatide - 200 metres 11. Ref. 15810 971% fracetate, 25% polysatide - 200 metres 11. Ref. 15810 95% polysetter, 5% system - 800 metres 11. Ref. 1578 95% polysetter, 5% system - 817 metres 11. Ref. 1578 95% polysetter, 5% system - 817 metres 11. Ref. 1578 95% polysetter, 5% system - 817 metres 11. Ref. 1578 95% polysetter, 5% system - 817 metres 11. Ref. 1578 95% polysetter, 5% system - 157 metres 12. Ref. 1578 95% polysetter, 5% system - 157 metres 13. Ref. 1578 95% polysetter, 5% system - 157 metres 14. Ref. 1578 95% polysetter, 5% system - 157 metres 15. Ref. 1578 95% polysetter, 5% system - 157 metres 18. Ref. 091/283 95% polysetter, 5% system - 157 metres 19. Ref. 071/385 100% viscose - 53 metres 19. Ref. 071/385 100% viscose - 53 metres 20. Ref. 071/385 100% viscose - 53 metres 21. Ref. 071/385 100% viscose - 53 metres 22. Ref. 071/385 100% viscose - 53 metres 23. Ref. 071/385 100% viscose - 53 metres 24. Ref. 071/385 100% viscose - 54 metres 25% polyseride, 5% polysetter, 1000 metres 26% viscose, 10% polysetter, 1000 metres 27% viscose, 10% polysetter, 1000 metres 28% viscose, 10% polysetter, 1000 metres 29% visco	60.02)							
5. Ref. 9718 4798 scentar, 20% metallic, "40 polysour = 500 metres 6. Ref. 9718 20% scentar, 20% metallic, "400 polysour = 500 metres 7. Ref. 14865/14868 100% polysour supersuede = 10000 metres 8. Ref. Gazza 45% cotton, 25% viscose, 15% angers, 15% nylon = 677 meter 9. Ref. 16182 45% cotton, 25% viscose, 15% angers, 15% nylon = 10. Ref. 5691 71% finicentar. 20% polysatide = 200 metres 11. Ref. 1510 95% polyseter, 8% apadox valour = 10000 metres 12. Ref. 1732 94% polyseter, 6% petra = 200 metres 13. Ref. 1573 95% polyseter, 5% petra = 810 metres 14. Ref. 1738 95% polyseter, 5% petra = 178 metres 15. Ref. 118 95% polyseter, 5% petra = 178 metres 16. Ref. 1762 95% polyseter, 5% petra = 167 metres 17. Ref. 141 195% polyseter, 5% petra = 167 metres 18. Ref. 1762 95% polyseter, 5% petra = 167 metres 19. Ref. 107769 50% world 60% viscose, 10% polystrade = 60 metres 20. Ref. 97018 90% viscose, 20% polystrade = 60 metres 21. Ref. 97078 90% world 60% viscose, 30% polystrade = 60 metres 22. Ref. 9708 is known = 70% polystrade = 60 metres 23. Ref. 9708 is known = 70% polystrade = 60 metres 24. Ref. 9708 is known = 70% polystrade = 60 metres 25. Ref. 9708 is known = 70% polystrade = 60 metres 26. Ref. 9708 is known = 70% polystrade = 60 metres 27. Ref. 9708 is known = 70% polystrade = 60 metres 28. Ref. 9708 is known = 70% polystrade = 60 metres 29. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 is known = 70% polystrade = 60 metres 20. Ref. 9708 polystrade = 1000 metres 20. Ref. 9708 polystrade = 1000 metres 20. Ref. 1008 polystrade = 1000 metres 20		· · · · · · · · · · · · · · · · · · ·						
G. Ref. 97182 80% secate., 20% metallic -4000 metres 7. Ref. 1486/1486 100% polystem supersacide -10000 metres 8. Ref. Gazza 45% Cotton, 25% viscose, 15% angora, 15% nylon - 637 metres 9. Ref. 160age 45% Cotton, 25% viscose, 15% angora, 15% nylon - 133 metres 10. Ref. 120104 92% polystem; 5% spander, valour -10000 metres 11. Ref. 130104 92% polystem; 6% spander, valour -10000 metres 12. Ref. 1370 94% secates, 6% lycva - 178 metres 13. Ref. 1377 94% secates, 6% lycva - 178 metres 14. Ref. 1788 95% polystem; 5% spander, valour -10000 metres 15. Ref. 118 94.5% polystem; 5% spander, valour -1000 metres 17. Ref. 141 80% viscose, 20% polystem - 600 metres 18. Ref. 10012 935% polystem; 5% spander, valour -1000 metres 19. Ref. 001/23 95% polystem; 5% polystem - 600 metres 19. Ref. 001/23 95% polystem; 5% polystem - 600 metres 19. Ref. 001/23 95% polystem; 5% polystem - 600 metres 19. Ref. 001/25 95% polystem; 5% polystem - 600 metres 20. Ref. 001/25 95% polystem; 5% polystem - 600 metres 21. Ref. 001/25 95% polystem; 5% polystem - 2000 metres 22. Ref. 9008 kernap - 1005 polystem; - 2000 metres 23. Ref. 001/25 95% polystemide - 1000 metres 100% viscose - 2000 metres 100% v								
7. Ref. 14865/14868 1009 Polyenter supersuede – 10000 meres 8. Ref. Guzza 45% cotton, 25% viscose, 15% angors, 15% nylon – 637 meres 9. Ref. foliage 45% cotton, 25% viscose, 15% angors, 15% nylon – 140 meres 10. Ref. 501/15% polyenter, 5% polyamide – 200 meres 11. Ref. 1732 94% polyenter, 5% polyamide – 200 meres 11. Ref. 1732 94% polyenter, 5% polyamide – 200 meres 12. Ref. 1732 94% polyester, 5% polyamide – 1000 meres 13. Ref. 1739 94% polyester, 5% polyamide – 1000 meres 14. Ref. 1758 95% polyester, 5% polyester – 605 meres 15. Ref. 18 94% polyamide, 5% elastic – 1202 meres 16. Ref. 1762 95% polyamide, 5% elastic – 1202 meres 17. Ref. 141 80% viscose, 20% polyamide – 60 meres 18. Ref. 607 123 95% polyamide, 5% elastic – 1200 meres 19. Ref. 607 1380 940% viscose, 10% polyamide – 60 meres 20. Ref. 607 1380 940% viscose, 10% polyamide – 500 meres 21. Ref. 607 1380 940% viscose, 10% polyamide – 500 meres 22. Ref. 907 808 kenza – 70% polyocisto, 30% polyamide – 500 meres 23. Ref. 607 1380 940% viscose, 10% polyamide – 500 meres 24. Ref. 1008 800 kenza – 70% polyocisto, 30% polyamide – 500 meres 25% viscose, 15% polyamide – 1000 meres 25% viscose, 15%		• •						
8. Ref. Graza 45% coton, 25% viscone, 15% angora, 15% nylon — 637 merces 9. Ref. folage 45% coton, 25% viscone, 15% angora, 15% nylon — 143 merces 10. Ref. 550/ 71% riacestac, 25% polysaride — 200 merces 11. Ref. 5310/ 92% polysears, 75% pages — 10000 merces 11. Ref. 5310/ 92% polysears, 75% percent — 10000 merces 11. Ref. 5310/ 92% polysears, 75% percent — 10000 merces 13. Ref. 1377 94% acottac 6% lycra — 178 merces 14. Ref. 1738 95% polysears, 65% polysears — 65% merces 15. Ref. 118 94.5% polysears, 55% clastic — 64 merces 17. Ref. 141 80% viscose, 20% polysears—65% netres 17. Ref. 141 80% viscose, 20% polysears—65% netres 18. Ref. 697/1289 55% polysears, 65% clastic — 64 merces 19. Ref. 1077/68 95% wood 40% viscose, 10% polyseard—60 metres 20. Ref. 1077/68 95% wood 40% viscose, 10% polysears—3000 metres 21. Ref. 697/1289 40% viscose, 30% wood, 30% polysears—3000 metres 22. Ref. 1077/68 95% wood 100% polysears—3000 metres 23. Ref. 697/1280 55% polysearide, 50% polysears—6000 metres 24. Ref. 1077/68 95% wood 1000 metres 25% polysearide, 50% polysearide—1000 metres 26% viscose, 10% polysearide—1000 metres 27% viscose, 10% poly								
637 meres 9. Ref. foliage 45% cotton, 25% viscose, 15% angern, 15% nylon - 143 meres 10. Ref. 589 17 % triacetate, 29% polyamide - 200 metres 11. Ref. B3104 92% polyeser, 8% spandex velour - 10000 meres 12. Ref. 1373 94% acetate, 6% lycra - 178 metres 13. Ref. 1377 94% acetate, 6% lycra - 178 metres 14. Ref. 1762 94% acetate, 6% lycra - 178 metres 15. Ref. 118 94% viscose, 20% polyester, 95% peraters 16. Ref. 1762 94% polyamide, 5% lycra - 1070 metres 17. Ref. 141 80% viscose, 20% polyester - 695 metres 18. Ref. 09/1283 93% polyamide, 5% lested - 46 metres 20. Ref. 07/1305 100% viscose, 20% polyamide - 60 metres 20. Ref. 07/1305 100% viscose - 53 metres 18. Ref. 1970 94 wiscose, 20% polyamide - 60 metres 20. Ref. 07/1305 100% viscose - 53 metres 18. Ref. 1970 98 kmno - 70% polyamide, 5% polyamide - 60 metres 22. Ref. 97/108 kmno - 70% polyamide, 5% polyamide - 60 metres 23. Ref. 07/1305 100% viscose - 51 metres 10% viscose, 10% polyamide, 1000 metres 10% viscose, 10% polyamide, 1000 metres 10% viscose, 10% polyamide - 1000 metres 10% viscose, 10% polyamide - 1000 metres 90% viscose,								
9. Ref. fichage 45% cotton, 25% viscose, 15% angora, 15% nylon - 143 metres 10. Ref. 5901 71% triacetaes, 25% polyamide - 200 metres 11. Ref. 1310 45% polyamide, 5% polyamide - 200 metres 12. Ref. 1732 94% polyamide, 7% spare - 178 metres 13. Ref. 1732 94% polyamide, 7% elastic - 1702 metres 14. Ref. 1758 95% polyamide, 7% elastic - 1502 metres 15. Ref. 1763 95% polyamide, 7% polyamide, 7% elastic - 1502 metres 16. Ref. 1763 95% polyamide, 7% polyamide - 60 metres 17. Ref. 1916 95% polyamide, 7% polyamide - 60 metres 18. Ref. 1076 95% polyamide, 7% polyamide - 60 metres 19. Ref. (707189 05% word 40% viscose, 10% polyamide - 60 metres 20. Ref. (707189 050 word 40% viscose, 10% polyamide - 500 metres 21. Ref. (707188 who word 100% polyamide - 500 metres 22. Ref. (707188 who word 100% polyamide - 500 metres 23. Ref. (70718 who word 100% polyamide - 500 metres 24. Ref. 10708 kenza - 70% polyamide, 7% polyamide - 500 metres 25. Spolyamide, 50% polycotton - 1000 metres 35% categorie, 14% polyamide, 3% plym - 1000 metres 35% viscose, 15% polyamide - 100		8. Ref: Gazza 45% cotton, 25% viscose, 15% angora, 15% nylon –						
143 metres 10. Ref. 5961 71.% triacetate, 29% polyamide – 200 metres 11. Ref. 183104 92% polyseter, 8% spander velour – 10000 metres 12. Ref. 1732 94% polyseter, 6% presert 8 part 10000 metres 13. Ref. 1737 94% acetate, 6% lycra – 178 metres 14. Ref. 1738 95% polyater, 53% elastic – 1020 metres 15. Ref. 118 94.5% polyater, 5.5% elastic – 1020 metres 16. Ref. 1769 95% polyater, 54% elastic – 1020 metres 17. Ref. 14. 180 94.5% polyatraide, 9% elastic – 1020 metres 18. Ref. 091/1283 95% polyatraide, 9% elastic – 1020 metres 19. Ref. 097/183 95% polyatraide, 9% elastic – 1020 metres 20. Ref. 091/183 95% polyatraide, 9% elastic – 46 metres 20. Ref. 091/183 95% polyatraide, 9% elastic – 1020 metres 21. Ref. 091/183 95% polyatraide, 9% elastic – 1020 metres 22. Ref. 97098 lenno – 70% polynosic, 30% polyatraide – 60 metres 22. Ref. 97098 lenno – 70% polynosic, 30% polyatraide – 60 metres 22. Ref. 97098 lenno – 70% polynosic, 30% polyatraide – 60 metres 23. Ref. 19718 90 polyatride – 1020 metres 100% viscose, 10% polyatride – 1020 metres 100% viscose, 10% polyatride – 1020 metres 90% viscose, 10% polyatride – 1020		637 metres						
10. Ref. 5691 71% trianectate, 29% polyamide — 200 metres		9. Ref; folage 45% cotton, 25% viscose, 15% angora, 15% nylon -						
11. Ref. B3104 97% polyester, 8% spander velour – 10000 metres 12. Ref. 1737 94% scottate, 6% lycra – 800 metres 13. Ref. 1377 94% scottate, 6% lycra – 178 metres 14. Ref. 1738 95% polyester, 5.5% elastic – 1202 metres 15. Ref. 118 94.5% polyester, 5.5% elastic – 1202 metres 17. Ref. 141 80% viscoes, 20% polyester – 695 metres 18. Ref. 107163 95% wood 40% viscoes, 10% polyamide – 600 metres 19. Ref. 077163 95% wood 40% viscoes, 10% polyamide – 600 metres 19. Ref. 077163 95% wood 40% viscoes, 10% polyamide – 600 metres 20. Ref. 0771839 40% viscoes, 30% wood, 30% polyamide – 600 metres 21. Ref. 0771389 40% viscoes, 30% wood, 30% polyamide – 600 metres 22. Ref. 97908 40m – 70% polyamide, 20% polyester – 3000 metres 23. Ref. 970908 40m – 70% polyamide – 1000 metres 25% polyamide, 5% polyamide, 5% lycra – 1000 metres 26% viscoes, 10% polyamide – 1000 metres 27% viscoes, 10% polyamide – 1000		143 metres						
12. Ref. 1732 94% polyseur. 6% lycra – 800 metres 13. Ref. 1738 95% polyseur. 5% lycra – 178 metres 14. Ref. 1738 95% polyseur. 5% lycra – 170 metres 15. Ref. 118 95% polyseur. 5% lycra – 170 metres 16. Ref. 1762 95% polyseur. 5% lycra – 1700 metres 17. Ref. 141 80% viscore. 20% polyseur. 6% lycra – 1700 metres 18. Ref. 69/1283 95% polyseur. 5% lycra – 1700 metres 19. Ref. 67/168 95% wool 46% viscore. 10% polyseuride – 60 metres 20. Ref. 67/189 40% viscore. 5% viscore. 10% polyseuride – 60 metres 21. Ref. 67/189 40% viscore. 5% lycra – 1000 metres 22. Ref. 97/08 kernao – 70% polynosic, 30% polyseuride – 60 metres 23. Ref. 97/08 kernao – 170% polynosic, 30% polyseuride – 60 metres 23. Ref. 97/08 kernao – 170% polynosic, 30% polyseuride – 80 metres 24. Ref. 97/08 kernao – 170% polynosic, 30% polyseuride – 80 metres 25. Ref. 97/08 kernao – 170% polynosic, 30% polyseuride – 80 metres 28. Was coates, 14% polyamide, 3% lycra – 1000 metres 10.0% viscore. 2000 metres 35% viscore. 10% polymaide – 1000 metres 90% vi		10. Ref: 5691 71% triacetate, 29% polyamide - 200 metres						
13. Ref. 1377 94% acetate, 6% lycra – 17% metres 14. Ref. 178 94.5% polyseter, 5.5% clastic – 1202 metres 15. Ref. 118 94.5% polyseter, 5.5% clastic – 1202 metres 17. Ref. 141 80% viscose, 20% polyseter – 655 metres 17. Ref. 141 80% viscose, 20% polyseter – 655 metres 19. Ref. 07/168 50% wood 40% viscose, 10% polysmide – 600 metres 20. Ref. 07/183 95% polysmide, 5% clastic – 60 metres 21. Ref. 07/183 940% viscose, 30% wood, 30% polysmide – 600 metres 21. Ref. 07/1839 40% viscose, 30% wood, 30% polysmide – 600 metres 21. Ref. 07/1839 40% viscose, 30% wood, 30% polysmide – 600 metres 21. Ref. 07/1839 40% viscose, 30% wood, 30% polysmide – 600 metres 21. Ref. 07/1839 40% viscose, 30% wood, 30% polysmide – 600 metres 21. Ref. 07/1839 40% viscose, 10% polymide, 1000 metres 30% viscose, 10% polymide –		11. Ref: B3104 92% polyester, 8% spandex velour - 10000 metres						
14. Ref. 1758 95% polysents, 75% legation - 1202 metres		12. Ref: J732 94% polyester, 6% lycra - 800 metres						
14. Ref. 1758 95% polysents, 75% legation - 1202 metres		13. Ref: J377 94% acetate, 6% lycra - 178 metres						
15. Ref. 118 94.5% polyseter, 5.5% clastic - 1202 metres 16. Ref. For 25% polyseter, 5.5% (pera - 1070 metres 17. Ref. 141 80% viscose, 20% polyseter - 695 metres 18. Ref. 091708 50% wool 40% viscose, 10% polysamide - 60 metres 19. Ref. 091708 100% viscose, 30% wool, 30% polysamide - 60 metres 21. Ref. 09171380 40% viscose, 30% wool, 30% polysamide - 60 metres 22. Ref. 09108 kenzo - 70% polysonide, 50% polyseter - 3000 metres 23. Ref. 09108 kenzo - 70% polysonide, 50% polyseter - 3000 metres 24. Ref. 09108 kenzo - 70% polysonide, 50% polysamide - 60 metres 25. Ref. 09108 kenzo - 70% polysonide, 50% polysamide - 60 metres 26. Ref. 0916 kenzo - 70% polysamide - 1000 metres 27. Ref. 0910 kenzo - 70% polysonide - 50% polysamide - 1000 metres 28. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 29. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide - 1000 metres 20. Ref. 100 kenzo - 100% polysamide -								
16. Ref. 1762 95% polyaster, 5% lycra - 1070 metres 17. Ref. 141 80% viscore, 20% polyaster 4 of metres 18. Ref. 09/1283 95% polyamide, 5% elastic - 46 metres 20. Ref. 07/1305 100% viscore, 10% polyamide - 60 metres 20. Ref. 07/1305 100% viscore, - 53 metres 21. Ref. 09/1389 40% viscore, 30% wool, 30% polyamide - 60 metres 22. Ref. 97098 kenzo - 70% polynosic, 30% polyamide - 60 metres 22. Ref. 97098 kenzo - 70% polynosic, 30% polyamide - 900 metres 81% aceater, 14% polyamide, 3% lycra - 1000 metres 81% aceater, 14% polyamide, 3% lycra - 1000 metres 95% viscore, 10% polyamide - 1000 metres 90% viscore, 10% polyamide 1000 metres 90% viscore, 1000 metres 90% viscore, 10% polyamide 1000 metres 1000 metre								
17. Ref. 141 80% viscose, 20% polyester - 695 metres								
18. Ref: 09/1283 95% polyamide, 5% clastic - 46 metres 20. Ref: 07/1305 100% viscose, 10% polyamide - 60 metres 20. Ref: 07/1305 100% viscose, 25 metres 21. Ref: 07/1305 100% viscose, 20% wool, 30% polyamide - 60 metres 22. Ref: 97098 kenzo - 70% polymosic, 30% polyamide - 60 metres 23. Ref: 97098 kenzo - 70% polymosic, 30% polyamide - 900 metres 81% aceate, 14% polyamide, 3% byto-1 1000 metres 81% aceate, 14% polyamide, 3% byto-1 1000 metres 90% viscose, 10% polyamide - 1000 metres 90% polyamide - 10								
19. Ref: 07/768 50% wool 40% viscose, 10% polyamide - 60 metres 20. Ref: 07/1389 40% viscose, 30% wool, 30% polyamide - 60 metres 21. Ref: 07/1389 40% viscose, 30% wool, 30% polyamide - 60 metres 22. Ref: 90% kerzes - 10% viscose, 30% wool, 30% polyamide - 600 metres 83% acetate, 14% polyamide, 3% lycra - 1000 metres 50% polyamide, 50% polycotton - 1000 metres 100% viscose, 15% polyamide - 1000 metres 85% viscose, 15% polyamide - 1000 metres 85% viscose, 15% polyamide - 1000 metres 90% viscose, 10% polyamide - 1000								
20. Ref: 07/1305 100% viscose – 53 metres 21. Ref: 97/08% kenzo – 70% polynosic, 30% polynamide – 60 metres 22. Ref: 97/08% kenzo – 70% polynosic, 30% polyester – 3000 metres 80% acetate, 14% polyamide, 3% lycra – 1000 metres 83% acetate, 14% polyamide, 3% lycra – 1000 metres 90% viscose, 10% polyamide, 50% polycytotine – 1000 metres 90% viscose, 10% polyamide –								
21. Ref: 07/1389 40% viscose, 30% wool, 30% polyamide – 60 metres 22. Ref: 90% kenze – 10% oplyrosic, 30% polyester – 3000 metres 83% acetate, 14% polyamide, 3% lycra – 1000 metres 50% polyamide, 50% polycoton – 1000 metres 100% viscose, 2000 metres 85% viscose, 15% polyamide – 1000 metres 90% viscose, 10% polyamide, 1000 metres 8000 m		- · ·						
22. Ref: 97098 kenuzo – 70% polynosic, 30% polyester – 3000 metres 85% accatate, 14% polyamida, 3% lycra – 1000 metres 85% accatate, 14% polyamida, 3% lycra – 1000 metres 100% viscose – 2000 metres 85% viscose, 15% polyamida – 1000 metres 90% viscose, 15% polyamida – 1000 metres 90% viscose, 10% polyamida – 1000 metres 90%								
800.2								
83% acctate, 14% polyamide, 3% bytera - 1000 metres 50% polyamide, 50% polycotton - 1000 metres 100% viscose - 2000 metres 83% viscose, 10% polyamide - 1000 metres 90% polyaster (100%) mider boucle, 23000m² only 10% polyamide - 10% polyamide - 10% polyamide - 1000 polyamide - 1	60.00		Ema	Erron	00	00/70017	3/97	3/
Soffy polyamide, 50% polycotton – 1000 metres 100% viscose ~ 2000 metres 85% viscose ~ 2000 metres 90% viscose, 10% polyamide – 1000 metres 90% viscose, 10% polyamide 6.7% elastane – Free Pree 99 994555F 6002.91.18)	00.02		FIEC	rice	77	334 103L	3171	31
100% viscose _ 2000 metres 85% viscose, 15% polyamide = 1000 metres 90% viscose, 10% polyamide = 1000 metres 8001 = 115 8002.43.09) 8000 = 8 Carlos 8000 = 8 Car								
85% viscose, 15% polyamide – 1000 metres 90% viscose, 10% polyamide – 1000 metres 800m – 800m		• • •						
90% viscose, 10% polyamide – 1000 metres 8000.30.12) Knitted fabric 100cm wide 75% acetate, 18% polyamide, 7% elastane – 8000 – 810 – 5115 6002.43.09) Knitted fabric 140cm wide 70% coteate, 24% polyamide, 9% elastane – 800m – R Carlos Rnitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra – 650m – Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 6002.93.09 Knitted fabric atricle ombre ottoman 8T, 97% polyester, 3% lycra, 950 metres only 950 metres only 950 metres only 100% micro boucle, 23000m² only Free Free 99 994677C 7210.49.31 Hot dipped galvamised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 – 2SCX to IISG – 330294 drawing grade soft A grade. Quantity :75 tonnes Section XVI Component parts for two 125° TG electric log cranes, viz: 132 # rail, tie plates All clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage ocmplete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60° debarker infeed conveyor, viz: main conveyor chain Component parts for bydraulic gate, viz: Drive and clider axles and drive shafts Cam followers (beharker infeed conveyor, viz: main conveyor chain Component parts for bydraulic gate, viz: Hydraulic cylinder and power pack Component parts for bydraulic gate, viz: Hydraulic cylinder and power pack								
90% viscose, 10% polyamide – 1000 metres 900% viscose, 10% polyamide – 1000 metres 900m – 8115 6002.43.09) Knitted fabric 150cm wide 100% wool – 700m – 5/862 Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane – 800m – R Carlos Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, 950 metres only 950 metres only 950 metres only 1002.93.09 Polyester (100%) micro boucle, 23000m² only 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994677C 7210.49.31 Component parts for two 125′ TG electric log cranes, viz: 132 # rail, tie plates and rail clamps Wheel rucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage with chair Travelling carriage with chair Travelling carriage omplete with drives, brakes and rope Travelling carriage omplete with drives, brakes and rope Travelling carriage omplete with drives, brakes and rope Travelling carriage and chive hasts Cam followers (bearings) Component parts for 6 debarker infeed conveyor, viz: main conveyor chain Component parts for 6 debarker infeed conveyor, viz: main conveyor chain Component parts for 6 debarker infeed conveyor, viz: Hydraulic cylinder and power pack Component parts for 5° chipper infeed conveyor, viz: Main conveyor chain								
90% viscose, 10% polyamide – 1000 metres 8002.43.09) Knitted fabric 135cm wide 100% wool – 700m – 5/862 Knitted fabric 145cm wide 60% acetate, 24% polyamide, 9% elastane – 800m – R Carlos Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra – 650m – Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8767 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric abrice nother ottoman 87 / 97% polyester, 3% lycra, 950 metres only 6002.93.09 Polyester (100%) micro boucle, 23000m² only 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 – ZSCX to IISG – 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125° TG electric log cranes, viz: 132 # rail, tie plates and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical countrol system Operators cabin with chair Travelling carriage complete with drives, brakes and rope Travelling carriage owinch assembly Electrical equipment, cabic reels etc Component parts for 14° x 90' drum debarker, viz: Drive and idder axles and drive shafts Cam followers (bearings) Component parts for 50' debarker infeed conveyor, viz: main conveyor chain Component parts for 50' debarker infeed conveyor, viz: main conveyor chain Component parts for 50' debarker infeed conveyor, viz: Hydraulic cylinder and power pack Component parts for 50' debarker infeed conveyor, viz: Hydraulic cylinder and power pack Component parts for 50' debarker infeed conveyor, viz: Main conveyor chain		- · · · · · · · · · · · · · · · · · · ·						
90% viscose, 10% polyamide – 1000 metres 90% viscose, 10% polyamide – 1000 metres 6002.30.12) Knitted fabric 100cm wide 75% acetate, 18% polyamide, 7% elastane – Free Free 99 994555F 6002.43.09) Knitted fabric 140cm wide 60% acetate, 24% polyamide, 9% elastane – 800m – R Carlos Knitted fabric 140cm wide 70% cotton, 25% polyamide, 9% elastane – 800m – R Carlos Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8367 Knitted fabric 150cm wide 80% acetate, 20% polyamide, 5% lycra – 800m – 8367 Knitted fabric 150cm wide 80% acetate, 20% polyamide, 5% lycra – 800m – 8367 Knitted fabric 150cm wide 80% acetate, 20% polyamide, 5% lycra – 800m – 8367 Knitted fabric 150cm wide 80% acetate, 20% polyamide, 5% lycra, 950 metres only Polyester (100%) micro boucle, 23000m² only Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SCCD1 – ZSCX to 185G – 330294 drawing grade soft A grade. Quantity: 75 tonnes Component parts for two 125 °TG electric log cranes, viz: 132 # rail, tie plates Travelling carriage complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with drives, brakes and rope Travelling carriage winch assembly Electrical control system Component parts for 60 debarker infeed conveyor, viz: main conveyor chain Component parts for 14 °x 90 °drum debarker, viz: Drive and idier zules and drive shafts Cam followers (bearings) Component parts for 90 drumide gate, viz: Hydraulic cylinder and power pack Component parts for 5° chipper infeed conveyor, viz: Main conveyor chain Main conveyor chain Main conveyor chain Main conveyor chain		- · ·						
S002.30.12) Knitted fabric 100cm wide 75% acetate, 18% polyamide, 7% elastane - Free Free 99 994555F 6002.91.18) 2,600m - 5115 Knitted fabric 135cm wide 100% wool - 700m - 57862 Knitted fabric 135cm wide 100% wool - 700m - 57862 Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane - 800m - R Carlos Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra - 650m - Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra - 800m - 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide - 2,600m - 4972 6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only 6002.93.09 Polyester (100%) micro boucle, 23000m² only Free Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0,55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 - ZSCX to JISG - 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125′ TG electric log cranes, viz: 132 # rail, tie plates and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with drives, brakes and rope Travelling carriage to the pdraulic gate, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for bydraulic gate, viz: Hydraulic cylinder and power pack Component parts for bydraulic pate, viz: Hydraulic cylinder and power pack								
6002.30.12) Knitted fabric 100cm wide 75% acetate, 18% polyamide, 7% elastane - Free Free 99 994555F 6002.43.09) Knitted fabric 135cm wide 100% wool - 700m - 5/862 Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane - 800m - R Carlos Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra - 650m - Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra - 800m - 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide - 2,600m - 4972 Knitted fabric 150cm wide 80% acetate, 20% polyamide - 2,600m - 4972 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 meres only Footage article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994677C 110.49.31 Free Free 100%) micro boucle, 23000m² only Free Free Free 99 994677C 110.49.31 Free Free 100%) micro boucle, 23000m² only Free Free Free 99 994712E SGCD1 - ZSCX to JISG - 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with drives, brakes and rope Travelling carriage winch assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for bydraulic gate, viz: Hydraulic cylinder and power pack Component parts for bydraulic gate, viz: Hydraulic cylinder and power pack Component parts for chigralic gate, viz: Hydraulic cylinder and power pack Component parts for chigralic gate, viz: Hydraulic cylinder and power pack								
6002.91.18) 2,600m - 511.5 6002.43.09) Knitted fabric 135cm wide 100% wool - 700m - 57862 Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane - 800m - R Carlos Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra - 650m - Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra - 800m - 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide - 2,600m - 4972 6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only Polyester (100%) micro boucle, 23000m² only 7210.49.31 Hot dipped galvanised steel coil 0,55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 - ZSCX to 118G - 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125′ TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 14′ x 90′ drum debarker, viz: Drive and idler sakes and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for bydraulic gate, viz: Hydraulic cylinder and power pack Component parts for hydraulic pate, viz: Main conveyor chain		90% viscose, 10% polyamide – 1000 metres						
Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane – 800m – R Carlos Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane – 800m – R Carlos Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra – 650m – Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only Polyester (100%) micro boucle, 23000m² only Free Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 – ZSCX to 118G – 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125* TG electric log cranes, viz: 132 # rail, tie plates and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained bydraluic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 14 x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for 14 x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for 55' chipper infeed conveyor, viz: main conveyor chain Component parts for 55' chipper infeed conveyor, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain	6002.30.12)	Knitted fabric 100cm wide 75% acetate, 18% polyamide, 7% elastane -	Free	Free	99	994555F	1 /97	12
Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane – 800m – R Carlos Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra – 650m – Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric in 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, 950 metres only 6002.93.09 Polyester (100%) micro boucle, 23000m² only Free Free 99 994/67/C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994/71/E SGCD1 – ZSCX to JISG – 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler sales and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain	6002,91.18)	2,600m - 5115						
800m - R Carlos Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra - 650m - Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra - 800m - 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide - 2,500m - 4972 6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only 6002.93.09 Polyester (100%) micro boucle, 23000m² only Free Free Free 99 994677C Free Free 99 994712E SGCD1 - ZSCX to 115G - 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125′ TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60′ debarker infeed conveyor, viz: main conveyor chain Component parts for 14′ x 90′ dum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55′ chipper infeed conveyor, viz: Main conveyor chain	6002.43.09)	Knitted fabric 135cm wide 100% wool – 700m – 5/862						
Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra – 650m – Fortuny Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only 6002.93.09 Polyester (100%) micro boucle, 23000m² only Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 – ZSCX to JISG – 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125′TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60′ debarker infeed conveyor, viz: main conveyor chain Component parts for 60′ debarker infeed conveyor, viz: main conveyor chain Component parts for for debarker infeed conveyor, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for 50′ chipper infeed conveyor, viz: Hydraulic cylinder and power pack Component parts for 55′ chipper infeed conveyor, viz: Main conveyor chain		Knitted fabric 140cm wide 67% acetate, 24% polyamide, 9% elastane -						
Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only 6002.93.09 Polyester (100%) micro boucle, 23000m² only Free Free Pree 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 – ZSCX to JISG – 330294 drawing grade soft A grade. Quantity : 75 tonnes Section XVI Component parts for two 125′ TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 16′ of drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55′ chipper infeed conveyor, viz: Main conveyor chain		800m - R Carlos						
Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra – 800m – 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 – ZSCX to 1ISG – 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125′ TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60′ debarker infeed conveyor, viz: main conveyor chain Component parts for 14′ x 90′ drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55′ chipper infeed conveyor, viz: Main conveyor chain		Knitted fabric 140cm wide 78% acetate, 14% nylon, 8% lycra – 650m –						
800m – 8/367 Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, Free Free 99 994704D 950 metres only 6002.93.09 Polyester (100%) micro boucle, 23000m² only Free Free Pree 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 – ZSCX to IISG – 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 60' debarker infeed conveyor, viz: hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain		Fortuny						
Knitted fabric 150cm wide 80% acetate, 20% polyamide – 2,600m – 4972 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, 950 metres only Polyester (100%) micro boucle, 23000m² only Polyester (100%) micro boucle, 23000m² only Free Free Pree Polyester (100%) micro boucle, 23000m² only Free Free Pree Pree Polyester (100%) micro boucle, 23000m² only Free Free Pree Pree Pree Pree Pree Pree		Knitted fabric 150cm wide 70% cotton, 25% polyamide, 5% lycra -						
6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, p50 metres only p50 metres only p1994704D p50 metres only p19945704D p19945871 p19945871 p1994571 p1994571 p19945772 p10.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm p1994571 p19		800m - 8/367						
6002.93.09 Knitted fabric article ombre ottoman 8T, 97% polyester, 3% lycra, p50 metres only p50 metres only p1994704D p50 metres only p19945704D p19945871 p19945871 p1994571 p1994571 p19945772 p10.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm p1994571 p19		Knitted fabric 150cm wide 80% acetate, 20% polyamide - 2,600m - 4972						
950 metres only Polyester (100%) micro boucle, 23000m² only Free Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 - ZSCX to JISG - 330294 drawing grade soft A grade. Quantity: 75 tonnes Component parts for two 125 TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 4' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain	6002,93.09		Free	Free	99	994704D	3/97	3/
Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994677C 7210.49.31 Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm Free Free 99 994712E SGCD1 - ZSCX to JISG - 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for 75' chipper infeed conveyor, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain			· -					
Hot dipped galvanised steel coil 0.55mm x 750mm or 0.55mm x 915mm SGCD1 - ZSCX to JISG - 330294 drawing grade soft A grade. Quantity: 75 tonnes Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates Tree Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain	6002,93.09		Free	Free	99	994677C	3/97	3/
Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain							3/97	3/
Quantity: 75 tonnes Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								٠.
Section XVI Component parts for two 125' TG electric log cranes, viz: 132 # rail, tie plates Free Free 99 994694C and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain		•••						
and rail clamps Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain	Section XVI		Free	Free	99	9946940	3/97	6/
Wheel trucks complete with drive motors Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain	SCOOL VI		1100	11.00	,,	33 103 10	5171	٠,
Slew ring pivot bearing Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Collector ring assembly Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Electrical control system Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Operators cabin with chair Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain		·						
Travelling carriage complete with mechanical components Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Winch rope and pulley assembly Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain		•						
Self-contained hydraulic grapple Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Hoist winch assembly complete with drives, brakes and rope Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Travelling carriage winch assembly Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Electrical equipment, cable reels etc Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Component parts for 60' debarker infeed conveyor, viz: main conveyor chain Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain		Electrical equipment, cable reels etc						
Component parts for 14' x 90' drum debarker, viz: Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain		Component parts for 60' debarker infeed conveyor, viz: main conveyor chain						
Drive and idler axles and drive shafts Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Cam followers (bearings) Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Component parts for hydraulic gate, viz: Hydraulic cylinder and power pack Component parts for 55' chipper infeed conveyor, viz: Main conveyor chain								
Hydraulic cylinder and power pack Component parts for 55° chipper infeed conveyor, viz: Main conveyor chain								
Component parts for 55° chipper infeed conveyor, viz: Main conveyor chain								
Main conveyor chain		• • • • • • • • • • • • • • • • • • • •						
Component parts for control house, viz:								
Operators chair		Operators chair						

SPA, Italy 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods Span Italy Third Schedule Concession Approvals Withdrawn Tariff Item Description of Goods Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 7adano ZF603	Rates of Normal Free Free Free Free Rates of Normal	Free Free Free Free Free	Part II Ref	Ref. No. 994716H 994688J 994690L 994689G 994717F Ref. No. 986339H 992002B 991235F	3/97 3/97 3/97 3/97 3/97	6/9'5/9'5/9'6/9'
112" 12K HFTD chipper complete with coupling (Fulghum & Falk proprietary items) Heavy duty rotor hogg (Fulghum proprietary item) 48" 8K rechipper (Fulghum proprietary item) G-630 kmife grinder (Newman Whitney USA proprietarty item) Prentice loader 8414.80.19 Integrally geared single stage centrifugal compressors 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8421.39.09 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12 Knitted 4972 6002.91.18) 62.03) Goretex suits 62.13.30.10 Goretex suits 62.11.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.23.01) 7307.29.01) 843.81.19 Hanning machines 8426.91.00 Tadano ZF603	Free Free Free Free Free	Free Free Free Free Duty Pref.	99 99 99 99 99 Part II Ref.	994716H 994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effective From	6/9' 5/9' 5/9' 6/9' ve To
proprietary items) Heavy duty rotor hogg (Fulghum proprietary item) 48" 8K rechipper (Fulghum proprietary item) G-630 knife grinder (Newman Whitney USA proprietarty item) Prentice loader Integrally geared single stage centrifugal compressors 8421.39.09 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 8421.39.09 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8421.39.09 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods Taevalon 808 3905. Taevalon 808 3905. Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12 Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01 8413.81.19 Hanning machines 740.2 English of the proprietary item) Temple of the proprietary item of the proprietary item) Temple of the proprietary item of	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9' 5/9' 5/9' 6/9' ve To
proprietary items) Heavy duty rotor hogg (Fulghum proprietary item) 48" 8K rechipper (Fulghum proprietary item) G-630 knife grinder (Newman Whitney USA proprietarty item) Prentice loader Integrally geared single stage centrifugal compressors 8421.39.09 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 8421.39.09 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8421.39.09 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods Taevalon 808 3905. Taevalon 808 3905. Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12 Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01 8413.81.19 Hanning machines 740.2 English of the proprietary item) Temple of the proprietary item of the proprietary item) Temple of the proprietary item of	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9' 5/9' 5/9' 6/9' ve To
Heavy duty rotor hogg (Fulghum proprietary item) 48" 8K rechipper (Fulghum proprietary item) G-630 knife grinder (Newman Whitney USA proprietarty item) Prentice loader 8414.80.19 Integrally geared single stage centrifugal compressors 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 8421.39.09 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8421.39.09 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12 Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.22.00 Tadano ZF603	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9 5/9 5/9 6/9 ve To
48" 8K rechipper (Fulghum proprietary item) G-630 kmife grinder (Newman Whitney USA proprietarty item) Prentice loader 8414.80.19 Integrally geared single stage centrifugal compressors 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 8421.39.09 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8421.39.09 1 x catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8421.39.09 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 62.11.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines Tadano ZF603	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9 5/9 5/9 6/9 ve To
G-630 knife grinder (Newman Whitney USA proprietarty item) Prentice loader Integrally geared single stage centrifugal compressors 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 8421.39.09 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8421.39.09 1 x catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8421.39.09 1 x catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 8479.89.00 Fine bubble acration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m ² 5702.10.00 Handmade \$20 psm 6002.30.12 Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.23.01) 7407.23.01	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9' 5/9' 5/9' 6/9' ve To
Prentice loader Integrally geared single stage centrifugal compressors 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods Spa Italy Tariff Item Description of Goods Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9' 5/9' 5/9' 6/9' ve To
8414.80.19 Integrally geared single stage centrifugal compressors 1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8421.39.09 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 62.03) Goretex suits 62.11.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9' 5/9' 5/9' 6/9' ve To
1 x catalytic ethylene converter for supply to Aongatete Coolstores, ex Isolcell SPA, Italy 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 62.11.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603	Free Free Free Rates of	Free Free Free Duty Pref.	99 99 99 Part II Ref.	994688J 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 3/97 3/97 Effectiv From	5/9' 5/9' 5/9' 6/9' ve To
SPA, Italy 1 Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy 1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy 8479.89.00 Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods Span Italy Third Schedule Concession Approvals Withdrawn Tariff Item Description of Goods Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 841.81.19 Hanning machines Tadano ZF603	Free Free Free	Free Free Duty Pref.	99 99 99 Part II Ref.	994690L 994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 3/97 Effectiv From	5/9' 5/9' 6/9' ve To
Catalytic ethylene converter for supply to NZ Fruits Ltd ex Isolcell SPA Italy	Free Free Rates of	Free Free Duty Pref	99 99 Part II Ref.	994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 Effective From	5/9° 6/9° ve To
1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy	Free Free Rates of	Free Free Duty Pref	99 99 Part II Ref.	994689G 994717F Ref. No. 986339H 992002B	3/97 3/97 Effective From	5/9° 6/9° ve To
1 x catalytic ethylene converter for supply to Omega Pack and Cool ex Isolcell SPA Italy	Free Rates of	Duty Pref	Part II Ref.	994717F Ref. No. 986339H 992002B	3/97 Effective From	6/9° ve To
SPA Italy Fine bubble aeration system of a type used for waste water treatment THIRD SCHEDULE Concession Approvals Withdrawn Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823,70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 7adano ZF603	Free Rates of	Duty Pref	Part II Ref.	994717F Ref. No. 986339H 992002B	3/97 Effective From	6/9° ve To
### THIRD SCHEDULE Concession Approvals Withdrawn Tariff	Rates of	Duty Pref. 	Part II Ref.	Ref. No. 986339H 992002B	Effective From	ve To
Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603		Pref.	II Ref. 	No. 986339H 992002B	From 	To
Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603		Pref.	II Ref. 	No. 986339H 992002B	From 	To
Tariff Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603		Pref.	II Ref. 	No. 986339H 992002B	From 	To
Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) 6211.33.01) Goretex suits 6211.33.01) 7307.22.00) 7307.23.01) 7307.29.01) 841.81.19 Hanning machines 8426.91.00 Tadano ZF603		Pref.	II Ref. 	No. 986339H 992002B	From 	To
Item Description of Goods 3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) 6211.33.01) Goretex suits 6211.33.01) 7307.22.00) 7307.23.01) 7307.29.01) 841.81.19 Hanning machines 8426.91.00 Tadano ZF603		Pref.	Ref.	No. 986339H 992002B	From 	To
3506.91.00 Krones adhesive 39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603	Normal 			986339H 992002B		
39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m ² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603	 			992002B	.,	
39.05 Taevalon 808 3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m ² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603	 			992002B	.,	
3926.10 Pockets L 4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603						
4823.70.00 Moulded 400mm 5112.20.08 Wool 4700m ² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603				QQ1235F		
5112.20.08 Wool 4700m ² 5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603			••	7912331	••	
5702.10.00 Handmade \$20 psm 6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 62.11.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603				994420G		
6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 62.11.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603				994289A		
6002.30.12) Knitted 4972 6002.91.18) 62.03) Goretex suits 62.11.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603		.,		981257B		
6002.91.18) 62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603				994555F		
62.03) Goretex suits 6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603						
6211.33.01) 7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603				992310B		6/97
7307.22.00) Stainless fittings 7307.23.01) 7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603				3320102	•	0,2,
7307.23.01) 7307.29.01) 8413.81.19				991997L		
7307.29.01) 8413.81.19 Hanning machines 8426.91.00 Tadano ZF603	••		••))1)),L	••	••
8413.81.19 Hanning machines 8426.91.00 Tadano ZF603						
8426.91.00 Tadano ZF603				910031J		
	••	••	••	993520H	••	
	••	**			••	**
8524.23.02 Recorded above	••			980896F	••	••
8530.80.00 Programmable transmission)	••	••	••	994415L	••	••
8609.00.09 Second repair	••			994605F	••	••
9506.99.19 Inflatable equipment	••	••		740571F		••
FOURTH SCHEDULE Applications for Concessions Declined						
Tariff Tariff				Ref.		
Item Description of Goods				No.		
6002.30.12 Nylon/spandex mesh fabric				994306E		
7305.31.19 Steel pipe 9500mm only x 960mm diameter x 50mm thickness entered on				994443F		
TA voyager V 6126 L/No 1263444170						
7615.19.00 Die cast radiators in aluminium alloy						

*	Category of Approval:
	Category of ripprovar.

8414.59.09

9503.41.00

A	_	General Approval
CE	_	Capital Equipment
GT	-	Goods in Transit
IM	-	Inputs to Manufacturing - Inability to Supply
IP	-	Inadequate Production
MS	~	Manufacturers' Samples
RUC	-	Revocation of Unused Concession
S	-	Shortfall
SS	_	Special Situation
V	-	Variation of Existing Concession
X		Administrative Amendment

Ventilator fan assemblies specially suited for aluminium billet homogenising furnace

Plush toys of a height not exceeding 37.5cm

NOTE

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice and declined applications for concessions as listed in the Fourth Schedule to this notice will not be published in the Consolidated List of Approvals.

Dated at Wellington this 22nd day of May 1997.

V.A. MANKS, Ministry of Commerce

994637D

993982C

