

New Zealand Gazette

CUSTOMS EDITION

WELLINGTON: TUESDAY, 13 JUNE 2006

TARIFF CONCESSION NOTICES

(INCLUDING OTHER NOTICES UNDER THE TARIFF ACT 1988, THE DUMPING AND COUNTERVAILING DUTIES ACT 1988 AND THE CUSTOMS AND EXCISE ACT 1996)



NEW ZEALAND GAZETTE, No. 56

TARIFF CONCESSION (ADVERTISEMENT) NOTICE NO. 2006/21

Applications Advertised for Objection Closing Date for Objections 4th July 2006

- Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection should do so in writing, to the Ministry of Economic Development, PO Box 1473, Wellington, Fax 04-499 8508, before 4th July 2006. All submissions should include:
 - the Tariff Concession (Advertisement) Notice number; the Tariff item; and
 - Reference number.
- All submissions from local manufacturers should include: 2
 - the range of alternative goods made locally;

 - the grounds on which objection is made (including reasons why the local product is a suitable alternative); present and potential output; details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the Ministry of Economic Development quoting the details in paragraph 1 above.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
3907.30) 3907.91)	Description of Goods		99	999556A	V
3907.30) 3907.91) + +	Dow grade epoxy resins and vinyl ester resins, viz: DEH87, DER321, DER324, DER330, DER 331, DER351A, DER 352A, DER353, DER354LV, DER358, DER362, DER364, DER6224, DER6420, DER661T75, DER663, DER 667E, DER669E, DER671X75, DEREKANE 411-45, DEREKANE 411-350, DEREKANE 441-400, DEREKANE 470-300, DEREKANE 8084, DMOMENTUM 411-350, DMOMENTUM 411-400, DMOMENTUM 441-400, DMOMENTUM 470-300	Adhesive Technologies NZ Ltd C/- Halford International Ltd PO Box 107049 Airport Oaks 1730 AUCKLAND	Ref. No. Appn.		
3926.90.69	Plastic barrier system which meets NCHRP 350 standards	Armorflex Ltd PO Box 303177 North Harbour AUCKLAND	99	301179Ј	A
51.07	100% Merino wool yarn, 17 to 22.5 micron – 40,000kgs	Import Management Ltd PO Box 1167 AUCKLAND	99	301173K	IM
60.01) 60.02) 60.03) 60.04) 60.05) 60.06)	5% O.F – 2000 metres Ref: 06537 60% cotton, 40% polyester – 4000 metres Ref: Fur Real 90% polyester, 10% spandex – 800 metres Ref: Nasa Plan 90% polyester, 10% spandex – 1000 metres Ref: LSV2272 90% polyester, 10% spandex – 2500 metres Ref: LSV2274 90% polyester, 10% spandex – 1500 metres Ref: LSV2273 90% polyester, 10% spandex – 1500 metres Ref: LSV2273 90% polyester, 10% spandex – 1500 metres Ref: 17456DP 100% polyester – 1000 metres Ref: 17456DP 100% polyester – 1000 metres Ref: JCW001C 90% cotton, 10% cashmere – 12,000 metres Ref: SJ35510 100% polyester – 5000 metres Ref: SJ36283 100% polyester mesh – 5000 metres Ref: 9498 95% viscose, 5% spandex – 1000 metres	Import Management Ltd PO Box 1167 AUCKLAND	99	301175F	IM
63.01	Blankets, shaped, of a type used for Babies push chairs	Baby Shade Ltd C/- Hawker & Associates Ltd PO Box 53018 AUCKLAND AIRPORT	99	301176D	A
7010.90.25	400 KCI SR FLT, 350,000 units	O-l New Zealand Ltd C/- Schenker International NZ Ltd PO Box 73012 AUCKLAND	99	301172A	IM
7010.90.25	400ml SR JAR, 1,500,000 units	O-l New Zealand Ltd C/- Schenker International NZ Ltd PO Box 73012 AUCKLAND	99 999556A V 99 301179J A 99 301173K IM 99 301175F IM 99 301175F IM	IM	



Tariff Concession (Advertisement) Notice No. 2006/21 - continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
7010.90.25	400ml Stacker Twist jar, 3,500,000 units	O-l New Zealand Ltd C/- Schenker International NZ Ltd PO Box 73012 AUCKLAND	99	301170E	IM
7010.90.37	Flint 250ml juice, 200,000 units	Endeavour Glass Packaging PO Box 201137 Airport Oaks AUCKLAND	99	301168C	IM
7010.90.38	300ml aerated bottle, 10,000 units	O-1 New Zealand Ltd C/- Schenker International NZ Ltd PO Box 73012 AUCKLAND	99	301169A	IM
72.09) 72.11)	Extra deep drawing cold rolled sheet and coil to spec JIS G3141 SPCEN-SD oiled 1mm – 3mm, 120 tonnes for supply to Greens Industries	Fletcher Steel Ltd C/- PO Box 53012 AUCKLAND AIRPORT	99	Ref. of No. Appn. 301170E IM 301168C IM	IM
8419.81.00	Combination microwave/thermowave ovens	KB's Bakery T/A as Kim Buckley Investments Ltd PO Box 5213 CHRISTCHURCH	99	301177B	IM
8419.81.00	Frying systems, with or without integrated freezers, consisting of fully enclosed cooking chambers, designed to cook food in portioned quantities	Custom Clearances Ltd PO Box 521 KERIKERI	99	301186A	A
8481.80.19	CURRENT APPROVAL: Gate valves viz: (a) Wedge, split wedge, flexible wedge, solid wedge, parallel slide gate and parallel double disc gate valves viz: (i) Brass, bronze or gunmetal bodied - 125mm (5") and over (ii) Cast iron bodied - 125mm (5"), 225mm (9") and over 600mm (24") (iii) Dezincification resistant brass alloy bodied 8mm (¼") to 50mm (2") (iv) Forged or cast carbon steel or stainless steel and cast iron without internal trim of parent metal or copper based alloys - all sizes (v) Plastic bodied - 32mm (1"/4") and above (vi) Parallel slide gate valves - all sizes (vii) Solid wedge type, body and internals of stainless steel, with flanged end connectionsmm (viii) Dezincification resistant bronze alloy bodied 8mm (1/4") to 50mm (2" (b) Sluice valves: (i) Iron bodied - 700mm (28") and over (ii) Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes (i) Cast iron bodied - all sizes (ii) Brass, bronze or gunmetal bodied - all sizes (iii) Carbon, alloy and stainless steel bodied - all sizes (iv) Titanium - all sizes		99	996404F	V
+	REQUESTED APPROVAL: Gate valves viz: (a) Wedge, split wedge, flexible wedge, solid wedge, parallel slide gate and parallel double disc gate valves viz: (i) Brass, bronze or gunmetal bodied - 125mm (5") and over (ii) Cast iron bodied - 125mm (5"), 225mm (9") and over 600mm (24") (iii) Dezincification resistant brass alloy bodied 8mm (¼") to 50mm (2") (iv) Forged or cast carbon steel or stainless steel and cast iron without internal trim of parent metal or copper based alloys - all sizes (v) Plastic bodied - 32mm (1¹/₄") and above (vi) Parallel slide gate valves - all sizes (vii) Solid wedge type, body and internals of stainless steel, with flanged and screwed end connections (viii) Dezincification resistant bronze alloy bodied 8mm (¹/₄") to 50mm (2") (b) Sluice valves: (i) Iron bodied - 700mm (28") and over (ii) Steel, brass, bronze, gunmetal and stainless steel bodied - all sizes (c) Knifegate valves: (i) Cast iron bodied - all sizes (ii) Carbon, alloy and stainless steel bodied - all sizes (iii) Carbon, alloy and stainless steel bodied - all sizes (iv) Titanium - all sizes	SOUTH AUCKLAND	99	301181L	V
8504.22.00	$4\ only\ 2,\!500kVA\ 33/11kV$ on load tap changer electrical transformers, for supply to Powernet	ABB Transformers C/- Worldfreight Customs & Forwarding Ltd PO Box 4105 NEW PLYMOUTH	99	301180B	CE



Tariff Concession (Advertisement) Notice No. 2006/21 - continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
8516.60	CURRENT APPROVAL: Bench top convection oven not exceeding 20 litre capacity and not exceeding a wattage of 1600		99	996234E	V
8516.60	REQUESTED APPROVAL: Bench top convection oven not exceeding 25 litre capacity and not exceeding a wattage of 1800	Mondiale Freight Services Ltd PO Box 53004 AUCKLAND AIRPORT	99	301188H	V
8544.51.09	Electrical cable with 250 amp fittings staggered internal disconnects and associated fittings attached, comprising 5 x 70mm2, single core multistranded copper conductor cables and 2 x 6mm2 pilot circuit cables insulated with low smoke and fume silicone and rated for high temperature	Jackson Electrical Industries Ltd C/- PO Box 73097 AUCKLAND AIRPORT es	99	301187K	A
8716.80.09	CURRENT APPROVAL: Fold away flat garden wheelbarrows being of lightweight metal frame and fabric receptacle		II Ref. of Appn. 99 996234E V 99 301188H V	V	
8716.80.09	REQUESTED APPROVAL: Fold away flat garden wheelbarrows being of lightweight metal frame and fabric receptacle	Allendale Garden Products C/- Aqua Air Freight Services Ltd PO Box 201062 AUCKLAND AIRPORT	99	301183G	V
8907.90.00	CURRENT APPROVAL: Polyethylene continuous flotation platform systems	L: en not exceeding 20 litre capacity and not food AL: en not exceeding 25 litre capacity and not food Mondiale Freight Services Ltd PO Box 53004 AUCKLAND AIRPORT amp fittings staggered internal disconnects and d.d. comprising 5 x 70mm2, single core multi- or cables and 2 x 6mm2 pilot circuit cables and fume silicone and rated for high temperatures L: eelbarrows being of lightweight metal frame Allendale Garden Products C'- Aqua Air Freight Services Ltd PO Box 201062 AUCKLAND AIRPORT Allendale Garden Products C'- Aqua Air Freight Services Ltd PO Box 201062 AUCKLAND AIRPORT L: flotation platform systems P9 994200K V AL: flotation platform systems, including parts and Tariff classification Custom Clearances Ltd PO Box 521 KERIKERI	V		
8907.90.00	CURRENT APPROVAL: Bench top convection oven not exceeding 20 litre capacity and not exceeding a wattage of 1600 REQUESTED APPROVAL: Bench top convection oven not exceeding 25 litre capacity and not exceeding a wattage of 1800 Electrical cable with 250 amp fittings staggered internal disconnects and associated fittings attached, comprising 5 x 70mm2, single core multistranded copper conductor cables and 2 x 6mm2 pilot circuit cables insulated with low smoke and fume silicone and rated for high temperate CURRENT APPROVAL: Fold away flat garden wheelbarrows being of lightweight metal frame and fabric receptacle REQUESTED APPROVAL: Fold away flat garden wheelbarrows being of lightweight metal frame and fabric receptacle CURRENT APPROVAL: Polyethylene continuous flotation platform systems REQUESTED APPROVAL: Polyethylene continuous flotation platform systems, including parts and accessories, regardless of Tariff classification Outdoor Christmas lights and lighting sets y of Application: A — General Approval CE — Capital Equipment IM — Inputs to Manufacturing – Inability MS — Manufacturers' Samples RUC — Revocation of Unused Concession S — Shortfall SS — Special Situation V — Variation of Existing Concession W — Withdrawal of Concession	PO Box 521	99	301185C	V
9405.40	Outdoor Christmas lights and lighting sets	PO Box 73111	99	301178L	A
* Categor	CE - Capital Equipment IM - Inputs to Manufacturing – Inability to MS - Manufacturers' Samples RUC - Revocation of Unused Concession S - Shortfall SS - Special Situation V - Variation of Existing Concession W - Withdrawal of Concession	o Supply			

Dated at Wellington this 8th day of June 2006.

V.A. MANKS, Ministry of Economic Development.



Tariff Act 1988

TARIFF CONCESSION APPROVALS, WITHDRAWALS AND DECLINES NOTICE (NO. 21) 2006

I, Vincent Anthony Manks, Executive Officer, Ministry of Economic Development, acting pursuant to section 8 of the Tariff Act 1988 under delegated authority hereby:

- (a) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the First Schedule to this notice the rates of duty or exemptions from duty specified in that Schedule with effect from the first day of the month so specified; and
- (b) In accordance with Part II of the Tariff approve in respect of the entry of goods listed in the Second Schedule to this notice the exemptions from duty specified in that Schedule with effect from the first day of the month so specified subject however to such purposes and conditions which I prescribe
- (c) Withdraw with effect fourteen days from the date of this Gazette, or otherwise at the date so specified, the approvals granted in respect of the entry of goods listed in the Third Schedule to this notice

	Tariff Item	Description of Goods	Rates of Normal	•	Part II Ref.	Ref. No.	Effecti From	ve To
	Chapter 61	Babies' and young infants' (i.e., children up to 2 years of age) clothing of	Free	Free	99			
	•	kinds and sizes, as specified below: "NOTE: The following concessions are not to apply to knitted trousers with closed feet, of fabric of an elastic or stretchable nature commonly known as						
		'crawlers', whether covered individually or as part of a set' BABIES BOOTIES Knitted footwear for girls and boys; not intended for walking. Sole constructed				203739E	1/88	
		from same material as upper, generally in knitted or crocheted one piece construction BABIES BREECHETTE SETS						
		Comprising jacket, jumper or cardigan, with or without attached hood, and overall. The latter being a garment with a knitted body and legs with or without closed feet and having maximum measurements of 51cm waist, crotch, waist				203740Ј	1/88	
		BODICES Close fitting buttoned undergarment without sleeves, worn from neck to waist, size not exceeding 56cm chest (measured armpit to arm pit when buttoned)				580958E	1/88	
		BODY SUITS Being undergarments, chest size not to exceed 56cm (measured armpit to armpit) maximum length 46cm (measured shoulder to crotch)				300781C	8/05	
		BUSTER, RANGER OR TRACKSUITS A two or three piece set of knitted fabric consisting of a top with a maximum chest measurement of 61cm (measured armpit to armpit) and/or a coat/jacket with or without hood made from knitted fabric. The maximum length of a coat shall be 51cm*. Jackets must have a maximum chest measurement (measured armpit to armpit) not exceeding 72cm AND a maximum length not exceeding 46cm and				740343H	1/88	
		legless, or short or long legged trousers with a maximum waist, crotch, waist measurement of 51cm or maximum length of 56cm, whichever applies (NOTE: where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band or to bottom of cuff when turned down, is not to exceed 61cm) CAPES WITH OR WITHOUT HOOD						
		A sleeveless cloak, with or without attached hood, of knitted or crocheted fabric, with a maximum vertical front measurement from throat of collar of cape of 61cm CARDIGANS, JERSEYS, JUMPERS, PULLOVERS, WAISTCOATS AND SIMILAR ARTICLES				205186K	1/88	
		Outer garment either sleeveless, short or long sleeved, with or without buttons or slide fasteners, and with or without hood, maximum size 61cm chest (measured armpit to armpit)				300901H	11/05	
		COAT SETS Comprising coat with or without matching leggings or trousers, and with or without matching hat or cap; the coat to have a maximum length of 51cm*				203744A	1/88	
		COATS OR JACKETS With or without hood, made from knitted fabric, designed to be worn over other outer garments. The maximum length of a coat shall be 51cm*. Jackets must have maximum chest measurement (measured armpit to armpit) not exceeding 72cm AND a maximum length not exceeding 46cm DRESSING GOWNS	a			580961E	1/88	
		Sleeved garment knitted, worn indoors over sleeping apparel (Attention is drawn to the provisions of the Safety of Childrens Nightclothes Act 1977). Maximum let 69cm*	ngth			780320G	1/88	
	FROCKS OR PINAFORES A one piece garment with or without a defined waistline. Maximum length 51cm * FROCK OR PINAFORE SETS	ŧ			400745L	1/88		
		A multiple pieced set with a frock or pinafore as the main component - not to exceed 51cm length* GOWNS				203748D	1/88	
		Loose flowing garment. May be suitably embroidered for christening. Maximum length* 76cm MATINEE COATS BABIES				209404F	1/88	
		Maximum front measurement from throat of collar of cape, of 61cm. Short knitted or crocheted baby pram jacket with or without attached hood				203750F	1/88	
		NIGHTDRESSES Gown worn as night attire (attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum length 76cm*				209405D	1/88	



Tariff		Rates of Duty	Part II	Ref.	Effectiv	
Item	Description of Goods	Normal Pref.	Ref.	No.	From	То
	OVERALL SETS A multiple piece set with an overall as the main component. Maximum length 56cm, measured side waist to bottom of hem			209407L	1/88	
	OVERALL WITH FULL LENGTH TROUSERS One-piece outer garment reaching to ankles and with or without sleeves, maximulength 56cm, measure waist to bottom of hem (NOTE: Where leg terminates in a elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band to bottom of cuff when turned down, is not to exceed 61cm) PETERKINS See Pram Sets	n		580872D	1/88	
	PETTICOATS Under garment designed to be worn under a frock or skirt and may be made from knitted fabric. Maximum length 51cm*	1		203755G	1/88	
	PRAM SETS A one, two, three or four piece set comprising any combination of the following: Jacket or jumper or matinee top with or without hood; overall or trouser with or without attached feet; booties and/or socks. Combination may include a cap or bonnet, either attached or unattached. Panels or fabric, either fully fashioned or c to shape. A pram set is commonly known as a Peterkin when in one piece. Maximum measurement of 51cm waist, crotch, waist or 56cm outer leg waist to foot when in one piece PYJAMAS MADE FROM KNITTED FABRIC			998145E	10/00	
	Two piece sleeping suit consisting of trousers with or without closed feet and separate top (attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum 61cm chest (measured armpit to armpit)			580962C	1/88	
ROMPERS	One piece legless or short legged knitted outer garment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crotch excluding babies pilches, being waterproof and/or water resistant pants designed to be worn over nappies.	g		820809D	12/88	
	ROMPER SUITS A two piece set comprising firstly an unattached sleeved or sleeveless top and secondly pants, but excluding sets which contain any of the following: (a) Pants made of brushed knitted fabric which pants are waterproof and/or water resistant: (b) Pants which have a waist-crotch-waist measurement of greater than 51 cm: (c) Tops which have a chest measurement of greater than 56 cm measured armpit to armpit			985603L	5/91	
	SHAWLS			2025605	1.00	
	Babies, knitted SHIRTS (including T Shirts)			203760C	1/88	
	Of knitted fabric comprising long or short sleeved garments produced from knitt- panels or cut and sewn from knitted fabric. Maximum chest size 56cm (measured armpit to armpit)			580964K	6/88	
	SHORTALLS One piece short legged outer-garment with bib front and shoulder straps. Garment not to exceed maximum length of 51cm shoulder to crutch and 62cm shoulder to hem			999822F	9/03	
	SKIRTS WITH BODICE TYPE TOPS Maximum *51cm length			203762K	1/88	
	SKIRTS WITH OR WITHOUT STRAPS ATTACHED TO WAISTBAND: Loose flowing garment, size not to exceed 31cm from top of waistband to lowest point of hem SKIVVIES			480718K	1/88	
	Thin, high or roll necked, long sleeved, knitted garment with or without neckline opening, maximum chest measurement 56cm (measured armpit to armpit) SLEEPING BAGS - BABIES			300847K	10/05	
	With or without hood, excluding those types falling within Chapter 94. Maximum length 76cm, from highest point of shoulder to bottom at back when length SNOW OR SKI SUITS - WITH OR WITHOUT HOOD OR FEET	aid flat		209408J	1/88	
	Heavy one or two piece outer garment, knitted, suited for wear outdoors during cold weather. Does not include garments with or without print or embroidered tri designed primarily for use as sleep suits. Maximum length 76cm measured from shoulder to ankle SOCKS			209409G	1/88	
	Knitted or crotcheted footwear. Maximum length of foot 13cm. Sock measured from a point immediately beneath the furthest point on the heel to a point immed beneath the furthest point of the toe area STRETCH-N-GROW SUITS	iately		203766B	1/88	
	One piece garments of terry towelling and/or velour fabric with sleeves and closed or unclosed feet, commonly known as "stretch-n-grow suits" SWIMSUITS AND BATHING TRUNKS			996264G	4/98	
	One or two piece swimwear for boys and girls. Maximum size 41cm waist-crotch-waist T SHIRTS - HOODED			203767L	1/88	
	Hooded T shirt type garments of knitted fabrics comprising long or short sleeves with a maximum chest size of 56cm (measured armpit to armpit)	,		989268A	6/93	



 Tariff Item	Description of Goods	Rates of Duty Normal Pref.	Part II Ref.	Ref. No.	Effectiv From	ve To
	TANK TOPS Being sleeveless outer garments of knitted fabric produced from knitted panels or cut and sewn from knitted fabric, maximum chest size 56cm (measured armpit			998667Н	8/01	
	to armpit) TIGHTS Gusset type tights with feet, maximum length 74cm measured side waist to Furthest point of the toe area			300780E	8/05	
	TROUSERS - FULL LENGTH Two legged outer garment reaching from waist to ankles, or trousers with closed feet. Maximum length 56cm side waist to bottom of hem or 61cm side waist to			998202H	11/00	
	bottom of foot when in one piece (Note: Where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band, or to bottom of cuff when turned down, is not to exceed 61cm) TROUSERS - SHORT					
	Short legged, legless or romper type trousers suitable for outerwear. Maximum of 51cm, waist-crotch-waist, excluding babies pilches, being waterproof and/or water resistant pants designed to be worn over nappies TUNIC SUITS - SMOCK TYPE			820808F	12/88	
	Knitted outfit incorporating tunic or smock type top and short or full length trousers designed as a set with a maximum length of 41cm* *Length to be measured from point where shoulder joins neck to lowest point on the hem of the garment at the back. Turn-up is to be taken into account when determining maximum length UNDERGARMENTS,			206849E	1/88	-
	Viz: vests, singlets, chest size not to exceed 56cm (measured armpit to armpit)			300130L	5/04	
Chapter 62	VESTS Plunket (Envelope) neck Babies' and young infants' (i.e., children up to 2 years of age) clothing of kinds and sizes, as specified below:	Free Free	99	998656B	8/01	
	"NOTE: The following concessions are not to apply to trousers with closed feet, of fabric of an elastic or stretchable nature commonly known as 'crawlers', whether covered individually or as part of a set' BUSTER, RANGER OR TRACKSUITS					
	A two or three piece set of woven fabric consisting of a top with a maximum chest measurement of 61cm (measured armpit to armpit) and/or a coat/jacket with or without hood made from woven fabric. The maximum length of a coat shall be 51cm*. Jackets must have a maximum chest measurement (measured armpit to armpit) not exceeding 72cm AND a maximum length not exceeding 46cm and legless, or short or long legged trousers with a maximum waist, crotch, waist measurement of 51cm or maximum length of 56cm, whichever applies (NOTE: where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band or to bottom of cuff when turned down, is not to exceed 61cm)			740344F	1/88	
	CAPES WITH OR WITHOUT HOOD A sleeveless cloak, with or without attached hood, of woven fabric, with a maximum vertical front measurement from throat of collar of cape of 61cm COAT SETS			580162B	1/88	
	Comprising coat with or without matching leggings or trousers, and with or without matching hat or cap; the coat to have a maximum length of 51cm* COATS OR JACKETS;			203778F	1/88	
	With or without hood, made from woven fabric, designed to be worn over other outer garments. The maximum length of a coat shall be 51cm* Jackets must have a maximum chest measurement (measured armpit to armpit) not exceeding 72cm AND a maximum length not exceeding 46cm			581595K	1/88	
	DRESSING GOWNS Sleeved garment, woven, worn indoors over sleeping apparel (attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum length 69cm*			780321E	1/88	
	FROCKS OR PINAFORES A one piece garment with or without a defined waistline. Maximum length 51cm*	:		203781F	1/88	
	FROCK OR PINAFORE SETS A multiple pieced set with a frock or pinafore as the main component - not to exceed 51cm length *			203782D	1/88	
	GOWNS Loose flowing garment. May be suitably embroidered for christening. Maximum length 76cm* NIGHTDRESSES			209412G	1/88	
	Gown worn as night attire (attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum length 76cm* OVERALLS WITH FULL LENGTH TROUSERS			209430E	1/88	
	One-piece outer garment reaching to ankles and with or without sleeves. Maximum length 56cm, measure waist to bottom of hem (NOTE: Where leg terminates in an elasticised ankle band or a turn-up cuff, measurement along outside of leg to bottom of elastic band to bottom of cuff when turned down, is not to exceed 61cm)	n		502098A	1/88	
	OVERALL SETS A multiple piece set with an overall as the main component. Maximum length 56cm measured side waist to bottom of hem			209416K	1/88	



	Tariff Item	Description of Goods	Rates of Duty Normal Pre	Ref.	Effectiv From	ve To
		PYJAMAS MADE FROM WOVEN FABRIC Two piece sleeping suit consisting of trousers with or without closed feet and. separate top (Attention is drawn to the provisions of the Safety of Children's Nightclothes Act 1977). Maximum 61cm chest (measured armpit to armpit)		581598D	1/88	
		ROMPERS One piece legless or short legged woven outergarment which can include a bib front and shoulder straps or a top portion with or without sleeves. The whole garment is not to exceed a maximum length of 46cm shoulder to crotch excluding babies pilches, being waterproof and/or water resistant pants designed to be worn over nappies		820806K	12/88	
		ROMPER SUITS A two piece set comprising of an unattached sleeved or sleeveless top and pants. The pants to have a maximum waist-crotch-waist measurement of 51cm and the top a maximum chest measurement of 56cm (measured armpit to armpit) SHAWLS - BABIES WOVEN		580966F	1/88	
		Rectangular or circular baby wrap SHIRTS		203793K	1/88	
		Of woven fabric comprising long or short sleeved garments produced from woven panels or cut and sewn from woven fabric. Maximum chest size 56cm (measured armpit to armpit)		581594A	1/88	
		SHORTALLS One piece short legged outer-garment with bib front and shoulder straps. Garment not to exceed maximum length of 51cm shoulder to crutch and 62cm shoulder to hem		999822F	9/03	
		SKIRTS WITH BODICE TYPE TOPS Maximum *51cm length		203838C	1/88	
		SKIRTS WITH OR WITHOUT STRAPS ATTACHED TO WAISTBAND Loose flowing garment, size not to exceed 31cm from top of waistband to lowest point of hem SLEEPING BAGS - BABIES		480720A	1/88	
		With or without hood excluding those types falling within Chapter 94. Maximum length 76cm from highest point of shoulder to bottom at back when laid flat SNOW OR SKI SUITS - WITH OR WITHOUT HOOD OR FEET		209419D	1/88	
		Heavy one or two piece outer garment, woven suited for wear outdoors during col- weather, does not include garments with or without print or embroidered trim, designed primarily for use as sleep suits. Maximum length 76cm, measured from mid-shoulder to ankle. STRETCH-N-GROW SUITS	d	209420Н	1/88	
		One piece garments of terry towelling and/or velour fabric with sleeves and closed or unclosed feet, commonly known as "stretch-n-grow suits" SWIMSUITS AND BATHING TRUNKS	i	996263J	4/98	
		One or two piece swimwear for boys and girls. Maximum size 41cm. waist-crotch-waist TROUSERS - FULL LENGTH		203797В	1/88	
		Two legged outer garment reaching from waist to ankles. Maximum length 56cm side waist to bottom of hem. (Note where leg terminates in an elasticised ankle bar or a turn-up cuff, measurement along outside of leg to bottom of elastic band or to bottom of cuff when turned down, is not to exceed 61cm) TROUSERS - SHORT		203799J	1/88	
		Short legged, legless or romper type trousers, suitable for outerwear, maximum of 51cm waist, crotch, waist excluding babies pilches being waterproof and/or water resistant pants designed to be worn over nappies		820807H	12/88	
		TUNIC OR SMOCK TYPE TOP Woven tunic or smock type top with a maximum length of 41cm *length to be measured from point where shoulder joins neck to lowest point on hem of the garr at the back. Turn-up is to be taken into account when determining maximum lengt		999001B	3/02	
		TUNIC SUITS - SMOCK TYPE Woven outfit incorporating tunic or smock type top and short or full length trousers designed as a set with a maximum length of 41cm* *Length to be measured from point where shoulder joins neck to lowest point on the hem of the garment at the back. Turn-up is to be taken into account when determining maximum length		206850J	1/88	
A	6406.99.05	Football boot inner chasis	Free Fre	301108K		
A V	7308.90.00 87.08	Free standing, metal, flood protection barrier Parts and accessories of motor vehicles falling within Tariff heading No. 87.01, 87.02, 87.03, 87.04 or 87.05 EXCLUDING: Adapter plates to fit leave and Commins angines	Free Free	301107A 301096B	4/06 3/06	
		Adaptor plates to fit Isuzu and Cummins engines Air dams Arm rests Automatic transmission oil coolers other than aluminium wafer type coolers				
		and amphibious vehicle automatic transmission oil coolers Axle assemblies for trailer and tag operation viz: axle beams, axle spindles, brake shoes, camshafts, brake spiders, back plate assemblies, brake shoe pins, brake shoe springs, brake shoe rollers, bushes, bearing housings, camshaft brackets, dust covers, wheel studs, wheel nuts, axle nuts, axle washers, hubs (stud and spoked), brake drums Bonnetguards Bull bars				
		Canopies				



Tariff Item Description of Goods Rates of Duty II Ref. Effective Normal Pref. Ref. No. From Couplings, trailer and truck (other than semi-trailer fifth wheel couplings of	
Countings trailer and truck (other than somi trailer fifth wheel countings of	To
Tariff heading \$7.16) Cut segments of motor vehicles apart from nose cuts and bum (rear) cuts. (The nose cut of a motor vehicle is the front panel assembly forward of and including the radiator support rail but not including the radiator. Radiators included in the nose cut remain subject to duty. Bum cuts of motor vehicles comprise only the rear bumper, rear panel and rear lights) Disc brake pad assemblies and disc pad kits Door control systems, air, air-bleed or vacuum operated, viz: single/double folding (jacknife), single/double gliders Engines Exhaust pipes Exhaust systems (comprising piping and mufflers) External luggage racks Glare stops Headlight covers Interior trim components of hardboard, cardboard or similar materials, leather or plastic sheetings, cut to shape Motted wellside deckliners other than those for Chevrolet and Ford F series vehicles Radiator cores and assemblies Seat belts Spoilers of plastic Towballs Upholsterers materials (such as flock, wadding, batting, fluting, linters, padding, foam; out, moulded or fabricated to shape Weathershields Wheel balance weights Wheel spinners for use on steering wheels Wheel so fasted with tyres thereon (excluding; space saver wheels, with tyres attached, of the following sizes, viz. T105/80D13, T105/70D14, T115/70D14, T115/70D15, T135/70D15, T135/70D15, T135/70D16, and construction or composite with tyres thereon (Note: while wheels of magnesium, aluminium alloys, (less than 17" (43.18cm) in diameter), whether one piece construction or composite with tyres thereon Wheels of steel with tyres thereon (excluding; space saver wheels, with tyres attached, of the following sizes, viz: T105/80D13, T105/70D14, T115/70D14, T115/70D15, T135/70D15, T135/70D16, with a miterial rim diameter of 440mm or greater (Note: while wheels of magnesium or aluminium alloys may be admitted	10

SECOND SCHEDULE Concession Approvals Subject to Prescribed Purposes and Conditions

	TD :cc		D	D .	Part	D. C	Ecc:	
	Tariff Item	Description of Goods	Rates of Normal		II Ref.	Ref. No.	Effective From	ve To
	пеш	Description of Goods	Norman	rici.	Kei.	NO.	Pioni	10
IM	5007.90.00	55% silk, 45% wool – 200m ²	Free	Free	99	301154C	5/06	1/07
	5112.11.08	$100\% \text{ wool} - 300\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 300\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 300\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 400\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 1200\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 1200\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 1200\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 1200\text{m}^2$						
	5112.19.00	$100\% \text{ wool} - 1200\text{m}^2$						
IM	5112.11.02	$100\% \text{ wool} - 700\text{m}^2$	Free	Free	99	301155A	5/06	1/07
	5112.11.08	96% wool, 4% polyester – 1000m ²						
	5112.11.08	$100\% \text{ wool} - 100\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 2000\text{m}^2$						
	5112.11.08	$100\% \text{ wool} - 2000\text{m}^2$						
	5112.19.00	$100\% \text{ wool} - 1000\text{m}^2$						
	5112.19.00	$100\% \text{ wool} - 4000\text{m}^2$						
	5112.19.00	60% wool, 40% polyester – 3800m ²						
	5112.30.08	60% wool, 40% polyester – 1000m ²						
	5112.30.08	65% wool, 35% rayon – 400m ²						
IM	5112.19.00	98% virgin wool, 2% elastane – 150m ²	Free	Free	99	301153E	5/06	1/07
	5112.19.00	$100\% \text{ wool} - 210\text{m}^2$						
	5112.19.00	$100\% \text{ wool} - 210\text{m}^2$						
	5112.19.00	$100\% \text{ wool} - 248\text{m}^2$						
	5112.19.00	$100\% \text{ wool} - 315\text{m}^2$						
IM	5112.20.08	98% wool, 2% spandex – 4800m ²	Free	Free	99	301075K	3/06	11/06
	5112.90.08	57% wool, 40% rayon, 3% spandex – 1300m ²						
	5112.90.08	52% wool, 33% acrylic, 13% nylon, 2% other – 2600m ²						
X	6006.10.19	100% woollen knit fabric – 980m²	Free	Free	99	300979D	1/06	12/06



THIRD SCHEDULE Concession Approvals Withdrawn

Tariff	Rates of Duty		Duty	Part II	Ref.	Effective	
Item	Description of Goods	Normal		Ref.	No.	From	To
	Description of Goods	110111111	11011	11011	110.	110111	
Chapter 61	Babies' below:						
Chapter of	"NOTE: set"	••					
	BODICESbuttoned)				580958E		
	BABIES construction				203739E		
	BABIES waist				203740J		
	BUSTER, 61cm)				740343H		
	CAPES 61cm				205186K		
	CARDIGANS, armpit)				300901H		
	COAT SETS51cm*				203744A		
	COATS 46cm				580961E		
	DRESSING 69cm*				780320G		
	FROCKS 51cm *				400745L		
	FROCK length*				203748D		
	GOWNS 76cm				209404F		
	MATINEE hood				203750F		
	NIGHTDRESSES 76cm*				209405D		
	OVERALL61cm)				580872D		
	OVERALL hem				209407L		
	PETTICOATS 51cm*				203755G		
	PRAM SETS piece				998145E		
	PYJAMAS armpit)				580962C		
	ROMPERS nappies				820809D		
	ROMPER armpit				985603L		
	SHAWLS knitted				203760C		
	SHIRTS armpit)				580964K		
	SHORTALLS hem				999822F		
	SKIRTS length				203762K		
	SKIRTS hem.				480718K		
	SLEEPING flat				209408J		
	SNOW ankle				209409G		
	SOCKS area				203766B		
	STRETCH-N-GROW SUITS suits"				996264G		
	SWIMSUITS waist				203767L		
	TROUSERS-SHORT nappies				820808F		
	TROUSERS 61cm)				998202H 206849E		
Chapter 61	TUNIC length Babies armpit)				998667H		
Chapter 61	Babies crotch)	-		••	300781C		
Chapter 61	Babies' armpit)				989268A		
Chapter 61	Babies armpit)				300130L		
Chapter 61	Babies' area				300780E		
Chapter 61	Babies' vests				998656B		
Chapter 61	Babies armpit)				300847K		
Chapter 62	Babies' below				3000 4 7 K		
Chapter 02	"NOTE: set"		••	••			
	BUSTER,61cm)				740344F		
	CAPES 61cm				580162B		
	COAT51cm*.				203778F		
	COATS46cm.				581595K		
	DRESSING69cm*				780321E		
	FROCKS 51cm*.				203781F		
	FROCK length *				203782D		
	GOWNS 76cm*				209412G		
	NIGHTDRESSES 76cm*				209430E		
	OVERALLS 61cm)				502098A		
	OVERALL hem				209416K		
	PYJAMAS armpit)				581598D		
	ROMPERS nappies				820806K		
	ROMPER armpit)				580966F		
	SHAWLS wrap				203793K		
	SHIRTS: armpit)				581594A		
	SHORTALLS hem				999822F		
	SKIRTS length				203838C		
	SKIRTS hem				480720A		
	SLEEPING flat				209419D		
	SNOW ankle				209420H		
	STRETCH-N-GROW suits"				996263J		
	SWIMSUITS waist-crotch-waist				203797B		
	TROUSERS 61cm)				203799J		
	TROUSERS nappies				820807H		
	TUNIC length				999001B		
	TUNIC length				206850J		



Category of Approval: A CE General Approval Capital Equipment Goods in Transit

GT IM MS RUC

Inputs to Manufacturing – Inability to Supply Manufacturers' Samples Revocation of Unused Concession

S SS V X Shortfall Special Situation

Variation of Existing Concession Administrative Amendment

The concessions approved subject to prescribed purposes and conditions as listed in the Second Schedule to this notice will not be published in the Consolidated List of Approvals.

Dated at Wellington this 8th day of June 2006.

V.A. MANKS, Ministry of Economic Development.



